

Specification for

Bars and extruded sections of aluminium- zinc-magnesium- copper-chromium alloy —

(Solution treated and artificially aged
to an overaged condition)

(Zn 5.6, Mg 2.5, Cu 1.6, Cr 0.22)

UDC 629.7:669.715'5'721'3'26 – 42

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 3 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Aerospace Industry Standards Committee, was published under the authority of the Executive Board on 28 May 1976

© BSI 02-2000

The following BSI references relate to the work on this standard:
Committee reference ACE/24
Draft for comment 72/36415 DC

ISBN 0 580 08979 7

Amendments issued since publication

Amd. No.	Date of issue	Comments
5583	July 1987	Indicated by a sideline in the margin

Contents

	Page
1 Inspection and testing procedure	1
2 Quality of material	1
3 Chemical composition	1
4 Condition	1
5 Heat treatment	1
6 Mechanical properties	1
7 Resistance to stress corrosion cracking	2
Appendix A Test for resistance to stress corrosion cracking	3
Figure 1 — Test pieces for stress corrosion test	3