

Specification for

Bars and extruded sections of aluminium — copper — magnesium — silicon — manganese alloy —

(Solution treated and artificially aged)
(Not exceeding 200 mm diameter or
minor sectional dimension)
(Cu 4.4, Mg 0.5, Si 0.7, Mn 0.8)

UDC 629.7:669.715'3'721'782'74 – 42 – 153.71 – 157.84

Confirmed December 2009

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 and 2 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Aerospace Standards Committee, was published under the authority of the Executive Board on 29 December 1978

© BSI 01-2000

The following BSI references relate to the work on this standard:
Committee reference ACE/24
Draft for comment 78/71606 DC

ISBN 0 580 10604 7

Amendments issued since publication

Amd. No.	Date of issue	Comments
7876	August 1993	Indicated by a sideline in the margin

Contents

	Page
1	Inspection and testing procedure
2	Quality of material
3	Chemical composition
4	Condition
5	Heat treatment
6	Mechanical properties
7	Identification