

Specification for

Eye bolts (unified threads) for aircraft

ICS 49.030.20

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSi
Documents[®]
British Standards

AVA

Document Sharing Hub

Foreword

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution.

BS SP 114:1955+A5:2013 supersedes BS SP 114:1955 (incorporating Amendments No. 1:1961, No. 2:1975, No. 3:1980 and No. 4:2008), which is withdrawn.

The start and finish of text introduced or altered by Amendment No. 5:2012 is indicated in the text by tags **A5** **A5**. Minor editorial changes are not tagged.

CAUTION. BS SP 114 eye bolts have cadmium as a plating material, which has been restricted and/or banned for use in many countries owing to environmental and health concerns; they should not be used in new product designs. Local officials should be consulted about any concerns on using cadmium-plated parts.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 4, an inside back cover and a back cover.

The BSI copyright notice displayed in the document indicates when the document was last issued.

The most recent changes to the document are indicated by a sideline.

Amendments issued since publication

Amd. No.	Date	Comments
Amd. No. 1	February 1961	
Amd. No. 2	August 1975	
Amd. No. 3	July 1980	
Amd. No. 4	January 2008	Revision of Table 3
Cor. No. 1	January 2008	
A5	January 2013	See Foreword

© The British Standards Institution 2013
Published by BSI Standards Limited 2013

Draft for comment
12/30254189 DC

ISBN 978 0 580 76860 6

Contents

	Page
1 Scope	1
2 Material	1
3 Dimensions	1
4 Screw threads	1
5 Tolerance on straightness of eye bolts	1
6 Protective finish	1
7 Freedom from defects	1
8 Identification and marking	1
Appendix Loading of eye bolts and cable sizes	5
Figure 1	2
Figure 2	3
Figure 3	5
Figure 4	5
Table 1 — Maximum permissible bow	1
Table 2 — Dimensions of eye bolts (unified threads) for aircraft (third angle projection)	2
Table 3 — Part numbers, bearing length “L”, clamping length “M”, and length “E” of eye bolts (unified threads) for aircraft	3
Table 4	5