

Specification for

**Solid rivets
with 100° countersunk
truncated radiused
head made from
BS L 86 (SP 142) and
BS L 37 (SP 143)
materials**

Index form of title: Rivets, solid, 100° countersunk truncated radiused head, in L 86 and L 37 materials

ICS 49.030.60

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution.

Supersession

BS 2SP 142 and SP 143: 1973+A3:2013 supersedes BS 2SP 142 and SP 143: 1973 (incorporating Amendments No.1 and No.2), which are withdrawn.

Information about this document

Text introduced or altered by Amendment No. 3 is indicated in the text by tags **A3** **A3**. Minor editorial changes are not tagged. Previous amendments are not indicated.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard, having been approved by the Aerospace Industry Standards Committee, was published under the authority of the Executive Board on 30 November 1973

© The British Standards Institution 2013
Published by BSI Standards Limited 2013

The following BSI references relate to the work on this standard:

Committee reference ACE/14
Draft for approval 72/35896
Draft for comment 13/30274755 DC

ISBN 978 0 580 81267 5

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 5 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Amendments issued since publication

Amd. No.	Date	Comments
2393	November 1977	
3268	July 1980	
A3	May 2013	See Foreword.

Contents

	Page
Appendix A Heat treatment	4
Appendix B Rivet markings: position and dimensions	4
Appendix C Rivets for use in auto-riveting machines	5
Figure 1 — Details of rivets	1
Figure 2 — Dimensions of identification marks	4
Figure 3 — Detail of radiused tail	5
Table 1 — Dimensions	1
Table 1A — Length dimensions	2
Table 2 — Material	2
Table 3 — Dimensions of radiused tails	5