

Specification for

Bar and section for machining of titanium-aluminium- molybdenum-tin-silicon alloy —

(Tensile strength 1050–1220 N/mm²)
(Limiting ruling section over 25 mm
up to and including 100 mm)

UDC 629.7:669.295.5'71'28'6'782.018.23 – 422.2

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 and 2 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been approved by the Aerospace Industry Standards Committee, was published under the authority of the Executive Board on 2 February 1973

© BSI 02-2000

The following BSI references relate to the work on this standard:
Committee reference ACE/49
Draft for comment 71/33667

ISBN 0 580 07477 3

Amendments issued since publication

Amd. No.	Date of issue	Comments
3427	December 1980	Indicated by a sideline in the margin

Contents

	Page
1 Inspection and testing procedure	1
2 Manufacture	1
3 Chemical composition	1
4 Condition	1
5 Heat treatment	1
6 Mechanical properties	1
Appendix A British Standards covering other forms of material of similar composition	2