




Rules for the Classification of Steel Ships

PART D – Service Notations

NR 467.D1 DT R13 E

July 2021

Marine & Offshore
Le Triangle de l'Arche - 8 cours du Triangle - CS50101
92937 Paris la Défense Cedex- France
Tel: + 33 (0)1 55 24 70 00
<https://marine-offshore.bureauveritas.com/bv-rules>
© 2021 Bureau Veritas - All rights reserved

AVA **Documents**
Document Sharing Hub



1. INDEPENDENCE OF THE SOCIETY AND APPLICABLE TERMS

- 1.1** The Society shall remain at all times an independent contractor and neither the Society nor any of its officers, employees, servants, agents or subcontractors shall be or act as an employee, servant or agent of any other party hereto in the performance of the Services.
- 1.2** The operations of the Society in providing its Services are exclusively conducted by way of random inspections and do not, in any circumstances, involve monitoring or exhaustive verification.
- 1.3** The Society acts as a services provider. This cannot be construed as an obligation bearing on the Society to obtain a result or as a warranty. The Society is not and may not be considered as an underwriter, broker in Unit's sale or chartering, expert in Unit's valuation, consulting engineer, controller, naval architect, designer, manufacturer, shipbuilder, repair or conversion yard, charterer or shipowner; none of the above listed being relieved from any of their expressed or implied obligations as a result of the interventions of the Society.
- 1.4** Only the Society is qualified to apply and interpret its Rules.
- 1.5** The Client acknowledges the latest versions of the Conditions and of the applicable Rules applying to the Services' performance.
- 1.6** Unless an express written agreement is made between the Parties on the applicable Rules, the applicable Rules shall be the Rules applicable at the time of entering into the relevant contract for the performance of the Services.
- 1.7** The Services' performance is solely based on the Conditions. No other terms shall apply whether express or implied.

2. DEFINITIONS

- 2.1** "Certificate(s)" means classification or statutory certificates, attestations and reports following the Society's intervention.
- 2.2** "Certification" means the activity of certification in application of national and international regulations or standards ("Applicable Referential"), in particular by delegation from different governments that can result in the issuance of a Certificate.
- 2.3** "Classification" means the classification of a Unit that can result or not in the issuance of a classification Certificate with reference to the Rules. Classification (or Certification as defined in clause 2.2) is an appraisalment given by the Society to the Client, at a certain date, following surveys by its surveyors on the level of compliance of the Unit to the Society's Rules and/or to Applicable Referential for the Services provided. They cannot be construed as an implied or express warranty of safety, fitness for the purpose, seaworthiness of the Unit or of its value for sale, insurance or chartering.
- 2.4** "Client" means the Party and/or its representative requesting the Services.
- 2.5** "Conditions" means the terms and conditions set out in the present document.
- 2.6** "Industry Practice" means international maritime and/or offshore industry practices.
- 2.7** "Intellectual Property" means all patents, rights to inventions, utility models, copyright and related rights, trade marks, logos, service marks, trade dress, business and domain names, rights in trade dress or get-up, rights in goodwill or to sue for passing off, unfair competition rights, rights in designs, rights in computer software, database rights, topography rights, moral rights, rights in confidential information (including know-how and trade secrets), methods and protocols for Services, and any other intellectual property rights, in each case whether capable of registration, registered or unregistered and including all applications for and renewals, reversions or extensions of such rights, and all similar or equivalent rights or forms of protection in any part of the world.
- 2.8** "Parties" means the Society and Client together.
- 2.9** "Party" means the Society or the Client.
- 2.10** "Register" means the public electronic register of ships updated regularly by the Society.
- 2.11** "Rules" means the Society's classification rules (available online on veristar.com), guidance notes and other documents. The Society's Rules take into account at the date of their preparation the state of currently available and proven technical minimum requirements but are not a standard or a code of construction neither a guide for maintenance, a safety handbook or a guide of professional practices, all of which are assumed to be known in detail and carefully followed at all times by the Client.
- 2.12** "Services" means the services set out in clauses 2.2 and 2.3 but also other services related to Classification and Certification such as, but not limited to: ship and company safety management certification, ship and port security certification, maritime labour certification, training activities, all activities and duties incidental thereto such as documentation on any supporting means, software, instrumentation, measurements, tests and trials on board. The Services are carried out by the Society according to the Rules and/or the Applicable Referential and to the Bureau Veritas' Code of Ethics. The Society shall perform the Services according to the applicable national and international standards and Industry Practice and always on the assumption that the Client is aware of such standards and Industry Practice.
- 2.13** "Society" means the classification society 'Bureau Veritas Marine & Offshore SAS', a company organized and existing under the laws of France, registered in Nanterre under number 821 131 844, or any other legal entity of Bureau Veritas Group as may be specified in the relevant contract, and whose main activities are Classification and Certification of ships or offshore units.
- 2.14** "Unit" means any ship or vessel or offshore unit or structure of any type or part of it or system whether linked to shore, river bed or sea bed or not, whether operated or located at sea or in inland waters or partly on land, including submarines, hovercrafts, drilling rigs, offshore installations of any type and of any purpose, their related and ancillary equipment, subsea or not, such as well head and pipelines, mooring legs and mooring points or otherwise as decided by the Society.

3. SCOPE AND PERFORMANCE

- 3.1** Subject to the Services requested and always by reference to the Rules, and/or to the Applicable Referential, the Society shall:
- review the construction arrangements of the Unit as shown on the documents provided by the Client;
 - conduct the Unit surveys at the place of the Unit construction;
 - class the Unit and enter the Unit's class in the Society's Register;
 - survey the Unit periodically in service to note whether the requirements for the maintenance of class are met.
- The Client shall inform the Society without delay of any circumstances which may cause any changes on the conducted surveys or Services.
- 3.2** The Society will not:
- declare the acceptance or commissioning of a Unit, nor its construction in conformity with its design, such activities remaining under the exclusive responsibility of the Unit's owner or builder;
 - engage in any work relating to the design, construction, production or repair checks, neither in the operation of the Unit or the Unit's trade, neither in any advisory services, and cannot be held liable on those accounts.

4. RESERVATION CLAUSE

- 4.1** The Client shall always: (i) maintain the Unit in good safety condition after surveys; (ii) present the Unit for surveys; and (iii) inform the Society in due time of any circumstances that may affect the given appraisalment of the Unit or cause to modify the scope of the Services.
- 4.2** Certificates are only valid if issued by the Society.
- 4.3** The Society has entire control over the Certificates issued and may at any time withdraw a Certificate at its entire discretion including, but not limited to, in the following situations: where the Client fails to comply in due time with instructions of the Society or where the Client fails to pay in accordance with clause 6.2 hereunder.
- 4.4** The Society may at times and at its sole discretion give an opinion on a design or any technical element that would 'in principle' be acceptable to the Society. This opinion shall not presume on the final issuance of any Certificate nor on its content in the event of the actual issuance of a Certificate. This opinion shall only be an appraisalment made by the Society which shall not be held liable for it.

5. ACCESS AND SAFETY

- 5.1** The Client shall give to the Society all access and information necessary for the efficient performance of the requested Services. The Client shall be the sole responsible for the conditions of presentation of the Unit for tests, trials and surveys and the conditions under which tests and trials are carried out. Any information, drawing, etc. required for the performance of the Services must be made available in due time.
- 5.2** The Client shall notify the Society of any relevant safety issue and shall take all necessary safety-related measures to ensure a safe work environment for the Society or any of its officers, employees, servants, agents or subcontractors and shall comply with all applicable safety regulations.

6. PAYMENT OF INVOICES

- 6.1** The provision of the Services by the Society, whether complete or not, involves, for the part carried out, the payment of fees thirty (30) days upon issuance of the invoice.
- 6.2** Without prejudice to any other rights hereunder, in case of Client's payment default, the Society shall be entitled to charge, in addition to the amount not properly paid, interest equal to twelve (12) months LIBOR plus two (2)

per-cent as of due date calculated on the number of days such payment is delinquent. The Society shall also have the right to withhold Certificates and other documents and/or to suspend or revoke the validity of Certificates.

- 6.3** In case of dispute on the invoice amount, the undisputed portion of the invoice shall be paid and an explanation on the dispute shall accompany payment so that action can be taken to resolve the dispute.

7. LIABILITY

- 7.1** The Society bears no liability for consequential loss. For the purpose of this clause consequential loss shall include, without limitation:
- Indirect or consequential loss;
 - Any loss and/or deferral of production, loss of product, loss of use, loss of bargain, loss of revenue, loss of profit or anticipated profit, loss of business and business interruption, in each case whether direct or indirect.
- The Client shall defend, release, save, indemnify, defend and hold harmless the Society from the Client's own consequential loss regardless of cause.
- 7.2** Except in case of wilful misconduct of the Society, death or bodily injury caused by the Society's negligence and any other liability that could not be, by law, limited, the Society's maximum liability towards the Client is limited to one hundred and fifty per-cent (150%) of the price paid by the Client to the Society for the Services having caused the damage. This limit applies to any liability of whatsoever nature and howsoever arising, including fault by the Society, breach of contract, breach of warranty, tort, strict liability, breach of statute.
- 7.3** All claims shall be presented to the Society in writing within three (3) months of the completion of Services' performance or (if later) the date when the events which are relied on were first discovered by the Client. Any claim not so presented as defined above shall be deemed waived and absolutely time barred.

8. INDEMNITY CLAUSE

- 8.1** The Client shall defend, release, save, indemnify and hold harmless the Society from and against any and all claims, demands, lawsuits or actions for damages, including legal fees, for harm or loss to persons and/or property tangible, intangible or otherwise which may be brought against the Society, incidental to, arising out of or in connection with the performance of the Services (including for damages arising out of or in connection with opinions delivered according to clause 4.4 above) except for those claims caused solely and completely by the gross negligence of the Society, its officers, employees, servants, agents or subcontractors.

9. TERMINATION

- 9.1** The Parties shall have the right to terminate the Services (and the relevant contract) for convenience after giving the other Party thirty (30) days' written notice, and without prejudice to clause 6 above.
- 9.2** The Services shall be automatically and immediately terminated in the event the Client can no longer establish any form of interest in the Unit (e.g. sale, scrapping).
- 9.3** The Classification granted to the concerned Unit and the previously issued Certificates shall remain valid until the date of effect of the termination notice issued, or immediately in the event of termination under clause 9.2, subject to compliance with clause 4.1 and 6 above.
- 9.4** In the event where, in the reasonable opinion of the Society, the Client is in breach, or is suspected to be in breach of clause 16 of the Conditions, the Society shall have the right to terminate the Services (and the relevant contracts associated) with immediate effect.

10. FORCE MAJEURE

- 10.1** Neither Party shall be responsible or liable for any failure to fulfil any term or provision of the Conditions if and to the extent that fulfilment has been delayed or temporarily prevented by a force majeure occurrence without the fault or negligence of the Party affected and which, by the exercise of reasonable diligence, the said Party is unable to provide against.
- 10.2** For the purpose of this clause, force majeure shall mean any circumstance not being within a Party's reasonable control including, but not limited to: acts of God, natural disasters, epidemics or pandemics, wars, terrorist attacks, riots, sabotages, impositions of sanctions, embargoes, nuclear, chemical or biological contaminations, laws or action taken by a government or public authority, quotas or prohibition, expropriations, destructions of the worksite, explosions, fires, accidents, any labour or trade disputes, strikes or lockouts.

11. CONFIDENTIALITY

- 11.1** The documents and data provided to or prepared by the Society in performing the Services, and the information made available to the Society, will be treated as confidential except where the information:
- is properly and lawfully in the possession of the Society;
 - is already in possession of the public or has entered the public domain, other than through a breach of this obligation;
 - is acquired or received independently from a third party that has the right to disseminate such information;
 - is required to be disclosed under applicable law or by a governmental order, decree, regulation or rule or by a stock exchange authority (provided that the receiving Party shall make all reasonable efforts to give prompt written notice to the disclosing Party prior to such disclosure).
- 11.2** The Parties shall use the confidential information exclusively within the framework of their activity underlying these Conditions.
- 11.3** Confidential information shall only be provided to third parties with the prior written consent of the other Party. However, such prior consent shall not be required when the Society provides the confidential information to a subsidiary.
- 11.4** Without prejudice to sub-clause 11.1, the Society shall have the right to disclose the confidential information if required to do so under regulations of the International Association of Classifications Societies (IACS) or any statutory obligations.

12. INTELLECTUAL PROPERTY

- 12.1** Each Party exclusively owns all rights to its Intellectual Property created before or after the commencement date of the Conditions and whether or not associated with any contract between the Parties.
- 12.2** The Intellectual Property developed by the Society for the performance of the Services including, but not limited to drawings, calculations, and reports shall remain the exclusive property of the Society.

13. ASSIGNMENT

- 13.1** The contract resulting from these Conditions cannot be assigned or transferred by any means by a Party to any third party without the prior written consent of the other Party.
- 13.2** The Society shall however have the right to assign or transfer by any means the said contract to a subsidiary of the Bureau Veritas Group.

14. SEVERABILITY

- 14.1** Invalidity of one or more provisions does not affect the remaining provisions.
- 14.2** Definitions herein take precedence over other definitions which may appear in other documents issued by the Society.
- 14.3** In case of doubt as to the interpretation of the Conditions, the English text shall prevail.

15. GOVERNING LAW AND DISPUTE RESOLUTION

- 15.1** These Conditions shall be construed in accordance with and governed by the laws of England and Wales.
- 15.2** Any dispute shall be finally settled under the Rules of Arbitration of the Maritime Arbitration Chamber of Paris ("CAMP"), which rules are deemed to be incorporated by reference into this clause. The number of arbitrators shall be three (3). The place of arbitration shall be Paris (France). The Parties agree to keep the arbitration proceedings confidential.
- 15.3** Notwithstanding clause 15.2, disputes relating to the payment of the Society's invoices may be submitted by the Society to the *Tribunal de Commerce de Nanterre*, France, or to any other competent local Court, at the Society's entire discretion.

16. PROFESSIONAL ETHICS

- 16.1** Each Party shall conduct all activities in compliance with all laws, statutes, rules, economic and trade sanctions (including but not limited to US sanctions and EU sanctions) and regulations applicable to such Party including but not limited to: child labour, forced labour, collective bargaining, discrimination, abuse, working hours and minimum wages, anti-bribery, anti-corruption, copyright and trademark protection, personal data protection (<https://personaldataprotection.bureauveritas.com/privacypolicy>).
- Each of the Parties warrants that neither it, nor its affiliates, has made or will make, with respect to the matters provided for hereunder, any offer, payment, gift or authorization of the payment of any money directly or indirectly, to or for the use or benefit of any official or employee of the government, political party, official, or candidate.
- 16.2** In addition, the Client shall act consistently with the Bureau Veritas' Code of Ethics and, when applicable, Business Partner Code of Conduct both available at <https://group.bureauveritas.com/group/corporate-social-responsibility/operational-excellence>.





RULES FOR THE CLASSIFICATION OF SHIPS

Part D Service Notations

Chapters 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

Chapter 1	RO-RO CARGO SHIPS AND PURE CAR / TRUCK CARRIERS
Chapter 2	CONTAINER SHIPS
Chapter 3	LIVESTOCK CARRIERS
Chapter 4	BULK CARRIERS
Chapter 5	ORE CARRIERS
Chapter 6	COMBINATION CARRIERS
Chapter 7	OIL TANKERS AND FLS TANKERS
Chapter 8	CHEMICAL TANKERS
Chapter 9	LIQUEFIED GAS CARRIERS
Chapter 10	TANKERS
Chapter 11	PASSENGER SHIPS
Chapter 12	RO-RO PASSENGER SHIPS
Chapter 13	SHIPS FOR DREDGING ACTIVITY
Chapter 14	NON-PROPELLED UNITS
Chapter 15	FISHING VESSELS
Chapter 16	OFFSHORE PATROL VESSELS

July 2021

The English wording of these rules take precedence over editions in other languages.

Unless otherwise specified, these rules apply to ships for which contracts are signed after July 1st, 2021. The Society may refer to the contents hereof before July 1st, 2021, as and when deemed necessary or appropriate.

CHAPTER 1

RO-RO CARGO SHIPS AND PURE CAR / TRUCK CARRIERS

Section 1 General

1	General	57
1.1	Application	

Section 2 Hull and Stability

1	General	58
1.1	Application	
1.2	Documents to be submitted	
2	Stability	58
2.1	Damage stability requirements for ship where additional class notation SDS is required	
3	Structure design principles	58
3.1	Wood sheathing	
4	Global strength	58
4.1	Hull girder strength	
4.2	Global transverse strength	
5	Hull scantlings	59
5.1	Minimum net thicknesses of plating	
5.2	Fatigue assessment for ships with length greater than 170 m	
6	Other structures	59
6.1	Side doors and stern doors	

Section 3 Machinery and Systems

1	Scuppers and sanitary discharges	60
1.1	Drainage of ro-ro cargo spaces, intended for the carriage of motor vehicles with fuel in their tanks for their own propulsion	

Section 4 Electrical Installations

1	General	61
1.1	Applicable requirements	
1.2	Documentation to be submitted	
1.3	Safety characteristics	
2	Installation	62
2.1	Installations in closed ro-ro cargo spaces	
2.2	Installations in cargo spaces other than ro-ro cargo spaces but intended for the carriage of motor vehicles	
3	Type approved components	62
3.1		

CHAPTER 2

CONTAINER SHIPS

Section 1 General

1	General	65
1.1	Application	

Section 2 Hull and Stability

1	Stability	66
1.1	Intact stability	
1.2	Damage stability requirements for ships where the additional class notation SDS has been required	
2	Ships granted with the additional service feature equipped for carriage of containers	67
2.1	Documents to be submitted	
2.2	Structure design principles	
2.3	Forces applied to containers	
2.4	Arrangement of fixed cell guides	

Section 3 Machinery

1	Open top container ships	70
1.1		

CHAPTER 3

LIVESTOCK CARRIERS

Section 1 General

1	General	73
1.1	Application	
1.2	Summary table	

Section 2 Hull and Stability

1	General	74
1.1	Documents to be submitted	
2	General arrangement	74
2.1	Livestock arrangement	
2.2	Arrangement of spaces dedicated to the carriage of livestock	
2.3	Means of escape and access	
3	Stability	74
3.1	Intact stability	
4	Hull girder strength	74
4.1	Application	
5	Hull scantlings	75
5.1	Scantlings of plating, ordinary stiffeners and primary supporting members	

Section 3 Systems Serving Livestock Spaces

1	General	76
1.1	Application	
1.2	Documents to be submitted	
2	Design of the systems	76
2.1	General	
2.2	Ventilation system	
2.3	Fodder and fresh water systems	
2.4	Washing system	
2.5	Drainage system	
2.6	Lighting system	

Section 4 Fire-Fighting Systems in Livestock Spaces

1	General	78
1.1	Application	
1.2	Documents to be submitted	
2	Fire-fighting appliances	78
2.1	Fire hoses	
2.2	Additional fire-fighting means	

CHAPTER 4

BULK CARRIERS

Section 1 General

1	General	81
1.1	Application	

Section 2 Ship Arrangement

1	General	82
1.1	Application	
2	General arrangement design	82
2.1	General	
3	Access arrangement	83
3.1	Access arrangement to double bottom and pipe tunnel	
3.2	Access arrangement to and within spaces in, and forward of, the cargo area	

Section 3 Hull and Stability

1	Stability	84
1.1	Definitions	
1.2	Intact stability	
1.3	Damage stability requirements for ships where additional class notation SDS is required	
2	Structure design principles	86
2.1	Double bottom structure	
2.2	Single side structure	
2.3	Double side structure	
2.4	Deck structure	
2.5	Transverse vertically corrugated watertight bulkheads	
3	Design loads	91
3.1	General design loading conditions	
3.2	Hull girder loads in flooded conditions of bulk carriers of length greater than or equal to 150 m	
3.3	Local loads in flooding conditions on transverse vertically corrugated watertight bulkheads of bulk carriers of length greater than or equal to 150 m	
3.4	Local loads in flooding conditions on the double bottom of bulk carriers of length greater than or equal to 150 m	
3.5	Additional requirements on local loads for ships with the additional service feature heavycargo	
3.6	Loading conditions for primary structure analysis	
4	Hull girder strength	96
4.1	Hull girder loads in flooded conditions of bulk carriers of length greater than or equal to 150 m	

5	Hull scantlings of bulk carriers	96
5.1	Plating	
5.2	Ordinary stiffeners	
6	Scantlings of transverse vertically corrugated watertight bulkheads and double bottom of bulk carriers with length greater than or equal to 150 m	97
6.1	Evaluation of scantlings of transverse vertically corrugated watertight bulkheads in flooding conditions	
6.2	Evaluation of double bottom capacity and allowable hold loading in flooding conditions	
7	Protection of hull metallic structures	101
7.1	Protection of cargo holds	
8	Construction and testing	102
8.1	Welding and weld connections	
8.2	Special structural details	

Section 4 Hatch Covers

1	General	104
1.1	Application	
1.2	Materials	
1.3	Net scantlings	
1.4	Partial safety factors	
1.5	Corrosion additions	
2	Arrangements	105
2.1	Height of hatch coamings	
2.2	Hatch covers	
2.3	Hatch coamings	
3	Width of attached plating	105
3.1	Ordinary stiffeners	
3.2	Primary supporting members	
4	Load model	105
4.1	Sea pressures	
4.2	Load point	
5	Strength check	105
5.1	General	
5.2	Plating	
5.3	Ordinary stiffeners and primary supporting members	
6	Hatch coamings	108
6.1	Stiffening	
6.2	Load model	
6.3	Scantlings	
7	Weathertightness, closing arrangement, securing devices and stoppers	110
7.1	General	
7.2	Closing arrangement, securing devices and stoppers	

8	Drainage	110
8.1	Arrangement	

Appendix 1 Intact Stability Criteria for Grain Loading

1	Calculation of assumed heeling moments due to cargo shifting	111
1.1	Stowage of bulk grain	
1.2	General assumptions	
1.3	Assumed volumetric heeling moment of a filled compartment trimmed	
1.4	Assumed volumetric heeling moment of a filled compartment untrimmed	
1.5	Assumed volumetric heeling moments in trunks	
1.6	Assumed volumetric heeling moment of a partly filled compartment	
1.7	Other assumptions	
1.8	Saucers	
1.9	Overstowing arrangements and securing	
2	Dispensation from trimming ends of holds in certain ships	117
2.1	Calculation example	

CHAPTER 5

ORE CARRIERS

Section 1 General

1	General	123
1.1	Application	

Section 2 Ship Arrangement

1	General	124
1.1	Application	
2	General arrangement design	124
2.1	General	
3	Access arrangement	125
3.1	Access arrangement to double bottom and pipe tunnel	
3.2	Access arrangement to and within spaces in, and forward of, the cargo area	

Section 3 Hull and Stability

1	General	126
1.1	Loading manual and loading instruments	
2	Stability	126
2.1	Intact stability	
2.2	Damage stability requirements for ships where additional class notation SDS has been required	
3	Structure design principles	126
3.1	Double bottom structure	
3.2	Side structure	
3.3	Deck structure	
3.4	Longitudinal bulkhead structure	
3.5	Transverse bulkhead structure	
3.6	Transverse vertically corrugated watertight bulkheads	
4	Design loads	130
4.1	Hull girder loads	
4.2	Loading conditions for primary structure analysis	
5	Hull scantlings	131
5.1	Corrosion addition	
5.2	Additional requirements	
5.3	Strength checks of cross-ties analysed through a three dimensional beam model	
5.4	Strength checks of cross-ties analysed through a three dimensional finite element model	
6	Other structures	134
6.1	Hatch covers	
7	Construction and testing	134
7.1	Welding and weld connections	
7.2	Special structural details	

CHAPTER 6

COMBINATION CARRIERS

Section 1 General

1	General	137
1.1	Application	

Section 2 Ship Arrangement

1	General	138
1.1	Application	
2	General arrangement design	138
2.1	General	
2.2	Double bottom tanks or compartments	
2.3	Navigation position	
3	Size and arrangement of cargo tanks and slop tanks	141
3.1	Cargo tanks	
3.2	Oil outflow	
3.3	Slop tanks	
4	Size and arrangement of protective ballast tanks or compartments	143
4.1	General	
4.2	Size and arrangement of ballast tanks or compartments	
5	Size and arrangement of segregated ballast tanks (SBT)	144
5.1	General	
5.2	Capacity of SBT	
6	Access arrangement	144
6.1	Access to double bottom and pipe tunnel	
6.2	Access arrangement to and within spaces in, and forward of, the cargo area	
6.3	Access to dry cargo holds	
6.4	Access to compartments in the oil cargo area	
6.5	Access to the bow	

Section 3 Hull and Stability

1	General	146
1.1	Loading manual and loading instrument	
2	Stability	146
2.1	Intact stability	
2.2	Damage stability - dry cargoes or ballast loading conditions - for ships where additional class notation SDS is requested	
2.3	Damage stability - oil cargoes - for ships where additional class notation SDS is requested	

3	Structure design principles of ships with the service notation combination carrier/OBO ESP	149
3.1	Double bottom structure	
3.2	Double side structure	
3.3	Deck structure	
3.4	Transverse vertically corrugated watertight bulkhead	
4	Structure design principles of ships with the service notation combination carrier/OOC ESP	153
4.1	Double bottom structure	
4.2	Side structure	
4.3	Deck structure	
4.4	Longitudinal bulkhead structure	
4.5	Transverse bulkhead structure	
4.6	Transverse vertically corrugated watertight bulkheads	
5	Design loads	154
5.1	Hull girder loads	
5.2	Local loads	
6	Hull scantlings	154
6.1	Plating	
6.2	Ordinary stiffeners	
6.3	Primary supporting members	
6.4	Strength check with respect to stresses due to the temperature gradient	
7	Other structures	157
7.1	Machinery space	
7.2	Opening arrangement	
7.3	Hatch covers	
8	Hull outfitting	158
8.1	Equipment	
9	Protection of hull metallic structures	158
9.1	Protection by aluminium coatings	
10	Cathodic protection of tanks	158
10.1	General	
10.2	Anodes	
10.3	Impressed current systems	
11	Construction and testing	158
11.1	Welding and weld connections	
11.2	Special structural details	

Section 4 Machinery and Cargo Systems

1	General	160
1.1	Application	
1.2	Documents	

2	General requirements	160
2.1	Ventilation and gas detection	
2.2	Arrangement of cargo lines	
2.3	Cargo openings	
2.4	Cofferdam filling and draining	
3	Slop tanks	160
3.1	Segregation of piping systems	
3.2	Venting system	
3.3	Discharge pumping and piping arrangement	

CHAPTER 7

OIL TANKERS AND FLS TANKERS

Section 1 General

1	General	165
1.1	Application	
1.2	Definitions	

Section 2 Ship Arrangement

1	General	168
1.1	Application	
1.2	Documents to be submitted	
2	General arrangement of the ship with regard to fire prevention and crew safety	168
2.1	Location and separation of spaces	
2.2	Access and openings	
2.3	Ventilation	
3	General arrangement of the ship with regard to pollution prevention	172
3.1	Application	
3.2	Protection of the cargo tank length in the event of grounding or collision	
3.3	Segregation of oil and water ballast	
3.4	Accidental oil outflow performance	
3.5	Cleaning of cargo tanks	
3.6	Retention of oil on board - Slop tanks	
3.7	Deck spills	
3.8	Pump-room bottom protection	

Section 3 Hull and Stability

1	General	177
1.1	Documents to be submitted	
2	Stability	177
2.1	Application	
2.2	Intact stability	
2.3	Damage stability for ships where the additional class notation SDS is required	
3	Structure design principles	179
3.1	Framing arrangement	
3.2	Bulkhead structural arrangement	
4	Design loads	179
4.1	Hull girder loads	
4.2	Local loads	

5	Hull scantlings	180
5.1	Plating	
5.2	Ordinary stiffeners	
5.3	Primary supporting members	
5.4	Strength check with respect to stresses due to the temperature gradient	
6	Other structures	183
6.1	Machinery space	
6.2	Opening arrangement	
7	Hull outfitting	183
7.1	Equipment	
8	Protection of hull metallic structures	184
8.1	Protection by aluminium coatings	
8.2	Material and coatings of tanks	
9	Cathodic protection of tanks	184
9.1	General	
9.2	Anodes	
9.3	Impressed current systems	
10	Construction and testing	184
10.1	Welding and weld connections	
10.2	Special structural details	

Section 4 Machinery and Cargo Systems

1	General	186
1.1	Application	
1.2	Documents to be submitted	
1.3	Abbreviations	
2	Piping systems other than cargo piping system	186
2.1	General	
2.2	Bilge system	
2.3	Ballast system	
2.4	Air and sounding pipes of spaces other than cargo tanks	
2.5	Scupper pipes	
2.6	Heating systems intended for cargo	
3	Cargo pumping and piping systems	191
3.1	General	
3.2	Cargo pumping system	
3.3	Cargo piping design	
3.4	Cargo piping arrangement and installation	
3.5	Arrangement of cargo pump rooms	
3.6	Design of integrated cargo and ballast systems on tankers	
4	Cargo tanks and fittings	195
4.1	Application	
4.2	Cargo tank venting	
4.3	Cargo tank inerting, purging and/or gas-freeing	
4.4	Cargo tank level gauging systems	
4.5	Protection against tank overfilling	
4.6	Tank washing systems	

5	Prevention of pollution by cargo oil	199
5.1	General	
5.2	Discharge into the sea of cargo oil or oily mixtures	
5.3	Oil discharge monitoring and control system	
5.4	Pumping, piping and discharge arrangements	
6	Certification, inspection and testing	200
6.1	Application	
6.2	Workshop tests	
6.3	Shipboard tests	
7	Steering gear	202
7.1	General	
7.2	Design of the steering gear	
7.3	Alternative design for ships of less than 100 000 tonnes deadweight	
8	Additional requirements for ships having the additional service feature asphalt carrier	203
8.1	Application	
8.2	Additional requirements	
9	Specific requirements for ships having the notations “FLS tanker” or “FLS tanker, flash point > 60°C”	204
9.1	Application	
9.2	Design requirements	

Section 5 Electrical Installations

1	General	205
1.1	Application	
1.2	Documentation to be submitted	
1.3	System of supply	
1.4	Earth detection	
1.5	Mechanical ventilation of hazardous spaces	
1.6	Electrical installation precautions	
2	Hazardous locations and types of equipment	206
2.1	Special requirements for oil tankers carrying flammable liquids having a flash point not exceeding 60°C and for oil tankers carrying flammable liquids having a flash point exceeding 60°C heated to a temperature within 15°C of their flash point or above their flash point	
2.2	Special requirements for oil tankers carrying flammable liquids having a flash point exceeding 60°C unheated or heated to a temperature below and not within 15°C of their flash point	
2.3	Special requirements for FLS tankers	

Section 6 Fire Protection

1	General	208
1.1	Application	
1.2	Documents to be submitted	

2	General requirements	208
2.1	Sources of ignition	
2.2	Electrical equipment	
3	Fixed deck foam system	209
3.1	Application	
3.2	System design	
3.3	Arrangement and installation	
4	Fire-extinguishing systems except deck foam system	210
4.1	Pressure water fire-extinguishing systems	
4.2	Fire-extinguishing systems for cargo pump rooms	
5	Inert gas systems	211
5.1	Application	
5.2	General requirements	
5.3	Additional requirements for nitrogen generator systems	
5.4	Nitrogen/inert gas systems fitted for purposes other than inerting required by [5.1.1]	
6	Fixed hydrocarbon gas detection systems	212
6.1	Engineering specifications	
7	Gas measurement and detection	213
7.1	Provisions applicable to all ships	
7.2	Additional provisions for ships having the service notation oil tanker or FLS tanker	
7.3	Additional provisions for ships fitted with an inert gas system	
7.4	Provisions for installation of gas analysing units	

Appendix 1 Devices to Prevent the Passage of Flame into the Cargo Tanks

1	General	215
1.1	Application	
1.2	Definitions	
1.3	Instruction manual	
2	Design of the devices	216
2.1	Principles	
2.2	Mechanical design	
2.3	Performance	
2.4	Flame screens	
2.5	Marking of devices	
3	Sizing, location and installation of devices	217
3.1	Sizing of devices	
3.2	Location and installation of devices	
4	Type test procedures	218
4.1	Principles	
4.2	Test procedure for flame arresters located at openings to the atmosphere	
4.3	Test procedures for high velocity vents	
4.4	Test rig and test procedures for detonation flame arresters located in-line	
4.5	Operational test procedure	
4.6	Laboratory report	

Appendix 2 Design of Crude Oil Washing Systems

1	General	223
	1.1 Application	
	1.2 Definitions	
	1.3 Operations and Equipment Manual	
2	Design and installation	223
	2.1 Piping	
	2.2 Tank washing machines	
	2.3 Pumps	
	2.4 Stripping system	
	2.5 Ballast lines	
3	Inspection and testing	226
	3.1 Initial survey	
	3.2 Piping	
	3.3 Tank washing machines	
	3.4 Stripping system	

Appendix 3 Lists of Oils

1	Application	227
	1.1 Scope of the lists of oils	
2	Lists of products	227
	2.1 List of oils	

Appendix 4 List of Products for which Part D, Chapter 8 and IBC Code do not Apply

1	Application	228
	1.1 Scope of the list	
	1.2 Safety and pollution hazards	
2	List of products for which Part D, Chapter 8 and IBC Code do not apply	228
	2.1	

Appendix 5 Accidental Oil Outflow Performance

1	General	230
	1.1 Purpose	
	1.2 Application	
2	Accidental oil outflow performance	230
	2.1 Mean oil outflow parameter	
	2.2 Calculation	
3	Piping arrangements	233
	3.1 Provision regarding piping arrangements	

CHAPTER 8

CHEMICAL TANKERS

Section 1 General

1	General	237
1.1	Application	
1.2	IBC Code requirements and the Society’s rules	
2	Additional requirements	238
2.1	Emergency towing arrangement	
2.2	Steering gear	
3	Documentation to be submitted	238
3.1		

Section 2 Ship Survival Capability and Location of Cargo Tanks

1	Freeboard and intact stability	239
1.1	Intact stability	
2	Conditions of loading	239
2.1	Additional loading conditions for ships where additional class notation SDS is requested	
3	Location of cargo tanks	239
3.1	Minimum distance of cargo tanks from shell	
3.2	Suction wells	
4	Flooding assumptions for ships where additional class notation SDS is requested	239
4.1	Tunnels, ducts and pipes in the damaged zone	
5	Standard of damage for ships where additional class notation SDS is requested	239
5.1	Damage to stepped machinery space forward bulkhead	
5.2	Longitudinal extension of damage to superstructure	
6	Survival requirements for ships where additional class notation SDS is requested	240
6.1	General	
6.2	Intermediate stages of flooding	
6.3	Definition of range of positive stability	
6.4	Survival criterion	
6.5	Type 3 ships less than 125 m in length	

Section 3 Ship Arrangement

1	Cargo segregation	241
1.1	Segregation of cargoes mutually reacting	
1.2	Cargo piping arrangement	

2	Accommodation, service and machinery spaces and control stations	241
2.1	Air intakes and other openings to accommodation spaces	
2.2	Windows, sidescuttles and doors to accommodation spaces	
2.3	Access to the bow	
3	Cargo pump rooms	242
3.1	General requirement	
3.2	Machinery driven by shafting passing through pump room bulkheads	
4	Access to spaces in the cargo area	242
4.1	General	
4.2	Horizontal openings	
4.3	Vertical openings	
5	Bilge and ballast arrangements	243
5.1	Ballast segregation	
5.2	Ballast filling arrangement	
5.3	Bilge	
6	Integrated cargo and ballast systems	244
6.1		
7	Bow or stern loading and unloading arrangements	244
7.1	Coamings	

Section 4 Cargo Containment

1	Structure design principles	245
1.1	Materials	
1.2	Hull structure	
1.3	Bulkhead structure	
2	Hull girder loads	245
2.1	Still water loads	
3	Hull scantlings	246
3.1	Plating	
3.2	Ordinary stiffeners	
3.3	Primary supporting members	
4	Scantlings of independent tank structures	247
4.1	Plating	
4.2	Ordinary stiffeners	
4.3	Primary supporting members	
5	Supports of independent tanks	247
5.1	Structural arrangement	
5.2	Calculation of reaction forces in way of tank supports	
5.3	Scantlings of independent tank supports and hull structures in way	
6	Other structures	248
6.1	Machinery space	
7	Protection of hull metallic structures	248
7.1	Aluminium coatings	
7.2	Passivation treatment	

8	Construction and testing	248
8.1	Welding and weld connections	
8.2	Structural details	

Section 5 Cargo Transfer

1	Piping scantlings	249
1.1	General	
1.2	Pipe classes	
1.3	Pipe wall thickness calculation	
2	Piping fabrication and joining details	249
2.1	Pipes not required to be joined by welding	
2.2	Expansion joints	
2.3	Non-destructive testing of welded joints	
3	Piping arrangements	250
3.1	Arrangement of cargo piping	
3.2	Removable piping systems	
4	Cargo transfer control systems	250
4.1	General	
4.2	Control, monitoring and alarm devices and cargo control room	
5	Ship's cargo hoses	251
5.1	Compatibility	
6	Bonding	251
6.1	Static electricity	
7	Certification, inspection and testing	251
7.1	Application	
7.2	Inspection and testing	
7.3	Shipboard tests	

Section 6 Materials for Construction

1	General	253
1.1	Material and coating characteristics	
2	Special requirements for materials	253
2.1	Miscellaneous requirements	

Section 7 Cargo Temperature Control

1	General	254
1.1	Heated cargoes	
1.2	Cargo heating and cooling systems	
1.3	Valves and other fittings	
1.4	Cargo temperature measuring system	
1.5	Requirements for special products	

Section 8 Cargo Tank Venting and Gas-Freeing Arrangements

1	Cargo tank venting	256
1.1	Venting system drainage	
2	Types of tank venting system	256
2.1	Controlled tank venting system	
2.2	Position of vent outlets	
3	Cargo tank gas-freeing	256
3.1	Fans	

Section 9 Environmental Control

1	General	257
1.1	Control by padding	
1.2	Control by drying	
1.3	Control by inerting	
1.4	Control by ventilation	
2	Inert gas systems	257
2.1	General requirements	
2.2	Additional requirements for nitrogen generator systems	
2.3	Nitrogen /Inert gas systems fitted for purposes other than inerting required by [1.3.1]	

Section 10 Electrical Installations

1	General	259
1.1	Application	
1.2	Documentation to be submitted	
1.3	System of supply	
1.4	Earth detection	
1.5	Mechanical ventilation of hazardous spaces	
1.6	Electrical installation precautions	
2	Hazardous locations and types of equipment	260
2.1	Electrical equipment permitted in hazardous areas for ships carrying dangerous chemicals in bulk having a flash-point not exceeding 60°C and ships carrying dangerous chemicals in bulk having a flash point exceeding 60°C heated to a temperature within 15°C of their flash point or above their flashpoint	
2.2	Electrical equipment permitted in hazardous areas for ships carrying dangerous chemicals in bulk having a flash-point exceeding 60°C unheated or heated to a temperature below and not within 15°C of their flashpoint	
2.3	Electrical equipment permitted in tankers carrying cargoes (for example acids) reacting with other products/materials to evolve flammable gases	

Section 11 Fire Protection and Fire Extinction

1	General	263
1.1	Application	

2	Cargo pump rooms	263
2.1	Fixed fire-extinguishing systems	
3	Cargo area	263
3.1	Temperature of steam and heating media within the cargo area	
3.2	Monitors and foam applicators	
3.3	Simultaneous use of foam and water systems	
3.4	Portable fire-extinguishing equipment	
3.5	Ships carrying flammable products	

Section 12 Mechanical Ventilation in the Cargo Area

1	Spaces normally entered during cargo handling operations	264
1.1	Miscellaneous requirements	
1.2	Additional requirements for non-sparking fans	
2	Pump rooms and other enclosed spaces normally entered	265
2.1	Clarification of general requirement	
3	Spaces not normally entered	265
3.1	Portable fans	

Section 13 Instrumentation

1	Gauging	266
1.1	Types of gauging devices	
2	Vapour detection	266
2.1	Vapour detection instruments	
2.2	Provisions for installation of gas analysing units	

Section 14 Protection of Personnel

1	Protective equipment	267
1.1	Location of protective equipment	
2	Safety equipment	267
2.1	Additional equipment for ships carrying toxic products	
2.2	Medical first aid equipment	

Section 15 Special Requirements

1	Ammonium nitrate solution (93% or less)	268
1.1	Ammonia injection	
1.2	Cargo pumps	
2	Hydrogen peroxide solutions	268
2.1	Hydrogen peroxide solutions over 60% but not over 70%	

3	Propylene oxide and mixtures of ethylene oxide/propylene oxide with an ethylene oxide content of not more than 30% by weight	268
3.1	Tank cleaning	
3.2	Joints in cargo lines	
3.3	Oxygen content in tank vapour spaces	
3.4	Valves at cargo hose connections	
4	Acids	269
4.1	Electrical arrangements	
4.2	Leak detection system	
4.3	Lining for tanks and piping	
5	Toxic products	269
5.1	Return line to shore installation	
6	Cargoes protected by additives	269
6.1	Prevention of blockage by polymerisation	
7	Cargoes with a vapour pressure greater than 0,1013 MPa (1,013 bar) absolute at 37,8°C	269
7.1	General	
7.2	Return of expelled gases	
8	Special cargo pump room requirements	269
8.1	Clarification	
9	Overflow control	269
9.1	Independence of systems	

Section 16 Operational Requirements

1	General	271
1.1		

Section 17 Summary of Minimum Requirements

1	General	272
1.1		

Section 18 List of Chemicals to which this Chapter Does Not Apply

1	General	273
1.1		

Section 19 Index of Products Carried In Bulk

1	General	274
1.1		

Section 20

Transport of Liquid Chemical Wastes

1

General

275

1.1

Section 21

Criteria for Assigning Carriage Requirements for Products Subject to the IBC Code

1

General

276

1.1

CHAPTER 9

LIQUEFIED GAS CARRIERS

Section 1 General

1	General	279
	1.1 Application	
	1.2 IGC Code requirements and the Society’s Rules	
2	Application and implementation	280
	2.1	
3	Additional requirements	281
	3.1 Emergency towing arrangement	
	3.2 Steering gear	
4	Definitions	281
	4.1	
5	Documentation to be submitted	283
	5.1	
6	Cargo equipment trials	283
	6.1 Scope	
	6.2 Extent of the tests	
7	Additional service features BOG-reliquefaction and LNG-subcooling	286
	7.1 General	
8	Additional service feature STL-SPM	286
	8.1 General	
	8.2 Documentation to be submitted	
	8.3 Structural design	
	8.4 Mechanical installation	
	8.5 Electrical and automation installation	

Section 2 Ship Survival Capability and Location of Cargo Tanks

1	General	288
	1.1	
2	Freeboard and stability	288
	2.1 General	
3	Damage assumptions	289
	3.1 General	
	3.2 Other damage	
4	Location of cargo tanks	290
	4.1 General	
5	Flood assumptions	294
	5.1 General	

6	Standard of damage	295
6.1	General	
7	Survival requirements	295
7.1	General	

Section 3 Ship Arrangements

1	General	297
1.1	Segregation of the cargo area	
1.2	Accommodation, service and machinery spaces and control stations	
1.3	Cargo machinery spaces and turret compartments	
1.4	Cargo control rooms	
1.5	Access to spaces in the cargo area	
1.6	Airlocks	
1.7	Bilge, ballast and oil fuel arrangements	
1.8	Bow and stern loading and unloading arrangements	
1.9	Emergency towing arrangements	

Section 4 Cargo Containment

1	General	305
1.1	Scope	
1.2	Definitions	
1.3	Application	
2	Cargo containment	305
2.1	Functional requirement	
2.2	Cargo containment safety principles	
2.3	Secondary barriers in relation to tank types	
2.4	Design of secondary barriers	
2.5	Partial secondary barriers and primary barrier small leak protection system	
2.6	Supporting arrangements	
2.7	Associated structure and equipment	
2.8	Thermal insulation	
2.9	Use of cargo heater to raise the cargo temperature	
3	Design loads	308
3.1	General	
3.2	Permanent loads	
3.3	Functional loads	
3.4	Environmental loads	
3.5	Accidental loads	
4	Structural integrity	310
4.1	General	
4.2	Structural analyses	
4.3	Stress categories	
4.4	Design conditions	
4.5	Ultimate design condition	
4.6	Fatigue design condition	
4.7	Accident design condition	

5	Hull scantling	313
	5.1 Application	
	5.2 Plating	
	5.3 Ordinary stiffeners	
	5.4 Primary supporting members	
	5.5 Flooding for ships with independent tanks	
	5.6 Structural details	
	5.7 Fatigue assessment	
6	Materials	316
	6.1 General	
	6.2 Materials forming ship structure	
	6.3 Materials of primary and secondary barrier	
	6.4 Thermal insulation and other materials used in cargo containment systems	
7	Construction processes	319
	7.1 General	
	7.2 Weld joint design	
	7.3 Design for gluing and other joining processes	
	7.4 Testing	
8	Supports	320
	8.1 Supporting arrangement	
	8.2 Calculation of reaction forces in way of tank supports	
	8.3 Supports of type A and type B independent tanks	
	8.4 Supports of type C independent tanks	
9	Tank A independent tanks	322
	9.1 Design basis	
	9.2 Structural analyses	
	9.3 Ultimate design condition	
	9.4 Accident design conditions	
	9.5 Testing	
10	Type B independent tanks	324
	10.1 Design basis	
	10.2 Structural analyses	
	10.3 Ultimate design condition	
	10.4 Fatigue design condition	
	10.5 Accident design condition	
	10.6 Testing	
	10.7 Marking	
11	Type C independent tanks	328
	11.1 Design basis	
	11.2 Shell thickness	
	11.3 Ultimate design condition	
	11.4 Fatigue design condition	
	11.5 Accident design condition	
	11.6 Testing	
	11.7 Marking	
12	Membrane tanks	331
	12.1 Design basis	
	12.2 Design consideration	
	12.3 Loads and loads combinations	
	12.4 Structural analysis	

	12.5 Ultimate design condition	
	12.6 Fatigue design condition	
	12.7 Accident design condition	
	12.8 Structural details	
	12.9 Design development testing	
	12.10 Testing	
13	Integral tanks	333
	13.1 Design basis	
	13.2 Structural analysis	
	13.3 Ultimate design condition	
	13.4 Accident design condition	
	13.5 Testing	
14	Semi-membrane tanks	333
	14.1 Design basis	
15	Cargo containment systems of novel configuration	334
	15.1 Limit state design for novel concepts	

Section 5 Process Pressure Vessels and Liquid, Vapour and Pressure Piping Systems

1	General	335
	1.1	
2	System requirements	335
	2.1	
	2.2 Arrangements: General	
3	Arrangements for cargo piping outside the cargo area	336
	3.1 Emergency cargo jettisoning	
	3.2 Bow and stern loading arrangements	
	3.3 Turret compartment transfer systems	
	3.4 Gas fuel piping systems	
4	Design pressure	336
	4.1	
5	Cargo system valve requirements	337
	5.1	
	5.2 Cargo manifold connections	
	5.3	
6	Cargo transfer arrangements	337
	6.1 General	
	6.2 Vapour return connections	
	6.3 Cargo tank vent piping systems	
	6.4 Cargo sampling connections	
	6.5 Cargo filters	
7	Installation requirements	338
	7.1 Design for expansion and contraction	
	7.2 Precautions against low temperature	
	7.3 Water curtain	
	7.4 Bonding	

8	Piping fabrication and joining details	339
8.1	General	
8.2	Direct connections	
8.3	Flanged connections	
8.4	Expansion joints	
8.5	Other connections	
9	Welding, post-weld heat treatment and non-destructive testing	339
9.1	General	
9.2	Post-weld heat treatment	
9.3	Non-destructive testing	
10	Installation requirements for cargo piping outside the cargo area	340
10.1	Bow and stern loading arrangements	
10.2	Turret compartment transfer systems	
10.3	Gas fuel piping	
11	Piping system component requirements	340
11.1	General	
11.2	Piping scantlings	
11.3	Allowable stress	
11.4	High-pressure gas fuel outer pipes or ducting scantlings	
11.5	Stress analysis	
11.6	Flanges, valves and fittings	
11.7	Ship's cargo hoses	
12	Materials	343
12.1		
13	Testing requirements	343
13.1	General	
13.2	Type testing of Cargo pumps	
13.3	Type testing of Valves	
13.4	Type testing of expansion bellows	
13.5	System testing requirements	
13.6	Emergency shutdown valves	

Section 6 Materials of Construction and Quality Control

1	Definitions	346
1.1		
2	Scope and general requirements	346
2.1		
3	General test requirements and specifications	346
3.1	Tensile test	
3.2	Toughness test	
3.3	Bend test	
3.4	Section observation and other testing	
4	Requirements for metallic materials	348
4.1	General requirements for metallic materials	

5	Welding of metallic materials and non-destructive testing	348
5.1	General	
5.2	Welding consumables	
5.3	Welding procedure tests for cargo tanks and process pressure vessels	
5.4	Welding procedure tests for piping	
5.5	Production weld tests	
5.6	Non-destructive testing	
6	Other requirements for construction in metallic materials	353
6.1	General	
6.2	Independent tank	
6.3	Secondary barriers	
6.4	Semi-membrane tanks	
6.5	Membrane tanks	
7	Non-metallic materials	354
7.1	General	

Section 7 Cargo Pressure / Temperature Control

1	Methods of control	355
1.1	General	
2	Design of systems	355
2.1	General	
3	Reliquefaction of cargo vapours	355
3.1		
3.2	Refrigerating installation components	
3.3	Refrigerants	
4	Thermal oxidation of vapours	356
4.1	General	
4.2	Thermal oxidation systems	
4.3	Burners	
4.4	Safety	
5	Pressure accumulation systems	357
5.1	General	
6	Liquid cargo cooling	357
6.1	General	
7	Segregation	357
7.1	General	
8	Availability	357
8.1	General	

Section 8 Vent Systems for Cargo Containment

1	General	358
1.1		

2	Pressure relief systems	358
2.1	General	
3	Vacuum protection systems	360
3.1	General	
4	Sizing of pressure relieving system	361
4.1	Sizing of pressure relief valves	
4.2	Sizing of vent pipe system	
4.3	Upstream pressure losses	
4.4	Downstream pressure losses	
4.5	Blow-down	

Section 9 Cargo Containment System Atmosphere Control

1	General	364
1.1	Atmosphere control within the cargo containment system	
1.2	Atmosphere control within the hold spaces (cargo containment systems other than type C independent tanks)	
1.3	Environmental control of spaces surrounding type C independent tanks	
1.4	Inerting	
1.5	Inert gas production on board	
1.6	Engineering specifications for nitrogen / inert gas systems	

Section 10 Electrical Installations

1	General	367
1.1	Application	
1.2	Documentation to be submitted	
1.3	Definitions	
1.4	General requirements	
1.5	System of supply	
1.6	Earth detection	
1.7	Mechanical ventilation of hazardous spaces	
2	Hazardous locations and types of equipment	369
2.1	Electrical equipment permitted in gas-dangerous spaces and zones	
2.2	Submerged cargo pumps	
3	Product classification	370
3.1	Temperature class and explosion group	

Section 11 Fire Protection and Extinction

1	General	371
1.1	Fire safety requirements	
1.2	Fire mains and hydrants	
1.3	Water-spray system	
1.4	Dry chemical powder fire-extinguishing systems	
1.5	Enclosed spaces containing cargo handling equipment	
1.6	Firefighter's outfits	

Section 12 Artificial Ventilation in the Cargo Area

1	General	375
1.1	Scope	
1.2	Spaces required to be entered during normal cargo handling operations	
1.3	Spaces not normally entered	

Section 13 Instrumentation and Automation Systems

1	General	377
1.1		
2	Level indicators for cargo tanks	378
2.1	General	
3	Overflow control	378
3.1	General	
4	Pressure monitoring	379
4.1	General	
5	Temperature indicating devices	379
5.1	General	
6	Gas detection	379
6.1	General	
7	Additional requirements for containment systems requiring a secondary barrier	380
7.1	Integrity of barriers	
7.2	Temperature indication devices	
8	Automation systems	381
8.1	General	
9	System integration	381
9.1	General	

Section 14 Personnel Protection

1	General	382
1.1	Protective equipment	
1.2	First-aid equipment	
1.3	Safety equipment	
1.4	Personal protection requirements for individual products	

Section 15 Filling Limits for Cargo Tanks

1	General	383
1.1	Definitions	
1.2	General requirements	
1.3	Default filling limit	

- 1.4 Determination of increased filling limit
- 1.5 Maximum loading unit
- 1.6 Information to be provided to the Master

Section 16 Use of Cargo as Fuel

1	General	385
1.1		
2	Use of cargo vapour as fuel	385
2.1	General	
3	Arrangement of spaces containing gas consumers	385
3.1	General	
4	Gas fuel supply	385
4.1	General	
4.2	Leak detection	
4.3	Routeing of fuel supply pipes	
4.4	Requirements for gas fuel supply with pressure greater than 1 MPa	
4.5	Gas consumer isolation	
4.6	Spaces containing gas consumers	
4.7	Piping and ducting construction	
4.8	Gas detection	
5	Gas fuel plant and related storage tanks	388
5.1	Provision of gas fuel	
5.2	Remote stops	
5.3	Compressors	
5.4	Heating and cooling mediums	
5.5	Piping and pressure vessels	
6	Special requirements for main boilers	389
6.1	Arrangements	
6.2	Combustion equipment	
6.3	Safety	
7	Special requirements for gas-fired internal combustion engines	389
7.1	General	
7.2	Gas fuel supply to engines with fuel injection pressure greater than 1 MPa	
7.3	Shut-off of gas fuel supply with pressure greater than 1 MPa	
7.4	Emergency stop of dual fuel engines with fuel injection pressure greater than 1 MPa	
7.5	Requirements on dual fuel engines	
7.6	Arrangements	
7.7	Combustion equipment	
7.8	Safety	
8	Special requirements for gas turbine	390
8.1	Arrangements	
8.2	Combustion equipment	
8.3	Safety	
9	Alternative fuels and technologies	391
9.1	General	

Section 17 **Special Requirements**

1	General	392
	1.1 Application	
2	Materials of construction	392
	2.1 General	
3	Independent tanks	392
	3.1 General	
4	Refrigeration systems	392
	4.1 General	
5	Cargoes requiring type 1G ship	392
	5.1 General	
6	Exclusion of air from vapour spaces	393
	6.1 General	
7	Moisture control	393
	7.1 General	
8	Inhibition	393
	8.1 General	
9	Flame screens on vent outlets	393
	9.1 General	
10	Maximum allowable quantity of cargo per tank	393
	10.1 General	
11	Cargo pumps and discharge arrangements	393
	11.1 General	
12	Ammonia	393
	12.1 General	
13	Chlorine	394
	13.1 Cargo containment system	
	13.2 Cargo piping systems	
	13.3 Materials	
	13.4 Instrumentation: safety devices	
	13.5 Personnel protection	
	13.6 Filling limits for cargo tanks	
14	Ethylene oxide	395
	14.1 General	
15	Separate piping systems	396
	15.1 General	
16	Methyl acetylene-propadiene mixtures	396
	16.1 General	
17	Nitrogen	397
	17.1 General	

18	Propylene oxide and mixtures of ethylene oxide-propylene oxide with ethylene oxide content of not more than 30% by weight	397
	18.1 General	
19	Vinyl chloride	398
	19.1 General	
20	Mixed C4 cargoes	398
	20.1 General	
21	Carbon dioxide: high purity	399
	21.1 General	
22	Carbon dioxide: reclaimed quality	399
	22.1 General	

Section 18 Operating Requirements

1	General	400
	1.1	
2	Cargo operating manual	400
	2.1 General	
3	Cargo emergency shutdown (ESD) system	400
	3.1 General	
	3.2 ESD valve requirements	
	3.3 ESD system controls	
	3.4 Additional shutdowns	
	3.5 Pre-operations testing	
	3.6 Testing	

Section 19 Summary of Minimum Requirements

1	General	403
	1.1 Explanatory notes to the summary of minimum requirements	
2	Additional information on products	403
	2.1	

Appendix 1 Guidance for Calculation of Pressures and Accelerations

1	Guidance to detailed calculation of internal pressure for static design purpose	408
	1.1 Calculation of dynamic liquid pressure	
	1.2 Calculation of acceleration components	
2	Internal pressure for integral tanks and membrane tanks	411
	2.1 General	
	2.2 Sloshing pressure for membrane tanks	

3	Guidance to detailed calculation of pressure for a static heel angle of 30°	411
3.1	Internal pressure calculation	
3.2	Sea pressure calculation	
4	Calculation of dynamic pressure for collision loads	412
4.1	General	

Appendix 2 Correspondances between Part D, Chapter 9 and the IGC Code

1	General	413
1.1		

CHAPTER 10

TANKERS

Section 1 General

1	General	425
1.1	Application	

Section 2 Hull and Stability

1	General	426
1.1	Documents to be submitted	
2	General arrangement	426
2.1	Compartment arrangement	
3	Stability	426
3.1	Intact stability	
4	Structure design principles	426
4.1	Materials	
5	Design loads	426
5.1	Hull girder loads	
6	Hull scantlings	426
6.1	Plating	
6.2	Ordinary stiffeners	
6.3	Primary supporting members	
6.4	Scantlings of independent tank structure	
6.5	Strength check with respect to stresses due to the temperature gradient	
7	Other structures	427
7.1	Machinery space	

Section 3 Machinery and Cargo Systems

1	General	428
1.1	Documents to be submitted	
2	Piping systems	428
2.1	General	
2.2	Cargo piping and pumping	
2.3	Air pipes	
2.4	Refrigerating installations	
2.5	Cargo tank cleaning systems	
2.6	Additional requirements for ships carrying category Z substances	

CHAPTER 11

PASSENGER SHIPS

Section 1 General

1	General	431
1.1	Application	

Section 2 Ship Arrangement

1	General	432
1.1	Definitions	
2	General arrangement design	432
2.1	Openings in watertight bulkheads below the bulkhead deck	
2.2	Openings in bulkheads above the bulkhead deck	
2.3	Doors	
2.4	Ballast compartment arrangement	
2.5	Machinery compartment arrangement	

Section 3 Hull and Stability

1	General	438
1.1	Documents to be submitted	
2	Stability	438
2.1	Definitions	
2.2	Intact stability	
2.3	Damage stability for ships where SDS notation has been required	
3	Structure design principles	442
3.1	Hull structure	
4	Design loads	442
4.1	Loads on deck	
4.2	Sea pressures	
5	Hull girder strength	443
5.1	Basic criteria	
6	Hull scantlings	443
6.1	Plating	
6.2	Balcony doors	

Section 4 Machinery and Cargo System

1	Bilge system	445
1.1	General	
1.2	Bilge pumps	
1.3	Direct bilge suction	
1.4	Control location	
1.5	Provision against bilge system damage	
1.6	Drainage and pumping arrangements for vehicle, special category and ro-ro spaces protected by fixed pressure water-spraying systems	
2	Ballast system	446
2.1		
3	Miscellaneous requirements	447
3.1	Steering gear	
3.2	Oil-level gauges	
3.3	Watertight doors	
3.4	Quality failure Analysis	

Section 5 Electrical Installations

1	General	448
1.1	Documentation to be submitted	
1.2	Electrical distribution and protection	
1.3	Flooding detection systems for passenger ships carrying 36 or more persons	
2	Emergency source of electrical power and emergency installations	448
2.1	General	
2.2	Distribution of electrical power	
2.3	Low-location lighting	
3	General emergency alarm and public address systems	451
3.1	General emergency alarm system	
3.2	Public address system	
3.3	Combined general emergency alarm - public address system	
3.4	Quality failure analysis	
4	Installation	453
4.1	Section and distribution boards	
5	Type approved components	453
5.1		

Appendix 1 Calculation Method for Cross-Flooding Arrangements

1	Calculation method for cross-flooding arrangements	454
1.1	Definitions	
1.2	Cross-flooding area	

Appendix 2 Qualitative Failure Analysis for Propulsion and Steering on Passenger Ships

1	General	458
1.1	Scope	
1.2	Objectives	
2	Method of drafting the quality failure analysis	458
2.1	Systems to be considered	
2.2	Failure criteria	
2.3	Verification of solutions	

CHAPTER 12

Ro-Ro Passenger Ships

Section 1 General

1	General	463
1.1	Application	

Section 2 Ship Arrangement

1	General	464
1.1	Application	
1.2	Definitions	
2	General arrangement design	464
2.1	Number and disposition of transverse watertight bulkheads	
2.2	Openings in watertight bulkheads below the bulkhead deck	
2.3	Openings in bulkheads above the bulkhead deck	
2.4	Doors	
2.5	Integrity of the hull and superstructure, damage prevention and control	
2.6	Ballast compartment arrangement	
2.7	Machinery compartment arrangement	
2.8	Passenger spaces in ro-ro ships	

Section 3 Hull and Stability

1	General	471
1.1	Documents to be submitted	
2	Stability	471
2.1	Definitions	
2.2	Intact stability	
2.3	Damage stability for ships where SDS notation has been required	
3	Structure design principles	475
3.1	General	
3.2	Hull structure	
4	Design loads	476
4.1	Loads on deck	
4.2	Lowest 0,5 m of bulkheads forming vertical division along escape routes	
5	Hull girder strength	476
5.1	Basic criteria	
6	Hull scantlings	476
6.1	Plating	
6.2	Ordinary stiffeners	
6.3	Primary supporting members	

7	Other structures	477
7.1	Superstructures and deckhouses	
7.2	Side doors and stern doors	

Section 4 Electrical Installations

1	General	478
1.1	Applicable requirements	
1.2	Documentation to be submitted	
1.3	Safety characteristics	
1.4	Flooding detection systems for passenger ships carrying 36 or more persons	
2	Supplementary emergency lighting	478
2.1		
3	Installation	478
3.1	Installations in special category spaces situated above the bulkhead deck	
3.2	Installations in special category spaces situated below the bulkhead deck	
3.3	Installations in cargo spaces other than special category spaces intended for the carriage of motor vehicles	
3.4	Protection of socket outlets in vehicle spaces	
4	Type approved components	480
4.1		

CHAPTER 13

SHIPS FOR DREDGING ACTIVITY

Section 1 General

1	General	483
1.1	Application	
1.2	Documents to be submitted	

Section 2 Hull and Stability

1	Stability	485
1.1	Intact stability	
1.2	Damage stability where the additional class notation SDS has been requested	
2	Structure design principles	487
2.1	General	
2.2	Longitudinal members in the area of the hopper well	
2.3	Transverse members in the area of the hopper well	
2.4	Arrangements relating to suction pipes	
2.5	Chafing areas	
2.6	Reinforcements for grounding	
2.7	Bolted structures	
3	Design loads	490
3.1	General	
3.2	Loading conditions	
3.3	Hull girder loads for dredgers, hopper dredgers and hopper units of more than 65 m in length	
3.4	Hull girder loads for split hopper dredgers and split hopper units of more than 65 m in length	
3.5	Internal pressures for hopper well in dredging situation	
4	Hull girder strength of dredgers, hopper dredgers and hopper units	493
4.1	General	
4.2	Midship section modulus	
4.3	Ultimate strength check	
5	Hull girder strength of split hopper dredgers and split hopper units	494
5.1	General	
5.2	Definitions	
5.3	Hull girder stress	
5.4	Checking criteria	
6	Hull scantlings	495
6.1	General	
6.2	Hull girder normal stress for split hopper dredgers and split hopper units of more than 65 m in length	
6.3	Minimum net thicknesses of plating	
6.4	Bottom plating	
6.5	Ordinary stiffeners	
6.6	Well bulkhead and cellular keel platings	
6.7	Transversely framed bottoms	

7	Hopper dredgers and hopper units: checking of hopper well structure	497
7.1	General	
7.2	Floors, webs, trunks, strongbeams and girders	
8	Split hopper dredgers and split hopper units: superstructure hinges	498
8.1	General	
8.2	Arrangements	
8.3	Materials used for the hinges	
8.4	Forces	
8.5	Scantlings of the hinges	
9	Split hopper dredgers and split hopper units: decks hinges, hydraulic jack connections and chocks	500
9.1	General	
9.2	Arrangements	
9.3	Static forces	
9.4	Dynamic forces	
9.5	Scantlings	
10	Split hopper dredgers and split hopper units: hydraulic jacks and associated piping systems	503
10.1	General	
10.2	Definitions	
10.3	Arrangements	
10.4	Scantling of jacks	
10.5	Inspection and testing	
10.6	Relief valve setting	
11	Rudders	504
11.1	General	
11.2	Additional requirements for split hopper dredgers and split hopper units	
12	Equipment	504
12.1	General	
12.2	Additional requirements for split hopper dredgers and split hopper units	
12.3	Towlines and mooring lines	

Section 3 Machinery and Dredging Systems

1	General	507
1.1	Application	
2	Dredging system	507
2.1	Attachment of dredging equipment to the hull	
3	Steering gear of split hopper dredgers and split hopper units	507
3.1	General	
3.2	Design of the steering gear	
3.3	Synchronisation	
4	Testing of dredging equipment	507
4.1	On board testing	

Appendix 1 Guidance on Calculation of Transverse Strength Hopper Well Structure

1	Hopper dredgers and hopper units: checking of hopper well structure	508
	1.1 General	
2	Floors	508
	2.1 General	
	2.2 Different types of bottom and valves used	
	2.3 Load borne by floors	
	2.4 Shear force diagrams	
	2.5 Bending moments for each elementary load	
	2.6 Resultant bending moment	
	2.7 Normal load	
	2.8 Differential opening valves	
	2.9 Buckling of upper flange	
3	Strong beams at deck level	512
	3.1 Forces acting on strong beams	
	3.2 Sectional area of strong beams	
4	Brackets for trunks	512
	4.1 General	
	4.2	
	4.3	
5	Girders supporting the hydraulic cylinder in the hopper spaces (bottom door types 1, 2 and 3)	513
	5.1	
	5.2	

CHAPTER 14

NON-PROPELLED UNITS

Section 1 General

1	General	517
1.1	Application	

Section 2 Hull and Stability

1	General	518
1.1	Application	
1.2	Additional class notations for lifting appliances of ships with service notation pontoon - crane	
2	Stability	518
2.1	Intact stability for ships with service notation pontoon or pontoon - crane	
2.2	Additional intact stability criteria for ships with service notation pontoon - crane	
3	Structure design principles	519
3.1	Hull structure	
3.2	Lifting appliances	
4	Hull girder strength	519
4.1	Yielding check	
5	Hull scantlings	519
5.1	General	
5.2	Hull scantlings of non-propelled units with the service notation pontoon fitted with arrangements and systems for launching operations	
5.3	Hull scantlings of non-propelled units with service notation pontoon - crane	
6	Hull outfitting	521
6.1	Equipment	

Section 3 Machinery Systems

1	General	522
1.1	Application	
1.2	Documents to be submitted	
2	Bilge system	522
2.1	Bilge system in ships having no source of electrical power	
2.2	Bilge system in ships having a source of electrical power	

CHAPTER 15

FISHING VESSELS

Section 1 General

1	General	525
1.1	Application	

Section 2 Ship Arrangement

1	General arrangement design	526
1.1	Subdivision arrangement	
1.2	Cofferdams	

Section 3 Hull and Stability

1	General	527
1.1	Documents to be submitted	
2	Stability	527
2.1	Intact stability	
3	Hull scantlings	527
3.1	Design loads	
3.2	Bottom, side and decks plating	
3.3	Aft ramp	
3.4	Arrangement for hull and superstructure openings	
4	Lifting appliances and fishing devices	528
4.1	General	
4.2	Design loads	
4.3	Strength check	
5	Hull outfitting	529
5.1	Rudder stock scantlings	
5.2	Equipment	
6	Protection of hull metallic structures	529
6.1	Protection of deck by wood sheathing	
6.2	Protection of cargo sides by battens	
6.3	Deck composition	

Section 4 Machinery

1	General	531
1.1	Application	
1.2	Documents to be submitted	
1.3	Tests - Trials in ships L ≥ 24 m	

1.4	Tests - Trials in ships $L < 24$ m	
1.5	General requirements applicable to all piping systems in ships $L \geq 24$ m	
1.6	General requirements applicable to all piping systems in ships $L < 24$ m	
1.7	Sea inlets and overboard discharges in ships $L \geq 24$ m	
1.8	Sea inlets and ship side valves in ships $L < 24$ m	
1.9	Non-metallic rigid pipes in ships $L \geq 24$ m	
1.10	Non-metallic rigid pipes in ships $L < 24$ m	
1.11	Flexible hoses and expansion joints	
1.12	Metallic flexible pipes and joints	
2	Bilge system in ships $L \geq 24$ m	535
2.1	General	
2.2	Design of the bilge system	
2.3	Bilge pumps	
2.4	Size of bilge pipes	
2.5	Bilge piping arrangement	
2.6	Materials	
3	Bilge system in ships $L < 24$ m	537
3.1	General	
3.2	Pumps and ejectors	
3.3	Size of bilge pipes	
3.4	Arrangement of bilge lines and their accessories	
4	Scuppers and sanitary discharges	539
4.1	Principle	
4.2	General	
4.3	Discharges through manned machinery spaces	
4.4	Materials	
5	Air pipes and sounding devices in ships $L \geq 24$ m	539
5.1	Air pipes	
5.2	Sounding and level gauging devices	
6	Air pipes and sounding devices in ships $L < 24$ m	540
6.1	Air pipes	
6.2	Sounding and level gauging devices	
7	Ventilation in ships ≥ 24 m	541
7.1		
8	Ventilation in ships < 24 m	541
8.1		
8.2		
8.3		
8.4		
9	Engine cooling systems in ships $L \geq 24$ m	541
9.1		
10	Engine cooling systems in ships $L < 24$ m	541
10.1	Principle	
10.2	Motorships	
10.3	Fresh water cooling system	
10.4	Cooling pumps	
10.5	Sea inlets	