

CEA Standard

DTV Remodulator Specification with Enhanced OSD Capability

CEA-761-B R-2012

May 2007



CEA[®]
Consumer Electronics Association

www.CEA.org
Documents
Document Sharing Hub

NOTICE

Consumer Electronics Association (CEA[®]) Standards, Bulletins and other technical publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards, Bulletins and other technical publications shall not in any respect preclude any member or nonmember of CEA from manufacturing or selling products not conforming to such Standards, Bulletins or other technical publications, nor shall the existence of such Standards, Bulletins and other technical publications preclude their voluntary use by those other than CEA members, whether the standard is to be used either domestically or internationally.

Standards, Bulletins and other technical publications are adopted by CEA in accordance with the American National Standards Institute (ANSI) patent policy. By such action, CEA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard, Bulletin or other technical publication.

This document does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this document to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

This document is copyrighted by the Consumer Electronics Association (CEA[®]) and may not be reproduced, in whole or part, without written permission. Federal copyright law prohibits unauthorized reproduction of this document by any means. Organizations may obtain permission to reproduce a limited number of copies by entering into a license agreement. Requests to reproduce text, data, charts, figures or other material should be made to CEA.

(Formulated under the cognizance of the CEA **R4.8 DTV Interface Subcommittee.**)

Published by
©CONSUMER ELECTRONICS ASSOCIATION 2012
Technology & Standards Department
www.CE.org

All rights reserved

FOREWORD

Users of CEA-761-B should note that, at some future point, it is expected that copy protection parameters, methods and/or standards with which copy-protected content traversing the DTV RF interface will be required to comply will be established.

Control of OSD applications may require a return path from the receiving device.

This standard was developed under the auspices of the CEA Technology & Standards R4.8 DTV Interface Subcommittee.

Copyright 2012 by CEA-761-B

(This page intentionally left blank.)

CONTENTS

1 Scope	1
2 References	1
2.1 Normative References	1
2.1.1 Normative Reference List	1
2.1.2 Normative Reference Acquisition	1
2.2 Informative References	2
2.2.1 Informative References List	2
2.2.2 Informative References Acquisition	2
3 DTV Remodulator RF Output Specifications	2
3.1 Selectable Output Channel Frequency	2
3.2 Nominal RMS Output Level	3
3.3 Pilot Phase Noise	3
3.3.1 Pilot Phase Noise--8 VSB Trellis	3
3.3.2 Pilot Phase Noise--16 VSB	3
3.4 Error Vector Magnitude (EVM)	3
3.4.1 EVM--8 VSB Trellis	3
3.4.2 EVM—16 VSB	3
3.5 Connector	4
3.6 Side-band Output	4
3.6.1 Double Sideband Specification	4
3.6.2 Vestigial Sideband Specification	4
3.7 Data and Clock Rates	5
4 On-Screen Display (OSD) Support	5
4.1 OSD Encapsulation	6
4.1.1 PES Encapsulation	6
4.1.2 Syntax and Semantics for PES Packets carrying OSD Information	6
4.1.3 Maximum Transmission Rate for OSD Data	8
4.1.4 Retransmission Recommendation	8
5 OSD Data	8
5.1 Alignment of OSD with Video	9
5.2 OSD Capability Profiles	9
6 DTV RF Remodulator Recommended Input Specifications	10
6.1 Input Overview	10
6.2 Input Recommendations from Remodulator to Source	11
6.3 Input Recommendations from Source to Remodulator	11
7 Measurement	12

TABLES

Table 1 Data and Clock Rates	5
Table 2 PES Packet Definition for Carrying OSD Information	7
Table 3 Capability Profiles	9
Table 4 OSD Capability Profiles	10

FIGURES

Figure 1 Double Sideband Transmission	4
Figure 2 VSB Channel Occupancy	5
Figure 3 Typical OSD System Illustration	6
Figure 4 OSD Data Packet Illustration	6

Figure 5 Remodulator System 11
Figure 6 Data_Valid Timing 12

.....