

Implementation of
ENV 1375-1:1994

Identification card systems — Intersector integrated circuit(s) card additional formats —

Part 1: ID-000 card size and physical
characteristics

Committees responsible for this Draft for Development

The preparation of this Draft for Development was entrusted to Technical Committee IST/17, Identification cards and related devices, upon which the following bodies were represented:

- Ailec Associates
- APACS (Barclaycard)
- APACS (Barclays Bank)
- APACS (Girobank)
- APACS (Lloyds Bank)
- APACS (Midland Bank)
- APACS (Nat West Bank)
- Association for Payment Clearing Services (APACS)
- BT Laboratories
- Cellnet
- Consumer Policy Committee of BSI
- Electricity Association
- GEC Card Technology
- HMSO
- News Datacom Ltd.
- Rochford Thompson Equipment
- Shell UK
- Thorn Transit Systems International
- Vodafone Ltd.
- Westinghouse Cubic Ltd.

This Draft for Development, having been prepared under the direction of the Information Systems Technology Assembly, was published under the authority of the Standards Board and comes into effect on 15 July 1995

© BSI 12-1999

The following BSI reference relates to the work on this Draft for Development:
Committee reference IST/17

ISBN 0 580 24025 8

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
Foreword	2
Text of ENV 1375-1	5

National foreword

This Draft for Development is identical with European Prestandard ENV 1375-1:1994 *Identification card systems — Intersector integrated circuit(s) card additional formats — Part 1: ID-000 card size and physical characteristics*, prepared by CEN whose members have committed themselves to making it available in an appropriate form. In the UK the Draft for Development is the form now chosen for ENVs in the information technology area.

This Draft for Development is published under the direction of the Information Systems Technology Assembly whose Technical Committee IST/17 has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on interpretation, or proposals for change, and to keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

NOTE International and European Standards, as well as overseas standards, are available from Customer Services, BSI, 389 Chiswick High Road, London W4 4AL.

After two years this ENV will be reviewed by CEN/CENELEC members with a view to its:

- conversion into a European Standard (which would be implemented in the UK as a British Standard);
- extension once for a further two years;
- replacement by a revised ENV (which would be published in the UK as a revised Draft for Development);
- withdrawal.

The future of this Draft for Development is therefore bound to that of the ENV and the Draft for Development will not be reviewed or developed separately.

This publication is not to be regarded as a British Standard.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the ENV title page, pages 2 to 17 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

Identification card systems — Intersector integrated circuit(s) card additional formats — Part 1: ID-000 card size and physical characteristics

Systèmes de cartes d'identification — Autres
formats pour les cartes à circuit intégré
intersectorielles —
Partie 1: Dimensions et caractéristiques
physiques de la carte ID-000

Identifikationskartensysteme — Zusätzliche
Formate von branchenübergreifenden
Chipkarten —
Teil 1: Kartengrösse ID-000 und physikalische
Eigenschaften

This European Prestandard (ENV) was approved by CEN on 1994-06-20 as a prospective standard for provisional application. The period of validity of this ENV is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the ENV can be converted into a European Standard (EN).

CEN members are required to announce the existence of this ENV in the same way as for an EN and to make the ENV available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the ENV) until the final decision about the possible conversion of the ENV into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Foreword

This European Prestandard has been prepared by Working Group 1 of CEN/TC 224-Machine readable cards, related device interfaces and operations.

This European Prestandard forms an identified work item in the programme of work of CEN/TC 224 which was endorsed by the CEN/BT under resolution BT 62/1991. This document was endorsed by the members of CEN/TC 224.

It is composed of two parts. This part 1 deals with ID-000 format card specifications. It includes two annexes. Annex A is normative and Annex B is informative.

This part of the prestandard has been prepared using documents archived by ETSI for the plug-in subscriber identification module (SIM) developed for the GSM radio telephone.

This part of the prestandard deals only with physical and electrical specifications. The protocols, commands, data elements are specified in EN 27816 standards.

Test methods are in the Annex A because this part will be moved at a later date to the Test Method Standard.

According to the CEN/CENELEC Internal Regulations, this European Prestandard has to be announced by the following countries: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, United Kingdom.

Contents

	Page	Page
Foreword	2	
Introduction	5	
1 Scope	5	
2 Normative references	5	
3 Abbreviations	5	
4 Dimensions of card	5	
4.1 Card width and height	5	
4.2 Card thickness	5	
4.3 Corners	5	
4.4 Card edges	6	
5 Card construction	6	
6 Card material	6	
7 Card characteristics	6	
7.1 General	6	
7.1.1 Flammability	6	
7.1.2 Toxicity	6	
7.1.3 Resistance to chemicals	6	
7.1.4 Card dimensional stability with temperature and humidity	6	
7.1.5 Light	6	
7.1.6 Durability	6	
7.1.7 Adhesion or blocking	6	
8 Characteristics related to the integrated circuit cards	6	
9 Dimensions and location of contacts	6	
9.1 Dimensions of the contacts	6	
9.2 Location of contacts	7	
9.3 Assignment of the contacts	7	
10 Electrical characteristics resistance	7	
10.1 Static electricity resistance	7	
10.2 Electrical resistance (of contacts)	7	
11 Other features	7	
Annex A (normative) Test methods for ID-000 card	8	
A.1 Default test environment and conditioning and functional test	8	
A.1.1 Default test environment and conditioning	8	
A.1.2 Functional test	8	
A.2 Test methods	8	
A.2.1 Dimensions of cards	8	
A.2.1.1 Thickness of card measurements	8	
A.2.1.2 Height and width of card measurement	8	
A.2.2 Resistance to chemicals	8	
A.2.3 Card dimensional stability with temperature and humidity	9	
A.2.4 Adhesion or blocking	9	
A.2.5 Flammability	10	
A.2.6 Location of contacts	10	
A.2.7 Static electricity	10	
A.2.8 Ultraviolet light	12	
A.2.9 X-rays	12	
A.2.10 Electrical resistance and impedance of contacts	12	
A.2.11 Surface profile of contacts	13	
A.2.12 Vibrations	15	
A.2.13 Electromagnetic fields	17	
Annex B (informative) Relationship between ID-000 and ID-1	17	
Figure 1 — Card dimensional tolerances	5	
Figure 2 — Card corner dimensions	6	
Figure 3 — Contacts location	7	
Figure A.1 — Assignment of the measurement area	8	
Figure A.2 — Location of contacts	10	
Figure A.3 — ESD test circuit	11	
Figure A.4 — Shape of voltage curve across R_2 connected to ground directly (idealized)	11	
Figure A.5 — Measuring arrangement	13	
Figure A.6 — Measuring device for the profile registration	14	
Figure A.7 — Measuring arrangement	14	
Figure A.8 — Determination of the basic measuring line	15	
Figure A.9 — Example of a measurement	15	
Figure A.10 — Relationship between frequency and peak to peak amplitude	16	
Figure B.1 — Relation ID-000 card to ID-1 card	17	
Table 1 — Dimensions	5	