

Structuring principles for technical products and technical product documentation — Letter codes — Main classes and subclasses of objects according to their purpose and task

ICS 01.110

National foreword

This Draft for Development reproduces verbatim IEC/PAS 62400:2005.

This publication is not to be regarded as a British Standard.

It is being issued in the Draft for Development series of publications and is of a provisional nature because this PAS is intended to be used as part of the revision work of IEC 61346. It should be applied on this provisional basis, so that information and experience of its practical application may be obtained.

A PAS is a Technical Specification not fulfilling the requirements for a standard, but made available to the public and established in an organization operating under a given procedure.

Comments arising from the use of this Draft for Development are requested so that UK experience can be reported to the international organization responsible for the Technical Specification. A review of this publication will be initiated not later than 3 years after its publication by the international organization so that a decision can be taken on its status at the end of its 3-year life. Notification of the start of the review period will be made in an announcement in the appropriate issue of *Update Standards*.

According to the replies received by the end of the review period, the responsible BSI Committee will decide whether to support the conversion into an international standard, to extend the life of the Technical Specification for another 3 years or to withdraw it. Comments should be sent in writing to the Secretary of BSI Technical Committee GEL/3, Documentation and graphical symbols, at British Standards House, 389 Chiswick High Road, London W4 4AL, giving the document reference and clause number and proposing, where possible, an appropriate revision of the text.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a Draft for Development does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the IEC/PAS title page, pages 2 to 61 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This Draft for Development was published under the authority of the Standards Policy and Strategy Committee and comes into effect on 15 December 2005

© BSI 15 December 2005

Amendments issued since publication

Amd. No.	Date	Comments

CONTENTS

1	Scope	3
2	Normative references	3
3	Specification of letter codes	3
4	Letter codes for objects based on their purpose or task	4
4.1	Overview of main classes of objects with associated letter codes.....	4
4.2	Rules for generating subclasses	4
4.3	Definition of subclasses of objects	6
Annex A (informative) List of terms.....		24
Table 1 – Letter codes for objects in accordance with IEC 61346-2 (main classes).....		4
Table 2 – General assignment of groups of letter codes for subclasses to application areas.....		5
Table 3 – Definitions and letter codes of subclasses related to main classes.....		6
Table A.1 – List of terms for objects, alphabetically ordered by object.....		24
Table A.2 – List of terms for objects, alphabetically ordered by letter code		43

STRUCTURING PRINCIPLES FOR TECHNICAL PRODUCTS AND TECHNICAL PRODUCT DOCUMENTATION – LETTER CODES – MAIN CLASSES AND SUBCLASSES OF OBJECTS ACCORDING TO THEIR PURPOSE AND TASK

1 Scope

This PAS extends the letter codes of the main classes for purposes or tasks of objects in accordance with IEC 61346-2, Table 1, with a second-letter code for subclasses. These specifications are generally applicable. They apply equally for all disciplines, such as construction, process and electrical engineering, and for standards, for example, for power generation, power distribution, process engineering facilities, naval architecture and ocean engineering. Additional letter codes may be specified for further subdivision of the classes.

Specification of letter codes for the main and subclasses for infrastructure objects in accordance with IEC 61346-2, Table 2, are not part of this document.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61346-2, *Industrial systems, installations and equipment and industrial products – Structuring principles and reference designations – Part 2: Classification of objects and codes for classes*

ISO 3511-1, *Process measurement, control functions and instrumentation – Symbolic representation – Part 1: Basic requirements*

ISO 14617-6:2002, *Graphical symbols for diagrams – Part 6: Measurement and control functions*

3 Specification of letter codes

Letter codes are specified and are generally applicable for objects fulfilling the following purposes or tasks.

- | | | |
|---|-----|-----------------------|
| – Control functions, functional allocation | = = | Functional allocation |
| – Functional equipment unit, equipment unit | = | Function, system |
| – Product, components | – | Product, component |

4 Letter codes for objects based on their purpose or task

4.1 Overview of main classes of objects with associated letter codes

Table 1 – Letter codes for objects in accordance with IEC 61346-2 (main classes)

Letter code	Purpose or task of object
A	Two or more purposes or tasks
B	Conversion of an input variable (physical property, condition or event) to a specific signal for further processing
C	Storage of energy, information or material
D	<i>Reserved for future standardization</i>
E	Providing radiant or thermal energy
F	Direct (self-acting) protection of an energy or signal flow, of personnel or facilities from dangerous or unwanted conditions including systems and equipment for protective purposes
G	Initiation of an energy or material flow; generation of signals which are used as an information carrier or reference source
H	Production of a new type of material or products
J	<i>Reserved for future standardization</i>
K	Processing (receipt, processing and providing) signals or information (with the exception of objects for protection purposes; see class F)
L	<i>Reserved for future standardization</i>
M	Providing mechanical energy (rotational or linear mechanical motion) for driving purposes
N	<i>Reserved for future standardization</i>
P	Presentation of information
Q	Controlled switching or variation of a flow of energy, signal or material (see classes K and S for signals in closed/open feedback control loops)
R	Restricting or stabilization of movement or flow of energy, information or material
S	Conversion of a manual operation to a specific signal for further processing
T	Conversion of energy while maintaining the kind of energy, conversion of an established signal while maintaining the content of information, conversion of the form or shape of a material
U	Keeping objects in a defined position
V	Processing (handling) of material or products (including pre-treatment and post-treatment)
W	Conducting or routing energy, signals, materials or products from one location to another
X	Connecting objects
Y	<i>Reserved for future standardization</i>
Z	<i>Reserved for future standardization</i>

4.2 Rules for generating subclasses

The following rules have been observed for determining the letter codes for the subclasses (2nd data character).

- The main classes as defined in Table 1 are subdivided into subclasses as shown in Table 2, with the exception of the main class with the letter code B.
- The letter codes for subclasses of the main class with the letter code B are specified according to ISO 3511-1.

Table 2 – General assignment of groups of letter codes for subclasses to application areas

Letter code for subclasses	Object, task based on
A B C D E	Electrical energy
F G H J K	Information or signals
L M N P Q R S T U V W X Y	Mechanical engineering Structural engineering (Non-electrical engineering)
Z	Combined tasks

4.3 Definition of subclasses of objects

Table 3 – Definitions and letter codes of subclasses related to main classes

A^a	Purpose or task of object: two or more purposes or tasks	
Class and subclass	Task related to subclass	Examples of components
AA	Free for the subdivision of objects, tasks obtained on electrical energy	
AB		
AC		
AD		
AE		
AF	Free for the subdivision of objects, tasks obtained on information or signals	
AG		
AH		
AJ		
AK		
AL	Free for the subdivision of objects, tasks obtained on mechanical engineering, structural engineering (non-electrical engineering)	
AM		
AN		
AP		
AQ		
AR		
AS		
AT		
AU		
AV		
AW		
AX		
AY		
AZ	Combined tasks	
^a	This class is only for objects for which no main purpose or no main task can be identified.	

Table 3 (continued) B

B^b	Purpose or task of object: conversion of an input variable (physical property, condition or event) to a specific signal for further processing.	
Class and subclass	Task related to subclass	Examples of components
BA	<i>Reserved for future standardization</i>	
BB	Conversion of input variables for protection purposes	Protection relay, overload relay (thermal), Buchholtz relay
BC	<i>Reserved for future standardization</i>	
BD	Density	
BE	Electrical units	Current transformer, measuring relay, voltage transformer, measuring transformer, measuring resistance (shunt)
BF	Flow, throughput	Measuring orifice, pressure difference transducer, flow meter, gas meter, water meter
BG	Distance, length, position, elongation, amplitude	(Radar), motion sensor, position switch, proximity switch, proximity sensor
BH	<i>Reserved for future standardization</i>	
BJ	Output	
BK	Time	Clock, time counter
BL	Height, level	Sonic depth finder, (sonar), sight glass
BM	Moisture content	Humidity meter
BN	Open	
BP	Pressure, vacuum	Pressure sensor, pressure gauge
BQ	Material property, quality parameter, analysis (except D, M, V), pH, SO ₂ content	X-ray device
BR	Radiation values, neutron flux measurement	Photocell, flame detector, smoke detector
BS	Velocity, speed of rotation, frequency, vibration, oscillation	Vibration pick-up, speedometer, tachometer
BT	Temperature	Temperature sensor, thermometer
BU	Combined units, multiple variables	
BV ^c	Viscosity	
BW	Weight force, mass	
BX	Other units	Video camera, microphone
BY	<i>Reserved for future standardization</i>	
BZ	Number of events, amount	Switching cycle detector, (radar device)
^b The letter codes in accordance with ISO 14617-6:2002, 7.3.1, were used for the subclasses. In accordance with the specifications of ISO 14617-6, subclass Z in the main class B is not available for "combined tasks". ^c In accordance with ISO 14617-6:2002, 7.3.1, the letter code "V" is "released for use". No letter code is specified in this standard for measurements/measuring equipment for "viscosity". As it is necessary to designate measurements/measuring equipment for viscosity, the letter "V" is assigned to viscosity here for the letter B.		

Table 3 (continued) C

C	Purpose or task of object: storage of energy, information or material	
Class and subclass	Task related to subclass	Examples of components
CA	Capacitive storage of electric energy	Capacitor
CB	Inductive storage of electric energy	Superconductor, coil
CC	Chemical storage of electric energy	Buffer battery, battery
CD		
CE		
CF	Storage of information	RAM, EPROM, CD-ROM, event recorder, hard disc, magnetic tape recorder, voltage recorder
CG		
CH		
CJ		
CK		
CL	Storage, collection and housing of materials (fixed location, open)	Pits, pools, bunkers, cisterns
CM	Storage, collection and housing of materials (fixed location, closed)	Containers, tanks, boilers, silos, gas holders, accumulators, buffers, flash tanks
CN	Storage, collection and housing of materials (mobile)	Containers, shipping containers, gas cylinder, drum
CP	Storage of thermal energy (heat and cold energy, direct)	Ice tank, hybrid heat storage, underground thermal energy storage, thermal energy storage, hot water storage, steam storage
CQ	Storage of mechanical energy	Flywheel
CR		
CS		
CT		
CU		
CV		
CW		
CX		
CY		
CZ	Combined tasks	
NOTE Storage batteries are assigned to main group "G".		

Table 3 (continued) E

E	Purpose or task of object: providing radiant or thermal energy	
Class and subclass	Task related to subclass	Examples of components
EA	Generation of electromagnetic radiation for lighting purposes using electrical energy	Incandescent lamp, fluorescent tubes, UV radiators
EB	Generation of thermal energy (heat) by conversion of electrical energy	Heating wire, heating rod, electrical heating, electrical boiler, electrode steam boiler, electric furnace, infrared heating element, electric radiator
EC	Generation of thermal energy (cold) by conversion of electrical energy	Cooling unit, freezing unit, refrigerator, freezer, compression chiller, turbine-driven chiller
ED		
EE		
EF	Generation of other electromagnetic radiation	
EG		
EH		
EJ		
EK		
EL	Generation of electromagnetic radiation for lighting purposes by combustion of fossil fuels	Gas light, gas lamp
EM	Generation of thermal energy by conversion of chemical energy	Boiler, burner, furnace, combustion grate
EN	Generation of cold energy by conversion of chemical energy	Refrigerator, cold pump
EP	Generation of heat energy by energy transfer	Condenser, heat exchanger, evaporator, economizer, feed-water heater, steam generator, heat-recovery steam generator, radiator, boiler
EQ	Generation of cold energy by energy transfer	Refrigerator, freezer, cold pump
ER	Generation of heat by conversion of mechanical energy	
ES	Generation of cold by conversion of mechanical energy	Mechanical refrigerator
ET	Generation of thermal energy by nuclear fission	Nuclear reactor
EU	Generation of particle radiation	Neutron generator
EV		
EW		Heater, radiator, boiler, heating stove
EX		
EY		
EZ	Combined tasks	

Table 3 (continued) F

F	Purpose or task of object: direct (self-acting) protection of an energy or signal flow, of personnel or facilities from dangerous or unwanted conditions, including systems and equipment for protective purposes	
Class and subclass	Task related to subclass	Examples of components
FA FB FC FD FE	Free for subdivision of objects, tasks based on electrical energy	Fuse, arrester, Faraday cage, miniature circuit-breaker, surge arrester, thermal overload trip
FF FG FH FJ FK	Free for subdivision of objects, tasks based on information and signals	
FL	Protection of mechanical and building objects from hazardous pressure conditions	Rupture disc, safety valve, also automatic directly loaded air inlet and vent valve), automatic drains trap, vacuum breaker
FM	Protection of mechanical and building objects from effects of fire	Fire protection facilities (risk detection and initiation of protective measures), fire damper, fire protection door, locks
FN	Protection of mechanical and building objects from hazardous operating conditions or damage	Protective shield, protection device, protective sleeve for thermocouple, safety clutch, impact protection
FP	Protection of the environment from emissions (for example, radiation, chemical emissions, noise)	Reactor protection equipment
FQ	Protection of persons/animals	Railings, barriers, gates, fence, contact protection, vision protection, glare protection, escape door, escape window, airbag, safety belt
FR	Protection of mechanical and building objects from wear (for example, corrosion)	Protective anode (cathodic),
FS	Protection against environmental effects (for example, weather, geophysical effects)	Weather, avalanche protection, geophysical protection
FT		
FU		
FV		
FW		
FX		
FY		
FZ	Combined tasks	

Table 3 (continued) G

G^d	Purpose or task of object: initiation of an energy or material flow; generation of signals which are used as information carrier or reference source	
Class and subclass	Task related to subclass	Examples of components
GA	Initiation of an electrical energy flow by use of mechanical energy	Generator, dynamo, motor-generator set
GB	Initiation of an electrical energy flow by chemical conversion	Fuel cell, battery, dry cell battery
GC	Initiation of an electrical energy flow using light	Solar cell
GD		
GE		
GF	Generation of signals as an information carrier	Signal generator, transducer
GG		
GH		
GJ		
GK		
GL	Initiation of a flow (conveyance) of solid materials (continuous)	Belt, chain conveyor, distributor
GM	Initiation of a flow (conveyance) of solid materials (discontinuous)	Crane, elevators, lifting gear, manipulator, lifting device
GN	Initiation of a flow (conveyance) of solid materials (mobile)	Forklift, mobile crane, truck, train
GP	Initiation of a flow (conveyance) of liquid and flowable substances (continuous)	Pump, screw conveyor
GQ	Initiation of a flow (conveyance) and compression of gaseous substances (continuous)	Blower (ventilator, fan), compressor, vacuum pump, aspirator
GR	Initiation of a flow (conveyance) of gaseous substances (mobile)	Tank car
GS	Initiation of a flow (conveyance) of liquid and gaseous materials (driven by driving medium)	Ejector, injector, jet
GT		
GU		
GV		
GW		
GX		
GY		
GZ	Combined tasks	
^d The motor- generator set is also assigned to subgroup GA.		

Table 3 (continued) H

H	Purpose or task of object: production of a new type of material or products	
Class and subclass	Task related to subclass	Examples of components
HA		
HB		
HC		
HD		
HE		
HF		
HG		
HH		
HJ		
HK		
HL	Separation of mixtures of substances by classification	Screen, rake, grate
HM	Separation of mixtures of substances by centrifugal force	Cyclone device, centrifuge
HN	Separation of mixtures of substances by gravity	Settling tank, dewatering
HP	Separation of mixtures of substances by thermal processes	Distillation column, extraction system, dewatering, drying (Munters air dryer)
HQ	Separation of mixtures of substances by filtering	Fluid filter, gas filter
HR	Separation of mixtures of substances by electrostatic or magnetic forces	Magnetic separator, electrostatic precipitator
HS	Separation of mixtures of substances by physical processes	Absorption washer, active charcoal adsorber, ion exchanger wet scrubber
HT	Generation of new gaseous substances	Gasifier
HU	Crushing to generate a new form of solid materials	Mill, crusher
HV	Coarsening to generate a new form of solid materials	Briquette maker, pellet maker, tablet maker, sintering facility
HW	Mixing to generate new solid, liquid, flowable and gaseous substances	Mixer, mixing vessel, kneader, static mixer, emulsifier, stirrer, (steam) humidifier
HX	Generation of new substances by chemical reaction	Reactor, reaction furnace
HY	Generation of new substances by biological reaction	Fermenter, composter
HZ	Combined tasks	

Table 3 (continued) K

K	Purpose or task of object: processing (receipt, processing and providing) signals or information (excluding objects for protection purposes, see class F)	
Class and subclass	Task related to subclass	Examples of components
KA		
KB		
KC		
KD		
KE		
KF	Generation of electrical and electronic signals	Relay, transistor, binary elements, delay systems, controller, input/output module, receiver, transmitter, optocoupler
KG	Processing of optical and acoustical signals	Mirror, controller, test unit
KH	Processing of fluid and pneumatic signals	Valve assembly, pilot valve, controller (valve position controller)
KJ	Processing of mechanical signals	Linkages, controller
KK	Processing of various input/output information carriers (for example, electrical/pneumatic)	Electro-hydraulic converter, controller, electric pilot valve
KL		
KM		
KN		
KP		
KQ		
KR		
KS		
KT		
KU		
KV		
W		
KX		
KY		
KZ	Combined tasks	

Table 3 (continued) M

M	Purpose or task of object: providing mechanical energy (rotational or linear mechanical motion) for driving purposes	
Class and subclass	Task related to subclass	Examples of components
MA	Driving by electric motor	Electric motor, linear motor
MB	Electromagnetic driving	Magnetic drive
MC		
MD		
ME		
MF		
MG		
MH		
MJ		
MK		
ML	Mechanical driving	Weight, spring force, actuator (mechanical), stored-energy spring actuator, friction wheel drive
MM	Fluid and pneumatic driving	Actuator, servomotor (fluid drive, fluid motor, fluid cylinder, hydraulic cylinder)
MN	Driving by steam flow	Steam turbine
MP	Driving by gas flow	Gas turbine
MQ	Driving by wind force	Wind turbine
MR	Driving by fluid flow	Hydraulic turbine
MS	Driving by chemical conversion	Combustion motor
MT	Driving and control of ships by conversion of driven machine output	Propeller system, jet system (jet vane), paddle-wheel system
MU		
MV		
MW		
MX		
MY		
MZ	Combined tasks	

Table 3 (continued) P

P	Purpose or task of object: presentation of information	
Class and subclass	Task related to subclass	Examples of components
PA		
PB		
PC		
PD		
PE		
PF	Presentation of information (permanent)	Printer, recorder, plotter
PG	Presentation of information (non-permanent)	Detector, monitor, voltmeter, alarm lamp
PH		
PJ		
PK		
PL		
PM		
PN		
PP		
PQ		
PR		
PS		
PT		
PU		
PV		
PW		
PX		
PY		
PZ	Combined tasks	

Table 3 (continued) Q

Q	Purpose or task of object: controlled switching or variation of a flow of energy, signal or material (see classes K and S for signals in closed/open feedback control loops)	
Class and subclass	Task related to subclass	Examples of components
QA	Switching and variation of electrical energy circuits	Circuit-breaker, contactor, thyristor, motor starter
QB	Isolation of electrical energy circuits	Isolating switch, load-break switch
QC	Earthing (grounding) of electrical energy circuits	Earthing (grounding) switch
QD	By-passing of electrical energy circuits	By-pass circuit-breaker
QE		
QF		
QG		
QH		
QJ		
QK		
QL	Braking in mechanical power transmission systems	Brakes
QM	Limiting of flow in closed enclosures for variable flows of gaseous, liquid and flowable substances	Shut-off valves (also drain valves), blanking plate, blank, dampers
QN	Setting and control of flow in closed enclosures for variable flows of gaseous, liquid or flowable substances	Control valve, gas control path, control dampers
QP	Limiting of flow in open enclosures for liquid substances	Lock gate, weirs, dam plates
QQ	Opening, closing of inlets or access (persons, material, light, air) to bounded areas	Door, gate, window, cover, turnstile, bar (lock)
QR	Shutoff open/closed of flows of liquid and flowable substances (no valves)	Isolation device, rotary locks for open/closed
QS		
QT		
QU		
QV		
QW		
QX		
QY		
QZ	Combined tasks	

Table 3 (continued) R

R	Purpose or task of object: restricting or stabilization of movement or flow of energy, information or material	
Class and subclass	Task related to subclass	Examples of components
RA	Limiting flow of electrical energy	Resistance, reactance coil, diode
RB		
RC		
RD		
RE		
RF	Stabilization of signals	Low-pass, equalizer, filter
RG		
RH		
RJ		
RK		
RL	Prevention of unauthorized operation and/or movements (mechanical)	Blocking device, stop, latch, lock
RM	Prevention of return flow of gaseous, liquid and flowable substances	Check valve
RN	Limiting flow of liquid and gaseous substances	Venturi nozzle, flow restrictor
RP	Shielding and insulation of noise	Noise protection, sound absorber
RQ	Shielding and insulation of heat or cold	Thermal insulation louver damper, insulation, jacket, lagging, lining
RR	Shielding and insulation of mechanical effects	Brick lining, compensator, vibration absorption,
RS	Shielding and insulation of chemical effects	Brick lining, explosion protection, gas penetration protection, splash protection
RT	Shielding and insulation of light	Shutter, blind, screen
RU	Limiting and stabilizing movement in areas/in site	Fence
RV		
RW		
RX		
RY		
RZ	Combined tasks	

Table 3 (continued) S

S	Purpose or task of object: conversion of a manual operation to a specific signal for further processing	
Class and subclass	Task related to subclass	Examples of components
SA		
SB		
SC		
SD		
SE		
SF	Conversion of a manual operation to electrical signals	Switch, light pen, keyboard, control switch, discrepancy switch, push-button switch, selector switch, set-point adjuster
SG	Conversion of a manual operation to electromagnetic, optical and acoustical signals	Cordless mouse
SH	Conversion of a manual operation to mechanical signals	Hand wheel, selector switch
SJ	Conversion of a manual operation to fluid or pneumatic signals	
SK		
SL		
SM		
SN		
SP		
SQ		
SR		
SS		
ST		
SU		
SV		
SW		
SX		
SY		
SZ	Combined tasks	