DRAFT FOR DEVELOPMENT

DD IEC TS 60870-6-602: 2001

Telecontrol equipment and systems —

Part 6-602: Telecontrol protocols compatible with ISO standards and ITU-T recommendations — TASE transport profiles

ICS 33.200

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

Documents
Document Sharing Hub

Full document details: DD IEC/TS 60870-6-602:2001

National foreword

This Draft for Development is the English language version of IEC TS 60870-6-602:2001.

This publication is not to be regarded as a British Standard.

It is being issued in the Draft for Development series of publications and is of a provisional nature because the source document is an IEC Technical Specification which is not an international standard. It should be applied on this provisional basis, so that information and experience of its practical application may be obtained.

Comments arising from the use of this Draft for Development are requested so that UK experience can be reported to the international organization responsible for its conversion into an international standard. A review of this publication will be initiated 2 years after its publication by the international organization so that a decision can be taken on its status at the end of its three-year life. The commencement of the review period will be notified by an announcement in *Update Standards*.

According to the replies received by the end of the review period, the responsible BSI Committee will decide whether to support the conversion into an international standard. Comments should be sent in writing to the Secretary of BSI Technical Committee PEL/57, Telecontrol systems, at 389 Chiswick High Road, London W4 4AL, giving the document reference and clause number and proposing, where possible, an appropriate revision of the text.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

This Draft for Development, having been prepared under the direction of the Electrotechnical Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 25 March 2002

Summary of pages

This document comprises a front cover, an inside front cover, the IEC TS title page, pages 2 to 28, an inside back cover and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

© BSI 25 March 2002

ISBN 0 580 39249 X

Documents
Document Sharing Hub

Full document details: DD IEC/TS 60870-6-602:2001

TECHNICAL SPECIFICATION

IEC TS 60870-6-602

First edition
2001-04

Telecontrol equipment and systems –

Part 6-602: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE transport profiles

Matériels et systèmes de téléconduite –

Partie 6-602: Protocoles de téléconduite compatibles avec les normes ISO et les recommandations de l'UIT-T – Profils TASE de transport

Reference number
IEC/TS 60870-6-602:2001(E)

Documents
Document Sharing Hub

Full document details: DD IEC/TS 60870-6-602:2001

CONTENTS

FOREWORD 3

1 Scope 5
2 Normative references 5
2.1 General Standards 5
2.2 International standardized profiles 6
3 Abbreviations 10
4 TASE telecontrol communication architecture 11
4.1 Architectural model 11
4.2 Subnetwork access 11
5 Transport profiles 12
5.1 Introduction 12
5.2 T-profiles 14
5.3 L-profiles 21
6 Relays 22
6.1 Relaying connectionless network services CLNP 22
6.2 Relaying connection-mode network services ITU-T X.25 22
Bibliography 23

Figure 1 – WAN subnetwork access of end systems 12
Figure 2 – Scenario description of a reference point 13

Table 1 – Architecture specification within TCA 11
Table 2 – Tabular presentation of profiles 14
Table 3 – TP4/CLNP profile 15
Table 4 – RFC 1006 profile 16
Table 5 – RFC 1070 profile 17
Table 6 – TP4/ ITU X.25 PLP profile 17
Table 7 – TP4/frame relay profile 18
Table 8 – Relaying connectionless network services 22
Table 9 – Connection-mode network services ITU-T X.25 22

Documents
Document Sharing Hub

Full document details: DD IEC/TS 60870-6-602:2001

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TELECONTROL EQUIPMENT AND SYSTEMS –

Part 6-602: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE transport profiles

FOREWORD

1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
6) Attention is drawn to the possibility that some of the elements of this technical specification may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

IEC 60870-6-602, which is a technical specification, has been prepared by IEC technical committee 57: Power system control and associated communications.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
57/466/CDV	57/502/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Documents
Document Sharing Hub
Full document details: DD IEC/TS 60870-6-602:2001

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- transformed into an International Standard;
- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Documents
Document Sharing Hub

Full document details: DD IEC/TS 60870-6-602:2001

TELECONTROL EQUIPMENT AND SYSTEMS –

Part 6-602: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE transport profiles

1 Scope

This part of IEC 60870, which is a technical specification, describes the transport profiles for the IEC 60870-6 series over WAN with reference to international standardized profiles (ISPs) used by distributed SCADA/EMS applications in control centres, power plants and substations. The transport profiles use virtually any standard or *de facto* standard (including TCP/IP) connection-mode and connectionless-mode network services over any type of transmission media.

These profiles are part of the telecontrol communication architecture (TCA).

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this technical specification. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this technical specification are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

2.1 General Standards

ISO/IEC 8072:1996, *Information technology – Open systems interconnection – Transport service definition*

ISO/IEC 8073:1997, *Information technology – Open Systems Interconnection – Protocol for providing the connection-mode transport service*

ISO/IEC 8348:1996, *Information technology – Open Systems Interconnection – Network Service Definition*

ISO/IEC 8473 (all parts), *Information technology – Protocol for providing the connectionless-mode network service*

ISO/IEC 8878:1992, *Information technology – Telecommunications and information exchange between systems – Use of X.25 to provide the OSI Connection-mode Network Service*

ISO/IEC TR 8802 (all parts), *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements*

ISO/IEC 9574:1992, *Information technology – Provision of the OSI connection-mode network service by packet mode terminal equipment to an integrated services digital network*

ISO/IEC TR 9577:1999, *Information technology – Protocol identification in the network layer*

ITU-T Recommendation X.121:2000, *International numbering plan for public data networks*

AVA Documents
Document Sharing Hub

Full document details: DD IEC/TS 60870-6-602:2001

2.2 International standardized profiles

This subclause lists all current ISPs which may be implemented in telecontrol systems. For SCADA/EMS the TASE profiles IEC 60870-6-701 (TASE.1) and IEC 60870-6-702 (TASE.2) apply.

IEC 60870-6-501:1995, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 501: TASE.1 Service definitions*

IEC 60870-6-502:1995, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 502: TASE.1 Protocol definitions*

IEC 60870-6-503:1997, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 503: TASE.2 Services and protocol*

IEC 60870-6-601:1994, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 601: Functional profile for providing the connection-oriented transport service in an end system connected via permanent access to a packet switched data network*

IEC 60870-6-701:1998, *Telecontrol equipment and systems – Part 6-701: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Functional profile for providing the TASE.1 application service in end systems*

IEC 60870-6-702:1998, *Telecontrol equipment and systems – Part 6-702: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Functional profile for providing the TASE.2 application service in end systems*

IEC 60870-6-802:1997, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 802: TASE.2 Object models*

2.2.1 Transport profiles

2.2.1.1 TA-profiles: CO transport over CL network services (CLNP)

ISO/IEC ISP 10608-1:1992, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 1: General overview and subnetwork-independent requirements*

ISO/IEC ISP 10608-2:1992, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 2: TA51 profile including subnetwork-dependent requirements for CSMA/CD Local Area Networks*

ISO/IEC ISP 10608-4:1994, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode* Network Service – *Part 4: Definition of profile TA53, operation over a Token Ring LAN subnetwork*

ISO/IEC ISP 10608-5:1992, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 5: TA1111/TA1121 profiles including subnetwork-dependent requirements for X.25 packet-switched data networks using virtual calls*

Documents
Document Sharing Hub
Full document details: DD IEC/TS 60870-6-602:2001

ISO/IEC ISP 10608-6:1995, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 6: Definition of profile TA54, operation over an FDDI LAN subnetwork*

ISO/IEC ISP 10608-12:1996, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 12: MAC sublayer and physical layer dependent requirements for a CSMA/CD LAN subnetwork*

ISO/IEC ISP 10608-13:1994, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 13: MAC sublayer and physical layer dependent requirements for a token ring LAN subnetwork*

ISO/IEC ISP 10608-14:1995, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 14: MAC, PHY and PMD sublayer dependent and Station management requirements over an FDDI LAN subnetwork*

2.2.1.2 TB/C/D/E-profiles: CO transport over CO network services (ITU X.25)

ISO/IEC ISP 10609-1:1992, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 1: Subnetwork-type independent requirements for Group TB*

ISO/IEC ISP 10609-5:1992, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 5: Definition of profiles TB1111/TB1121 [virtual call]*

ISO/IEC ISP 10609-9:1992, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 9: Subnetwork-type dependent requirements for Network Layer, Data Link Layer and Physical Layer concerning permanent access to a packet switched data network using virtual calls*

ISO/IEC ISP 10609-10:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 10: LAN subnetwork-dependent, media independent requirements*

ISO/IEC ISP 10609-11:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 11: CSMA/CD subnetwork-dependent media-dependent requirements*

ISO/IEC ISP 10609-12:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 12: Definition of profile TC51, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a CSMA/CD LAN*

ISO/IEC ISP 10609-14:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 14: Definition of profile TC53, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a token ring LAN*

Documents
Document Sharing Hub
Full document details: DD IEC/TS 60870-6-602:2001

ISO/IEC ISP 10609-15:1996, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 15: Definition of profile TC54, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to an FDDI LAN*

ISO/IEC ISP 10609-20:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 20: Overview of the generalized multi-part ISP structure for TC and TD group profiles for OSI usage of ISDN*

ISO/IEC ISP 10609-21:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 21: Subnetwork-type dependent requirements for network layer and data link layer for ISDN B-channel X.25 DTE to DTE operation*

ISO/IEC ISP 10609-22:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 22: Subnetwork type dependent requirements for network layer and data link layer for ISDN B-channel X.25 DTE to DCE operation*

ISO/IEC ISP 10609-23:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 23: Subnetwork-type dependent requirements for network layer and data link layer for data transfer concerning a packet switched mode integrated services digital network using virtual calls: B-channel access case*

ISO/IEC ISP 10609-24:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 24: Subnetwork-type dependent requirements for network layer and data link layer for data transfer concerning a packet switched mode integrated services digital network using virtual calls: D-channel access case*

ISO/IEC ISP 10609-25:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 25: Subnetwork-type dependent requirements for Q.931 circuit-switched operation*

ISO/IEC ISP 10609-26:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 26: Subnetwork-type dependent requirements for network layer for a call control procedures concerning the outgoing call of a packet switched mode Integrated services digital network in case b using virtual calls*

ISO/IEC ISP 10609-27:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 27: Subnetwork-type dependent requirements for network layer for a call control procedures concerning the incoming call of a packet switched mode Integrated services digital network in case b using virtual calls*

ISO/IEC ISP 10609-28:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 28: Subnetwork-type dependent requirements for data link layer for end systems attached to an ISDN subnetwork*

Documents
Document Sharing Hub

Full document details: DD IEC/TS 60870-6-602:2001