DD ISO/TS 15495:2010

BSI Standards Publication

Milk, milk products and infant formulae — Guidelines for the quantitative determination of melamine and cyanuric acid by LC-MS/MS

bsi.

...making excellence a habit.™

Document Sharing Hub

Full document details: DD ISO/TS 15495:2010

National foreword

This Draft for Development is the UK implementation of ISO/TS 15495:2010.

This publication is not to be regarded as a British Standard.

It is being issued in the Draft for Development series of publications and is of a provisional nature. It should be applied on this provisional basis, so that information and experience of its practical application can be obtained.

Comments arising from the use of this Draft for Development are requested so that UK experience can be reported to the international organization responsible for its conversion to an international standard. A review of this publication will be initiated not later than 3 years after its publication by the international organization so that a decision can be taken on its status. Notification of the start of the review period will be made in an announcement in the appropriate issue of *Update Standards.*

According to the replies received by the end of the review period, the responsible BSI Committee will decide whether to support the conversion into an international Standard, to extend the life of the Technical Specification or to withdraw it. Comments should be sent to the Secretary of the responsible BSI Technical Committee at British Standards House, 389 Chiswick High Road, London W4 4AL.

The UK participation in its preparation was entrusted to Technical Committee AW/5, Chemical analysis of milk and milk products.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2011

ISBN 978 0 580 70431 4

ICS 67.100.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Draft for Development was published under the authority of the Standards Policy and Strategy Committee on 31 March 2011.

Amendments issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: DD ISO/TS 15495:2010

TECHNICAL SPECIFICATION

ISO/TS 15495

IDF/RM 230

First edition
2010-11-01

Milk, milk products and infant formulae — Guidelines for the quantitative determination of melamine and cyanuric acid by LC-MS/MS

Lait, produits laitiers et formules infantiles — Lignes directrices pour la détermination quantitative de la mélamine et de l'acide cyanurique par CL-SM/SM

Reference numbers
ISO/TS 15495:2010(E)
IDF/RM 230:2010(E)

© ISO and IDF 2010

Documents
Document Sharing Hub

Full document details: DD ISO/TS 15495:2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. Neither the ISO Central Secretariat nor the IDF accepts any liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies and IDF national committees. In the unlikely event that a problem relating to it is found, please inform the ISO Central Secretariat at the address given below.

COPYRIGHT PROTECTED DOCUMENT

© ISO and IDF 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO or IDF at the respective address below.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

International Dairy Federation
Diamant Building • Boulevard Auguste Reyers 80 • B-1030 Brussels
Tel. + 32 2 733 98 88
Fax + 32 2 733 04 13
E-mail info@fil-idf.org
Web www.fil-idf.org

Published in Switzerland

© ISO and IDF 2010 – All rights reserved

Documents
Document Sharing Hub

Full document details: DD ISO/TS 15495:2010

Contents

Page

Foreword iv

Foreword v

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Principle 2

5 Sampling 2

6 Preparation of test sample 2

7 Procedure 2
7.1 LC-MS/MS analysis — Chromatography 2
7.2 LC-MS/MS analysis — Mass spectrometry 3

8 Performance criteria 3
8.1 General 3
8.2 Minimum required sensitivity 3
8.3 Trueness and recovery 3
8.4 Repeatability 3
8.5 Within-laboratory reproducibility 3

9 Test report 4

Annex A (informative) Example A — Cow milk and milk-based infant formula — Simultaneous quantitative determination of melamine and cyanuric acid by liquid chromatography electrospray ionization tandem mass spectrometry 5

Annex B (informative) Example B — Quantitative analysis of melamine and cyanuric acid in milk-based infant formula and cow milk by liquid chromatography using linear ion-trap mass spectrometry 19

Bibliography 29

© ISO and IDF 2010 – All rights reserved

Documents
Document Sharing Hub
Full document details: DD ISO/TS 15495:2010

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

— an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;

— an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 15495 | IDF/RM 230 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*, and the International Dairy Federation (IDF). It is being published jointly by ISO and IDF.

© ISO and IDF 2010 – All rights reserved
Documents
Document Sharing Hub
Full document details: DD ISO/TS 15495:2010

Foreword

IDF (the International Dairy Federation) is a non-profit organization representing the dairy sector worldwide. IDF membership comprises National Committees in every member country as well as regional dairy associations having signed a formal agreement on cooperation with IDF. All members of IDF have the right to be represented on the IDF Standing Committees carrying out the technical work. IDF collaborates with ISO in the development of standard methods of analysis and sampling for milk and milk products.

The main task of Standing Committees is to prepare International Standards. Draft International Standards adopted by the Standing Committees are circulated to the National Committees for endorsement prior to publication as an International Standard. Publication as an International Standard requires approval by at least 50 % of IDF National Committees casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a Standing Committee may decide to publish an other type of normative document which is called by IDF: *Reviewed method*. Such a method represents an agreement between the members of a Standing Committee and is accepted for publication if it is approved by at least 50 % of the committee members casting a vote. A *Reviewed method* is equal to an ISO/PAS or ISO/TS and will, therefore, also be published jointly under ISO conditions.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. IDF shall not be held responsible for identifying any or all such patent rights.

ISO/TS 15495 | IDF/RM 230 was prepared by the International Dairy Federation (IDF) and Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*. It is being published jointly by IDF and ISO.

All work was carried out by a Joint Project Group on *Determination of melamine* of the Standing Committee on *Analytical methods for additives and contaminants* under the aegis of its project leaders, Dr S.E. Holroyd (NZ) and Dr T. Delatour (CH).

© ISO and IDF 2010 – All rights reserved

Documents
Document Sharing Hub
Full document details: DD ISO/TS 15495:2010

Documents
Document Sharing Hub

Full document details: DD ISO/TS 15495:2010

TECHNICAL SPECIFICATION

ISO/TS 15495:2010(E)
IDF/RM 230:2010(E)

Milk, milk products and infant formulae — Guidelines for the quantitative determination of melamine and cyanuric acid by LC-MS/MS

1 Scope

This Technical Specification gives guidance for the quantitative determination of melamine and cyanuric acid content in milk, powdered milk products, and infant formulae by electrospray ionization liquid chromatography tandem mass spectrometry (LC-MS/MS).

NOTE Examples of LC-MS/MS methods are given in Annexes A and B.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3534 (all parts), *Statistics — Vocabulary and symbols*

ISO 5725-1, *Accuracy (trueness and precision) of measurement methods and results — Part 1: General principles and definitions*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 3534, ISO 5725-1, and the following apply.

3.1
melamine content
mass fraction of substance determined by the procedures specified in this Technical Specification

NOTE The melamine content is expressed in milligrams per kilogram of product.

3.2
cyanuric acid content
mass fraction of substance determined by the procedures specified in this Technical Specification

NOTE The cyanuric content is expressed in milligrams per kilogram of product.

3.3
maximum limit
ML
maximum content of either melamine or cyanuric acid permitted or acceptable in milk, powdered milk products or infant formulae

NOTE The ML can either be a nationally or internationally stated limit or a defined level of concern.

Documents
Document Sharing Hub

© ISO and IDF 2010 – All rights reserved

Full document details: DD ISO/TS 15495:2010

4 Principle

The sample is made homogenous and optionally reconstituted in the case of powdered samples. A suitable solvent is added to the test sample to precipitate proteins from the matrix and to extract melamine and cyanuric acid. After centrifugation, an aliquot of the supernatant is analysed by LC-MS/MS.

For the purposes of this Technical Specification, LC-MS/MS designates any method combining either high-performance liquid chromatography (HPLC) or ultra-performance liquid chromatography (UPLC), with either triple quadrupole or ion-trap mass spectrometric detection. Chromatographic separation is based on hydrophilic interaction liquid chromatography (HILIC) to ensure good separation of melamine and cyanuric acid. Ionization of the substance is accomplished by electrospray ionization (ESI) and detection operates in the selected reaction monitoring (SRM) mode.

NOTE Other ionization techniques with sufficient performance can be used. Other mass analysers can be used as long as they comply with the performance criteria (identification points) in 2002/657/EC (Reference [8]).

Quantification of both melamine and cyanuric acid is based on isotope dilution using stable isotope internal standards for both analytes.

5 Sampling

Sampling is not part of the method specified in this Technical Specification. A recommended sampling method is given in ISO 707 | IDF 50[1].

It is important the laboratory receive a truly representative sample which has not been damaged or changed during transport or storage.

6 Preparation of test sample

The mass of the test sample for analysis or optional reconstitution should be representative of the product and should be appropriate to allow effective extraction of the target analytes.

Isotope-labelled standards should be spiked directly to the dry or wet sample in the first step of analysis.

Concentration of internal standards added should be of the same order of magnitude as that of interest for melamine and cyanuric acid. Extraction may be done with a minimum of 5 ml of extraction solvent per gram of sample material, to give a final percentage mass fraction of organic solvent in the extraction mixture of at least 70 %. Extraction should take place for at least 5 min by either vigorous shaking or a combination of ultrasonification and vortexing. The sample should then be centrifuged under appropriate conditions and filtered through a syringe filter.

Any alternative is acceptable as long as performance criteria and validation match the requirements specified in this Technical Specification.

7 Procedure

7.1 LC-MS/MS analysis — Chromatography

Perform the liquid chromatographic separation using a column dedicated to this purpose.

The minimum acceptable retention time for melamine and cyanuric acid shall be twice the retention time corresponding to the void volume of the column. The retention time in the sample extract shall match that of the calibration standard within a specified retention time window.

© ISO and IDF 2010 – All rights reserved
Documents
Document Sharing Hub
Full document details: DD ISO/TS 15495:2010

The ratio of the relative retention time of the analyte to that of the internal standard shall correspond to that of calibration standards to within ±2,5 %.

7.2 LC-MS/MS analysis — Mass spectrometry

Mass spectrometric detection of melamine and cyanuric acid shall be carried out preferably by employing a triple quadropole LC-MS/MS instrument.

Quantitative determination and identification shall be achieved in SRM mode. When using a triple quadropole instrument for each compound, a minimum of two mass transitions shall be used for the detection of the analyte, while at least one shall be used for the internal standard. However, it is also recommended that two mass transitions be monitored for the internal standard.

The most appropriate transition (most intense) shall be used for quantification (quantifier), and the second one for confirmation (qualifier). The ratio of qualifier intensity to quantifier intensity (Rq/Q) shall be checked and tolerance criteria applied depending on the value of Rq/Q (Table 1).

Table 1 — Maximum permitted relative tolerance for ratio of qualifier intensity to quantifier intensity (Rq/Q)

Rq/Q (% of quantifer)	**Tolerance** (relative in %)
>50	±20
>20 to 50	±25
>10 to 20	±30
⩽10	±50

8 Performance criteria

8.1 General

Each laboratory should validate the implemented method to demonstrate fitness for purpose. The procedure specified in EU Commission Decision 2002/657/EC (Reference [8]) is recommended for validation. Maximum and minimum limits for performance characteristics, as adopted from this procedure, are defined in 8.2 and 8.5.

8.2 Minimum required sensitivity

The required limit of quantification (LoQ) should at least be 10-fold lower than the maximum limit (ML) to ensure reliable quantification at ML.

8.3 Trueness and recovery

Following this guideline, trueness and recovery are typically between 95 % and 105 %. For acceptance of analytical methods, trueness and recovery shall fall between 80 % and 110 %.

8.4 Repeatability

The coefficient of variation of repeatability is typically 3 % to 6 %, with limit <15 %.

8.5 Within-laboratory reproducibility

The coefficient of variation of within-laboratory reproducibility is typically 5 % to 10 %, with limit <15 %.

© ISO and IDF 2010 – All rights reserved

Documents
Document Sharing Hub
Full document details: DD ISO/TS 15495:2010

9 Test report

The test report shall contain at least the following information:

a) all information necessary for the complete identification of the sample;

b) the sampling method used, if known;

c) the test method used, together with reference to this Technical Specification (ISO/TS 15495 | IDF/RM 230:2010);

d) all operating details not specified in this Technical Specification, or regarded as optional, together with details of any incidents which may have influenced the test result(s);

e) the test result(s) obtained;

f) if the repeatability has been checked, the final quoted result obtained.

© ISO and IDF 2010 – All rights reserved
Documents
Document Sharing Hub
Full document details: DD ISO/TS 15495:2010