

Cheese — Determination of rheological properties by uniaxial compression at constant displacement rate

ICS 67.100.30

National foreword

This Draft for Development was published by BSI. It is the UK implementation of ISO/TS 17996:2006.

This publication is not to be regarded as a British Standard.

It is being issued in the Draft for Development series of publications and is of a provisional nature. It should be applied on this provisional basis, so that information and experience of its practical application can be obtained.

Comments arising from the use of this Draft for Development are requested so that UK experience can be reported to the international organization responsible for its conversion to an international standard. A review of this publication will be initiated not later than 3 years after its publication by the international organization so that a decision can be taken on its status. Notification of the start of the review period will be made in an announcement in the appropriate issue of *Update Standards*.

According to the replies received by the end of the review period, the responsible BSI Committee will decide whether to support the conversion into an international Standard, to extend the life of the Technical Specification or to withdraw it. Comments should be sent to the Secretary of the responsible BSI Technical Committee at British Standards House, 389 Chiswick High Road, London W4 4AL.

The UK participation in its preparation was entrusted to Technical Committee AW/5, Chemical analysis of milk and milk products.

A list of organizations represented on AW/5 can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

This Draft for Development was published under the authority of the Standards Policy and Strategy Committee on 29 December 2006

© BSI 2006

ISBN 0 580 49828 X

Amendments issued since publication

Amd. No.	Date	Comments

TECHNICAL
SPECIFICATION

**ISO/TS
17996**

**IDF/RM
205**

First edition
2006-09-01

**Cheese — Determination of rheological
properties by uniaxial compression at
constant displacement rate**

*Fromage — Détermination des propriétés rhéologiques par
compression uniaxiale à vitesse constante de translation*



Reference numbers
ISO/TS 17996:2006(E)
IDF/RM 205:2006(E)



Documents

Document Sharing Hub

Contents

Page

Foreword.....	iv
Foreword.....	v
1 Scope	1
2 Terms and definitions.....	1
3 Principle	1
4 Apparatus	1
5 Sampling.....	2
6 Procedure	2
6.1 Thermal equilibration of test samples	2
6.2 Test portion	2
6.3 Test conditions	3
7 Analysis of the compression curves	4
7.1 Data representation and calculation.....	4
7.2 Parameters characterizing the compression curves	5
7.3 Expression of results	8
8 Precision.....	8
8.1 Interlaboratory test	8
8.2 Repeatability.....	8
8.3 Reproducibility.....	9
9 Test report	9
Annex A (normative) Figures	10
Annex B (normative) Non-standard sample conditions.....	13
Annex C (informative) Examples of compression curves.....	15
Annex D (informative) Results of interlaboratory trial with one sample	17
Bibliography	18

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 17996|IDF/RM 205 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*, and the International Dairy Federation (IDF). It is being published jointly by ISO and IDF.

Foreword

IDF (the International Dairy Federation) is a worldwide federation of the dairy sector with a National Committee in every member country. Every National Committee has the right to be represented on the IDF Standing Committees carrying out the technical work. IDF collaborates with ISO in the development of standard methods of analysis and sampling for milk and milk products.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the Action Teams and Standing Committees are circulated to the National Committees for voting. Publication as an International Standard requires approval by at least 50 % of IDF National Committees casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a Standing Committee may decide to publish an other type of normative document which is called by IDF: *Reviewed method*. Such a method represents an agreement between the members of a Standing Committee and is accepted for publication if it is approved by at least 50 % of the committee members casting a vote. A *Reviewed method* is equal to an ISO/PAS or ISO/TS and will, therefore, also be published jointly under ISO conditions.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. IDF shall not be held responsible for identifying any or all such patent rights.

ISO/TS 17996|IDF/RM 205 was prepared by the International Dairy Federation (IDF) and Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*. It is being published jointly by IDF and ISO.

All work was carried out by the Joint ISO-IDF Action Team on *Physical properties and rheological tests*, of the Standing Committee on *Minor compounds and characterization of physical properties*, under the aegis of its former project leader, Mrs Y. Noël (FR), who performed most of the work, and its present project leader, Mr P. Watkinson (NZ).

Cheese — Determination of rheological properties by uniaxial compression at constant displacement rate

1 Scope

This Technical Specification describes a method for the determination of rheological properties by uniaxial compression at constant displacement rate in hard and semi-hard cheeses.

The method provides standard conditions for sampling and testing, for data representation and general principles of calculation.

NOTE Sampling might be difficult with some cheese varieties, for example caused by shortness, brittleness, stickiness and soft consistency. In these cases, reliable results cannot be achieved.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

rheological properties

deformation under compression of the test sample by the procedure specified in this Technical Specification

3 Principle

A cylindrical test sample, of defined dimensions, is compressed at a constant crosshead speed with a compression tool up to a relative deformation sufficient to determine the apparent fracture point. The force, which is the resistance of the cheese sample during compression, is measured with a load cell. The displacement may be measured either from the position of the cross head or calculated from the elapsed time multiplied by the displacement rate.

A schematic representation of the principle of the test is given in Figure A.1.

4 Apparatus

Usual laboratory apparatus and, in particular, the following.

4.1 **Cork-borer**, such as that shown in Figure A.4 as an example.

It is recommended to mount the cork-borer on a drill-stand in order to drive it slowly and steadily through the test sample.

4.2 **Parallel-wire cutting device**, with a wire of diameter less than or equal to 0,4 mm and with a system to keep the two wires parallel to each other and perpendicular to the plug. It should also include a mechanically driven cutting system to cut the test sample to the required height.