

Rahmenangaben für System zur Verwaltung von Informationsressourcenverzeichnissen (IRDS)

Identisch mit ISO/IEC 10 027 : 1990

DIN
66 313
Diese Norm enthält die Internationale Norm **ISO/IEC 10027**

Information technology; Information Resource Dictionary System (IRDS) Framework;
 Identical with ISO/IEC 10027 : 1990

Technologies de l'information; Cadre pour le gestionnaire de ressources du système d'information (IRDS);
 Identique à ISO/CEI 10 027 : 1990

Die Internationale Norm ISO/IEC 10 027 : 1990, „Information technology; Information Resource Dictionary System (IRDS) Framework“, ist unverändert in diese Deutsche Norm übernommen worden.

Nationales Vorwort

Einführung

Die vorliegende Internationale Norm wurde in ISO/IEC JTC 1/SC 21/WG 3¹⁾ unter Mitwirkung des Ausschusses „Datenbanksysteme“ des Normenausschusses Informationsverarbeitungssysteme (NI) erarbeitet.

Die Internationale Norm ISO/IEC 10 027 definiert die Gesamtarchitektur eines Systems zur Verwaltung von Informationsressourcenverzeichnissen. Mit der Aufgliederung des Systems in Komponenten (Processors) schafft sie den grundlegenden Rahmen für die weitere Normung der systemexternen und -internen Schnittstellen von IRDS.

Das Präsidium des DIN hat mit Präsidialbeschluß 13/1983 festgelegt, daß DIN-Normen, deren Inhalt sich auf internationale Arbeitsergebnisse der Informationsverarbeitung gründet, unter bestimmten Bedingungen allein in **englischer Sprache** veröffentlicht werden dürfen. Diese Bedingungen sind für diese Norm erfüllt.

Um den Gebrauch dieser Norm zu erleichtern, wurde dem englischen Originaltext eine englisch-deutsche Fachwörterliste vorangestellt. Die Begriffszuordnungen sind nur im Sinne dieser Norm zu verstehen und haben nur für deren Anwendungsbereich terminologische Verbindlichkeit. Durch die bloße Gegenüberstellung von Benennungen kann eine definierende Verbindlichkeit nicht zustande kommen; diese muß an anderer Stelle geschaffen werden. Wenn gleichlautende fremdsprachige Benennungen in anderen Fachwörterlisten auftreten, können denen durchaus andere deutsche Benennungen dort gegenüberstehen. Deshalb kann mit dieser vorliegenden Fachwörterliste eine allgemein gültige terminologische und definierende Verbindlichkeit nicht als gegeben angesehen werden.

Zusammenfassung des technischen Inhalts

Die vorliegende Norm definiert „Information Resource Dictionary Systems“ allgemein als Systeme zur zentralen Speicherung und Verwaltung von Daten über Informationsressourcen eines Unternehmens.

Diese Daten sind im Informationsressourcenverzeichnis (IRD), der Datenbasis des IRDS, abgelegt. Zusammen mit zwei weiteren Datenschichten (Strukturdefinition der Daten und Definitionsschema) innerhalb des IRDS und der Schicht der Anwendungsdaten ergibt sich eine vierschichtige Datenarchitektur, die Grundlage für die Beschreibung des IRDS ist.

Neben der durch die Datenarchitektur ermöglichten Anpaßbarkeit und Erweiterbarkeit der Struktur des IRD wird eine Reihe von weiteren Funktionalitäten von IRDS gefordert wie Überwachung von Integritätsregeln, Zugriffskontrolle, Versionsunterstützung. Die genaue Beschreibung der entsprechenden Mechanismen ist in der vorliegenden Norm nicht enthalten.

Weiterhin wird eine grobe Gliederung des IRDS in Komponenten (Processors) vorgegeben und die Einbettung in die Betriebssystem- und DBMS-Umgebung skizziert. Die genauere Spezifikation der dabei definierten Schnittstellen bleibt ebenfalls nachfolgenden Normen überlassen.

¹⁾ ISO — International Organization for Standardization

IEC — International Electrotechnical Commission

JTC 1 — Information Technology

SC 21 — Information retrieval, transfer and management for open systems interconnection (OSI)

WG 3 — Database

Fortsetzung Seite 2
und 19 Seiten ISO-Norm

Normenausschuß Informationsverarbeitungssysteme (NI) im DIN Deutsches Institut für Normung e.V.

Zitierte Normen

DIN ISO 7498	Informationsverarbeitung; Kommunikation Offener Systeme; Basis-Referenzmodell; Identisch mit ISO 7598 : 1984 (Stand 1988)
DIN ISO 9075	Informationsverarbeitungssysteme; Datenbanksprache SQL mit erweiterten Integritätsregeln; Identisch mit ISO 9075 : 1989

Englisch-deutsche Fachwörterliste

access control	Zugriffskontrolle
application levei	Anwendungsschicht
application schema	Anwendungsschema
auditing	Überwachung von Zustandsveränderungen an Daten
client	(Dienst)Teilnehmer
constraint	Einschränkung (zur Erhaltung der Datenintegrität)
data base	Datenbasis
data base integrity	Integrität der Datenbasis
data constrainer	Datenbereich (Datenbehälter)
data level	Datenschicht (im Rahmen eines Architekturmodells für die Datenabstraktion)
data modelling facility	Datenmodellierungsmethode
Information Resource Dictionary (IRD)	Informationsressourcenverzeichnis; enthält Daten über Bedeutung und Verwendung von Information als Resource eines Unternehmens („Unternehmenszyklopädie“)
information resource management	Verwaltung von Informationsressourcen
IRD definition	Strukturdefinition der Daten eines IRD
IRD definition level	IRD-Definitionsschicht (zweitoberste Schicht)
IRD definition schema level	IRD-Definitionsschemaschicht
IRD level	IRD-Schicht (dritte Schicht von oben)
IRD schema	IRD-Schema (enthalten in zweitoberster Schicht)
IRDS	System zur Verwaltung von Informationsressourcenverzeichnissen sowie deren Strukturbeschreibung
level pair	Schichtenpaar; die jeweils untere Schicht wird betrachtet als Instantiierung der Typen, die in der (jeweils) nächsthöheren Schicht definiert sind
life cycle	Lebenszyklus
life cycle phase	Abschnitt im Lebenszyklus
partition	logische Untermenge der IRD-Daten
server	Diensterbringer
service	Dienst
storage medium	Speichermedium
user	Benutzer

Internationale Patentklassifikation

CG 06 F 15/40

INTERNATIONAL
STANDARD

ISO/IEC
10027

First edition
1990-06-15

**Information technology — Information Resource
Dictionary System (IRDS) framework**

*Technologies de l'information — Cadre pour le gestionnaire de ressources du
système d'information (IRDS)*



Reference number
ISO/IEC 10027 : 1990 (E)

Table of Contents

	Page
1 Scope	1
2 Normative References	1
3 Definitions	1
4 Conventions	2
5 The Structure of the IRDS Standards	3
5.1 Purpose of the IRDS Standards	3
5.2 The IRDS family of Standards	3
5.3 Support for different fields of application	5
5.4 Means of support using International Standards	5
6 IRDS Data Content	5
6.1 Data Levels	5
6.2 Concept of types and instances	5
6.3 Data Containers	5
6.4 Identification of Data Levels	6
6.5 Level Pairs	8
6.6 Role of data modelling facilities	9
6.7 Extensibility	10
7 IRDS facilities	10
7.1 Classification of IRDS facilities	10
7.2 General database management facilities	10
7.3 Facilities specific to information resource management	10
8 IRDS Interfaces	11
8.1 Positioning of Interfaces	11
8.2 IRDS Interfaces Overview	12
8.3 Description of Interfaces	12
8.4 Use of IRDS Services by Database services	14
8.5 Export and Import of IRDS Data	14
8.6 Remote IRDS Access	14
8.7 Services Provided at Interfaces	15
9 Conformance	15

© ISO/IEC 1990

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 10027 was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*.

International Standard ISO/IEC 10027 is one of a series of International Standards on Information Resource Dictionary Systems.

Information technology — Information Resource Dictionary System (IRDS) framework

1 Scope

This International Standard describes the framework for a number of International Standards that specify a specialised information system, called an Information Resource Dictionary System (IRDS). An IRDS is used to control and document an enterprise's information resources.

This International Standard defines the data levels relevant to an IRDS. It defines the IRDS interfaces which are prescribed by other International Standards in the IRDS family of standards. It also defines the kinds of data content that are prescribed by other International Standards in the family.

2 Normative references

The following International Standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All International Standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the International Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 7498 : 1984, *Information processing systems - Open Systems Interconnection - Basic Reference Model*.

ISO/IEC 9075:1989 *Information processing systems - Database Language SQL with integrity enhancement*.

3 Definitions

Definitions in this clause are those IRDS definitions used in this Framework. These definitions are referenced in other International Standards where they are used. Further International Standards may define additional terminology.

When each term listed in this clause is introduced in a later clause of this International Standard, it is printed in bold type.

3.1 Term defined in ISO 7498 and used in this International Standard

The following term is defined and used in the OSI Reference Model. It is used in the same way in this IRDS Framework International Standard.

3.1.1 real system.

3.2 Terms originally defined in ISO 7498 and adapted for use in this International Standard

The following terms were originally defined and used in the OSI Reference Model and other OSI International Standards. Their use in this IRDS Framework is based on that in the OSI International Standards, but a revised definition is preferred.

Some terms are prefixed in OSI with "(N)-" to indicate the layer. Since the IRDS Framework does not have a formal layer concept the prefix is omitted.

3.2.1 server: A role filled by a processor when it provides services to another processor.

3.2.2 service: A capability provided by a processor to other processors.

3.3 Terms defined in this International Standard

For the purpose of this International Standard the following terms apply.

3.3.1 access control: A capability to restrict the use of services accessing data to users who have been previously authorised.

3.3.2 application level: The data level on which instances of application data are recorded.

3.3.3 application level pair: The term used to describe both the application level and its schema at the IRD level.

3.3.4 application schema: A set of definitions which control what may exist at any time in an application.

3.3.5 auditing: A process of checking that previously made changes to a collection of data have been made correctly and by an appropriately authorised user at an appropriate time.

3.3.6 client: A user requesting the services provided at an interface of a server.

3.3.7 constraint: A statement of one or more valid states of some part of a database, based on the conditions which values in the database must satisfy at any time.

3.3.8 data container: A conceptual area of storage in which data instances can be recorded.

3.3.9 data level: A stratum in a multi-level data architecture on which objects may be recorded conforming to a type definition on the next higher data level.

3.3.10 data modelling facility: A set of data structuring rules and an associated set of data manipulation rules.

3.3.11 database: A collection of interrelated data stored together with controlled redundancy according to a schema to serve one or more applications.

3.3.12 database integrity: The consistency of a collection of data in a database.

3.3.13 export: The function of extracting information from an IRDS and packaging it to an export/import file.

3.3.14 export/import file: A file created by an export function and accepted by an import function.

3.3.15 import: The function of receiving data from an export/import file into an IRDS.

3.3.16 Information Resource Dictionary (IRD): A part of a repository managed by an IRDS in which the information resources of an enterprise may be recorded.

3.3.17 Information Resource Dictionary System (IRDS): A software product which maintains IRDs and IRD definitions.

3.3.18 information resource management: The task of maintaining and controlling information processing systems.

3.3.19 interface: A defined set of services made available by a processor.

3.3.20 IRD definition: A set of objects which collectively defines the data which may be held in an IRD.

3.3.21 IRD definition level: The data level at which potential IRDS content is defined.

3.3.22 IRD definition level pair: The term used to describe both the IRD definition level and its schema at the IRD Definition Schema level.

3.3.23 IRD definition schema: A set of definitions which control what may exist at any time in an IRD definition.

3.3.24 IRD definition schema level: A data level on which the types of object that may be recorded in an IRD definition are prescribed.

3.3.25 IRD level: The data level at which the information resources of an enterprise are defined.

3.3.26 IRD level pair: The term used to describe the IRD level and its schema at the IRD definition level.

3.3.27 IRD schema: A set of definitions which control what may exist at any time in an IRD.

3.3.28 level pair: Two adjacent data levels, the upper level of which will always contain the "type" information relevant to the "instances" on the lower level.

3.3.29 life cycle: A conceptual framework used to trace the evolution of objects over time.

3.3.30 life cycle phase: A sub-division of a life cycle.

3.3.31 partition: A logical sub-set of the objects in either an IRD or an IRD Definition.

3.3.32 processor: An abstract conceptualisation of an executable piece of code.

3.3.33 status of dictionary content: A status of a collection of data in a dictionary indicating whether the data may be freely modified, not modified, or is regarded as archived.

3.3.34 storage medium: A device on which data of any kind may be recorded.

3.3.35 user: A person or an application program which requests services for data management.

3.3.36 value: An abstraction with a single characteristic which can be compared with other values, and may be represented by an encoding of the value.

4 Conventions

4.1 Processors

This International Standard contains diagrams illustrating the processors and interfaces prescribed by the Standard.

A **processor** is an abstract conceptualisation of an executable piece of code.

Each processor is represented by a named icon as illustrated in figure 1.




Figure 1 - Notation for a processor and its interface

The name in the icon is the name of the processor.

4.2 Interfaces

An **interface** is a defined set of services made available by a processor.

Each processor is defined as having one interface at which services are made available. The interface is represented by the rectangular part of the icon shown in figure 1. The number identifies the interface which is named and described in accompanying text.