

DIN EN 16602-70-17

ICS 49.040; 49.140

**Raumfahrtproduktsicherung –
Dauerhaftigkeitsprüfung von Beschichtungen und
Oberflächenbehandlungen;
Englische Fassung EN 16602-70-17:2020**

Space product assurance –
Durability testing of coatings and surface finishes;
English version EN 16602-70-17:2020

Assurance produit des projets spatiaux –
Essais de durabilité des revêtements et finitions de surface;
Version anglaise EN 16602-70-17:2020

Gesamtumfang 47 Seiten

DIN-Normenausschuss Luft- und Raumfahrt (NL)

Nationales Vorwort

Dieses Dokument (EN 16602-70-17:2020) wurde vom Technischen Komitee CEN/CLC/JTC 5 „Raumfahrt“ erarbeitet, dessen Sekretariat von DIN (Deutschland) gehalten wird.

Das zuständige deutsche Normungsgremium ist der Arbeitsausschuss NA 131-06-02 AA „Interoperabilität von Informations-, Kommunikations- und Navigationssystemen“ im DIN-Normenausschuss Luft- und Raumfahrt (NL).

Dieses Dokument (EN 16602-70-17:2020) basiert auf ECSS-Q-ST-70-17C.

Dieses Dokument enthält unter Berücksichtigung des DIN-Präsidialbeschlusses 1/2004 nur die englische Originalfassung von EN 16602-70-17:2020.

Dieses Dokument wurde speziell zur Behandlung von Raumfahrtsystemen erarbeitet und hat daher Vorrang vor jeglicher Europäischer Norm, die denselben Anwendungsbereich hat, jedoch über einen größeren Geltungsbereich (z. B. Luft- und Raumfahrt) verfügt.

Nationaler Anhang NA (informativ)

Begriffe und Abkürzungen

Die Benummerung der folgenden Begriffe und Abkürzungen ist identisch mit der Benummerung in der englischen Fassung.

3.1 Begriffe aus anderen Normen

- a) Für die Anwendung dieser Norm gelten die Begriffe nach ECSS-S-ST-00-01, besonders die folgenden Begriffe:
 - 1) Qualifizierung
- b) Für die Anwendung dieser Norm gelten die Begriffe nach ECSS-E-ST-10-12, besonders die folgenden Begriffe:
 - 1) Gesamtionisationsdosis (TID, en: Total ionising dose)
 - 2) nicht-ionisierende Gesamtdosis (TNID, en: Total non-ionising dose)

3.2 Für diese Norm spezifische Begriffe

3.2.1

Beschichtungslos

Satz von Substraten, auf die zur gleichen Zeit eine Beschichtung aufgetragen wird, indem die gleiche Kammer, das gleiche Bad oder sonstiges gleiches Equipment benutzt wird

Anmerkung: Kann auch als „Beschichtungsserie“ oder „Beschichtungsscharge“ bezeichnet werden.

3.2.2

Probennachbesserung

lokaler Neuauftrag einer Beschichtung

3.2.3

Probenabtragung oder -neuauftragung

vollständige Entfernung und Neuauftrag einer Beschichtung auf ein bestehendes Substrat

3.3 Abkürzungen

Für die Anwendung dieser Norm gelten die Abkürzungen und Symbole nach ECSS-S-ST-00-01 und die folgenden:

Abkürzung	Bedeutung	
ESD	elektrostatische Entladung	(en: electrostatic discharge)
GRM	geometrisch repräsentatives Modell	(en: geometrically representative model)
ID	Identifizierung	(en: identification)
IPA	Isopropylalkohol	(en: isopropylalcohol)
ITO	Indiumzinnoxid	(en: indium tin oxide)
LID	laserinduzierte Zerstörung	(en: laser induced damage)
LIC	laserinduzierte Kontamination	(en: laser induced contamination)
MEK	Methylethylketon	(en: methyl ethyl ketone)
NC	Nichtkonformität	(en: nonconformance)
QA	Qualitätssicherung	(en: quality assurance)
RF	Hochfrequenz	(en: radio frequency)
TCC	thermische Schutzbeschichtung	(en: thermal control coatings)
TID	Gesamtionisationsdosis	(en: total ionising dose)
TNID	nicht-ionisierende Gesamtdosis	(en: total non-ionising dose)
TRL	Technologie-Reifegrad	(en: technology readiness level)
UV	ultraviolett	(en: ultraviolet)
VUV	vakuumultraviolett	(en: vacuum ultraviolet)

English version

Space product assurance - Durability testing of coatings and surface finishes

Assurance produit des projets spatiaux -
Essais de durabilité des revêtements et finitions
de surface


Raumfahrtproduktsicherung -
Dauerhaftigkeitsprüfung von Beschichtungen und
Oberflächenbehandlungen

This European Standard was approved by CEN on 1 December 2019.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels

Table of contents

European Foreword	5
Introduction	6
1 Scope	7
2 Normative references	8
3 Terms, definitions and abbreviated terms	9
3.1 Terms from other standards	9
3.2 Terms specific to the present standard	9
3.3 Abbreviated terms	9
3.4 Conventions	10
3.5 Nomenclature	10
4 Principles	12
4.1 General test approach	12
4.2 Categories of use	12
4.3 Coating classes	13
4.3.1 Links to other standards	13
4.3.2 Thin film optical coatings	13
4.3.3 Thermo-optical and thermal control coatings (TCC)	14
4.3.4 Other metallic coatings	15
4.4 Test philosophy	15
4.5 Sample description	17
4.5.1 Evaluation phase	17
4.5.2 Qualification phase	17
4.5.3 Production phase	18
5 Test programme	19
5.1 Evaluation	19
5.2 Qualification	19
5.3 Production	22
5.4 Sample definition for a test programme	23
5.5 Handling and storage of qualification samples	23

5.6	Test acceptance criteria.....	24
6	Test methods, conditions and measurements.....	25
6.1	Visual inspection.....	25
6.2	Adhesion	25
6.3	Humidity and temperature.....	26
6.4	Thermal vacuum and cycling	27
6.5	Cleaning and solvent compatibility	28
6.6	Abrasion	29
6.7	Particle and UV Radiation.....	29
6.8	Thickness measurement.....	30
6.9	Surface resistivity and ESD	30
7	Quality assurance.....	31
7.1	Documentation	31
7.2	Maintenance of process qualification	31
Annex A	(normative) Coating qualification test plan - DRD.....	32
A.1	DRD identification	32
A.1.1	Requirement identification and source document.....	32
A.1.2	Purpose and objective.....	32
A.2	Expected response	32
A.2.1	Scope and content	32
A.2.2	Special remarks	32
Annex B	(normative) Coating qualification test report - DRD.....	33
B.1	DRD identification	33
B.1.1	Requirement identification and source document.....	33
B.1.2	Purpose and objective.....	33
B.2	Expected response	33
B.2.1	Scope and content	33
B.2.2	Special remarks	34
Annex C	(normative) Coating acceptance test report - DRD	35
C.1	DRD identification	35
C.1.1	Requirement identification and source document.....	35
C.1.2	Purpose and objective.....	35
C.2	Expected response	35
C.2.1	Scope and content	35
C.2.2	Special remarks	35

Annex D (informative) Additional information about test methods	36
D.1 Functional performance testing.....	36
D.2 Humidity	37
D.3 Thermal cycling	37
D.4 Thermal endurance (ageing).....	38
D.5 Outgassing	38
D.6 Particle and UV Radiation.....	38
D.7 Atomic oxygen	39
D.8 Air-vacuum testing	39
D.9 Laser induced damage testing.....	39
D.10 Contamination effects	40
D.11 Solar illumination	40
Annex E (informative) Tape strengths and type for adhesion testing	41
Bibliography.....	42

Figures

Figure 4-1: Test philosophy for durability testing of coatings	15
--	----

Tables

Table 4-1: Other ECSS standards covering the manufacture and acceptance testing of different coating classes.....	13
Table 4-2: Main types of optical coatings (adapted from ISO 9211-1:2010 definitions).....	14
Table 5-1: Test matrix for qualification of optical coatings.....	20
Table 5-2: Test Matrix for qualification of TCC coatings	21
Table 5-3: Test matrix for qualification of thick metallic coatings for RF and electrical applications, and corrosion protection coatings	22
Table 5-4: Test Matrix for Production of Optical Coatings.....	23
Table D-1 : Typical performance testing	36
Table E-1 : Typical tapes used for adhesion testing of space coatings	41

European Foreword

This document (EN 16602-70-17:2020) has been prepared by Technical Committee CEN/CLC/TC 5 “Space”, the secretariat of which is held by DIN (Germany).

This document (EN 16602-70-17:2020) originates from ECSS-Q-ST-70-17C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2020, and conflicting national standards shall be withdrawn at the latest by October 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been developed to cover specifically space systems and will therefore have precedence over any EN covering the same scope but with a wider domain of applicability (e.g.: aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Many different environmental factors can have an effect on coating durability for space applications. This includes in-orbit effects such as thermal cycling and particle radiation, as well as ground based effects such as cleaning, contamination and humidity. Space projects have typically been free to choose their own test requirements, based on a combination of existing standards and specific requirements for a given project. This approach can lead to ambiguous definitions about when a coating is “space qualified”. The supplier and customer often re-negotiate very general aspects of coating qualification for each new project. The intention of the present standard is to capture the best practice across the large range of existing national and international standards, in order to specify a minimum set of durability requirements for coating use in space applications. Information is also provided about some mission specific tests (including the atomic oxygen test, thermal ageing test, air-vacuum test and solar illumination test).

1

Scope

This standard specifies requirements for the durability testing of coatings most commonly used for space applications, i.e.:

- Thin film optical coatings
- Thermo-optical and thermal control coatings (the majority are paints, metallic deposits and coatings for stray light reduction)
- Metallic coatings for other applications (RF, electrical, corrosion protection)

This standard covers testing for both ground and in-orbit phases of a space mission.

This standard includes coatings within off the shelf items

This standard specifies the types of test to be performed for each class of coating, covering the different phases of a space project (evaluation, qualification and acceptance)

This standard does not cover:

- The particular qualification requirements for a specific mission
- Specific functional testing requirements for the different coating classes
- Test requirements for long term storage
- Solar cell cover glass coatings
- Surface treatments and conformal coatings applied on EEE parts

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system – Glossary of terms
EN 16603-10-12	ECSS-E-ST-10-12	Space engineering – Method for the calculation of radiation received and its effects, and a policy for design margins
EN 16602-70-03	ECSS-Q-ST-70-03	Space product assurance- Black anodizing of metals with inorganic dyes
EN 16602-70-31	ECSS-Q-ST-70-31	Space product assurance- Application of paints and coatings on space hardware
	ISO 9211-4:2012	Optics and photonics – Optical coatings. Part 4: Specific test methods
	ISO 2409:2007	Paints and varnishes: Cross cut test
	ISO 4524-5:1985	Metallic coatings – Test methods for electrodeposited gold and gold alloy coatings – Part 5: Adhesion tests
	ISO 3696:1987	Water for analytical laboratory use— Specification and test methods
	ASTM B571-18	Standard practice for qualitative adhesion testing of metallic coatings
	ASTM D1193-06(2011)	Standard specification for reagent water

Terms, definitions and abbreviated terms

3.1 Terms from other standards

- a. For the purpose of this Standard, the terms and definitions from ECSS-S-ST-00-01 apply, in particular for the following term:
 - 1. **qualification**
- b. For the purpose of this Standard, the terms and definitions from ECSS-E-ST-10-12 apply, in particular for the following terms:
 - 1. **total ionising dose (TID)**
 - 2. **total non-ionising dose (TNID)**

3.2 Terms specific to the present standard

3.2.1 coating lot

set of substrates to which a coating is applied at the same time using the same chamber, bath or other equipment

NOTE Can also be called “coating run” or “coating batch”.

3.2.2 sample repair

localised re-application of a coating

3.2.3 sample de-treat or re-treat

complete removal and re-application of a coating onto an existing substrate

3.3 Abbreviated terms

For the purpose of this Standard, the abbreviated terms and symbols from ECSS-S-ST-00-01 and the following apply:

Abbreviation	Meaning
ESD	electrostatic discharge
GRM	geometrically representative model

Abbreviation	Meaning
ID	identification
IPA	isopropylalcohol
ITO	indium tin oxide
LID	laser induced damage
LIC	laser induced contamination
MEK	methyl ethyl ketone
NC	nonconformance
QA	quality assurance
RF	radio frequency
TCC	thermal control coatings
TID	total ionising dose
TNID	total non-ionising dose
TRL	technology readiness level
UV	ultraviolet
VUV	vacuum ultraviolet

3.4 Conventions

Coating process qualification is equivalent to the ECSS-Q-ST-70 meaning of process verification.

3.5 Nomenclature

The following nomenclature applies throughout this document:

- a. The word “shall” is used in this Standard to express requirements. All the requirements are expressed with the word “shall”.
- b. The word “should” is used in this Standard to express recommendations. All the recommendations are expressed with the word “should”.

NOTE It is expected that, during tailoring, recommendations in this document are either converted into requirements or tailored out.

- c. The words “may” and “need not” are used in this Standard to express positive and negative permissions, respectively. All the positive permissions are expressed with the word “may”. All the negative permissions are expressed with the words “need not”.
- d. The word “can” is used in this Standard to express capabilities or possibilities, and therefore, if not accompanied by one of the previous words, it implies descriptive text.

NOTE In ECSS “may” and “can” have completely different meanings: “may” is normative (permission), and “can” is descriptive.

- e. The present and past tenses are used in this Standard to express statements of fact, and therefore they imply descriptive text.