

**DIN EN 16602-70-58**

ICS 49.140

Einsprüche bis 2014-10-08

**Entwurf****Raumfahrtproduktsicherung –  
Kontrolle der Gesamtkeimzahl in Reinräumen;  
Englische Fassung FprEN 16603-70-58:2014**

Space product assurance –  
Bioburden control of cleanrooms;  
English version FprEN 16603-70-58:2014

Assurance produit des projets spatiaux –  
Contrôle de la charge microbienne des salles blanches;  
Version anglaise FprEN 16603-70-58:2014

**Anwendungswarnvermerk**

Dieser Norm-Entwurf mit Erscheinungsdatum 2014-08-08 wird der Öffentlichkeit zur Prüfung und Stellungnahme vorgelegt.

Weil die beabsichtigte Norm von der vorliegenden Fassung abweichen kann, ist die Anwendung dieses Entwurfes besonders zu vereinbaren.

Stellungnahmen werden erbeten

- vorzugsweise online im Norm-Entwurfs-Portal des DIN unter [www.entwuerfe.din.de](http://www.entwuerfe.din.de) bzw. für Norm-Entwürfe der DKE auch im Norm-Entwurfs-Portal der DKE unter [www.entwuerfe.normenbibliothek.de](http://www.entwuerfe.normenbibliothek.de), sofern dort wiedergegeben;
- oder als Datei per E-Mail an [nl@din.de](mailto:nl@din.de) möglichst in Form einer Tabelle. Die Vorlage dieser Tabelle kann im Internet unter [www.din.de/stellungnahme](http://www.din.de/stellungnahme) oder für Stellungnahmen zu Norm-Entwürfen der DKE unter [www.dke.de/stellungnahme](http://www.dke.de/stellungnahme) abgerufen werden;
- oder in Papierform an den Normenausschuss Luft- und Raumfahrt (NL) im DIN, 10772 Berlin (Hausanschrift: Burggrafenstr. 6, 10787 Berlin).

Die Empfänger dieses Norm-Entwurfs werden gebeten, mit ihren Kommentaren jegliche relevanten Patentrechte, die sie kennen, mitzuteilen und unterstützende Dokumentationen zur Verfügung zu stellen.

Gesamtumfang 50 Seiten

Normenausschuss Luft- und Raumfahrt (NL) im DIN

## Nationales Vorwort

Dieses Dokument (FprEN 16602-70-58:2014) wurde vom Technischen Komitee CEN/CLC/TC 5 „Raumfahrt“ erarbeitet, dessen Sekretariat vom DIN (Deutschland) gehalten wird.

Dieses Dokument ist derzeit zum einstufigen Annahmeverfahren vorgelegt.

Dieses Dokument wurde speziell zur Behandlung von Raumfahrtsystemen erarbeitet und hat daher Vorrang vor jeglicher Europäischer Norm, da es denselben Anwendungsbereich hat, jedoch über einen größeren Geltungsbereich (z. B. Luft- und Raumfahrt) verfügt.

Das zuständige deutsche Normungsgremium ist der Arbeitsausschuss NA 131-10-01 AA „Interoperabilität von Informations-, Kommunikations- und Navigationssystemen“ im DIN-Normenausschuss Luft- und Raumfahrt (NL).

## Nationaler Anhang NA (informativ)

### 3 Begriffe und Abkürzungen

#### 3.1 Begriffe aus anderen Normen

Für die Anwendung dieser Norm gelten die Begriffe nach ECSS-S-ST-00-01.

#### 3.2 Für diese Norm spezifische Begriffe

##### 3.2.1

##### **Aktionsgrenze**

Eingriffgrenze

vom Anwender für kontrollierte Bereiche festgelegter Grenzwert, für dessen Überschreitung bestimmte Anforderungen gelten

##### 3.2.2

##### **Warngrenze**

vom Anwender für kontrollierte Bereiche festgelegter Grenzwert, dessen Erreichen eine Frühwarnung vor einer Drift von den normalen Betriebsbedingungen bedeutet und bei dessen Überschreitung erhöhte Aufmerksamkeit hinsichtlich des Prozesses erwartet wird

##### 3.2.3

##### **aseptisch**

von jeglichen lebenden Mikroorganismen freier Zustand (d. h. keimbelastungsfrei)

ANMERKUNG zum Begriff: In der Praxis wird dies üblicherweise als Wahrscheinlichkeit beschrieben.

##### 3.2.4

##### **Biobarriere**

Barriere, die einen Gegenstand umgibt und nach Verfahren zur mikrobiologischen Reduktion die biologische Neukontamination verhindert

##### 3.2.5

##### **Keimbelastung**

Menge lebensfähiger Mikroorganismen, gemessen mithilfe eines festgelegten Assays

##### 3.2.6

##### **keimbelastungskontrolliert**

definierte Zone oder Einrichtung, in der die Keimbelastung mithilfe festgelegter Maßnahmen kontrolliert wird

##### 3.2.7

##### **Reduktion der Keimbelastung**

Verfahren zur Verringerung der lebensfähigen Keimpopulation an einem Gegenstand auf einen annehmbaren Wert

##### 3.2.8

##### **Biokontamination**

Kontamination von Werkstoffen, Geräten, Personen, Oberflächen, Flüssigkeiten, Gasen oder Luft mit lebensfähigen Partikeln

**3.2.9****Biodiversität**

Identifizierung der Spezies der Mikroorganismen, gemessen mithilfe festgelegter Assays

**3.2.10****Inbetriebnahme**

geplante und dokumentierte Reihe systematisch ausgeführter Inspektionen, Einstellungen und Prüfungen mit dem Ziel, die Einrichtung in den festgelegten technischen Betriebszustand zu bringen

**3.2.11****kontrollierter Bereich**

definierte Zone, in der die Kontamination mit festgelegten Maßnahmen kontrolliert wird

**3.2.12****Desinfektion**

Prozess der Zerstörung vegetativer Formen von Mikroorganismen

ANMERKUNG zum Begriff: Die Desinfektion bedeutet nicht notwendigerweise die Sterilisation einer Oberfläche oder eines Gegenstands.

**3.2.13****betriebliches System**

System zur Biokontaminationskontrolle mit festgelegten und dokumentierten Verfahrensabläufen

**3.2.14****Betriebszustand**

<Bereitstellung> Zustand mit vollständiger Anlage, an der alle Betriebsmittel angeschlossen sind und funktionieren, jedoch ohne Vorliegen von Produktionsausrüstung und Werkstoffen bzw. ohne Anwesenheit von Personal

**3.2.15****Betriebszustand**

<Leerlauf> Zustand mit vollständiger Anlage, wobei die Ausrüstung entsprechend der Vereinbarung zwischen Kunde und Lieferant eingebaut ist und funktioniert, jedoch kein Personal anwesend ist

**3.2.16****Betriebszustand**

<Fertigung> Zustand, in dem die Anlage entsprechend den Festlegungen funktioniert, wobei die festgelegte Personalbesetzung vorhanden ist und in der vereinbarten Weise arbeitet

**3.2.17****planetarer Schutz**

Politik und deren technische Umsetzung zur Verhinderung von Vorwärts- und Rückwärtskontaminationen

**3.2.18****Sporizid**

Stoff, der in der Lage ist, Bakteriensporen zu zerstören

**3.2.19****steril**

von jeglichen lebenden Mikroorganismen freier Zustand (d. h. keimbelastungsfrei)

ANMERKUNG zum Begriff: In der Praxis wird dies üblicherweise als Wahrscheinlichkeit beschrieben.

**3.2.20****Sterilisation**

validiertes Verfahren zur Befreiung eines Produkts von lebensfähigen Mikroorganismen

[ISO 11139]

### 3.3 Abkürzungen

Für die Anwendung dieser Norm gelten die Abkürzungen in ECSS-S-ST-00-01 und die folgenden Abkürzungen:

| <b>Abkürzung</b> | <b>Bedeutung</b>                                                                                             |
|------------------|--------------------------------------------------------------------------------------------------------------|
| <b>AIV</b>       | Baugruppe, Integration und Verifizierung<br>(en: assembly, integration, and verification)                    |
| <b>CFU</b>       | koloniebildende Einheit (en: colony forming unit)                                                            |
| <b>COSPAR</b>    | Komitee zur Weltraumforschung (en: Committee On Space Research)                                              |
| <b>DHMR</b>      | mikrobiologische Reduktion mit trockener Hitze<br>(en: dry heat microbial reduction)                         |
| <b>ESA</b>       | Europäische Raumfahrtagentur (en: European Space Agency)                                                     |
| <b>ESD</b>       | elektrostatische Entlastung (en: electrostatic discharge)                                                    |
| <b>EGSE</b>      | elektrisches Bodendienstgerät (en: electrical ground support equipment)                                      |
| <b>FMECA</b>     | Fehlermöglichkeits-, Einfluss- und Kritikalitäts-Analyse<br>(en: failure mode effects and critical analysis) |
| <b>GSE</b>       | Bodendienstgerät (en: ground support equipment)                                                              |
| <b>HEPA</b>      | hochwirksam/Schwebstoff- (en: high efficiency particulate air)                                               |
| <b>HVAC</b>      | raumluftechnische Anlage (en: heating, ventilation, air conditioning, and cooling)                           |
| <b>IPA</b>       | Isopropylalkohol (Isopropanol) (en: isopropyl alcohol (isopropanol))                                         |
| <b>ISO</b>       | Internationale Organisation für Normung<br>(en: International Organization for Standardization)              |
| <b>MGSE</b>      | mechanisches Bodendienstgerät (en: mechanical ground support equipment)                                      |
| <b>NASA</b>      | Nationale Luft- und Raumfahrtbehörde (en: National Aeronautics and Space Administration)                     |
| <b>PP</b>        | planetarer Schutz (en: planetary protection)                                                                 |
| <b>WFI</b>       | Wasser für Injektionszwecke (en: water for injection)                                                        |

— Leerseite —

April 2014

ICS 49.140

English version

## Space product assurance - Bioburden control of cleanrooms

Assurance produit des projets spatiaux - Contrôle de la charge microbienne des salles blanches

Raumfahrtproduktsicherung - Kontrolle der Gesamtkeimzahl in Reinräumen

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/CLC/TC 5.


If this draft becomes a European Standard, CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN and CENELEC in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning** : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



CEN-CENELEC Management Centre:  
Avenue Marnix 17, B-1000 Brussels

## Table of contents

|                                                                                   |           |
|-----------------------------------------------------------------------------------|-----------|
| <b>Foreword .....</b>                                                             | <b>5</b>  |
| <b>Introduction.....</b>                                                          | <b>6</b>  |
| <b>1 Scope.....</b>                                                               | <b>7</b>  |
| <b>2 Normative references .....</b>                                               | <b>8</b>  |
| <b>3 Terms, definitions and abbreviated terms.....</b>                            | <b>9</b>  |
| 3.1 Terms defined in other standards .....                                        | 9         |
| 3.2 Terms specific to the present standard .....                                  | 9         |
| 3.3 Abbreviated terms.....                                                        | 11        |
| <b>4 Principles .....</b>                                                         | <b>12</b> |
| <b>5 Requirements.....</b>                                                        | <b>13</b> |
| 5.1 Bioburden control .....                                                       | 13        |
| 5.1.1 Formal system .....                                                         | 13        |
| 5.1.2 Action and alert levels .....                                               | 14        |
| 5.2 Operational requirements .....                                                | 15        |
| 5.2.1 Cleanroom class .....                                                       | 15        |
| 5.2.2 Applicability of bioburden control.....                                     | 16        |
| 5.2.3 Restrictions .....                                                          | 16        |
| 5.2.4 Bioburden monitoring of cleanroom environment .....                         | 17        |
| 5.2.5 Sampling plan .....                                                         | 17        |
| 5.2.6 Training.....                                                               | 19        |
| 5.2.7 Personnel.....                                                              | 19        |
| 5.2.8 Cleanroom garments.....                                                     | 20        |
| 5.3 Cleanroom commissioning.....                                                  | 20        |
| <b>Annex A (normative) Bioburden control formal system description - DRD.....</b> | <b>21</b> |
| A.1 DRD identification .....                                                      | 21        |
| A.1.1 Requirement identification and source document.....                         | 21        |
| A.1.2 Purpose and objective.....                                                  | 21        |
| A.2 Expected response .....                                                       | 21        |

|                |                                                                                                          |           |
|----------------|----------------------------------------------------------------------------------------------------------|-----------|
| A.2.1          | Scope and content .....                                                                                  | 21        |
| A.2.2          | Special remarks .....                                                                                    | 23        |
| <b>Annex B</b> | <b>(normative) Request for cleanroom commissioning - DRD .....</b>                                       | <b>24</b> |
| B.1            | DRD identification .....                                                                                 | 24        |
| B.1.1          | Requirement identification and source document .....                                                     | 24        |
| B.1.2          | Purpose and objective .....                                                                              | 24        |
| B.2            | Expected response .....                                                                                  | 24        |
| B.2.1          | Scope and content .....                                                                                  | 24        |
| B.2.2          | Special remarks .....                                                                                    | 24        |
| <b>Annex C</b> | <b>(normative) Cleanroom commissioning specifications and<br/>procedures (Work Proposal) - DRD .....</b> | <b>25</b> |
| C.1            | DRD identification .....                                                                                 | 25        |
| C.1.1          | Requirement identification and source document .....                                                     | 25        |
| C.1.2          | Purpose and objective .....                                                                              | 25        |
| C.2            | Expected response .....                                                                                  | 25        |
| C.2.1          | Scope and content .....                                                                                  | 25        |
| C.2.2          | Special remarks .....                                                                                    | 26        |
| <b>Annex D</b> | <b>(normative) Cleanroom commissioning report - DRD .....</b>                                            | <b>27</b> |
| D.1            | DRD identification .....                                                                                 | 27        |
| D.1.1          | Requirement identification and source document .....                                                     | 27        |
| D.1.2          | Purpose and objective .....                                                                              | 27        |
| D.2            | Expected response .....                                                                                  | 27        |
| D.2.1          | Scope and content .....                                                                                  | 27        |
| D.2.2          | Special remarks .....                                                                                    | 27        |
| <b>Annex E</b> | <b>(informative) Cleanroom operation .....</b>                                                           | <b>28</b> |
| E.1            | Commissioning activities .....                                                                           | 28        |
| E.1.1          | Elements .....                                                                                           | 28        |
| E.2            | Action and alert level events .....                                                                      | 29        |
| E.2.1          | Investigation .....                                                                                      | 29        |
| E.2.2          | Sampling error .....                                                                                     | 29        |
| E.2.3          | Inconclusive findings .....                                                                              | 29        |
| E.2.4          | Microorganism Identity .....                                                                             | 30        |
| E.2.5          | Frequency .....                                                                                          | 30        |
| E.3            | Training programme .....                                                                                 | 30        |
| E.3.1          | Overview .....                                                                                           | 30        |
| E.3.2          | Training levels .....                                                                                    | 30        |

|                           |                                                             |           |
|---------------------------|-------------------------------------------------------------|-----------|
| E.3.3                     | Sampling and analysis .....                                 | 31        |
| E.3.4                     | Training verification .....                                 | 31        |
| E.3.5                     | Training content .....                                      | 31        |
| E.4                       | General guidelines for cleanroom design and operation ..... | 31        |
| E.4.1                     | Design; general .....                                       | 31        |
| E.4.2                     | Airflow .....                                               | 32        |
| E.4.3                     | Access .....                                                | 32        |
| E.4.4                     | Layout design .....                                         | 33        |
| E.4.5                     | Storage space .....                                         | 33        |
| E.4.6                     | Monitoring .....                                            | 34        |
| E.5                       | Operational guidelines .....                                | 34        |
| E.5.1                     | Surveillance .....                                          | 34        |
| E.5.2                     | Communications .....                                        | 34        |
| E.5.3                     | Packaging .....                                             | 34        |
| E.5.4                     | Flight hardware .....                                       | 34        |
| E.5.5                     | Maintenance .....                                           | 34        |
| E.5.6                     | Personnel access records .....                              | 35        |
| E.5.7                     | Task planning .....                                         | 35        |
| E.5.8                     | Garments .....                                              | 35        |
| E.5.9                     | Microbiological laboratory .....                            | 35        |
| E.5.10                    | Cleanroom bioburden sampling .....                          | 35        |
| E.5.11                    | Medical monitoring of personnel .....                       | 35        |
| E.5.12                    | Bioburden monitoring .....                                  | 36        |
| E.5.13                    | Gowning .....                                               | 36        |
| E.5.14                    | Entering cleanroom .....                                    | 38        |
| E.5.15                    | Cleanroom cleaning .....                                    | 39        |
| E.6                       | Cleanroom working disciplines .....                         | 40        |
| E.6.1                     | Overview .....                                              | 40        |
| E.6.2                     | Access control .....                                        | 41        |
| E.6.3                     | Working practises .....                                     | 42        |
| <b>Bibliography .....</b> |                                                             | <b>44</b> |

## Figures

|                                                                                  |    |
|----------------------------------------------------------------------------------|----|
| Figure 4-1: (Bioburden Control in Cleanrooms) examination process overview ..... | 12 |
| Figure E-1 : Cleanroom environment schematic .....                               | 32 |

## Foreword

---

This document (FprEN 16602-70-58:2014) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN (Germany).

This document (FprEN 16602-70-58:2014) originates from ECSS-Q-ST-70-58C.

This document is currently submitted to the Unique Acceptance Procedure.

This document has been developed to cover specifically space systems and will therefore have precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

## Introduction

---

The UN Outer Space Treaty of 1967 sets up the general principles applicable to the exploration and use of outer space. Article IX of the Outer Space Treaty constitutes the primary statement of international law: “States parties shall pursue studies of outer space, including the Moon and other celestial bodies, and conduct exploration of them so as to avoid their harmful contamination and also adverse changes in the environment of the Earth resulting from the introduction of extraterrestrial matter and, when necessary, adopt appropriate measures for this purpose”. Harmful contamination in that sense is defined as biological contamination, including organic-constituents, to protect the environment in order to allow future exobiology research. The Committee On Space Research (COSPAR) has established some planetary protection guidelines, based on the Outer Space Treaty. These guidelines impose requirements on spaceflight missions according to target body/mission type combinations.

The objective of this Standard is to ensure that the proper procedures to control the microbiological contamination in controlled environments are in place to meet the planetary protection constraints.

# 1

## Scope

---

This standard establishes the principles and basic methodology for microbiological control of cleanrooms and associated controlled environments with planetary protection constraints.

This standard does not address:

- the microbiological contamination control of spaceflight hardware;
- molecular contamination control. Reference is made to other documents;
- fire and safety regulations; for these, see regulatory requirements and other national or local documentation.

This standard does not lay down the methods for determining the microbiological and particulate cleanliness levels. Reference is made to other documents.

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

## 2

# Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

| EN reference   | Reference in text     | Title                                                                                                                                                |
|----------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| EN 16601-00-01 | ECSS-S-ST-00-01       | ECSS system – Glossary of terms                                                                                                                      |
| EN 16602-10-09 | ECSS-Q-ST-10-09       | Space product assurance – Nonconformance control system                                                                                              |
| EN 16602-20    | ECSS-Q-ST-20          | Space product assurance – Quality assurance                                                                                                          |
| EN 16602-20-07 | ECSS-Q-ST-20-07       | Space product assurance – Quality assurance for test centres                                                                                         |
| EN 16602-70-55 | ECSS-Q-ST-70-55       | Space product assurance - Microbial Examination of Flight Hardware and Cleanrooms                                                                    |
|                | ISO 14644 part 1:1999 | Cleanrooms and associated controlled environments - Part 1: Classification of air cleanliness                                                        |
|                | ISO 14644 part 2:2000 | Cleanrooms and associated controlled environments - Part 2: Specifications for testing and monitoring to prove continued compliance with ISO 14644-1 |

## Terms, definitions and abbreviated terms

---

### 3.1 Terms defined in other standards

For the purpose of this Standard, the terms and definitions from ECSS-S-ST-00-01 apply.

### 3.2 Terms specific to the present standard

#### 3.2.1 action level

level set by the user in the context of controlled environment, and associated to specific requirements in the case that it is exceeded

#### 3.2.2 alert level

level set by the user in the context of controlled environments, giving early warning of a drift from normal conditions, which, when exceeded, increased attention to the process is expected

#### 3.2.3 aseptic

state of being free from all living microorganisms (i.e. free of bioburden)

NOTE In practice, it is usually described as a probability.

#### 3.2.4 biobarrier(s)

barrier surrounding an item which prevents biological recontamination subsequent to microbial reduction procedures

#### 3.2.5 bioburden

quantity of viable microorganisms measured with a specified assay

#### 3.2.6 bioburden controlled

defined zone or facility in which bioburden is controlled by specified means

#### 3.2.7 bioburden reduction

process or processes used to reduce the viable microbial population on an item to an acceptable limit