

DIN EN ISO 19115-3



ICS 35.240.70

Einsprüche bis 2022-03-07

Entwurf**Geoinformation –
Metadaten –****Teil 3: XML Implementierungsschema für Metadaten-Grundsätze
(ISO/DIS 19115-3:2022);
Englische Fassung prEN ISO 19115-3:2022**Geographic information –
Metadata –Part 3: XML schema implementation for fundamental concepts (ISO/DIS 19115-3:2022);
English version prEN ISO 19115-3:2022Information géographique –
Métadonnées –Partie 3: Mise en oeuvre par des schémas XML (ISO/DIS 19115-3:2022);
Version anglaise prEN ISO 19115-3:2022**Anwendungswarnvermerk**

Dieser Norm-Entwurf mit Erscheinungsdatum 2022-01-07 wird der Öffentlichkeit zur Prüfung und
Stellungnahme vorgelegt.

Weil die beabsichtigte Norm von der vorliegenden Fassung abweichen kann, ist die Anwendung dieses Entwurfs
besonders zu vereinbaren.

Stellungnahmen werden erbeten

- vorzugsweise online im Norm-Entwurfs-Portal von DIN unter www.din.de/go/entwuerfe bzw. für Norm-Entwürfe der DKE auch im Norm-Entwurfs-Portal der DKE unter www.entwuerfe.normenbibliothek.de, sofern dort wiedergegeben;
- oder als Datei per E-Mail an nabau@din.de möglichst in Form einer Tabelle. Die Vorlage dieser Tabelle kann im Internet unter www.din.de/go/stellungnahmen-norm-entwuerfe oder für Stellungnahmen zu Norm-Entwürfen der DKE unter www.dke.de/stellungnahme abgerufen werden;
- oder in Papierform an den DIN-Normenausschuss Bauwesen (NABau), 10772 Berlin oder Am DIN-Platz, Burggrafenstr. 6, 10787 Berlin.

Die Empfänger dieses Norm-Entwurfs werden gebeten, mit ihren Kommentaren jegliche relevanten
Patentrechte, die sie kennen, mitzuteilen und unterstützende Dokumentationen zur Verfügung zu stellen.

Gesamtumfang 68 Seiten

DIN-Normenausschuss Bauwesen (NABau)

Nationales Vorwort

Dieses Dokument (prEN ISO 19115-3:2022) wurde vom Technischen Komitee ISO/TC 211 „Geographic information/Geomatics“ in Zusammenarbeit mit dem Technischen Komitee CEN/TC 287 „Geoinformation“ erarbeitet, dessen Sekretariat von BSI (Vereinigtes Königreich) gehalten wird.

Das zuständige deutsche Normungsgremium ist der Arbeitsausschuss NA 005-03-03 AA „Geoinformation (SpA zu CEN/TC 287+ISO/TC 211)“ im DIN-Normenausschuss Bauwesen (NABau).

Dieses Dokument enthält unter Berücksichtigung des Präsidialbeschlusses 1/2004 nur die englische Originalfassung von prEN ISO 19115-3:2022.

Der Bedarf für eine Deutsche Fassung wird derzeit beraten.

Für die in diesem Dokument zitierten Dokumente wird im Folgenden auf die entsprechenden deutschen Dokumente hingewiesen:

ISO 19110:2016	siehe	DIN EN ISO 19110:2017-05
ISO 19115-1:2014	siehe	DIN EN ISO 19115-1:2014-07
ISO 19115-1:2014/Amd 1:2018	siehe	DIN EN ISO 19115-1/A1:2018-06
ISO 19115-1:2014/Amd 2:2020	siehe	DIN EN ISO 19115-1/A2:2021-03
ISO 19115-2:2019	siehe	DIN EN ISO 19115-2:2019-04
ISO 19118:2011	siehe	DIN EN ISO 19118:2012-01
ISO 19136-1:2020	siehe	DIN EN ISO 19136-1:2020-12
ISO 19157:2013	siehe	DIN EN ISO 19157:2014-04
ISO/TS 19139:2019	siehe	DIN CEN ISO/TS 19139-1:2020-01

Aktuelle Informationen zu diesem Dokument können über die Internetseiten von DIN (www.din.de) durch eine Suche nach der Dokumentennummer aufgerufen werden.

Nationaler Anhang NA (informativ)

Begriffe

Die Benennungen der folgenden Begriffe sind identisch mit den Benennungen in der englischen Fassung.

3 Begriffe

Für die Anwendung dieses Dokuments gelten die folgenden Begriffe.

ISO und IEC stellen terminologische Datenbanken für die Verwendung in der Normung unter den folgenden Adressen bereit:

- ISO Online Browsing Platform: verfügbar unter <https://www.iso.org/obp>
- IEC Electropedia: verfügbar unter <http://www.electropedia.org/>

3.1

Namensraum

<XML> Sammlung von Namen, die durch eine URI-Referenz identifiziert werden und in XML-Dokumenten als Elementnamen und Attributnamen verwendet werden

Anmerkung 1 zum Begriff: Die Kombination aus einem Namensraum-URI und einem Element- oder Attributnamen soll ein weltweit eindeutiger Bezeichner für dieses Modellelement sein.

[QUELLE: W3C XML Namespaces:1999]

3.2

Paket

<UML> allgemeiner Mechanismus zur Organisation von Elementen in Gruppen

BEISPIEL Identification information package, metadata entity set information package, constraint information package.

Anmerkung 1 zum Begriff: Pakete können in anderen Paketen verschachtelt werden. Sowohl Modellelemente als auch Diagramme können in einem Paket enthalten sein.

Anmerkung 2 zum Begriff: Ein Paket bietet einen Namensraum für die gruppierten Elemente.

[QUELLE: ISO 19103:2015, 4.27, angepasst — Beispiele und Anmerkungen zum Begriff wurden hinzugefügt.]

3.3

Polymorphismus

Eigenschaft, einer Sache in verschiedenen Kontexten eine unterschiedliche Bedeutung oder Verwendung zuweisen zu können - insbesondere, dass eine Einheit wie eine Variable, eine Funktion oder ein Objekt mehr als eine Form haben kann

Anmerkung 1 zum Begriff: Es gibt mehrere verschiedene Arten von Polymorphismus.

[QUELLE: ISO/TS 19139-1:2019, 3.3]

3.4

Realisierung

<UML> spezialisierte Abstraktionsbeziehung zwischen zwei Sets von Modellelementen, wobei die eine eine Spezifikation (der Anbieter) und die andere eine Implementierung dieser Spezifikation (der Kunde) darstellt.

Anmerkung 1 zum Begriff: Realisierung bedeutet Vererbung von Verhalten ohne Vererbung von Struktur.

[QUELLE: UML 2]

Nationaler Anhang NB (informativ)

Literaturhinweise

DIN EN ISO 19110:2017-05, *Geoinformation — Objektartenkataloge (ISO 19110:2016); Englische Fassung EN ISO 19110:2016*

DIN EN ISO 19115-1:2014, *Geoinformation — Metadaten — Teil 1: Grundsätze (ISO 19115-1:2014); Englische Fassung EN ISO 19115-1:2014*

DIN EN ISO 19115-1/A1:2018-01, *Geoinformation — Metadaten — Teil 1: Grundsätze — Änderung 1 (ISO 19115-1:2014/Amd 1:2018); Englische Fassung EN ISO 19115-1:2014/A1:2018*

DIN EN ISO 19115-1/A2:2021-03, *Geoinformation — Metadaten — Teil 1: Grundsätze — Änderung 2 (ISO 19115-1:2014/Amd 2:2020); Englische Fassung EN ISO 19115-1:2014/A2:2020*

DIN EN ISO 19115-2:2019, *Geoinformation — Metadaten — Teil 2: Erweiterungen für Erhebung und Verarbeitung (ISO 19115-2:2019); Englische Fassung EN ISO 19115-2:2019*

DIN EN ISO 19118:2012-01, *Geoinformation — Kodierung (ISO 19118:2011); Englische Fassung EN ISO 19118:2011*

DIN EN ISO 19136-1:2020-12, *Geoinformation — Geography Markup Language (GML) — Teil 1: Grundsätze (ISO 19136-1:2020); Englische Fassung EN ISO 19136-1:2020, nur auf CD-ROM*

DIN EN ISO 19157:2014-04, *Geoinformation — Datenqualität (ISO 19157:2013); Englische Fassung EN ISO 19157:2013*

DIN CEN ISO/TS 19139-1:2020-01, *Geoinformation — Metadaten — XML-Schema Implementierung — Teil 1: Kodierungsregeln (ISO/TS 19139-1:2019)*

— Leerseite —

Contents

Page

Foreword.....	iv
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Symbols and abbreviated terms.....	2
4.1 Acronyms.....	2
4.2 Namespaces.....	3
5 Conformance.....	4
5.1 General.....	4
5.2 Conformance classes for metadata modules.....	6
5.3 Conformance classes for minimum metadata interchange documents.....	11
6 Requirements.....	12
6.1 Introduction to requirements classes.....	12
6.2 Requirements for metadata modules.....	12
6.3 Requirements for metadata interchange documents.....	24
6.4 Requirements dependency diagrams.....	26
7 Design Goals and Implementation.....	26
7.1 Introduction to design goals and decisions.....	26
7.2 Automated generation of XML schema.....	26
7.3 Multilingual adaptability and polymorphism.....	27
7.4 Core Decisions.....	27
7.5 Extensions to the UML models in the ISO geographic information series of International Standards for this schema.....	28
7.6 UML packages and XML namespaces.....	28
7.7 UML model for XML implementation.....	28
7.8 Implementation approach for decoupling XML packages.....	28
7.8.1 General.....	28
7.8.2 Implementation approach to decouple optional classes.....	31
7.9 XML encoding rules.....	33
7.10 Default values.....	34
Annex A (normative) Abstract and Executable test suite.....	35
Annex B (normative) Geographic metadata XML resources.....	52
Annex C (normative) Encoding descriptions.....	54
Annex D (informative) Implementation examples.....	56
Bibliography.....	57

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This second edition cancels and replaces the first edition (ISO 19115-3:2016), which has been technically revised.

The main changes are as follows:

- Update references to external standards:
- especially from ISO 19139:2007 to ISO 19139-1:2019 XML Implementation.
- Reallocating components to the relevant primary standards especially for ISO 19115-1:2014, ISO 19115-2:2019 and ISO 19103:2015.
- Removal of additional Packages and namespaces that are derived by the aggregation of packages defined in ISO 19115-1 and ISO 19115-2.
- Consolidation of tables to:
- reduce repetition of information;
- collocate information about requirements, conformance tests and clauses they refer to.
- Reordering of elements in the XML schemas for ISO 19115-1 and ISO 19115-2 has been undertaken to align with the order of attributes in the associated data dictionaries. Appropriate XML style sheets (XSLT) have been generated to assist in transformation XML records from records conforming to previous versions of the schemas. The conceptual models in the HMMG have been augmented to include the attribute ordering as set out in the data dictionaries in ISO 19115-1:2014 plus amendments 1 and 2 and ISO 19115-2:2019.

A list of all parts in the ISO 19115 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

ISO 19115-1 explains the importance of metadata, specifies a model for describing geographic information resources by defining metadata entities, elements and terminology, and establishing an extension procedure for additional metadata content. ISO 19115-1:2014, Annex G describes the revisions from ISO 19115:2003. The revised content model also incorporates metadata elements defined in ISO 19119:2005 and ISO 19119:2005/Amd 1:2008 for metadata describing web services. More detailed metadata for geographic data types and data quality are defined in other ISO geographic information standards (e.g. ISO 19110 and ISO 19157). Where necessary, interpretations of some other ISO geographic information standards are incorporated for this implementation.

ISO 19115-2 extends ISO 19115-1 by adding models for acquisition information and extending the models for metadata (MD_Metadata), data quality (DQ_DataQuality, now in ISO 19157), spatial representation (MD_SpatialRepresentation), and content information (MD_ContentInformation).

ISO 19115-1 and ISO 19115-2 define conceptual models for metadata content that are independent of any particular encoding scheme. ISO/TS 19139-1 defines encoding rules for the generation of eXtensible Markup Language (XML) schemas to encode that content. This document defines XML encodings for ISO 19115-1 and ISO 19115-2 metadata content. The integratable schemas makes it possible to use concepts from ISO 19115-1 and ISO 19115-2 together in metadata instance documents enabling automated validation of ISO 19115-1 and ISO 19115-2 metadata content using standard software tools.

The integrated schemas have been derived from ISO 19115-1 and ISO 19115-2 conceptual models using the rules defined in ISO/TS 19139-1:2019 applied to an adapted implementation-ready UML version of the conceptual models as described in Clause 8. The implementation approach enables modularization and eases reuse of elements of the conceptual models. Abstract classes were added to the ISO geographic information harmonized model, without altering the semantics, to create an implementation model that was used for this XML implementation (see Clause 8 for details).

The primary use case envisioned for this XML implementation is the exchange of geographic metadata in a client-server environment exemplified by the World Wide Web, in which the internal management and structure of metadata content is independent of the encoding used for exchange of metadata information. Adoption of this geographic metadata XML schema within an information-sharing community will garner the benefits of standardization for resource discovery, access, use, and understanding.

Geographic information — Metadata —

Part 3: XML schema implementation for fundamental concepts

1 Scope

This document defines an integrated XML implementation of ISO 19115-1 and ISO 19115-2 by defining the following artefacts:

- a) a set of XML schema required to validate metadata instance documents conforming to conceptual model elements defined in ISO 19115-1 and ISO 19115-2; and
- b) a set of ISO/IEC 19757-3 (Schematron) rules that implement validation constraints in the ISO 19115-1 and ISO 19115-2 UML models that are not validated by the XML schema.

This document describes the procedure used to generate XML schemas from ISO geographic information conceptual models related to metadata. The XML schemas are generated directly from the conceptual UML model (Clause 6.2).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO *General title — Part #: Title of part*

ISO 20##, *General title — Part ##: Title of part*

ISO 19103:2015, *Geographic information — Conceptual schema language*

ISO 19110:2016, *Geographic information — Methodology for feature cataloguing*

ISO 19115-1:2014, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19115-1:2014, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19115-1:2014, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19115-2:2019, *Geographic information — Metadata — Part 2: Extensions for acquisition and processing*

ISO 19115-2:2019, *Geographic information — Metadata — Part 2: Extensions for acquisition and processing*

ISO 19136-1:2020, *Geographic information — Geography Markup Language (GML) — Part 1: Fundamentals*

ISO 19157:2013, *Geographic information — Data quality*

ISO/TS 19139-1:2019, *Geographic information — XML schema implementation — Part 1: Encoding rules*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 namespace

<XML> collection of names, identified by a URI reference, which are used in XML documents as element names and attribute names

Note 1 to entry: The combination of a namespace URI and element or attribute name are intended to be a globally unique identifier for that model element.

[SOURCE: W3C XML Namespaces:1999]

3.2 package

<UML> general purpose mechanism for organizing elements into groups

EXAMPLE Identification information package, metadata entity set information package, constraint information package.

Note 1 to entry: Packages may be nested within other packages. Both model elements and diagrams may appear in a package.

Note 2 to entry: A package provides a namespace for the grouped elements.

[SOURCE: ISO 19103:2015, 4.27, modified — Examples and notes to entry have been added.]

3.3 polymorphism

characteristic of being able to assign a different meaning or usage to something in different contexts – specifically, to allow an entity such as a variable, a function, or an object to have more than one form

Note 1 to entry: There are several different kinds of polymorphism.

[SOURCE: ISO/TS 19139-1:2019, 3.3]

3.4 realization

<UML> specialized abstraction relationship between two sets of model elements, one representing a specification (the supplier) and the other representing an implementation of the latter (the client).

Note 1 to entry: Realization indicates inheritance of behaviour without inheritance of structure.

[SOURCE: UML 2]

4 Symbols and abbreviated terms

4.1 Acronyms

GML	Geography Markup Language
HTML	HyperText Markup Language
UML	Unified Modeling Language
URI	Universal Resource Identifier
URL	Universal Resource Locator

XML	Extensible Markup Language
XPath	XML Path Language
XSD	XML Schema Definition
XSL	Extensible Style Language
XSLT	Extensible Stylesheet Language Transformation

4.2 Namespaces

XML namespaces defined in this document are identified by URIs that follow the pattern:

- <https://schemas.isotc211.org/sn/-j/xxx/N.n>, where sn is the ISO standard number, j is the part number, xxx is a three-alphanumeric-character namespace abbreviation, and N is the edition number and n is the version number (starting at 1). Dereferencing the namespace URI as a resource locator will retrieve a description of the namespace, links to description of the content of the namespace, and links to the base specification the namespace implements and to the normative XML schema location.

Because the full URI is cumbersome for reading, writing, and in human discussion, this document will refer to the namespaces using abbreviations. Table 1 lists namespaces from other specifications imported by this implementation. Table 3 (Clause 5.2) lists abbreviations and other information for namespaces used for UML packages defined in ISO 19115-1 and ISO 19115-2. Table 4 (Clause 5.3) lists information for namespaces defined in this document that import multiple XML namespaces to define interchange document types.

Table 1 — External namespace URIs and namespace abbreviation conventions used in this document

Data Quality classes	
UML Package	From ISO 19157
Namespace name	Data quality common
Namespace abbreviation	dqc
Namespace URI	https://schemas.isotc211.org/19157/-2/dqc/1.1

Feature Catalogue classes	
UML Package	From ISO 19110
Namespace name	Feature catalogue common
Namespace abbreviation	fcc
Namespace URI	https://schemas.isotc211.org/19110/-/fcc/2.1

General Feature classes	
UML Package	From ISO 19110
Namespace name	Feature catalogue common
Namespace abbreviation	gfc
Namespace URI	https://schemas.isotc211.org/19110/-/gfc/2.1

Geography Markup Language (GML) classes	
UML Package	From GML
Namespace name	Geography markup language

UML Package	From ISO 19157
Namespace abbreviation	gml
Namespace URI	http://www.opengis.net/gml/3.2

XML Linking	
UML Package	From W3C
Namespace name	XML linking language
Namespace abbreviation	xlink
Namespace URI	http://www.w3.org/1999/xlink

Schema Definition classes	
UML Package	From W3C
Namespace name	W3C XML schema definition schema
Namespace abbreviation	Xs
Namespace URI	http://www.w3.org/2001/XMLSchema

Geospatial Common Type classes	
UML Package	From ISO 19103
Namespace name	Geospatial Common Objects
Namespace abbreviation	gco
Namespace URI	https://schemas.isotc211.org/19103/-/gco/1.2

Geospatial Common Extended Type classes	
UML Package	From ISO 19103
Namespace name	Geospatial Common objects eXtended
Namespace abbreviation	gcx
Namespace URI	https://schemas.isotc211.org/19103/-/gcx/1.2

Geography Markup Language Wrapper classes	
UML Package	From ISO 19136-1
Namespace name	GML wrapper
Scope	Namespace that implements properties with values specified by GML classes
Namespace abbreviation	gmw
Namespace URI	https://schemas.isotc211.org/19136/-/gmw/1.1

5 Conformance

5.1 General

This document defines a mechanism by which an XML implementation can demonstrate conformance to requirements in ISO 19115-1:2014¹⁾ and ISO 19115-2:2019²⁾. Neither of those standards explicitly define requirements classes or specification targets. Each describes conformance requirements and allows for “user-defined metadata” and “profiles”. Implicitly, this gives four requirements “super

1) Including Amendment 1:2018 and Amendment 2:2020

2) Including Amendment 1:2020

classes” and three specification targets. ISO 19115-1 and ISO 19115-2 do not assign identifiers for these requirements classes; in this document, these identifiers are used:³⁾

Table 2 — ISO 19115-1 and ISO 19115-2 conformance classes without URIs

Conformance class		Specification target	Dependency	
	Identifier			
ISO 19115-1 “base”	https://standards.iso.org/iso19115/-1/1/clause#6	Metadata instance		
ISO 19115-1 “user-defined extension”	https://standards.iso.org/iso19115/-1/1/clause#C.4	Metadata instance	https://standards.iso.org/iso19115/-1/1/clause#6	Re-used by reference in 19115-2
ISO 19115-2 “acquisition base”	https://standards.iso.org/iso19115/-2/1/clause#5.1	Metadata instance	https://standards.iso.org/iso19115/-1/1/clause#6	
ISO 19115-1 “profile”	https://standards.iso.org/iso19115/-1/1/clause#C.6	Metadata specification (community, or other ISO/TC 211 standard) or “information exchange” document	https://standards.iso.org/iso19115/-1/1/clause#6 Optionally: https://standards.iso.org/iso19115/-1/1/clause#C.4 Optionally: https://standards.iso.org/iso19115/-2/1/clause#5.1	Re-used by reference in 19115-2

NOTE “profile” includes importing e.g. citation into another ISO/TC 211 standard.

In order to conform to ISO 19115-1 or 19115-2, a metadata instance conforms to <https://standards.iso.org/iso19115/-1/1/clause#2.1core> and may conform to <https://standards.iso.org/iso19115/-1/1/clause#2.1user-defined> and / or <https://standards.iso.org/iso19115/-2/1/clause#5.1>. This document describes how an XML encoded metadata instance can be shown to conform to those requirements.

Where a community profile constrains ISO 19115, an XML implementation schema may import some modules from this document or may test those constraints using additional community-specific Schematron rules. Where a community extends ISO 19115, it follows the rules in ISO 19115-1 Clause C.6; the extensions should follow the rules in ISO 19115-1 Clause C.4. An XML implementation schema should be generated that conforms to ISO 19139-1, in the same way that this document does.

Because of the modular nature of ISO 19115-1 and ISO 19115-2, each requirements “super class” contains optional packages and elements. The overall requirements is that the metadata be provided as specified. The actual requirements classes correspond to the clauses in the document and the packages in the UML model. Following ISO 19139-1, each UML package results in a separate XML namespace.

This document lists 22 requirements classes for “metadata modules”, and seven for “metadata interchange documents”.

ISO 19115-1 and ISO 19115-2 provide Abstract Test Suites; this document provides XML schema documents and Schematron rules to facilitate an Executable Test Suite implementing those Abstract Test Suites in the context of an XML implementation. In order to satisfy the one requirement of this document, an XML instance need only validate against the XML schema and Schematron rules, as described in Annex A.

Some of the requirements of ISO 19115-1 and ISO 19115-2 cannot be validated in this way; these are listed in clause A.2.4.4. Other automatic or manual validation would be required for these requirements of parts 1 and 2.

Implementers may choose to define other “information exchange” document schemas that import normative XML schemas in addition to those specified here to identify and use them to validate interchange documents. The design of these schemas will be contingent on the requirements of the

3) To be adjusted to the pattern HMMG confirm, which may be lodged as a comment to ISO/DIS 19115-3:2022-02

user community for the particular information exchange. These information exchange schema should be documented in a technical note.

5.2 Conformance classes for metadata modules

This document defines a set of XML schema and conformance classes for various content modules defined by ISO 19115-1 and ISO 19115-2 to allow these to be used as components in other interchange document implementations. Each module is packaged in a separate XML namespace. Tables 3 lists the module defined in this document.

Table 3 — Namespace URIs and namespace abbreviation used in this document for packages defined in ISO 19115-1 and ISO 19115-2 and conformance classes defined for metadata modules associated with those packages

Metadata Application classes	
Source	ISO 19115-1:2014 Clause 6.2
UML Package	Metadata application information
Namespace name	MetaData Application
Scope	Includes classes for describing resource collections with hierarchical metadata.
Namespace abbreviation	mda
Namespace URI	https://schemas.isotc211.org/19115/-1/mda/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/metadata-application-instance
Conformance class name	Valid XML instance of metadata application namespace

Metadata Base classes	
Source	ISO 19115-1:2014 Clause 6.5.2
UML Package	Metadata information
Namespace name	MetaData Base
Scope	Define metadata root element and properties, with abstract implementation. This namespace is intended to support profile development.
Namespace abbreviation	mdb
Namespace URI	https://schemas.isotc211.org/19115/-1/mdb/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/metadata-base-xml
Conformance class name	Valid XML instance of metadata base namespace

Resource Identification classes	
Source	ISO 19115-1:2014 Clause 6.5.3
UML Package	Identification information
Namespace name	Metadata for Resource Identification
Scope	Descriptive information about the resource
Namespace abbreviation	mri
Namespace URI	https://schemas.isotc211.org/19115/-1/mri/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/resource-identification-xml
Conformance class name	Valid XML instance of resource identification namespace

Constraint classes	
Source	ISO 19115-1:2014 Clause 6.5.4
UML Package	Constraint information
Namespace name	Metadata for COntstraints
Scope	Specify constraints on access and use
Namespace abbreviation	mco
Namespace URI	https://schemas.isotc211.org/19115/-1/mco/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/constraints-xml
Conformance class name	Valid XML instance of constraints namespace

Resource Lineage classes	
Source	ISO 19115-1:2014 Clause 6.5.5; ISO 19115-2:2019 Clause 6.3.3
UML Package	Lineage information
Namespace name	Metadata for Resource Lineage
Scope	Resource provenance
Namespace abbreviation	mrl
Namespace URI	https://schemas.isotc211.org/19115/-1/mrl/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/lineage-xml
Conformance class name	Valid XML instance of resource lineage namespace

Maintenance Information classes	
Source	ISO 19115-1:2014 Clause 6.5.6
UML Package	Maintenance information
Namespace name	Metadata for Maintenance Information
Scope	Maintenance of resources and metadata
Namespace abbreviation	mmi
Namespace URI	https://schemas.isotc211.org/19115/-1/mmi/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/maintenance-information-xml
Conformance class name	Valid XML instance of maintenance information namespace

Spatial representation classes	
Source	ISO 19115-1:2014 Clause 6.5.7; ISO 19115-2:2019 Clause 6.3.4
UML Package	Spatial representation information
Namespace name	Metadata for Spatial Representation
Scope	Encoding of location information in resource content
Namespace abbreviation	msr
Namespace URI	https://schemas.isotc211.org/19115/-1/msr/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/spatial-representation-xml
Conformance class name (implemented clause)	Valid XML instance of spatial representation namespace (ISO 19115-1:2014, 6.5.7, ISO 19115-2)

Reference System classes	
Source	ISO 19115-1:2014 Clause 6.5.8; ISO 19115-1 Amd 2:2020 Clause 6.5.8;
UML Package	Reference system information
Namespace name	Metadata for Reference System
Scope	Spatial reference system for resource content
Namespace abbreviation	mrs
Namespace URI	https://schemas.isotc211.org/19115/-1/mrs/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/reference-system-xml
Conformance class name	Valid XML instance of reference system namespace

Resource Content classes	
Source	ISO 19115-1:2014 Clause 6.5.9; ISO 19115-2:2019 Clause 6.3.5
UML Package	Content information
Namespace name	Metadata for Resource Content
Scope	Resource data structure and content
Namespace abbreviation	mrc
Namespace URI	https://schemas.isotc211.org/19115/-1/mrc/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/resource-content-xml
Conformance class name	Valid XML instance of resource content namespace

Portrayal Catalogue classes	
Source	ISO 19115-1:2014 Clause 6.5.10
UML Package	Portrayal catalogue information
Namespace name	Metadata for Portrayal Catalogue
Scope	Portrayal of described resource
Namespace abbreviation	mpc
Namespace URI	https://schemas.isotc211.org/19115/-1/mpc/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/portrayal-catalogue-xml
Conformance class name	Valid XML instance of portrayal catalogue namespace

Resource Distribution classes	
Source	ISO 19115-1:2014 Clause 6.5.11
UML Package	Distribution information
Namespace name	Metadata for Resource Distribution
Scope	How a resource is distributed
Namespace abbreviation	mrd
Namespace URI	https://schemas.isotc211.org/19115/-1/mrd/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/resource-distribution-xml
Conformance class name	Valid XML instance of resource distribution namespace

Metadata Extension classes	
Source	ISO 19115-1:2014 Clause 6.5.12
UML Package	Metadata extension information
Namespace name	Metadata forEXtension
Scope	Extensions to metadata content
Namespace abbreviation	mex
Namespace URI	https://schemas.isotc211.org/19115/-1/mex/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/metadata-extension-xml
Conformance class name	Valid XML instance of metadata extension namespace

Application Schema classes	
Source	ISO 19115-1:2014 Clause 6.5.13
UML Package	Application schema information
Namespace name	Metadata for Application Schema
Scope	Application schema used to build a dataset
Namespace abbreviation	mas
Namespace URI	https://schemas.isotc211.org/19115/-1/mas/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/application-schema-xml
Conformance class name	Valid XML instance of application schema namespace

Service Metadata classes	
Source	ISO 19115-1:2014 Clause 6.5.14
UML Package	Service metadata information
Namespace name	SeRVice metadata
Scope	Information specific to service resources
Namespace abbreviation	srv
Namespace URI	https://schemas.isotc211.org/19115/-1/srv/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/service-metadata-xml
Conformance class name	Valid XML instance of service metadata namespace
Conformance class name (implemented clause)	Valid XML instance of geospatial extent namespace (ISO 19115-1:2014, 6.6.1)

Geospatial Extent classes	
Source	ISO 19115-1:2014 Clause 6.6.1
UML Package	Extent information
Namespace name	Geospatial EXtent
Scope	Elements for specifying geospatial properties of a resource, including extent and spatial reference systems
Namespace abbreviation	gex
Namespace URI	https://schemas.isotc211.org/19115/-1/gex/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/geospatial-extent-xml
Conformance class name	Valid XML instance of geospatial extent namespace

Citation classes	
Source	ISO 19115-1:2014 Clause 6.6.2 and Clause 6.6.3
UML Package	Citation and responsible party information
Namespace name	CITation
Scope	elements for codelist catalogues, and example catalogues
Namespace abbreviation	cit
Namespace URI	https://schemas.isotc211.org/19115/-1/cit/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/citation-xml
Conformance class name	Valid XML instance of citation namespace

Common Classes	
Source	ISO 19115-1:2014 Clause 6.6.4
UML Package	Common classes
Namespace name	Metadata for Common Classes
Scope	Elements used by all other packages
Namespace abbreviation	mcc
Namespace URI	https://schemas.isotc211.org/19115/-1/mcc/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/common-classes-xml
Conformance class name	Valid XML instance of common classes namespace

Language and Locale classes	
Source	ISO 19115-1:2014 Clause 6.7
UML Package	Language-character set localization information
Namespace name	LANguage localization
Scope	Elements for cultural and linguistic adaptability
Namespace abbreviation	lan
Namespace URI	https://schemas.isotc211.org/19115/-1/lan/1.3
Conformance class URI	https://standards.iso.org/iso19115/-1/1/conf/language-localisation-xml
Conformance class name	Valid XML instance of language localization namespace

Acquisition and Processing classes	
Source	ISO 19115-2:2019 Clause 6.3.2
UML Package	Metadata acquisition
Namespace name	Metadata Acquisition information
Scope	Elements for acquisition of spatial data
Namespace abbreviation	mac
Namespace URI	https://schemas.isotc211.org/19115/-2/mac/2.2
Conformance class URI	https://standards.iso.org/iso19115/-2/1/conf/acquisition-xml
Conformance class name	Valid XML instance of metadata for acquisition namespace

5.3 Conformance classes for minimum metadata interchange documents

This document defines a set of XML schema that utilises various modular namespace components to define minimum metadata interchange documents. Each of these document schemas has an associated requirements and conformance class, and a namespace URI to identify the document type. Table 4 lists these interchange document schemes.