

DIN EN ISO 24014-1

ICS 03.220.01; 35.240.60

Einsprüche bis 2014-06-04
Vorgesehen als Ersatz für
DIN EN ISO 24014-1:2008-09

Entwurf

**Öffentlicher Verkehr –
Interoperables Fahrgeldmanagement System –
Teil 1: Architektur (ISO/DIS 24014-1:2014);
Englische Fassung prEN ISO 24014-1:2014)**

Public transport –
Interoperable fare management system –
Part 1: Architecture (ISO/DIS 24014-1:2014);
English version prEN ISO 24014-1:2014)

Transport public –
Système de gestion tarifaire interopérable –
Partie 1: Architecture (ISO/DIS 24014-1:2014);
Version anglaise prEN ISO 24014-1:2014

Anwendungswarnvermerk

Dieser Norm-Entwurf mit Erscheinungsdatum 2014-04-04 wird der Öffentlichkeit zur Prüfung und Stellungnahme vorgelegt.

Weil die beabsichtigte Norm von der vorliegenden Fassung abweichen kann, ist die Anwendung dieses Entwurfes besonders zu vereinbaren.

Stellungnahmen werden erbeten

- vorzugsweise online im Norm-Entwurfs-Portal des DIN unter www.entwuerfe.din.de bzw. für Norm-Entwürfe der DKE auch im Norm-Entwurfs-Portal der DKE unter www.entwuerfe.normenbibliothek.de, sofern dort wiedergegeben;
- oder als Datei per E-Mail an naautomobil@din.de möglichst in Form einer Tabelle. Die Vorlage dieser Tabelle kann im Internet unter www.din.de/stellungnahme oder für Stellungnahmen zu Norm-Entwürfen der DKE unter www.dke.de/stellungnahme abgerufen werden;
- oder in Papierform an den Normenausschuss Automobiltechnik (NAAutomobil) im DIN, 10004 Berlin, Postfach 8 04 62 (Hausanschrift: Behrenstr. 35, 10117 Berlin).

Die Empfänger dieses Norm-Entwurfs werden gebeten, mit ihren Kommentaren jegliche relevanten Patentrechte, die sie kennen, mitzuteilen und unterstützende Dokumentationen zur Verfügung zu stellen.

Gesamtumfang 77 Seiten

Normenausschuss Automobiltechnik (NAAutomobil) im DIN
DKE Deutsche Kommission Elektrotechnik Elektronik Informationstechnik im DIN und VDE

Nationales Vorwort

Dieses Dokument (prEN ISO 24014-1:2014) wurde vom Technischen Komitee ISO/TC 204 „Intelligent Transport Systems“ in Zusammenarbeit mit dem Technischen Komitee CEN/TC 278 „Intelligente Verkehrssysteme“, dessen Sekretariat vom NEN (Niederlande) gehalten wird, erarbeitet.

Das zuständige deutsche Normungsgremium ist der Gemeinschaftsarbeitsausschuss NA 052-02-71 GA „Straßenverkehrstelematik“ des Normenausschusses Automobiltechnik (NAAutomobil) im DIN.

Das Präsidium des DIN hat mit seinem Beschluss 1/2004 festgelegt, dass von dem in den Regeln der europäischen Normungsarbeit von CEN/CENELEC verankerten Grundsatz, wonach Europäische Normen in den drei offiziellen Sprachen Deutsch, Englisch und Französisch veröffentlicht werden, in begründeten Ausnahmefällen abgewichen und auf die deutsche Sprachfassung verzichtet werden kann.

Die Genehmigung dafür hat die DIN-Geschäftsleitung entsprechend ihren in Anlage 1 zu dem DIN-Rundschreiben A 5/2004 festgelegten Kriterien für die vorliegende Norm auf Antrag des NA 052 NAAutomobil als Ergebnis einer Einzelfallentscheidung erteilt, zumal bereits dieser Norm zugrunde liegende Papiere überwiegend in englischer Sprache auch von den deutschen Marktteilnehmern angewendet werden.

Fahrgeldmanagement Systeme umfassen alle Prozesse zur Verteilung und Nutzung von Fahrkostenprodukten im Umfeld des öffentlichen Verkehrs.

Fahrgeldmanagement Systeme werden dann als „interoperabel“ bezeichnet, wenn Sie dem Kunden ermöglicht, ein tragbares elektronisches Medium (z. B. Smartcard) im Zusammenspiel mit kompatiblen Einrichtungen (z. B. an Haltestellen) zu verwenden.

Interoperabilität von Fahrgeldmanagement Systeme erfordert eine übergeordnete Systemarchitektur, welche die Funktionalität, die betroffenen Akteure und deren Rollen, sowie die Beziehungen und Schnittstellen beschreibt und in dieser Norm berücksichtigt werden. Dazu gehört außerdem ein Sicherheitsschema zum Schutz der Privatsphäre, Integrität sowie Diskretion zwischen den Akteuren.

Änderungen

Gegenüber DIN EN ISO 24014-1:2008-09 wurden folgende Änderungen vorgenommen:

- a) editorische Verbesserungen im gesamten Dokument;
- b) Überarbeitung der Begriffe;
- c) Anhang F wurde ergänzt.

Nationaler Anhang NA (informativ)

Begriffe

Für die Anwendung dieses Dokuments gelten die folgenden Begriffe.

2.1

Aktionsliste

(en: action list)

Objektliste bezogen auf Interoperable Fahrgeldmanagement (en: interoperable fare management, IFM) Anwendungen oder –produkte, die auf Zugriffsgeräte (en: medium access devices, MAD) heruntergeladen und verarbeitet wird, wenn es eine spezifische IFM-Anwendung oder ein IFM-Produkt betrifft, das in der Liste im Zugriffsgerät referenziert wird

2.2

Akteur

(en: actor)

eine Person, eine Organisation oder anderes (Unter) System, die eine kohärente Menge an Funktionen im IFM-System für einen bestimmten Anwendungsfall bedient

2.3

Anwendungsregeln

(en: application rules)

Anforderungen an den Besitzer der Anwendung

2.4

Anwendungsbeschreibungen

(en: application specification)

Beschreibungen oder Funktionen, Datenelemente und Sicherheitsschemata nach den Anwendungsregeln

2.5

Anwendungsvorlage

(en: application template)

ausführbare technische Vorlage der Anwendungsbeschreibung

2.6

Anwendung

(en: application)

implementierte und initialisierte Anwendungsvorlage

Anmerkung 1 zum Begriff: Die Anwendung ist durch einen eindeutigen Bezeichner gekennzeichnet.

Anmerkung 2 zum Begriff: Die Anwendung beinhaltet Produkte und andere optionale Kundeninformationen (Details zum Kunden, Kundenpräferenzen).

Anmerkung 3 zum Begriff: Die Anwendung kann vollständig auf einem Kundenmedium installiert werden oder auf dem Kundenmedium und der IFM-Abrechnungsstelle verteilt werden.

2.7**kommerzielle Regeln**

(en: commercial rules)

Regeln, die das Abkommen und die Vergütung in einem interoperablen Fahrgeldmanagement System festlegen

2.8**Komponente**

(en: component)

Anteil der Hardware und/oder Software, der eine oder mehrere Funktionen im interoperablen Fahrgeldmanagement System ausführt

2.9**Komponentenlieferant**

(en: component provider)

jeder Beliebige, der eine Komponente in ein IFMS einbringen möchte

2.10**Funktionsmodell zum interoperablen Fahrgeldmanagement**

(en: IFM functional model)

Modell zur Funktionsfestlegung von Rollen zum interoperablen Fahrgeldmanagement und deren Interaktion

2.11**Richtlinien zum interoperablen Fahrgeldmanagement**

(en: IFM policies)

kommerzielle, technische, sicherheitsrelevante und Vertraulichkeitsziele für ein interoperables Fahrgeldmanagement

2.12**Rolle zum interoperablen Fahrgeldmanagement**

(en: IFM-role)

abstrakte Einheit, die eine Funktionsmenge in einem IFM-Funktionsmodell ausführt

2.13**interoperables Fahrgeldmanagement**

(en: interoperable fare management)

beinhaltet alle Funktionen, die in den Prozess zum interoperablen Fahrgeldmanagement eingebunden sind, wie die Verwaltung der Anwendungen, Produkte, Sicherheit und Zertifikate sowie Registrierung und Identifikation, um dem Kunden, unter Verwendung eines einzelnen tragbaren elektronischen Mediums, die Reise mit teilnehmenden Dienstleistern zu ermöglichen

2.14**interoperables Fahrgeldmanagement System**

(en: interoperable fare management system)

beinhaltet alle technischen, kommerziellen, sicherheits- und gesetzgeberische Elemente, die interoperables Fahrgeldmanagement ermöglichen

2.15**Medium**

(en: medium)

physikalischer Anwendungsträger

2.16**Botschaft**

(en: message)

Menge von Datenelementen, die zwischen Rollen zum interoperablen Fahrgeldmanagement übertragen werden

2.17

Kundenmedium

(en: customer medium)

Medium mit initialisierter Anwendung, die durch einen Anwendungsvertrag freigegeben ist

2.18

Medium Zugriffsgerät

MAD

(en: medium access device)

Gerät mit den notwendigen Einrichtungen (Hardware und Software) zur Kommunikation mit einem Kundenmedium

2.19

Organisation

(en: organisation)

juristische Person, die Funktionen und deren Verantwortlichkeiten für ein oder mehrere der folgenden betrieblichen Rollen zum interoperable Fahrgeldmanagement umfasst: Anwendungsbesitzer, Anwendungsverkäufer, Produkteigentümer, Dienstanbieter, sowie Sammlung und Weiterleitung

2.20

Regeln zur Preisgestaltung

(en: pricing rules)

Regeln, die Beziehungen zum Kunden bzgl. Preise und Bezahlung bzw. Abrechnung festlegen

2.21

Produktregeln

(en: product rules)

Menge von Nutzungs-, Preisgestaltungs- und kommerziellen Regeln, die vom Produkteigentümer festgelegt werden

2.22

Produktspezifikation

(en: product specification)

vollständige, nach den Produktregeln festgelegte Spezifikation für Funktionen, Datenelemente und Sicherheitsschemata

2.23

Produktvorlage

(en: product template)

technische Vorlage für eine Produktspezifikation

Anmerkung 1 zum Begriff: Die Produktvorlage wird durch eine eindeutige Kennzeichnung bestimmt.

2.24

Produkt

(en: product)

Vorgang, bei dem eine Anwendung in einer Produktvorlage abgelegt wird

Anmerkung 1 zum Begriff: Es wird durch eine eindeutige Kennzeichnung bestimmt und erlaubt dem Kunden, von einem Dienst eines Dienstanbieters zu profitieren.

2.25

Rolle

(en: role)

abstraktes Objekt, das eine Menge von Funktionen durchführt

2.26**Sicherheitsrichtlinie**

(en: security policy)

Grundsätze des interoperablen Fahrgeldmanagement zur Sicherstellung der öffentlichen Interessen und des Kapitals innerhalb des interoperablen Fahrgeldmanagement

2.27**Menge von Regeln**

(en: set of rules)

Bestimmungen zur Einhaltung der Richtlinie für interoperable Fahrgeldmanagement, ausgedrückt als technische, kommerzielle sicherheitsrelevante oder gesetzliche Anforderungen und Standards, die nur für das interoperable Fahrgeldmanagement System relevant sind

2.28**Auslöser**

(en: trigger)

Anlass, der die Ausführung einer Anwendung veranlasst

2.29**Nutzungsregeln**

(en: usage rules)

Regeln, die die Nutzungszeit, das Nutzungsgebiet, den persönlichen Status und Art des Dienstes festlegen

2.30**Anwendungsfall**

(en: use case)

Prozessbeschreibung durch Festlegung einer Ausführungssequenz, die von einem oder mehreren Akteuren und von System selbst festgelegt ist

— Leerseite —

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope	1
2 Terms and definitions	2
3 Abbreviated terms	4
4 Requirements	4
5 Conceptual framework	5
5.1 Description of IFM-roles	6
5.2 Basic framework of the generic IFM functional model	8
6 The Use Case description for the IFM functional model	9
6.1 Certification	10
6.1.1 Certification of Organisation	10
6.1.2 Certification of Components	10
6.1.3 Certification of Application Specification and Template	11
6.1.4 Certification of Product Specification and Template	11
6.2 Registration	11
6.2.1 Registration of Organisation	12
6.2.2 Registration of Component	12
6.2.3 Registration of Application Template	12
6.2.4 Registration of Application	13
6.2.5 Registration of Product Template	13
6.2.6 Registration of Product	13
6.3 Management of Application	13
6.3.1 Dissemination of Application Template	14
6.3.2 Acquisition of Application	14
6.3.3 Termination of Application Template	14
6.3.4 Termination of Application	15
6.4 Management of Product	16
6.4.1 Dissemination of Product Template	17
6.4.2 Termination of Product Template	17
6.4.3 Management of Action List	18
6.4.4 Acquisition of Product	18
6.4.5 Modification of Product parameter	18
6.4.6 Termination of Product	19
6.4.7 Use and inspection of Product	20
6.4.8 Collection of data	20
6.4.9 Forwarding data	22
6.4.10 Generation and distribution of clearing reports	22
6.5 Security management	22
6.5.1 Monitoring of IFM processes and IFM data life cycle	23
6.5.2 Management of IFM security keys	24
6.5.3 Management of security lists	24
6.6 Customer Service Management (optional)	27
7 System interface identification	27
8 Identification	27
8.1 General	27
8.2 Numbering scheme	28
8.3 Prerequisites	28
9 Security in IFMSs	28

9.1	Protection of the interests of the public.....	28
9.2	Assets to be protected	29
9.3	General IFM security requirements.....	29
Annex A	(informative) Information flow within the IFM.....	31
A.1	Interface of the IFM-roles with the Security Manager and the Registrar	31
A.2	Interface between the IFM-roles	34
A.3	Interfaces between IFM-roles for Application Template management.....	35
A.4	Interfaces between IFM-roles for Application management	36
A.5	Interfaces between IFM-roles for Product Template Management.....	37
A.6	Interfaces between IFM-roles for Product management.....	39
A.6.1	Acquisition/modification/termination of a Product	39
A.6.2	Using a Product and distribution of clearing reports	41
Annex B	(informative) Examples of implementation	43
B.1	Interoperability in the Oslo region	43
B.1.1	General.....	43
B.1.2	Operators and functions	43
B.2	Example: Interoperability in Paris (France) and its suburban region	45
B.2.1	General.....	45
B.2.2	Partners and functions.....	45
B.3	Interoperability in Japan	48
B.3.1	Interoperable states for a joint IFMS.....	48
B.3.2	Interoperability in Japan in accordance with this part of ISO 24014.....	50
Annex C	(informative) List of terms which are defined both in this part of ISO 24014 (IFMSA) and in APTA – UTFS.....	53
Annex D	(informative) Example of Action List processes	54
D.1	Interpretation of “Action List”	54
D.2	Comparison of Action Lists and security lists	55
D.3	Examples of information to be communicated in Action Lists.....	55
D.4	Examples of Use Cases	56
Annex E	(informative) Security domain, threats and Protection Profiles.....	59
E.1	Security domain	59
E.2	Threats	60
E.3	Protection Profiles (PP).....	61
Annex F	(informative) Media centric management and back-office centric management.....	63
Bibliography		66

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 24014-1 was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, Subcommittee SC , and by Technical Committee CEN/TC 278, *Intelligent transport systems* in collaboration.

This second/third/... edition cancels and replaces the first/second/... edition (EN ISO 24014-1:2007), [clause(s) / subclause(s) / table(s) / figure(s) / annex(es)] of which [has / have] been technically revised.

ISO 24014 consists of the following parts, under the general title *Public transport — Interoperable fare management system*:

- Part 1: Architecture
- Part 2: Business practices
- Part 3: Multi application media

Introduction

Fare management (FM) encompasses all the processes designed to manage the distribution and use of fare products in a public transport environment.

Fare management is called interoperable (IFM) when it enables the customer to use a portable electronic medium (e.g. a contact/contactless smart card) with compatible equipment (e.g. at stops, with retail systems, at platform entry points or on board vehicles). IFM concepts can also be applied to fare management systems not using electronic media.

Potential benefits for the customer include reductions in queuing, special and combined fares, one Medium for multiple applications, loyalty programmes and seamless journeys.

Interoperability of fare management systems also provides benefits to operators and the other parties involved. However, it requires an overall system architecture that defines the system functionalities, the actors involved and their roles, the relationships and the interfaces between them.

Interoperability requires also the definition of a security scheme to protect privacy, integrity and confidentiality between the actors to ensure fair and secure data flow within the IFM system (IFMS). The overall architecture is the subject of this part of ISO 24014, which recognizes the need for legal and commercial agreements between members of an IFM, but does not specify their form. The technical specifications of the Component parts, and particularly the standards for Customer Media (e.g. smart cards), are not included.

Note that there is not one single IFM. Individual operators, consortia of operators, public authorities and private companies can manage and/or participate in IFMs. An IFM can span country boundaries, and can be combined with other IFMs. Implementations of IFMSs require security and registration functionalities. This part of ISO 24014 allows for the distribution of these functions to enable the coordination/convergence of existing IFMSs to work together.

The overall architecture is the subject of this part of ISO 24014, which recognizes the need for legal and commercial agreements between members of an IFM, but does not specify their form. The technical specifications of the Component, and particularly the standards for Customer Media (e.g. smart cards), are not included.

This part of ISO 24014 intends to provide three main benefits.

- a) It provides a framework for an interoperable fare management implementation with a minimum of complexity.
- b) It aims to shorten the time and lower the cost of IFM procurement, as both suppliers and purchasers understand what is being purchased. Procurement against an open standard reduces cost, as it avoids the need for expensive bespoke system development and provides for second sourcing.
- c) It aims to simplify Interoperability between IFMs to the benefit of all stakeholders.

The work has benefited from the architecture work done in Electronic Fee Collection (CEN/TC 278/WG 1) and other domains, including the following:

- ISO/TS 14904, *Road transport and traffic telematics — Electronic fee collection (EFC) — Interface specification for clearing between operators*;
- ISO/TS 17573, *Road Transport and Traffic Telematics — Electronic Fee Collection (EFC) — Systems architecture for vehicle related transport services*;
- existing international data security standards.

Public transport — Interoperable fare management system — Part 1: Architecture

1 Scope

This part of ISO 24014 provides the basis for the development of multi-operator/multi-service Interoperable public surface (including subways) transport Fare Management Systems (IFMSs) on a national and international level.

This part of ISO 24014 is applicable to bodies in public transport and related services which agree that their systems need to interoperate.

While this part of ISO 24014 does not imply that existing interoperable fare management systems need to be changed, it applies, so far as it is practically possible, to extensions of these.

This part of ISO 24014 covers the definition of a conceptual framework, which is independent of organisational and physical implementation. Any reference within this part of ISO 24014 to organisational or physical implementation is purely informative.

The objective of this part of ISO 24014 is to define a reference functional architecture for IFMSs and to identify the requirements that are relevant to ensure Interoperability between several actors in the context of the use of electronic tickets.

The IFMS includes all the functions involved in the fare management process, such as

- management of Application;
- management of Products;
- security management;
- certification, registration and identification.

This part of ISO 24014 defines the following main elements:

- identification of the different IFM-roles in relation to the overall fare management system;
- a generic model of IFMS describing the logical and functional architecture and the interfaces within the system and with other IFMSs;
- Use Cases describing the interactions and data flows between the different functional IFM-roles;
- security requirements.

This part of ISO 24014 excludes consideration of

- the physical Medium and its management;
- the technical aspects of the interface between the Medium and the Medium Access Device;
- the data exchanges between the Medium and the Medium Access Device;

NOTE The data exchanges between the Medium and the Medium Access Device are proposed by other standardisation committees.

- the financial aspects of fare management systems (e.g. customer payments, method of payment, settlement, apportionment, reconciliation).

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

**2.1
action list**
list of items related to IFM Applications or Products, downloaded to Medium Access Devices (MADs), processed by the MAD if and when a specific IFM Application or Product referenced in the list is encountered by that MAD

**2.2
actor**
a person, an Organisation or another (sub)system playing a coherent set of functions when interacting with the IFM system within a particular Use Case

**2.3
application rules**
Application Owner requirements

**2.4
application specification**
specification of functions, data elements and security scheme according to the Application Rules

**2.5
application template**
executable technical pattern of the Application Specification

**2.6
application**
implemented and initialised Application Template

Note 1 to entry: The Application is identified by a unique identifier.

Note 2 to entry: The Application houses Products and other optional Customer information (Customer details, Customer preferences).

Note 3 to entry: The Application can be fully installed on a customer media or distributed on the customer media and the IFM back offices

**2.7
commercial rules**
rules defining the settlement and commission within the IFMS

**2.8
component**
any piece of hardware and/or software that performs one or more functions in the IFMS

**2.9
component provider**
anyone who wants to bring a Component to the IFMS

**2.10
IFM functional model**
Model to define functions of IFM-roles and how they interact.

2.11

ifm policies

commercial, technical, security and privacy objectives of IFM

2.12

IFM-role

abstract object performing a set of functions in an IFM functional model

2.13

interoperable fare management

includes all the functions involved in the fare management process such as Management of Application, Products, Security and Certification, Registration and Identification to enable Customers to travel with participating Service Operators using a single portable electronic medium

2.14

interoperable fare management system

includes all technical, commercial, security and legal elements which enable an Interoperable Fare Management

2.15

medium

physical carrier of Applications

2.15

message

set of data elements transferred between two IFM-roles

2.16

customer medium

Medium initialised with an Application through an Application contract

2.17

medium access device

MAD

device with the necessary facilities (hardware and software) to communicate with a Customer Medium

2.18

organisation

legal entity covering the functions and implied responsibilities of one or more of the following operational IFM-roles: Application Owner, Application Retailer, Product Owner, Product Retailer, Service Operator, and Collection and Forwarding

2.19

pricing rules

rules defining the price and payment / billing relationships to the customer

2.20

product rules

set of Usage, Pricing and Commercial Rules defined by the Product Owner

2.21

product specification

complete specification of functions, data elements and security scheme according to the Product Rules

2.22

product template

technical pattern of the Product Specification

Note 1 to entry: The Product Template is identified by a unique identifier.

2.23

product

instance of a Product Template stored in an Application

Note 1 to entry: It is identified by a unique identifier and enables the customer to benefit from a service provided by a Service Operator.

2.24

role

abstract object performing a set of functions

2.25

security policy

Objectives of the IFM to secure the public interests and the assets within the IFM

2.26

set of rules

regulations for achieving IFM Policies expressed as technical, commercial, security and legal requirements and standards relevant only to the IFMS

2.29

trigger

event that causes the execution of a Use Case

2.30

usage rules

rules defining the usage time, the usage area, the personal status and the type of service

2.31

use case

description of a process, by defining a sequence of actions performed by one or more Actors and by the system itself

3 Abbreviated terms

IFM	Interoperable Fare Management
IFMS	Interoperable Fare Management System
PP	Protection Profile
PT	Public Transport
SSS	Security Subsystem
TOE	Target Of Evaluation

4 Requirements

The purpose of ISO 24014 is to achieve Interoperability throughout fare management systems, while making sure that participating companies in public transport remain as commercially free as possible to design their own implementation in pursuing their own business strategies.

Specific requirements of the IFMS model are as follows.

- A Customer shall be able to travel with all participating operators (the seamless journey) using a single Medium.

- There shall be a capability to extract data appropriate to the revenue-sharing and statistical requirements of the transport operators.
- The same Medium may carry additional Applications; conversely, other media may carry the IFM Application.
- The ticketing methods associated with the Application shall offer the opportunity to reduce the current time taken to enter/exit the public transport system and may reduce payment handling costs significantly.
- The IFMS model shall comply with data protection and financial services laws/regulations (e.g. privacy).
- The IFMS model shall provide the capability to accommodate new Product Specifications as required, regardless of those already in existence.
- The IFMS model shall recognise and prevent internal or external fraud attacks.
- The IFMS model shall identify the customer while protecting their privacy as appropriate.
- The IFMS model shall protect the privacy of the Customer.
- The IFMS model shall assure the integrity of exchanged data.
- The IFMS model shall enable the implementation of additional services: loyalty programmes, car sharing, park and ride, bike and ride, etc.
- The IFMS model shall provide interface definitions between identified functions within public transport to enable different operator networks to interoperate.
- The IFMS model shall describe interfaces which are essential to enable data-forwarding functions between different operator networks, allowing revenue-sharing agreements to be met.
- The IFMS model shall provide a framework from which commercial agreements may be developed.
- The IFMS model shall be neutral with regard to different technologies which may be deployed [e.g. contact Medium, contactless Medium (short range, wide range), independent of access technologies].
- The IFMS model shall be functionally neutral regarding specific transport Organisation structures.

5 Conceptual framework

The IFMS may be run by a single transport undertaking, a transport authority, an association of public and private companies, or other groups.

An IFM Manager establishes and manages the IFM Policies on behalf of the IFMS. These policies are embedded in the Set of Rules.

To manage the elements of the IFMS dealt with in this part of ISO 24014, the IFM Manager shall appoint

- a Security Manager,
- a Registrar.

The functions and the responsibilities of the Security Manager and the Registrar may be distributed to several Organisations within an IFM. This may be a necessary condition to allow the cooperation of existing IFMSs. An example is shown in B.3. The example also shows how a new common Set of Rules for the joint IFMS is built upon the existing sets of the cooperating IFMSs.

5.1 Description of IFM-roles

IFM-roles are identified by capitalized initial letters.

Product Owner The Product Owner is responsible for his Products.

Functions of ownership:

- Specifying pricing, Usage Rules and Commercial Rules.

Functions of clearing:

- Trip reconstruction — Product aggregation based on received usage data using Product definition rules;
- Linking of aggregated usage data with acquisition data;
- Preparation of apportionment data based on Product Specification.

Functions of reporting:

- Detailed:
 - acquisition data with no link to usage data within the reporting period;
 - usage data with no link to acquisition data within the reporting period;
 - linked aggregated Product data within the reporting period.
- Summary:
 - apportionment data and clearing report.
- Total acquisition data.

Product Retailer The Product Retailer sells and terminates Products, collects and refunds value to a customer as authorised by a Product Owner.

The Product Retailer is the only financial interface between the customer and the IFMS related to Products.

Application Retailer The Application Retailer sells and terminates Applications, collects and refunds value to a customer as authorised by an Application Owner.

The Application Retailer is the only financial interface between the customer and the IFMS related to Applications.

Collection and Forwarding

The IFM-role of Collection and Forwarding is the facilitation of data interchanges of the IFMS. The general functions are data collection and forwarding. They contain at least the following functions.

Functions of collecting:

- Receiving Application Template from Application Owner.
- Receiving Product Template from Product Owner.
- Receiving data from Service Operators.
- Receiving data from Product Retailer.
- Receiving data from Application Retailer.
- Receiving data from other Collection and Forwarding functions.
- Receiving security list data from Security Manager.
- Receiving clearing reports from Product Owner.
- Consistency and completeness check of the data collected on a technical level.
- Receiving the address list of all IFM-roles in the IFM from the Registrar.

Functions of forwarding:

- Forwarding “Not On Us” data to other Collection and Forwarding functions.
- Recording “Not On Us” data.
- Forwarding data with a corrupt destination address to the Security Manager.
- Forwarding “On Us” data to the Product Owner for clearing and reporting.
- Forwarding clearing reports, Application Template, Product Template and security list data to the Product Retailer and Service Operator.
- Forwarding Application Templates and security list data to the Application Retailer and Service Operator.

NOTE The “ON US and NOT ON US” concept is as follows.

- A specific Collection and Forwarding function is to collect data from one IFM-role and forward it to other IFM-roles.
- Logically there may be several COLLECTION AND FORWARDING functions within the IFM.
- IFM-roles may be linked to different COLLECTION AND FORWARDING functions, but each IFM-role can only be linked to one.
- The concept of “ON US and NOT ON US” addresses this connectivity functionality: Data held by a specific COLLECTION AND FORWARDING function is either “ON US” or “NOT ON US” data.
- Data collected by a specific COLLECTION AND FORWARDING function addressed to IFM-roles directly linked to this COLLECTION AND FORWARDING function is termed “ON US” data.
- Data collected by a specific COLLECTION AND FORWARDING function addressed to IFM-roles not linked to this COLLECTION AND FORWARDING function is termed “NOT ON US” data.

Service Operator	The Service Operator provides a service to the customer against the use of a Product.
Application Owner	The Application Owner holds the Application contract for the use of the Application with the customer.
Customer Service	Subject to commercial agreements, Customer Service may provide “helpline” and any similar facilities, including replacement of stolen and damaged Customer Medium and consequent Product reinstalling.
Customer	The Customer holds an Application and acquires Products in order to use the public transport services.
Security Manager	<p>The Security Manager is responsible for establishing and coordinating the Security Policy and for</p> <ul style="list-style-type: none"> — certification of Organisations, Application Templates, Components and Product Templates; — auditing of Organisations, Application Templates/Applications, Components and Product Templates/Products; — monitoring the system; — operation of the security of the IFMS, e.g. key management.
Registrar	After the certification, the Registrar issues unique registration codes for Organisations, Components, Application Templates and Product Templates. The Registrar function also issues unique identifiers or rules for generating unique identifiers for the Applications, Products and messages.

5.2 Basic framework of the generic IFM functional model

The links between the operational IFM-roles of the IFMS are illustrated in Figure 1 — Links between operational IFM-roles within the IFMS. These links represent information flows. Optional links and IFM-roles are drawn in dotted lines. It is assumed that the Customer already has a Medium or is provided with one by the Application Retailer; therefore, the model considers only Application and Product issues. Within an IFMS there may be several Organisations performing the functions of the IFM-roles.




Figure 1 — Links between operational IFM-roles within the IFMS

An IFM Manager establishes and manages the IFM Policies on behalf of the IFM. These policies are embedded in the Set of Rules. The IFM Manager will have relationships with media issuers. The Customer will have a relationship with the issuer of the Customer Medium they hold. Also, the Application Owner will have relationships with media issuers.

To manage the elements, the IFM functional model includes two management IFM-roles:

- the Registrar — the IFM-role for the identification of any Organisation, Component, Application Template and Application, Product Template and Product involved in the IFMS;
- the Security Manager — the supporting IFM-role responsible for the secure operation of the IFMS.

Figure 2 shows the two domains of IFM-roles of the IFM and the connection between them.

The interactions between IFM-roles are described in detail in Clause 6.




Figure 2 — The two IFM domains (operational and management IFM-roles)

6 The Use Case description for the IFM functional model

This clause describes Use Cases for the operation of an IFMS. The set of Use Cases described herein provides a toolbox for the implementation of an IFMS. Where processes described within a Use Case are implemented within an IFM the Use Case is mandatory.

However use cases may be adapted with modification depending on ways of management of Applications and Products. An/A Application/Product can be managed either in a media centric or back-office centric way. Any variation or combination between these two approaches may be possible.

Media centric management:

Main processes (e.g. fare calculation, billing) of management of Application and Product are done between a Medium and MAD.

Back-office centric management:

Main processes of management of Application and/or Product are done in the back-office.

The following Use Cases describe functional aspects of the IFM. Contractual matters are outside the scope of this part of ISO 24014 but a prerequisite to implementation.

All Actors in the Use Cases are written in UPPER CASE characters.

6.1 Certification

Each object to be brought into the IFM should meet the IFM requirements. The proof of compliance is given by checking the object against a Set of Rules. This process is called certification.

Within the IFM, the certification certifies

- Organisations,
- security-related Components,
- Application Specification and Template,
- Product Specification and Template.

The Security Manager is responsible for the certification.

6.1.1 Certification of Organisation

Use Case name	Certification of Organisation
Outline	Each Organisation which wants to participate in the IFM shall agree to abide by the Set of Rules.
Triggered by	ORGANISATION
Actor(s)	SECURITY MANAGER ORGANISATION
Use Case description	If the SECURITY MANAGER confirms that the Organisation agrees to abide by the Set of Rules, <ul style="list-style-type: none">— the ORGANISATION will be certified,— else the ORGANISATION will not be certified.

6.1.2 Certification of Components

Use Case name	Certification of Components
Outline	Each Component to be brought into the IFM shall meet the IFM requirements. Proof of this is given by checking this Component against a Set of Rules.
Triggered by	COMPONENT PROVIDER
Actor(s)	SECURITY MANAGER COMPONENT PROVIDER
Use Case description	The SECURITY MANAGER checks the Component against the Set of Rules. If the Component is compliant with the Set of Rules, <ul style="list-style-type: none">— the Component will be certified,— else the Component will not be certified.

6.1.3 Certification of Application Specification and Template

Use Case name	Certification of Application Specification and Template
Outline	Each Application Specification and Template to be brought into the IFMS shall meet the IFM requirements. Proof of this is given by checking this Application Specification and Template against a Set of Rules.
Triggered by	APPLICATION OWNER
Actor(s)	SECURITY MANAGER APPLICATION OWNER
Use Case description	The SECURITY MANAGER checks the Application Specification and Template against the Set of Rules. If the Application Specification and Template is compliant with the Set of Rules, — the Application Specification and Template will be certified, — else the Application Specification and Template will not be certified.

6.1.4 Certification of Product Specification and Template

Use Case name	Certification of Product Specification and Template
Outline	Each Product Specification and Template to be brought into the IFM shall meet the IFM requirements. Proof of this is given by checking this Product Specification and Template against a Set of Rules.
Triggered by	PRODUCT OWNER
Actor(s)	SECURITY MANAGER PRODUCT OWNER
Use Case description	The SECURITY MANAGER checks the Product Specification and Template against the Set of Rules. If the Product Specification and Template is compliant with the Set of Rules, — the Product Specification and Template will be certified, — else the Product Specification and Template will not be certified.

6.2 Registration

Registration is necessary to ensure that each instance of an object is unique within the IFM. This is guaranteed by a unique identifier. The process of managing these identifiers is called registration.

Objects and instances of objects within the IFM which have to be registered are the following:

- Organisations,
- Components,
- Application Template and Application,
- Product Template and Product.

The Registrar of the IFM is responsible for the registration process.

6.2.1 Registration of Organisation

Use Case name	Registration of Organisation
Outline	A unique identification is given to each Organisation.
Triggered by	ORGANISATION
Actor(s)	REGISTRAR ORGANISATION
Use Case description	The ORGANISATION sends the Organisation certification to the REGISTRAR. The REGISTRAR returns a unique Organisation identifier to the ORGANISATION.

6.2.2 Registration of Component

Use Case name	Registration of Component
Outline	A unique identification is given to each Component.
Triggered by	COMPONENT PROVIDER
Actor(s)	REGISTRAR COMPONENT PROVIDER
Use Case description	The Component certification is sent to the REGISTRAR. The REGISTRAR returns a unique Component identifier to the Organisation which asked for registration.

6.2.3 Registration of Application Template

Use Case name	Registration of Application Template
Outline	A unique identification is given to each Application Template.
Triggered by	APPLICATION OWNER
Actor(s)	REGISTRAR APPLICATION OWNER
Use Case description	The APPLICATION OWNER sends the Application Template certification to the REGISTRAR. The REGISTRAR returns a unique Application Template identifier to the APPLICATION OWNER.

6.2.4 Registration of Application

Use Case name	Registration of Application
Outline	A unique identification is given to each Application.
Triggered by	APPLICATION RETAILER
Actor(s)	REGISTRAR APPLICATION RETAILER
Use Case description	<p>a) The APPLICATION OWNER sends the Application Template identification to the REGISTRAR and asks for an Application identification. The REGISTRAR sends a unique Application identifier to the APPLICATION OWNER. This can be done for a single identifier as well as for a batch of identifiers.</p> <p>b) The APPLICATION RETAILER sends the Application Template identification to the APPLICATION OWNER via the COLLECTION AND FORWARDING and asks for an Application identification. The APPLICATION OWNER sends the unique Application identifier via the COLLECTION AND FORWARDING to the APPLICATION RETAILER.</p> <p>The processes described in a) and b) could happen at any time in any order.</p>

6.2.5 Registration of Product Template

Use Case name	Registration of Product Template
Outline	A unique identification is given to each Product Template.
Triggered by	PRODUCT OWNER
Actor(s)	REGISTRAR PRODUCT OWNER
Use Case description	<p>The PRODUCT OWNER sends the Product Specification certification to the REGISTRAR.</p> <p>The REGISTRAR returns a unique Product Template identifier to the PRODUCT OWNER.</p>

6.2.6 Registration of Product

Use Case name	Registration of Product
Outline	A unique identification is given to each Product.
Triggered by	PRODUCT RETAILER
Actor(s)	REGISTRAR PRODUCT RETAILER
Use Case description	<p>a) The PRODUCT OWNER sends the Product Template identification to the REGISTRAR and asks for a Product identification. The REGISTRAR sends a unique Product identifier to the PRODUCT OWNER. This can be done for a single identifier as well as for a batch of identifiers.</p> <p>b) The PRODUCT RETAILER sends the Product Template identification to the PRODUCT OWNER via the COLLECTION AND FORWARDING and asks for a Product identification. The PRODUCT OWNER sends the unique Product identifier via the COLLECTION AND FORWARDING to the PRODUCT RETAILER.</p> <p>The processes described in a) and b) could happen at any time in any order.</p>

6.3 Management of Application

The Management of Application comprises