



ANSI/EIA RS-446-4 1981  
APPROVED DECEMBER 7, 1981

**EIA RS-446-4**

# **EIA STANDARD**

DETAIL SPECIFICATION  
ILLUMINATED AND NON-ILLUMINATED  
NON-SENSITIVE PUSHBUTTON SWITCHES,  
.625 SQ. MOUNTING,  
ONE AND TWO POLE, 1.0 AMPERE

# **RS-446-4**

**Addendum No. 4**

**to RS-446**



DECEMBER 1981



***Engineering Department***

## **ELECTRONIC INDUSTRIES ASSOCIATION**

## NOTICE

EIA Engineering Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or non-member of EIA from manufacturing or selling products not conforming to such Standards and Publications, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than EIA members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by EIA without regard to whether or not their adoption may involve patents on articles, materials, or processes. By such action, EIA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Recommended Standard or Publication.

This EIA Recommended Standard is considered to have international standardization implications, but the IEC (or ISO) activity has not progressed to the point where a valid comparison between the EIA Recommended Standard and the IEC (or ISO) Recommendation can be made.

Published by

ELECTRONIC INDUSTRIES ASSOCIATION  
Engineering Department  
2001 Eye Street, N.W.  
Washington, D.C. 20006

Copyright 1981  
ELECTRONIC INDUSTRIES ASSOCIATION  
All rights reserved

PRICE: \$5.00

Printed in U.S.A.

## DETAIL SPECIFICATION

ILLUMINATED AND NON-ILLUMINATED NON-SENSITIVE  
PUSHBUTTON SWITCHES,  
.625 SQ. MOUNTING, ONE AND TWO POLE, 1.0 AMPERE

(From EIA Standards Proposal No. 1386, formulated under the cognizance of EIA P-5.9 Working Group on Non-Sensitive Pushbutton and Keyboard Switches.)

The complete requirements for procuring the switches described herein shall consist of this document and the latest revision of EIA Recommended Standard RS-446.




FIGURE 1