

**AMERICAN NATIONAL
STANDARD**

ANSI/EIA RS-448-4 - 1980
APPROVED OCTOBER 6, 1980

EIA RS-448-4

EIA STANDARD

STANDARD TEST METHODS
FOR
ELECTROMECHANICAL SWITCHES
(Test Methods for Logic (TTL) Level
Endurance and
Low Level Endurance)

RS-448-4

(Addendum No. 4 to RS-448)

NOVEMBER 1980



Engineering Department

ELECTRONIC INDUSTRIES ASSOCIATION

NOTICE

EIA Engineering standards are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such standards shall not in any respect preclude any member or non-member of EIA from manufacturing or selling products not conforming to such standards, nor shall the existence of such standards preclude their voluntary use by those other than EIA members, whether the standard is to be used either domestically or internationally.

Recommended standards are adopted by EIA without regard to whether or not their adoption may involve patents on articles, materials, or processes. By such action, EIA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the recommended standards.

This EIA Recommended Standard is considered to have international standardization implications, but the IEC (or ISO) activity has not progressed to the point where a valid comparison between the EIA Recommended Standard and the IEC (or ISO) Recommendation can be made.

Published by
ELECTRONIC INDUSTRIES ASSOCIATION
Engineering Department
2001 Eye Street, N.W., Washington, D.C. 20006

Copyright 1980
ELECTRONIC INDUSTRIES ASSOCIATION
All rights reserved

PRICE: \$4.00

Printed in U.S.A.

STANDARD TEST METHODS
FOR
LOGIC (TTL) LEVEL ENDURANCE AND LOW LEVEL ENDURANCE

(From EIA Standards Proposals No. 1424 and No. 1425 formulated under the cognizance of EIA Working Group P-5.9 on Non-Sensitive Pushbutton and Keyboard Switches.)

This Standard is Addendum No. 4 to RS-448 covering logic level and low level endurance. The following test methods are included:

- (1) Logic (TTL) Level Endurance - Method 17
- (2) Low Level Endurance - Method 18