



300 BAR HIGH STRENGTH SEAMLESS STEEL GAS CYLINDERS

Doc 124/25

Revision of Doc124/18

EUROPEAN INDUSTRIAL GASES ASSOCIATION AISBL



AVENUE DE L'ASTRONOMIE 30 • B – 1210 BRUSSELS
Tel: +32 2 217 70 98 E-mail: info@eiga.eu • Internet: www.eiga.eu



300 BAR HIGH STRENGTH SEAMLESS STEEL GAS CYLINDERS

Prepared by WG-2 Cylinders and valves
Published in July 2025

Disclaimer

All technical publications of EIGA or under EIGA's name, including Codes of practice, Safety procedures and any other technical information contained in such publications were obtained from sources believed to be reliable and are based on technical information and experience currently available from members of EIGA and others at the date of their issuance.

While EIGA recommends reference to or use of its publications by its members, such reference to or use of EIGA's publications by its members or third parties are purely voluntary and not binding.

Therefore, EIGA or its members make no guarantee of the results and assume no liability or responsibility in connection with the reference to or use of information or suggestions contained in EIGA's publications.

EIGA has no control whatsoever as regards, performance or non performance, misinterpretation, proper or improper use of any information or suggestions contained in EIGA's publications by any person or entity (including EIGA members) and EIGA expressly disclaims any liability in connection thereto.

EIGA's publications are subject to periodic review and users are cautioned to obtain the latest edition.

© EIGA grants permission to reproduce this publication provided the Association is acknowledged as the source

EUROPEAN INDUSTRIAL GASES ASSOCIATION AISBL
Avenue de l'Astronomie 30 B 1210 Brussels Tel: +32 2 217 70 98
E-mail: info@eiga.eu Internet: www.eiga.eu



Table of Contents

1	Introduction	1
2	Scope and purpose	1
3	Definitions	1
3.1	Publication terminology	1
4	Development of cylinder steels	2
5	Existing experience with 300 bar cylinders	2
5.1	Cylinders made from normal strength steels	2
5.2	Cylinders made from high strength steels	2
6	300 bar high strength cylinders	3
6.1	Critical material properties, standardisation and testing of high strength steel cylinders	3
6.2	Cylinder sizes – ergonomic/ weight aspects	4
6.3	Gases suitable for 300 bar operation	4
6.4	Corrosion	4
7	Valves for 300 bar cylinders	5
8	Safety considerations	5
8.1	Cylinder handling	5
8.2	Safety measures during filling operation	5
8.3	Recommendations for introduction period, customer information/ labelling	5
8.4	Recommendations for retesting and maintenance	6
9	References	6
	Appendix 1 - Mass of gases at various working pressures	7

Amendments from 124/18

Section	Change
	Editorial to align with EIGA Style Manual
1	Modify the weight relation from 200bar (ISO 9809-1) to 300bar (ISO 9809-2)
5.1	add the H2 compatible change by using EN ISO 11114-4
7	Valve section expanded