



M3H Ford Motor Company Approved Source List June 2018

Material Spec No	Spec Status	Log No	Supplier Code	Supplier Full Name	Trade Name	Tox No.	Tox Status Code	Review Region	Approved Source Remarks	Approval Date
WSS-M3H83-A2	N	78923	D149B	MILLIKEN & CO	90571	IRB031	B1	NA	Approved by Curt Leslie 2007	02/21/2012
WSS-M3H83-A2	N	75332	F824E	FOSS MFG CO INC	TRUNK CARPET 100% PET BACKING	IRB023	B1	NA	100% Moldable PET Backing tested to WSS-M15P32-A	11/29/2005
WSS-M3H104-A3	N	73044	C540A	COLLINS & AIKMAN CORP	SA#6741-1; PC#674111 CARPET, POLYESTER, DILOUR,	IRB023	B1	NA	6 DENIER POLYESTER FIBER, BACKCOATED WITH LATEX AND POLYETHYLENE	07/10/2000
WSS-M3H104-A3	N	76312	C540A	COLLINS & AIKMAN CORP	7 OZ FACE 26 OZ BACKING	IRB023	B1	NA	7 oz face and 26 oz backing to be used on side walls, cab backing	07/16/2007
WSS-M3H104-A3	N	77434	C540A	COLLINS & AIKMAN CORP	WSS-M3H104-A3	IRB023	B1	NA	Fiber supplier Palmetto, 7oz with 15 oz Bico, passes 1200 cycles taber	08/20/2009
WSS-M3H104-A3	N	74973	C540S	COLLINS & AIKMAN CORP	7 OZ. FACE 14 OZ. AND 20 OZ BICO BACKING	IRB023	B1	NA	EXCEPTIONS: PARAGRAPH 3.5 BACKING POLYESTER, 3.7 BICO FIBER 3.3DTEX/17 DTEX, 3.8 BACKING WEIGHT 460-752 G/M2	01/05/2005
WSS-M3H104-A7	A	80717	HHP4A	AURIA TROY LLC	ENCORE (MC3665) 510 GSM SUBSTRATE	IRB031	B1	NA		08/28/2014
WSB-M3H105-A2	N	63652	M088A	INTERNATIONAL AUTOMOTIVE COMPONENTS - IAC	POLO N 18552	IRB023	B1	NA		02/08/1995
WSB-M3H105-A3	A	81814	EQJ0A	ORSA MOTO SP. Z O. O.	NON WOVEN	IRB031	B1	NA		02/20/2016
WSB-M3H105-A3	A	82115	GXWTA	JINDING CHANGSHU NONWOVEN CO.,LTD	NON WOVEN	IRB031	B1	NA		06/16/2016
WSB-M3H105-A3	A	81586	HHP4A	AURIA TROY LLC	F2866L	IRB031	B1	NA		10/16/2015
WSB-M3H105-A3	A	66219	T785C	TROY LLC	XPL8-4049	IRB023	B1	NA		09/27/1995
WSS-M3H105-A4	A	81584	HHP4A	AURIA TROY LLC	(F2668BC) 75/25 BICO SUBSTRATE BLEND	IRB031	B1	NA		10/15/2015
WSS-M3H105-A4	A	81585	HHP4A	AURIA TROY LLC	(F2667BC) 60/40 BICO BLEND SUBSTRATE	IRB031	B1	NA		10/15/2015
WSS-M3H105-A11	N	77820	D149V	MILLIKEN & CO	FLAT FELT FUSED WITH LDPE	IRB031	B1	NA		03/16/2010
WSS-M3H105-A14	A	80007	D149W	MILLIKEN & CO	STYLE 90976	IRB031	B1	NA	For sedan 2nd row seat back use only.	06/22/2013
WSS-M3H105-A14	A	77764	F824E	FOSS MFG CO INC	A1216A	IRB031	B1	NA		02/05/2010
WRS-M3H105-A15	A	80680	HHP4A	AURIA TROY LLC	MONTGOMERY PLANT - 2200 GSM MASS BACKED, 17 G	IRB031	B1	NA		07/30/2014
WRS-M3H105-A16	A	80754	T785C	TROY LLC	XPL8-4034	IRB031	B1	NA		09/16/2014
WRS-M3H105-A17	A	80867	HHP4A	AURIA TROY LLC	(MONTGOMERY PLANT) F3005L	IRB031	B1	NA	not to be molded	11/07/2014
WRS-M3H105-B3	A	80451	D149X	MILLIKEN & CO	PC 750 183 GSM BINDER / 427 GSM MOLDABLE BACK	IRB031	B1	NA	first application is trunk sides	03/15/2014
WRS-M3H105-B3	A	80452	D149X	MILLIKEN & CO	PC 754, 457 GSM BINDER / 153 GSM MOLDABLE BAC	IRB031	B1	NA	Originally approved for decklid applications	03/15/2014
WSS-M3H105-B5	A	79905	FYCGA	HPP SYSTEMS DE MEXICO SA DE CV	MONOTEX 300 GSM	IRB031	B1	NA	Typically used for load floor applications with woodstock and shoddy applied to the underside	05/01/2013
WSS-M3H105-B6	A	79904	FYCGA	HPP SYSTEMS DE MEXICO SA DE CV	MONOTEX 850 GSM	IRB031	B1	NA	Typically used on side trim and decklids with shoddy either non compressed or resonated.	05/01/2013
WSS-M3H115-B	A	81037	CGSDB	FELTEX AUTOMOTIVE	BURNT FELT	IRB031	B1	NA	To be used only with non woven floors.	02/11/2015
WSS-M3H115-B	A	78866	D3U6A	BERCO B V	TUFT BACKED	IRB031	B1	NA	For use with tufted and non woven floor carpeting	02/17/2012
WSS-M3H115-B	A	79693	D3U6A	BERCO B V	FELT GRANULAR	IRB031	B1	NA	Can be used with non woven or tufted floor carpet	01/14/2013
WSS-M3H115-B	A	77850	DFGSB	AGM AUTOMOTIVE LLC	PARIS (LIGHT WEIGHT BACKING)	IRB031	B1	NA	light weight acoustical backing to be used only with tufted floor carpet	04/05/2010
WSS-M3H115-B	A	78118	DFGSB	AGM AUTOMOTIVE LLC	PARIS (SUPERGRIP BACKING)	IRB031	B1	NA	For use with non woven floors only (light weight backing)	11/24/2010
WSS-M3H115-B	A	78604	DFGSB	AGM AUTOMOTIVE LLC	TPR-D (1800G)	IRB031	B1	NA	For use on tufted and non woven floor carpets	09/30/2011
WSS-M3H115-B	A	83166	DFGSB	AGM AUTOMOTIVE LLC	2200 GSM TPR-D	IRB031	B1	NA	Approved for tufted and nonwoven floors	06/14/2017



M3H Ford Motor Company Approved Source List June 2018

Material Spec No	Spec Status	Log No	Supplier Code	Supplier Full Name	Trade Name	Tox No.	Tox Status Code	Review Region	Approved Source Remarks	Approval Date
WSS-M3H115-B	A	83168	DXVHA	VISSCHER-CARAVELLE NA	1800 GSM TPE-FIT	IRB031	B1	NA	Approved for use on tufted or nonwoven floors.	06/14/2017
WSS-M3H115-B	A	80608	EMLJA	CHONGQING PELZER AUTOMOTIVE INTERIOR SYSTEMS CO LTD	1800 GSM TPR	IRB031	B1	NA	To be used on tufted or non woven floors	06/30/2014
WSS-M3H115-B	A	82915	EMLJA	CHONGQING PELZER AUTOMOTIVE INTERIOR SYSTEMS CO LTD	MESH-BACKED	IRB031	B1	NA	For use on tufted or nonwoven carpets.	03/03/2017
WSS-M3H115-B	A	79396	EYRCA	VISSCHER-CARAVELLE POLAND SP.Z.O.O.	CRUMBTECH (VC29-S3/P)	IRB031	B1	NA	To be used with non woven and tufted carpet.	08/06/2012
WSS-M3H115-B	A	79398	EYRCA	VISSCHER-CARAVELLE POLAND SP.Z.O.O.	TPE FIT (VC30L1)	IRB031	B1	NA	To be used with non woven and tufted floor carpets.	08/07/2012
WSS-M3H115-B	A	83823	GZ03A	AGM DURMONT MEXICO, SA DE R.L. DE C.V.	SINGED FELT BACKING	IRB031	B1	NA	Can be used on non-woven carpets.	05/17/2018
WSS-M3H115-B	A	82267	HA3HA	VISSCHER CARAVELLE ASIA SDN BHD	CRUMBTECH	IRB031	B1	NA	can be used on non woven or tufted floors.	07/08/2016
WSS-M3H115-B	A	82914	HA3HA	VISSCHER CARAVELLE ASIA SDN BHD	TPE-FIT BACKED 1800 GSM	IRB031	B1	NA	For use on nonwoven or tufted floors.	03/03/2017
WSS-M3H115-B	A	82700	HC5FA	AGM DURMONT AUSTRIA GMBH	DOUBLE FACED	IRB031	B1	NA	Can be used on tufted or non woven floors	11/29/2016
WSS-M3H118-A	N	68060	F824E	FOSS MFG CO INC	NONWOVEN POLYPROPYLENE MAT	IRB023	B1	NA		08/20/1996
WSS-M3H120-A2	N	74527	D149X	MILLIKEN & CO	10 OZ 10 D FUSED BACK POLYPROPYLENE CARPET	IRB023	B1	NA		10/14/2003
WSS-M3H120-A2	N	81881	EQJ0A	ORSA MOTO SP. Z O. O.	NON WOVEN	IRB031	B1	NA		04/14/2016
WSS-M3H120-A2	N	80099	F824E	FOSS MFG CO INC	A1244V	IRB031	B1	NA	Acceptable for seat back applications.	07/31/2013
WSS-M3H120-A2	N	81353	GXWTA	JINDING CHANGSHU NONWOVEN CO.,LTD	NON WOVEN	IRB031	B1	NA	to be used for seat backs only	07/23/2015
WSS-M3H120-A2	N	74481	M088M	INTERNATIONAL AUTOMOTIVE COMPONENTS - IAC	DILOUR, 10 OZ/SQ YD HEAT ONLY BACKING	IRB023	B1	NA	1,200 CYCLES OF TABER ABRASION, WSS-M8P16-A, PARA. 3.13 ALSO, IMPROVED PILLING COMPARED TO WSS-M3H120-A.FIBER: DRAKE OR IDEAL	09/09/2003
WSS-M3H120-A2	N	74526	T7CDA	DELAWARE VALLEY CORP	10 OZ. 10 D POLYPROPYLENE CARPET FUSED BACK	IRB023	B1	NA	Abrasion Resistance Para. 3.13 of WSS-M8P16-A: 1200 cycles, H10 wheel, 500 g load.	10/14/2003
WSS-M3H120-A	N	72905	D149X	MILLIKEN & CO	NON-WOVEN LATEX BACKED CARPET, MILLIKEN, #316335	IRB023	B1	NA	For 3rd row load/floor seat, and door trim ONLY. Not to be used for primary of secondary seatbacks, toekicks, or sidefacings visible to customer. Additional requirements are required that this material construction does not pass.	03/27/2000
WSS-M3H120-A	N	82268	DLVBB	NINGBO TUOPU VIBRO-ACOUSTICS TECHNOLOGY CO LTD	NON WOVEN	IRB031	B1	NA		07/08/2016
WSS-M3H120-A	N	78922	F824E	FOSS MFG CO INC	A1244M	IRB031	B1	NA		02/20/2012
WSS-M3H120-A	N	69546	R7DXC	COLLINS & AIKMAN CORP	CARPET 10D PPO RANDOM VELOUR	IRB023	B1	NA	10D POLYPROPYLENE RANDOM VELOUR CARPET. FIBER: DRAKE, IDEAL, PALMETTO OR INTEX APPROVED FIBERS. NO MIXING OF FIBERS ALLOWED.	01/02/1997
WSS-M3H120-A	N	80554	R7DXC	COLLINS & AIKMAN CORP	DRAKE FIBER	IRB031	B1	NA	testing has been completed for package tray usage	05/28/2014
WSS-M3H123-B	N	78921	D3U6A	BERCO B V	TUFT BACKED	IRB031	B1	NA	To be used on tufted and non woven carpet	02/20/2012
WSS-M3H123-B	N	79951	D3U6A	BERCO B V	FELT GRANULAR	IRB031	B1	NA	To be used with non woven or tufted floor carpets	05/17/2013
WSS-M3H123-B	N	78601	D702P	INTERNATIONAL AUTOMOTIVE COMPONENTS - IAC	SA 6794-1 (STICKY BACKED V-NW)	IRB031	B1	NA	For tufted carpet only	09/27/2011
WSS-M3H123-B	N	80085	D702P	INTERNATIONAL AUTOMOTIVE COMPONENTS - IAC	SA 6794-3 (CF-35 RUBBER)	IRB031	B1	NA	to be used on tufted or non woven floor carpets.	07/18/2013
WSS-M3H123-B	N	80363	D702P	INTERNATIONAL AUTOMOTIVE COMPONENTS - IAC	SOLUTION DYED FIBER, RUBBER CF-35 (1600GSM)	IRB031	B1	NA	To be used with tufted and non woven floor carpet.	01/21/2014



M3H Ford Motor Company Approved Source List June 2018

Material Spec No	Spec Status	Log No	Supplier Code	Supplier Full Name	Trade Name	Tox No.	Tox Status Code	Review Region	Approved Source Remarks	Approval Date
WSS-M3H123-B	N	77851	DFGSB	AGM AUTOMOTIVE LLC	DUBIA (LIGHT WEIGHT ACOUSTICAL)	IRB031	B1	NA	Light weight acoustical backing to be used with tufted floor carpet	04/05/2010
WSS-M3H123-B	N	78397	DFGSB	AGM AUTOMOTIVE LLC	SHIVA 1800D (TPR-D BACKED)	IRB031	B1	NA	For use with tufted or non woven floors.	06/17/2011
WSS-M3H123-B	N	78804	DFGSB	AGM AUTOMOTIVE LLC	SHIVA (SUPERGRIP)	IRB031	B1	NA	To be used with non woven floor carpet only	02/01/2012
WSS-M3H123-B	N	79098	EYRCA	VISSCHER-CARAVELLE POLAND SP.Z.O.O.	CRUMBTECH (VC 109-S4/P)	IRB031	B1	NA	Can be used with non woven and tufted floors	04/13/2012
WSS-M3H123-B	N	79172	EYRCA	VISSCHER-CARAVELLE POLAND SP.Z.O.O.	TPE FIT (VC31L1)	IRB031	B1	NA	To be used with non woven or tufted floor carpet	05/22/2012
WSS-M3H123-B	N	77897	FKG0B	IACNA MEXICO II S DE RL DE CV	SA6794-3 (CF40 RUBBER BACKED)	IRB031	B1	NA		05/13/2010
WSS-M3H123-B	N	78600	FKG0B	IACNA MEXICO II S DE RL DE CV	SA 6794-1 (STICKY BACKED V-NW)	IRB031	B1	NA	For tufted carpet only	09/27/2011
WSS-M3H123-C2	A	83826	DFGSB	AGM AUTOMOTIVE LLC	1800 GSM TRP-D	IRB031	B1	NA		05/17/2018
WSS-M3H123-C2	A	83824	GZ03A	AGM DURMONT MEXICO, SA DE R.L. DE C.V.	SINGED BACK	IRB031	B1	NA		05/17/2018
WSS-M3H123-C2	A	83804	HBAXB	VISSCHER CARAVELLE MEXICO S.A. DE C.V.	1800 GSM TPE-FIT	IRB031	B1	NA		05/02/2018
WSS-M3H123-C	A	83055	D3U6A	BERCO B V	FELT GRANULAR BACKED	IRB031	B1	NA	To be used on tufted or non woven floors.	05/11/2017
WSS-M3H123-C	A	83057	D3U6A	BERCO B V	TUFT BACKED	IRB031	B1	NA	To be used on tufted or non woven floors.	05/11/2017
WSS-M3H123-C	A	82536	DFGSB	AGM AUTOMOTIVE LLC	ACOUSTIC BACKED	IRB031	B1	NA	Only to be used with tufted floor carpet	09/16/2016
WSS-M3H123-C	A	83051	DFGSB	AGM AUTOMOTIVE LLC	SUPERGRIP	IRB031	B1	NA	To be used on non woven floors only.	05/11/2017
WSS-M3H123-C	A	83825	DFGSB	AGM AUTOMOTIVE LLC	1800 GSMTPR-D	IRB031	B1	NA		05/17/2018
WSS-M3H123-C	A	81313	EMLJA	CHONGQING PELZER AUTOMOTIVE INTERIOR SYSTEMS CO LTD	1800 GSM TPR	IRB031	B1	NA	Can be used with tufted or non woven floors	06/29/2015
WSS-M3H123-C	A	83642	EYRCA	VISSCHER-CARAVELLE POLAND SP.Z.O.O.	CRUMBTECH	IRB031	B1	NA	For use with tufted or nonwoven floors.	02/08/2018
WSS-M3H123-C	A	81816	GMWKA	CHONGQING AIGS AUTO ACCESSORIES CO., LTD.	1800 GSM TPR	IRB031	B1	NA	to be used with tufted or non woven floors	02/20/2016
WSS-M3H123-C	A	82538	GZ03A	AGM DURMONT MEXICO, SA DE R.L. DE C.V.	DOUBLE FACED	IRB031	B1	NA	to be used on a tufted or non woven floor	09/19/2016
WSS-M3H123-C	A	82920	GZ03A	AGM DURMONT MEXICO, SA DE R.L. DE C.V.	TPR-E BACKED 2200 GSM	IRB031	B1	NA	For use on tufted or nonwoven floors.	03/06/2017
WSS-M3H123-C	A	82913	HA3HA	VISSCHER CARAVELLE ASIA SDN BHD	CRUMBTECH	IRB031	B1	NA	For use with tufted or nonwoven floors.	03/03/2017
WSS-M3H123-C	A	82804	HBAXB	VISSCHER CARAVELLE MEXICO S.A. DE C.V.	2200TPE FIT	IRB031	B1	NA	can be used on tufted or non woven floors	01/23/2017
WSS-M3H123-C	A	82805	HBAXB	VISSCHER CARAVELLE MEXICO S.A. DE C.V.	1800 GSM TPE FIT	IRB031	B1	NA	can be used on non woven or tufted floors.	01/23/2017
WSS-M3H123-C	A	83639	HBAXB	VISSCHER CARAVELLE MEXICO S.A. DE C.V.	CRUMBTECH	IRB031	B1	NA	For use with tufted or nonwoven floors.	02/08/2018
WSS-M3H123-C	A	82819	HC5FA	AGM DURMONT AUSTRIA GMBH	DOUBLEFACED BACKING	IRB031	B1	NA	can be used with non woven and tufted floors	01/30/2017
WSS-M3H130-A2	N	74498	M088M	INTERNATIONAL AUTOMOTIVE COMPONENTS - IAC	CASINO, 10.8 OZ 1400D/80 T6 BCF SDN	IRB023	B1	NA	Abrasion testing per paragraph 3.13 of WSS-M8P16-A, 2,000 cycles, H18 wheel, 1,000 g load	09/30/2003
WSS-M3H130-A5	N	75720	B40QF	LEAR CORPORATION (SSD) LTD	CASINO PE BACKED FLOOR CARPET	IRB023	B1	NA		08/28/2006
WSS-M3H130-A	N	76012	B40QF	LEAR CORPORATION (SSD) LTD	CASINO 140G/M2 SCRIM	IRB023	B1	NA	140 g/m2 primary backing.	02/02/2007
WSS-M3H130-A	N	83253	HDR7A	NYLEX AUTOMOTIVE COMPONENTS (ZHANGJIAGANG FREE TRADE ZONE)	90 GSM LATEX BACKED	IRB031	B1	NA	Approved for floor & trim applications.	07/26/2017
WSS-M3H130-A	N	74397	M088M	INTERNATIONAL AUTOMOTIVE COMPONENTS - IAC	CASINO, 1400D/80 T6 BCF SDN	IRB023	B1	NA	2000 CYCLES OF ABRASION PER PARA 3.13 OF WSS-M8P16-A, PARA 3.4 PRECOAT: POLYETHYLENE, BACKCOAT: EV A, PARA 3.5 PRIMARY FND. MAT'L: 100G/SQ.M. PRECOAT: 330G/SQ.M, BACKCOAT 1960 G/SQ.M	05/12/2003



Documents

Document Sharing Hub