

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM F 104 F336166E65M4	GASKET, CELLULOSE FIBER - NITRILE BUTADIENE RUBBER,						
W870A	WOLVERINE GASKET & MFG CO	30909	CN-18229	ENG. ENGRG. 300584	83-05-06	C	IRB025
A ASTM F 104 F712200B4E34M9	GASKET, OIL FILTER ADAPTOR, DATED: 88-05-06						
D031G	DANA CORP	35362	VICTOPAC 69 M9=13.1 MPA	ENGINE ENG.	88-04-25	C	IRB025
A ESB-M4G300-A	SEALER, INJECTION MOLDED POLYOLEFIN - HEAT EXPANDING -, HIGH TEMPERATURE CURE, DATED: 00-09-20						
L002A	L & L PRODUCTS INC	35252	L 4000	B&CE DR8-4	88-03-16	C2	020603
A ESB-M4G300-B	SEALER, INJECTION MOLDED, EXTRUDED POLYOLEFIN - HEAT EXPANDING - HIGH TEMPERATURE, CURE - LOW EXPANSION, DATED: 01-07-02						
L002A	L & L PRODUCTS INC	55329	L-4100	DR 9-1	89-05-15	C2	026931
A ESB-M4G300-C	SEALER, INJECTION MOLDED OR EXTRUDED POLYOLEFIN, HEAT EXPANDING, FAST CURE, DATED: 93-07-01						
L002A	L & L PRODUCTS INC	38564	L-4200	BEO G-2408	93-01-25	C2	042856
A ESB-M4G301-A	SEALER, ELASTOMER BASED - HOT MELT EXTRUDED - HEAT CURING - HIGH FLOW - HIGH TENSILE, DATED: 88-08-25						
E947A	ORBSEAL LLC	35348	ORBSEAL 126	B&CE DR8-1	87-08-12	C2	038439
A WSK-M4G303-B1	SEALER, METHACRYLATE, ONE PACK - THERMOSET VACUUM IMPREGNATION, DATED: 99-08-10						
Q7UQA I232A	CHEMENCE INC IMPREX INC	72387	ANASEAL HC-90	POEE/PLEE1	99-06-30	C2	131027
		72385 72390	95-1000A IMPREX 95-1000A	VO/TWEINGAR POEE/PLEE1	99-06-30	C2 C2	043145 043145
I755A L777A	LOCTITE CANADA INC ULTRASEAL AMERICA INC This material is already approved to the NAAO equivalent spec ESE-M4G17-B. Request is to move material to WW spec, and then cancel out the NAAO spec. Tox number is 045949. #402419.	72389	90C RESINOI.	POEE/PLEE1	99-06-30	C2	025434
		72384	PC504/66	PTO/PLEE1		C2	045949
		72388	PC 504/66 ULTRASEAL	POEE/PLEE1	99-06-30	C2	045949
X371A	ULTRASEAL INTERNATIONAL LTD	55138	PC 504/M/42	FOG	89-03-20	C2	112294
A ESB-M4G304-A	SEALER, RUBBER BASED, HOT MELT EXTRUDED, HEAT CURING, MEDIUM FLOW, NON TACK, DATED: 88-10-12						
D5MZD	UNISEAL INC	35507	UNISEAL AE-618	B&CE/BEPE DR 8-10	88-06-08	C2	040874
A ESB-M4G305-A	SEALER, ELASTOMER - WELDABLE - HOT APPLIED - NONEXPANDABLE, DATED: 88-08-25						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4G305-A	SEALER, ELASTOMER - WELDABLE - HOT APPLIED - NONEXPANDABLE, DATED: 88-08-25						
A405C E947A	ADCO PRODUCTS INC ORBSEAL LLC	35542 36623	HM-0109 ORBSEAL 145.1	B&CE B&CE-B/G- 1450	88-08-15 90-04-25	C2 C2	038931 044440
N ESB-M4G308-A	SEALER, PUMPABLE, WARM APPLIED, HEAT EXPANDABLE - WELDABLE - ELASTOMERIC, COWL AREA SEALER, (NOT TO BE USED FOR NEW DESIGN, USE WSB-M4G60-B4) DATED: 89-02-20						
T815A E947A	EFTEC NORTH AMERICA LLC ORBSEAL LLC	35793 36624	WC-2333 ORBSEAL 145.2	BEO G-1260 B&CE-B/G- 1451	88-09-12 90-04-25	C2 C2	041406 044441
A ESB-M4G310-A	SEALER, TAPE - BUTYL COVERED - CLOSED CELL, DATED: 89-09-11						
D5MZD	UNISEAL INC	36048	AE-5000.2	B&CE	89-07-24	C2	043768
A ESB-M4G311-A	SEALER-ELASTOMERIC TAPE FORM, HEAT EXPANDING, MAGNETIC, DATED: 90-02-14						
E947A	ORBSEAL LLC	36084	ORBSEAL #138	DR 9-4	89-08-07	C2	042441
A ESB-M4G312-A	SEALANT PAD, PRESSURE SENSITIVE - PVC EXTERIOR DATED: 90-06-28						
M547C	3M CO	36085	3M #09091	LD-55	89-08-10	N	IRB029
A ESF-M4G313-A	SEALER, SILICONE RUBBER, TWO COMPONENT - FORM IN PLACE, DATED: 90-07-11						
D755A	DOW CHEMICAL CO	36094	X3-6859	DPTC-JBH	89-08-16	C2	043602
A ESB-M4G314-A	SEALER, RUBBER BASED - EXPANDING - HEAT CURING - WELDABLE - FLOW WASH RESISTANT, DATED: 89-10-20						
M771A	ESSEX SPECIALTY PRODUCTS INC	36179	EM3-1129	B&CE-KRK	89-02-10	C2	042563
A ESB-M4G316-A1	SEALER, REPAIR, TWO COMPONENT - EPOXY BASE - HIGH FLOW, DATED: 89-10-31						
K372J	KENT INDUSTRIES INC	36244	FLEX-E-6001	B&CE- BODY/G-1385	89-09-28	C2	043546
A ESB-M4G316-A2	SEALER, REPAIR, TWO COMPONENT - EPOXY BASE - 89-10-31						
K372J	KENT INDUSTRIES INC	36243	FLEX-E-6000	B&CE- BODY/G-1315	89-09-28	C2	042633
A ESB-M4G317-A	SEALER, REPAIR, CHIP RESISTANT - SPRAYABLE, TOPCOAT OVEN BAKE CYCLE, DATED: 90-03-12						
T391A	EFTEC NORTH AMERICA LLC	38132	TOGOPLAST J103/3458	BEO EMS- 4G317A G- 2164	92-04-28	C2	125811
A193A	KOCH AUTOMOTIVE PRODUCTS CO	36444	#8054	B&CE/G-1478	90-02-26	C2	044979

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4G319-A	SEALER, RUBBER BASED - NON-EXPANDING - HEAT CURING - WELDABLE - FLOW WASH RESISTANT, DATED: 89-10-20						
M771A	ESSEX SPECIALTY PRODUCTS INC	39943	BETAGUARD 62809	BEO G-2368	94-03-04	C2	129415
A WSK-M4G320-A	SEALER, RTV SILICONE RUBBER, DATED: 89-11-07						
G022F	GENERAL ELECTRIC CO THIS MATERIAL IS APPROVED FOR SEALING EXTERIOR LAMP HOUSINGS AND EXCLUDES SECTIONS 3.6.2, 3.8, AND 3.10.3	72194	RTV5813 ADHESIVE SEALANT	ACD/JSKELLY /SUPPLIER CERT.	99-03-31	C2	141887
M334A	MACDERMID PLC	55728	HYLOSEAL 101/102 RTV	TO- K/BL121/G- 1461	89-11-03	C2	102295
		58732	HYLOSEAL 502	TO-K/G-2038	91-09-27	C2	116746
A WSS-M4G320-A4	SEALER, SILICONE RUBBER, OXIME CURED, LOW VISCOSITY, DATED: 97-10-13						
NONE	SOURCE APPROVAL PENDING						
A ESF-M4G321-A	SEALANT, URETHANE, TWO COMPONENT, ROOM TEMPERATURE CURING, DATED: 90-07-11						
M547A	3M CO	36309	SCOTCHWELD 3532 A/B	EED/G-1475	89-12-06	C2	044548
A ESB-M4G322-A	SEALER, HOT MELT, PREFORMED, MAGNETIC, PAINTABLE, DATED: 90-09-17						
E947A	ORBSEAL LLC	64804	ORBSEAL 225.0	BEO/G-2805	96-02-07	C2	138709
A WSE-M4G323-A1	SEALANT, SILICONE RUBBER, ACETOXY CURED, LOW VISCOSITY, DATED: 98-05-12						
G2220 R424B	GENERAL ELECTRIC CO RHONE POULENC INC	59256 61114	RTV 1433 LV RTV 564 LV	ED G-2126 ED G-2127	92-10-28 91-10-28	C2 C2	125389 132205
A WSE-M4G323-A2	SEALANT, SILICONE RUBBER, ACETOXY CURED, MEDIUM VISCOSITY, (SHOWN ON WSE-M4G323-A1) DATED: 98-05-12						
D760Q	DOW CORNING CORPORATION	61115	Q3-7057LV	ED G-2128	91-10-28	C2	125401
A WSE-M4G323-A3	SEALANT, SILICONE RUBBER, ACETOXY CURED, HIGH VISCOSITY, (SHOWN ON WSE-M4G323-A1) DATED: 98-05-12						
G2220 A WSE-M4G323-A4	GENERAL ELECTRIC CO SEALANT, SILICONE RUBBER, OXIME CURED, MEDIUM VISCOSITY, (SHOWN ON WSE-M4G323-A1) DATED: 98-05-12	59778	RTV 1458 LV	ED G-2129	91-10-28	C2	125390
L752S	LOCTITE CORP	68199	5910	AVT/EDUDA1/ WSCHOLZ	96-05-07	C2	139258
A WSE-M4G323-A5	SEALANT, SILICONE RUBBER, OXIME CURED, HIGH VISCOSITY, (SHOWN ON WSE-M4G323-A1) DATED: 98-05-12						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSE-M4G323-A5	SEALANT, SILICONE RUBBER, OXIME CURED, HIGH VISCOSITY, (SHOWN ON WSE-M4G323-A1) DATED: 98-05-12						
L752A	LOCTITE CORP	60098	ULTRA BLACK 598 HB	ED 103502 G-2131	91-10-28	C2	044157
A WSE-M4G323-A6	SEALANT, SILICONE RUBBER, OXIME CURED, VERY HIGH VISCOSITY, (SHOWN ON WSE-M4G323-A1) DATED: 98-05-12						
L752A	LOCTITE CORP	61838	5900 RTV SILICONE	ED 305105 G-2608	04-01-04	C2	135127
A WSS-M4G323-A7	SEALANT, SILICONE RUBBER, OXIME CURED, LOW VISCOSITY, (SHOWN ON WSE-M4G323-A1) DATED: 98-05-12						
L752S	LOCTITE CORP	69305	LOCTITE SLOW-CURE 5900 (5902)	AVT/JSPENCE 5/9602017	97-02-08	C2	141645
A WSS-M4G323-A8	SEALANT, SILICONE RUBBER, OXIME CURED, HIGH VISCOSITY, DATED: 98-05-12						
L752S	LOCTITE CORP	72806	LOCTITE 5999	AREAUME/RVT /G20505	00-02-10	C2	147596
A WSS-M4G323-A9	SEALANT, SILICONE RUBBER, OXIME CURED, HIGH VISCOSITY, DATED: 00-07-24						
M89ZB	THREE BOND USA INC	73108	THREE BOND LIQUID GASKET 1217D	AVT/AREAUME	00-08-22	C2	154776
A WSK-M4G324-A1	SEALER, VINYL, HEAT CURING, SOLVENT RELEASE, ENGINE HOOD, DATED: 92-05-01						
C8W2A	EFTEC AG SWITZERLAND	63790	TOGOSEAL PS 207 F2	AVT/G-2839	95-03-09	C2	136314
		68948	TOGOSEAL PS 462 F2		96-12-10	C2	142552
		70298	TOGOSEAL PS 206 FI	FOE/WSCHOLZ /11106	97-08-05	C2	136307
		70444	TOGOSEAL PS 206 FI	FOE/WSCHOLZ	97-09-19	C2	136307
T391D	EFTEC NORTH AMERICA LLC	59514	TOGOPLAST QR193	TO-K G-2292	92-07-08	H8	113000
X228A	PLATE BONN GMBH	59515	88507159	TO-KL6108 G-2293	92-07-08	H8	109718
Q715A	HENKEL TEROSON GMBH	59820	TEROLAN 8603	TO-KL6108	92-07-08	C2	109636
T395A	TOGO AG CHEMICAL FABRIK	59516	TOGOPLAST B103/22140	TO-KL6108 G-2295	92-07-08	H8	109372
A WSK-M4G324-A2	SEALER, VINYL, HEAT CURING, SOLVENT RELEASE, CLINCH FLANGE, (SHOWN ON WSK-M4G324-A1) DATED: 92-05-01						
C8W2A	EFTEC AG SWITZERLAND	63791	TOGOSEAL PS 213 F2	AVT/G-2840	95-03-09	C2	137094
T391D	EFTEC NORTH AMERICA LLC	59520	TOGOPLAST QR 193	TO-K G-2299	92-07-08	H8	113000
X228A	PLATE BONN GMBH	59521	88507159	TO-KL6108 G-2300	92-07-08	H8	109718
Q715A	HENKEL TEROSON GMBH						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4G324-A2	SEALER, VINYL, HEAT CURING, SOLVENT RELEASE, CLINCH FLANGE, (SHOWN ON WSK-M4G324-A1) DATED: 92-05-01						
Q715A	HENKEL TEROSON GMBH	59522	TEROLAN 8603-144	TO-KL6108 G-2301	92-07-08	C2	109637
T395A	TOGO AG CHEMICAL FABRIK	59523	TOGOPLAST B103/21114	TO-KL6108 G-2302	92-07-08	H8	108870
A WSK-M4G324-A3	SEALER, VINYL, HEAT CURING, SOLVENT RELEASE, AIRLESS SPRAY, INTERIOR JOINTS, (SHOWN ON WSK-M4G324-A1) DATED: 92-05-01						
C8W2A	EFTEC AG SWITZERLAND	63787	TOGOSEAL PS 204 F1	AVT/G-2835	95-03-09	C2	136310
		63788	TOGOSEAL PS 204 F2	AVT/G-2836	95-03-09	C2	136315
T391D	EFTEC NORTH AMERICA LLC	59525	TOGOPLAST QR193	TO-K G-2306	92-07-08	H8	113000
X228A	PLATE BONN GMBH	59526	88507151	TO-KL6108 G-2307	92-07-08	C2	108938
		59526	88507151	TO-KL6108 G-2307	92-07-08	H8	108938
Q715A	HENKEL TEROSON GMBH	59527	TEROLAN 8603-143	TO-KL6108 G-2308	92-07-08	C2	104818
T395A	TOGO AG CHEMICAL FABRIK	59528	TOGOPLAST B103/22134	TO-KL6108 G-2309	92-07-08	H8	109373
A WSK-M4G324-A4	SEALER, VINYL, HEAT CURING, SOLVENT RELEASE, EXTERIOR JOINTS, (SHOWN ON WSK-M4G324-A1) DATED: 92-05-01						
D1W7A	PPG INDUSTRIES DEUTSCHLAND GMBH	59529	PL 530	TO-K L9107 G-2310	92-07-08	C2	112095
T395A	TOGO AG CHEMICAL FABRIK	59530	TOGOPLAST B103/21197	TO-KL6108 G-2311	92-07-08	H8	109375
A WSK-M4G324-A5	SEALER, VINYL, HEAT CURING, SOLVENT RELEASE, AIRLESS SPRAY, INTERIOR JOINTS, (SHOWN ON WSK-M4G324-A1) DATED: 92-05-01						
T395A	TOGO AG CHEMICAL FABRIK	58966	TOGOPLAST B103/70222	TO-K G2153	91-01-08	C2	117181
A WSK-M4G325-A1	SEALER, HEAT CURING, TAPE, SPOT WELDABLE, EXPANDING, DATED: 93-08-02						
Q673A Q725B	BOSTIK FINDLEY LTD DOW AUTOMOTIVE	65793	GLASTICORD P50	AVT/G2920	95-07-10	C2	107984
		71703	BETAFORM ST 52	FOE/WSCHOLZ /TBD	98-11-10	C2	149413
T3WQA	DOW AUTOMOTIVE (FRANCE) S.A.	73413	BETAFORM PFG 15	/GAPPLETO	01-06-27	C2	155898
D33QA	CWW-GERKO AKUSTIK GMBH&CO KG	63784 72759	TEROSTAT 2710 BUT 25	AVT/G-2832 FOE/WSCHOLZ /G20196	95-02-09 00-01-20	C2 C2	105097 157191
A WSK-M4G325-A2	SEALER, HEAT CURING, PUMPABLE, SPOT WELDABLE, EXPANDING, (SHOWN ON WSK-M4G325-A1) DATED: 93-08-02						
C8W2A	EFTEC AG SWITZERLAND	62522	TOGOCOLL FR 403/91520	TOK/G2738	94-09-01	C2	131919
Q673A Q725B	BOSTIK FINDLEY LTD DOW AUTOMOTIVE	65782 71702	ELASTOSOL M40 BETAGUARD KP 12	AVT/G2915 FOE/WSCHOLZ /TBD	95-07-10 98-11-10	C2 C2	108589 149414
T3WQA Q715A	DOW AUTOMOTIVE (FRANCE) S.A. HENKEL TEROSON GMBH	73517	BETAGUARD HM10	/WSCHOLZ	01-09-26	C2	157186

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4G325-A2	SEALER, HEAT CURING, PUMPABLE, SPOT WELDABLE, EXPANDING, (SHOWN ON WSK-M4G325-A1) DATED: 93-08-02						
Q715A	HENKEL TEROSON GMBH	61353 73136	TEROSOL 6310 TEROSTAT 1244 NV	TO-K G-2556 FOE/WSCHOLZ	93-09-24 00-10-09	C2 C2	109194 159491
A WSK-M4G325-A3	SEALER, HEAT CURING, PUMPABLE, SPOT WELDABLE, EXPANDING, (SHOWN ON WSK-M4G325-A1) DATED: 93-08-02						
Q715A	HENKEL TEROSON GMBH	59436	TEROSOL 6310- 15	TO-K/G2262	92-06-30	C2	124221
A WSK-M4G326-A1	SEALANT, FLANGE, ANAEROBIC, FOR SCREEN PRINTING, DATED: 90-02-01						
A5D2A	OMNITECHNIK MIKROVERKAPSELUNGSGES.MBH	55832	FD30	TO-K/G-1493	90-01-18	C2	112270
A WSK-M4G328-A1	SEALANT, PREAPPLIED, THREAD NON-CURING, DATED: 90-08-01						
N951A	ND INDUSTRIES	57783	ST-3-W-A	ED/G-1766	90-11-08	N	IRB029
A WSK-M4G328-A2	SEALANT, PREAPPLIED, THREAD NON-CURING, (SHOWN ON WSK-M4G328-A1) DATED: 90-08-01						
E1D1B	HERNON MANUFACTURING INC	59714	SELF SEELER 604	ED G-2339	92-09-14	N	IRB029
L752A N951A	LOCTITE CORP ND INDUSTRIES	56088 57782	VIBRASEAL 503 ST-3-W-B	TO-K/G-1627 ED/G-1765	90-05-23 90-11-08	C2 N	023684 IRB029
A WSK-M4G328-A3	SEALANT, PREAPPLIED, THREAD NON-CURING, (SHOWN ON WSK-M4G328-A1) DATED: 90-08-01						
E1D1B	HERNON MANUFACTURING INC	59715	SELF SEELER 618	ED G-2340	92-09-14	N	IRB029
L752A N951A	LOCTITE CORP ND INDUSTRIES	56089 57781	VIBRASEAL 517 ST-3-L-A	TO-K/G-1628 ED/G-1764	90-05-23 90-11-08	C2 N	009639 IRB029
A WSK-M4G328-A4	SEALANT, PREAPPLIED, THREAD NON-CURING, (SHOWN ON WSK-M4G328-A1) DATED: 90-08-01						
L770A	LOCTITE DEUTSCHLAND GMBH	56090	VIBRASEAL 506	TO-K/G-1629	90-05-23	C2	102101
A WSK-M4G328-A5	SEALANT, PREAPPLIED, THREAD NON-CURING, (SHOWN ON WSK-M4G328-A1) DATED: 90-08-01						
E1D1B L752A N951A	HERNON MANUFACTURING INC LOCTITE CORP ND INDUSTRIES	59716 56091 57780	SELF SEELER VIBRASEAL 516 ST-3-L-B	ED G-2341 TO-K/G-1630 ED/G-1762	92-09-15 90-05-23 90-11-08	N C2 N	IRB029 009638 IRB029
A WSK-M4G328-A6	SEALANT, PRE-APPLIED, THREAD NON-CURING, (SHOWN ON WSK-M4G328-A1) DATED: 90-08-01						
E1D1B N951A	HERNON MANUFACTURING INC ND INDUSTRIES	59717 57779	SELF SEELER 616 ST-3-W-C	ED G-2342 ED/G-1761	92-09-15 90-11-08	N N	IRB029 IRB029
A WSK-M4G329-A	SEALER, CAULKING COMPOUND, SOLVENT FREE, DATED: 98-11-05						
Q715A	HENKEL TEROSON GMBH						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4G329-A	SEALER, CAULKING COMPOUND, SOLVENT FREE, DATED: 98-11-05						
Q715A	HENKEL TEROSON GMBH	61444	TEROSTAT VII	TO-K L6009 TO L6012 G- 2568	93-10-08	C2	105602
A WSK-M4G329-B3	SEALER CAULKING COMPOUND, SOLVENT FREE, (SHOWN ON WSK-M4G329-A) DATED: 98-11-05						
D2D0A	DOW AUTOMOTIVE (DEUTSCHLAND) GMBH	71695	BETAGUARD LP 3022 I	FOE/WSCHOLZ	98-10-21	C2	152501
A ESF-M4G330-A	SEALER, SILICONE RUBBER, TWO COMPONENT, DATED: 90-07-11						
D760D	DOW CORNING CORPORATION	36874	SILASTIC 595 HC-A	EED/G-1636	90-03-19	C2	045465
		36875	SILASTIC 595 HC-B	EED/G-1636	90-03-19	C2	045466
A ESB-M4G331-A	SEALER, POLYOLEFIN, HOT MELT, EXTRUDED, NON-FLOW, DATED: 90-10-19						
L002A	L & L PRODUCTS INC	37051	L-3032	BEO/G-1445	90-10-19	C2	044354
E947A	ORBSEAL LLC	37052	#140	BEO/G-1316	90-10-19	C2	042638
A WSK-M4G332-A	SEALER, VINYL, BODY FILLER, GRINDABLE, HEAT CURING, DATED: 91-10-01						
NONE	SOURCE APPROVAL PENDING						
A WSK-M4G333-A	SEALER, WELDABLE, SOLVENT FREE, NON-FLAMMABLE, DATED: 91-07-01						
B656X	LJF (UK) LTD	62518	P34.44S	TO-KL8157	94-08-31	C2	105825
A WSK-M4G334-A	SEALER, UNDERBODY COATING, PRIMER - OVEN CURING, DATED: 91-04-02						
C8W2A	EFTEC AG SWITZERLAND	63785	TOGOTEC PB 203 F1	AVT/G-2833	95-03-09	C2	136311
		63786	TOGOTEC PB 203 F2	AVT/G-2834	95-03-09	C2	136316
X349A	EFTEC LTD GREAT BRITAIN	72000	EFCOAT PB 484 F1	FOE/WSCHOLZ /A013079	99-01-26	C2	153330
C7U7A	EFTEC NV BELGIUM	61595	TOGOPLAST A	TO-K G-2598	93-12-01	C2	123964
		61596	TOGOPLAST A 103/70221	TO-K G-2599	93-12-01	C2	123963
M4H4A	EFTEC SA SPAIN	70297	TOGOTEC PB 640 F1	FOE/WSCHOLZ /11106	97-08-05	C2	143421
!336A	PPG IBERICA	61598	FBP-107	TO-K G-2601	93-12-01	C2	111518
Q715A	HENKEL TEROSON GMBH	61599	TEROTEX 4209	TO-K G-2602	93-12-01	C2	115740
A WSK-M4G334-A2	SEALER, VINYL, HEAT CURING, AIRLESS SPRAYABLE SOLVENT RELEASE, PRIMER OVEN CURING, DATED: 98-03-24						
C7U7A	EFTEC NV BELGIUM	67312	TOGOSEAL PS 320 F2	AVT/G3080	96-02-02	C2	142259
MKN7A	DOW AUTOMOTIVE (ESPANA) S.A.						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4G334-A2	SEALER, VINYL, HEAT CURING, AIRLESS SPRAYABLE SOLVENT RELEASE, PRIMER OVEN CURING, DATED: 98-03-24									
MKN7A	DOW AUTOMOTIVE (ESPANA) S.A.			Grey	72684	BETAGUARD LDF2000 EXP.	FOE/LRODIGA S/SHUXTABL	99-11-05	C2	156255
D1W7A	PPG INDUSTRIES DEUTSCHLAND GMBH				70443	FBP-109	FOE/WSCHOLZ	97-09-19	C2	137618
D2D0A	DOW AUTOMOTIVE (DEUTSCHLAND) GMBH				71704	LP 1927 EU1	FOE/WSCHOLZ /TBD	98-11-10	C2	144725
Q715A	HENKEL TEROSON GMBH				69035	TEROTEX 4220	FOE/SMAYOH	96-12-02	C2	146110
					69035	TEROTEX 4220	FOE/SMAYOH	96-12-02	R0	146110
A WSK-M4G334-A3	SEALER, VINYL, HEAT CURING, AIRLESS SPRAYABLE, SOLVENT RELEASE, PRIMER OVEN CURING, (SHOWN ON WSK-M4G334-A2) DATED: 98-03-24									
ACCLA	ANABOND ESSEX INDIA PRIVATE LTD				73495	DUPLEX SEALER - BETAGUARD LP1927A	/SVASANTH	01-08-28	C2	162854
Q715A	HENKEL TEROSON GMBH				72117	TEROTEX 4209/50	FOE/WSCHOLZ /B B022267	99-03-11	C2	143947
A WSK-M4G335-A	SEALER, FOR WINDSHIELD AND BACKLITES, SOLVENT RELEASE, DATED: 90-08-01									
Q736A	DEUTSCHE HUTCHINSON GMBH				56274	3093	TO-K/G-1704	90-07-19	T1	108299
Q715A	HENKEL TEROSON GMBH				60212	TEROLAN 372 FE	TO-K G-2448	93-03-22	C2	114540
A WSK-M4G336-A	SEALER, SOLVENT RELEASE, SYNTHETIC RUBBER BASE DATED: 00-07-31									
Q715A	HENKEL TEROSON GMBH				62519	TEROTEX 3133H	TO-K L8069	94-08-31	C2	110917
A WSB-M4G337-A	SEALER, POLYURETHANE FOAM, NON-RESIN SATURATED EXTERIOR, DATED: 90-12-19									
F7NEA	PAR FOAM PRODUCTS INC				57816	PF 1127	BEO/G-1757	90-11-02	N	IRB029
A WSK-M4G338-A	SEALER, POLYURETHANE, ONE COMPONENT, HEAT CURING, DATED: 92-02-03									
T395A	TOGO AG CHEMICAL FABRIK				57799	TOGOCOLL FM 503/28130-2	TO-K/G-1769	90-11-26	C2	114456
A WSK-M4G339-A	SEALING STRIP, SELF ADHESIVE, INTERIOR, DATED: 91-10-01									
Q736A	DEUTSCHE HUTCHINSON GMBH				57833	6055/3	TO-K/G-1786	90-12-03	C2	102760
A WSB-M4G340-A	SEALER, URETHANE BASED, HEAT CURING, PAINTABLE ANTI-CRACKING, DATED: 91-07-30									
T391A	EFTEC NORTH AMERICA LLC				58375	FM500/1480	B&CE-B/G- 1728	91-05-30	C2	046759
A WSB-M4G341-A	SEALER, TAPE, BUTYL, DATED: 91-06-28									
D5MZD	UNISEAL INC				58374	AE 500.3	B&CE-B/G- 1714	91-05-30	C2	046539

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4G342-A1	SEALER, SOLVENT RELEASE, NON SETTING, DATED: 92-02-03						
M334A	MACDERMID PLC	58811	HYLOMAR SQ32/H SPECIAL	TO-K/G-2108	91-10-25	T1	115722
Q590A	W CANNING MATERIALS LTD EXCEPTION: SOLIDS CONTENT OF MIN. 99.0%	70295	HYLOMAR ADVANCED FORMULATION	FOE/WSCHOLZ	97-07-31	C2	142759
A WSK-M4G342-A2	SEALER, SOLVENT RELEASE, NON-SETTING, (SHOWN ON WSK-M4G342-A1) DATED: 92-02-03						
M334A	MACDERMID PLC	58812	HYLOMAR SQ32/M SPECIAL	TO-K/G-2109	91-10-25	C2	115721
A WSB-M4G344-A	SEALER, BUTYL, HIGH VISCOSITY, EXTRUDABLE, NON-SOLVENT TYPE, DISPERSIBLE CARRIER, DATED: 93-08-11						
A405C	ADCO PRODUCTS INC	59230	D15-157C	BEO G-1491 G-2218	92-04-13	C2	045079
A WSB-M4G345-A	SEALER, BUTYL COVERED EPDM, HOLLOW CORE, DATED: 93-01-28						
P751C	PREFORM SEALANTS INC	63146	HTB-AC2500	BEO/G2721	95-01-20	C	IRB025
A WSP-M4G347-A1	SEALER, POLYACRYLATE LATEX BASE, RADIAL OIL SEALS, DATED: 92-11-16						
F264A	FEDERAL MOGUL CORP	59559	REDICOAT T4P	T&A G-2313	92-07-09	N	IRB029
A WSP-M4G347-A2	SEALER, POLYACRYLATE LATEX BASE, RADIAL OIL SEALS, (SHOWN ON WSP-M4G347-A1) DATED: 92-11-16						
F264A	FEDERAL MOGUL CORP	59560	REDICOAT T4A	T&A G-2314	92-07-09	N	IRB029
A WSB-M4G348-A	SEALER, EXPANDING, PUMPABLE, ANTI-FLUTTER, 35 - 55 A HARDNESS, DATED: 96-06-20						
F827B E7T6A	COAT IT INC MAXWELL CHEMICALS LTD	64923	CI-2555	BEO G-2444	95-05-15	C2	130711
		69984	ADHESIVE ANTIFLUTTER	ERS/DMASEK	97-02-20	C2	146943
		70020	ADHESIVE ANTIFLUTTER	ERS/DMASEK/ AVT/KTHURGO O	97-02-20	C2	146943
D5MZD	UNISEAL INC	63099	175.3	BEO/G2727	94-12-22	C2	137253
N WSB-M4G348-A2	SEALER, EXPANDING, PUMPABLE, ANTI-FLUTTER, 55 DESIGN) DATED: 96-06-20						
F827B	COAT IT INC	69988	CI-2666	AVT/NLINDSA Y/G-2709	97-06-16	C2	136943
F971A	HB FULLER AUTOMOTIVE PRODUCTS INC	64814	WC-2431	BEO/G2788	95-05-15	C2	138221
D5MZD	UNISEAL INC	64813	175.7	BEO/G2787	95-05-15	C2	138222
A WSS-M4G348-A3	SEALER, EXPANDING, PUMPABLE, ANTI-FLUTTER, 10 - 20 A HARDNESS, (SHOWN ON WSB-M4G348-A) DATED: 96-06-20						
F827B E7664	COAT IT INC THE DOW CHEMICAL COMPANY	69528	CI - 2888	BE/NLINDSAY	97-02-25	C2	147132

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 11B

PAGE 10

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSS-M4G348-A3	SEALER, EXPANDING, PUMPABLE, ANTI-FLUTTER, 10 - 20 A HARDNESS, (SHOWN ON WSB-M4G348-A) DATED: 96-06-20									
E7664	THE DOW CHEMICAL COMPANY NOT APPROVED FOR ALUMINUM				71435	BETAGUARD 66623	AVT/NLINDSA Y/SUPPLIER REPORT	98-08-05	C2	152590
T815Z	EFTEC NORTH AMERICA LLC				70129	WC-2453	AVT/NLINDSA Y	97-07-08	C2	145734
BL3LA	HENKEL AUTOMOTIVE				73549	TEROSTAT 3224AJ-25	/SHARRI22	01-11-28	C2	161847
N4DNC	HENKEL SURFACE TECHNOLOGIES				72689	TEROSTAT 1805	FOE/WSCHOLZ	99-11-11	C2	154590
P066S	HENKEL SURFACE TECHNOLOGIES				72955	TEROSTAT 1805	LHESS/PD	00-05-08	C2	154590
U084A	UNISEAL INC				65993	167.1	AVT/G2945	95-08-11	C2	141146
A WSL-M4G349-A	SEALANT, SILICONE RUBBER, ULTRA VIOLET/METHOXY CURE, DATED: 99-01-07									
L752A	LOCTITE CORP				67264	NUVASIL 198517	ACD/G3072	96-04-04	C2	143622
					67347	NUVASIL 5088	AVT/G3081	96-03-21	C2	143707
L752S	LOCTITE CORP				72609	198682 SEALANT 40LB PA (30588)	VISTEON/GBU RESH	99-10-19	C2	156105
A WSF-M4G351-A	SEALANT, SILICONE RUBBER, ULTRAVIOLET AND MOISTURE CURED, DATED: 95-08-14									
L752E	LOCTITE CORP				60848	NUVA-SIL 5091	ELD G-2473	93-05-21	C2	131799
A WSF-M4G351-A2	SEALANT, SILICONE REBBER, ULTRAVIOLET AND MOISTURE CURED, DATED: 98-06-01									
L752A	LOCTITE CORP				71242	5092 POTTING COMPOUND NUVA- SIL SILICONE (28355)	EFHD/NVALLA BH	98-06-08	C2	148941
A WSB-M4G352-A	SEALER, ELASTOMER, FLEXIBLE ENCAPSULANT, HOT APPLIED, DATED: 94-11-10									
A405A	ADCO PRODUCTS INC				61162	EE-375	BEO EP- 93026 G- 2516	93-06-02	N	IRB029
A WSF-M4G353-A1	SEALANT, SILICONE RUBBER, ONE COMPONENT, MEHOXY CURED, BLACK, DATED: 95-07-14									
D760A	DOW CORNING CORPORATION				61511	DOW CORNING 3- 0100	EED G-2585	93-11-08	C2	132052
A WSS-M4G353-A2	SEALANT, SILICONE RUBBER, ONE COMPONENT, DATED: 95-07-14									
D760Q	DOW CORNING CORPORATION				64853	838	ELD G-2664	94-05-05	C2	137713
A WSS-M4G353-A3	SEALANT, SILICONE RUBBER, ONE COMPONENT, METHOXY CURED, WHITE, (SHOWN ON WSF-M4G353-A1) DATED: 95-07-14									
D760Q	DOW CORNING CORPORATION				64854	839	ELD G-2665	94-05-05	C2	137712
A WSB-M4G354-A	SEALER, FOAM IN PLACE, HOT MELT, PRESSURE SENSITIVE, DATED: 96-09-05									

Materials Engineering Testing & Standards

2001-12-03