

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M9H1-A	FABRIC, WOVEN BACKING FOR VINYL COATING - DRILL, DATED: 78-11-22						
C798A	COTSWOLD IND INC	22573			60-03-03	C	IRB023
M810A	MT VERNON MILLS	25597			60-03-03	C	IRB023
S440A	SPARTAN MILLS	25601			60-03-03	C	IRB023
S780A	JPS AUTOMOTIVE PRODUCTS CORPORATION	22577			60-03-03	C	IRB023
T151A	THOMASTON MILLS	25605			60-03-03	C	IRB023
W442A	WEST POINT PEPPEREL	22581			60-03-03	C	IRB023
N ESB-M9H2-A	FABRIC, WOVEN BACKING FOR VINYL COATING - SHEETING, (SHOWN ON ESB-M9H1-A)(NOT TO BE USED FOR NEW DESIGN) DATED: 78-11-22						
C798A	COTSWOLD IND INC	22574			60-03-03	C	IRB023
M810A	MT VERNON MILLS	25598			60-03-03	C	IRB023
S440A	SPARTAN MILLS	25602			60-03-03	C	IRB023
S780A	JPS AUTOMOTIVE PRODUCTS CORPORATION	22578			60-03-03	C	IRB023
T151A	THOMASTON MILLS	25606			60-03-03	C	IRB023
W442A	WEST POINT PEPPEREL	22582			60-03-03	C	IRB023
A ESB-M9H3-A	FABRIC, WOVEN BACKING FOR VINYL COATING - OSNABURG, (SHOWN ON ESB-M9H1-A) DATED: 78-11-22						
C798A	COTSWOLD IND INC	22575			60-03-03	C	IRB023
M810A	MT VERNON MILLS	25599			60-03-03	C	IRB023
S440A	SPARTAN MILLS	25603			60-03-03	C	IRB023
S780A	JPS AUTOMOTIVE PRODUCTS CORPORATION	22579			60-03-03	C	IRB023
T151A	THOMASTON MILLS	25607			60-03-03	C	IRB023
W442A	WEST POINT PEPPEREL	22583			60-03-03	C	IRB023
N ESB-M9H4-A	FABRIC, WOVEN BACKING FOR VINYL COATING - NAPPED BROKEN TWILL, (SHOWN ON ESB-M9H1-A)(NOT TO BE USED FOR NEW DESIGN) DATED: 78-11-22						
C798A	COTSWOLD IND INC	22576			60-03-03	C	IRB023
M810A	MT VERNON MILLS	25600			60-03-03	C	IRB023
S440A	SPARTAN MILLS	25604			60-03-03	C	IRB023
S780A	JPS AUTOMOTIVE PRODUCTS CORPORATION	22580			60-03-03	C	IRB023
T151A	THOMASTON MILLS	25608			60-03-03	C	IRB023
W442A	WEST POINT PEPPEREL	22584			60-03-03	C	IRB023
N ESB-M9H5-A	FABRIC, WOVEN BACKING FOR VINYL COATING - COTTON/NYLON CHAFER DUCK, (SHOWN ON ESB-M9H1-A)(NOT TO BE USED FOR NEW DESIGN) DATED: 78-11-22						
W442A	WEST POINT PEPPEREL	22587	25-4554-01-064	FE-1589	74-06-03	C	IRB023
A ESB-M9H18-A	FABRIC, COTTON, MATTRESS TICKING, DATED: 78-09-19						
NONE	SOURCE APPROVAL PENDING						
N ESB-M9H18-B	FABRIC, COTTON, MATTRESS TICKING, (SHOWN ON ESB-M9H18-A)(NOT TO BE USED FOR NEW DESIGN) DATED: 78-09-19						
B926A	BURTON DIXIE CORP	26655	040010	B926185, B926187	72-08-31	C	IRB023
A ESB-M9H34-A	FABRIC, OSNABURG - DYED AND SIZED, DATED: 78-10-06						
A045F	ACME MILLS CO	22609		FE-90	63-04-22	C	IRB023
J850A	JUDGE BEARDEN CO	22610		FE-826	65-12-08	C	IRB023

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M9H34-B	FABRIC, OSNABURG DYED AND SIZED, (SHOWN ON ESB-M9H34-A) DATED: 78-10-06						
A045F	ACME MILLS CO	22611	M9H34B-A100	A045-1020	72-10-20	C	IRB023
	NEW FLAME RETARDANT TREATMENT-WALSH 648-NO TRIS	27072	106-106	FE8-251 (A045-4093)	79-02-16	C	IRB023
C798A	COTSWOLD IND INC	22612	M9H34B-57	FE-1242 (C8002015)	72-12-18	C	IRB023
J850A	JUDGE BEARDEN CO	22613	M9H34B-51	B229-0003	72-07-03	C	IRB023
A ESB-M9H41-A	SHEETING, COTTON - VINYL/POLYAMIDE/ACRYLIC COATED, DATED: 78-04-21						
A062A	ACME BACKING CORP	25625	STASEAL 200D	FE-12	68-01-23	C	IRB023
B297A	BEMIS BROTHERS BAG CO	22616	L-4498	FE-146	68-04-30	C	IRB023
P280A	PERVEL IND INC	26656	3730-B	FE-940	66-06-09	C	IRB023
A ESB-M9H45-B	PAPER, KNITTED KRAFT, (SHOWN ON ESB-M9H45-A) DATED: 00-11-30						
T955A	EW TWITCHELL INC CAUTION: MEETS FMVSS 302 ONLY WHEN TESTED IN COMPOSITE.	25627	BT-10-15	D2760074	72-08-31	C	IRB023
A ESB-M9H53-A	BACKING FABRIC, KNIT - 2.0 OZ/SQ YD (68 G/SQ M), DATED: 78-04-20						
D149D	MILLIKEN & CO	35613	#5265088	B&CE/SA-1095	88-09-13	C	IRB023
S440A	SPARTAN MILLS	25630	SP 1574	FE6-47	76-06-24	C	IRB023
W442A	WEST POINT PEPPEREL	22623	CODE 795	FE-1268	66-11-18	C	IRB023
A ESB-M9H65-A	SCRIM, POLYESTER NETTING - 3.0 OZ/SQ YD (0.102 KG/SQ M), DATED: 78-11-08						
B207A	BAYEX INC	25634	#QX5510/V (5X5)	FE6-140	76-11-10	C	IRB023
D149D	MILLIKEN & CO	22628	STYLE S/70421 (5X5)	FE-1002	72-05-09	C	IRB023
A ESB-M9H65-B	SCRIM, POLYESTER NETTING - 2.0 OZ/SQ YD (68 G/SQ M), (SHOWN ON ESB-M9H65-A) DATED: 78-11-08						
B207A	BAYEX INC	25635	#QX5310/V (5X3)	FE6-140	76-11-10	C	IRB023
D149D	MILLIKEN & CO	22629	STYLE #458 (5 X 3)	FE-1029	74-11-22	C	IRB023
A ESB-M9H65-C	SCRIM, POLYESTER NETTING, 1.5 OZ/SQ YD (51 G/SQ M), DATED: 78-10-06						
B207A	BAYEX INC	26376	QV5310	FE8-136	78-06-19	C	IRB023
A ESB-M9H72-A	FABRIC, NONWOVEN - SPUN BONDED POLYPROPYLENE - 90 G/M2, DATED: 00-09-29						
A045F	ACME MILLS CO 5-4054)	22632	TYP448	FE-1665 & FE6-117 (A04	76-09-10	C	IRB023
	ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77	26165	7028975A	FE7-177 (A045D4070)	77-11-09	C	IRB023
C798A	COTSWOLD IND INC ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77	26166	T3301AB78	FE7-197 (C8007002)	77-11-09	C	IRB023
		26167	TYPAR 3301	FE7-30 (C8006008)	77-03-21	C	IRB023
G888A	GREENFIELD RESEARCH INC						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M9H72-A	FABRIC, NONWOVEN - SPUN BONDED POLYPROPYLENE - 90 G/M2, DATED: 00-09-29						
G888A	GREENFIELD RESEARCH INC ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77	26193	TYPAR NO. 3301	FE7-53 (G886Y-004)	77-11-09	C	IRB023
M307A N856A	MACKAY SPECIALTIES INC UNITED TECHNOLOGIES 5-4054)	28090	TYPAR	BEPE	80-05-08	C	IRB023
		22633	NORPAR (TYPAR 3301)	FE5-219 (N8561028)	76-09-10	C	IRB023
A ESB-M9H72-A2	FABRIC, NONWOVEN - SPUNBONDED POLYPROPYLENE - 61 G/SQ M, DATED: 84-12-15						
A045F	ACME MILLS CO	32353	704-000	B&CE/ER4-11	84-10-19	C	IRB023
A ESB-M9H73-A	FABRIC, BACKING, MULTIFILAMENT NYLON KNIT, DATED: 95-03-10						
A045F G945A	ACME MILLS CO GUILFORD MILLS INC	27668 25636	TB-16 #9442	FE-134 FE-1277	75-08-08 73-03-20	C C	IRB023 IRB023
A ESB-M9H73-B	FABRIC, NYLON KNIT SLIP SHEETING, DATED: 91-08-04						
A045F	ACME MILLS CO	28033 34785	N-56 N-56-V ACME 659-163	BEPE B&CE SA7-8	80-03-26 87-08-13	C C	IRB023 IRB023
A ESB-M9H77-A2	PROTECTIVE FABRIC, RAYON - NONWOVEN, DATED: 79-10-16						
C446B	CHICOPEE MFG CORP	27824 27825	5078 SK-240 5036 AK-240	BEPE BEPE	79-10-24 79-10-24	C C	IRB023 IRB023
A ESB-M9H78-B	SHEETING, WOVEN POLYESTER - DYED 32X26/TN (126X102/100 MM) COUNT, DATED: 79-12-21						
A045F	ACME MILLS CO LOWER COST MATERIAL	22635 22636	701-D ST #5908 (6011, DYED 801)	FE-1355 FE5-211	74-01-30 76-06-15	C C	IRB023 IRB023
	ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77	26168	301-8975-G	FE7-179 (A045D4071)	77-11-09	C	IRB023
	NEW FLAME RETARDANT TREATMENT-WALSH 648-NO TRIS	27075	301-104	FE8-252 (A045-4090)	79-02-16	C	IRB023
C798A	COTSWOLD IND INC LOWER COST MATERIAL ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77	26169 26170	ST #3226P ST #3226PAB19	FE6-94 FE7-198 C8007001 (C8005003)	76-08-03 77-10-24	C C	IRB023 IRB023
A ESB-M9H78-C	SHEETING, WOVEN POLYESTER 32X26/TN (126X102/100 MM) COUNT, (SHOWN ON ESB-M9H78-B) DATED: 79-12-21						
A045F	ACME MILLS CO LOWER COST MATERIAL ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77	22637 22638 22639 26171	701-D 6011 ST-5688 (6011) 301-8976V	FE-1355 FE-1457 FE5-67 FE7-207 A045D4069	74-01-30 74-06-12 76-06-15 77-10-24	C C C C	IRB023 IRB023 IRB023 IRB023
	NEW FLAME RETARDANT TREATMENT-WALSH 648-NO TRIS	27074	301-103	FE8-253 (A045-4091)	79-02-16	C	IRB023
C798A	COTSWOLD IND INC						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M9H78-C	SHEETING, WOVEN POLYESTER 32X26/TN (126X102/100 MM) COUNT, (SHOWN ON ESB-M9H78-B) DATED: 79-12-21						
C798A	COTSWOLD IND INC ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77 LOWER COST MATERIAL	26172	S/3-103	FE7-183 C8007003 FE6-93 (C8006004)	77-10-06	C	IRB023
J850A	JUDGE BEARDEN CO	26662 22640	3226P #1008	FE-1422 FE5-84 B229008	74-01-08 75-10-09	C	IRB023
W442A	WEST POINT PEPPEREL	22641	S11903	FE5-112 G112000	75-10-09	C	IRB023
A ESB-M9H81-A	SHEETING, WOVEN POLYESTER - DYED, 44X40/IN (17X16/10 MM), DATED: 78-10-06						
A045F	ACME MILLS CO LOWER COST MATERIAL NEW FLAME RETARDANT TREATMENT-WALSH 648-NO TRIS	26174 26795 26796 27073	302-8976U203 851-D ST1-D 302-105	FE7-208 A045D4070 A0454033 FE5-212 FE8-250 (A045-4092)	77-10-24 73-11-21 76-06-15 79-02-16	C	IRB023
C798A	COTSWOLD IND INC ELIMINATION OF TRIS F.R. SEE LAUER'S LTR. OF 7-25-77	22645 26175	#S/2000 P4440AB	FE5-24 FE7-210 C8007004	75-05-20 77-10-24	C	IRB023
A ESB-M9H84-A	FABRIC, BACKING - NYLON STITCH BONDED POLYESTER FIBER BATT, 6 OZ/SQ YD (0.203 KG/SQ M), DATED: 78-04-07						
C59DA	ESMOND TEXTILES INC	34574 34677	172-705-184 172-705-184	SA-9H84- 1067 B&CE SA- 9H84-1067	87-04-24 87-03-20	C	IRB023
U502A	UNIROYAL PLASTICS CO INC CAUTION: MEETS FMVSS 302 ONLY WHEN TESTED IN COMPOSITE.	22646	STYLE #152	FE-1616	74-09-26	C	IRB023
A ESB-M9H86-A	SHEETING, SPUN BONDED POLYPROPYLENE 0.4 OZ/SQ YD (14 G/SQ M), SEAT COVER ASSEMBLY AID, DATED: 78-10-06						
A045F	ACME MILLS CO	27667	STYLE #9	FE-1687	75-02-07	C	IRB023
N ESB-M9H89-A1	NETTING, BONDED POLYPROPYLENE, (NOT TO BE USED FOR NEW DESIGN) DATED: 78-10-26						
C740A	CONWED BONDED FIBER CAUTION: MEETS FMVSS 302 ONLY WHEN TESTED IN COMPOSITE.	27144	#2-TN-5170 (4 X 4 COUNT)	FE5-121 (C740A0055)	75-09-12	C	IRB023
A ESB-M9H89-A2	NETTING, BONDED POLYPROPYLENE, (SHOWN ON ESB-M9H89-A1) DATED: 78-10-26						
C740A	CONWED BONDED FIBER CAUTION: MEETS FMVSS 302 ONLY WHEN TESTED IN COMPOSITE.	26377	ON-53-5170 (4 X 4 COUNT)	FE8-135	78-06-20	C	IRB023
A ESB-M9H89-A3	NETTING, BONDED POLYPROPYLENE - 2 X 2/25.4 MM, DATED: 91-10-28						
K3U1B	CONWED PLASTICS CAUTION: MEETS FMVSS302 ONLY WHEN TESTED IN COMPOSITE.	38032	POLYPROPYLENE NETTING - ON 1580	BEO/H-0983	91-10-14	C	IRB023

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M9H95-A	FABRIC, BACKING - NON-WOVEN POLYESTER FIBER/URETHANE FOAM, DATED: 00-09-29						
F824A	FOSS MFG CO INC	26306	FFJ 165	BH78F-751	78-02-08	C	IRB023
A ESB-M9H97-A	FABRIC, NYLON-NONWOVEN-0.5 OZ/SQ YD (17 G/SQ M), DATED: 00-09-29						
C256A	CAROLINA CONVERTERS INC MONSANTO'S SPUNBONDED NYLON-CEREX 21-2ND QUALITY PRODUCT	27308	ROMCORE 570	FE8-117	78-06-02	C	IRB023
A ESH-M9H98-A	SCREEN, POLYESTER - MONOFILAMENT, DATED: 00-09-25						
T089A	TETKO INC	27168	PE CAP HD7-130	#12-6/CH8H- R D834180	78-12-11	C	IRB023
A ESH-M9H99-A1	SCREEN, NYLON, MONOFILAMENT, 275 MICROMETRE MESH OPENING, DATED: 91-01-24						
T089A	TETKO INC	27363	NITEX HC 3-275	CCD	79-05-16	C	IRB023
A ESH-M9H99-A2	SCREEN, NYLON, MONOFILAMENT, 350 MICROMETRE MESH OPENING, (SHOWN ON ESH-M9H99-A1) DATED: 91-01-24						
T089A	TETKO INC	27365	NITEX 3-45-35D	CCD	79-05-16	C	IRB023
A ESH-M9H99-A3	SCREEN, NYLON, MONOFILAMENT, 355 MICROMETRE MESH OPENING, (SHOWN ON ESH-M9H99-A1) DATED: 91-01-24						
T089A	TETKO INC	27364	NITEX HC 3-355	CCD	79-05-18	C	IRB023
A ESH-M9H99-A4	SCREEN, NYLON, MONOFILAMENT, 132 MICROMETRE MESH OPENING, (SHOWN ON ESH-M9H99-A1) DATED: 91-01-24						
T089A	TETKO INC	37819	NITEX 3-130/43 TYPE 279	CCD H1024	92-01-21	C	IRB023
A ESB-M9H101-A	FABRIC, BACKING - NON-WOVEN POLYESTER FIBER/URETHANE FOAM, DATED: 00-09-29						
F824A	FOSS MFG CO INC	27693	AFJ-140	BEPE	79-09-20	C	IRB023
A ESB-M9H105-A	FABRIC, BACKING - NONWOVEN POLYESTER HEAT SET, DATED: 94-10-06						
P375A	PHILLIPS FIBERS CORP	28838	MERGE L 97434	BH78B-863	81-02-23	C	IRB023
A ESB-M9H107-A1	FABRIC, NON WOVEN - SPUN BONDED POLYESTER - 1.5 OZ/SQ YD (0.050 KG/SQ M), DATED: 82-02-03						
K379B E828A	KENDALL CANADA LUTRAVIL	29139 32152	7250 LUTRADUR LD 7250	ER1-16 B&CE/SAE4-6 BAM	81-09-17 84-07-23	C C	IRB023 IRB023
A ESB-M9H107-A2	FABRIC, NONWOVEN - SPUN BONDED POLYESTER 3.0 OZ/SQ YD (0.102 G/SQ M), DATED: 82-02-03						
K379B E828A	KENDALL CANADA LUTRAVIL	29140 32151	5010 LUTRADUR L.DT 5010	ER1-16 B&CE/SA4-6 BAM	81-09-17 84-07-23	C C	IRB023 IRB023

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M9H108-A	SHEETING, WOVEN POLYESTER - HEAT SET - 25 X 14/IN (98 X 55/100 MM) COUNT, DATED: 95-03-27						
A045B	ACME MILLS CO	29608	315-011	BEPE	82-04-16	C	IRB023
A ESB-M9H109-A1	SHEETING, WOVEN POLYESTER - DYED BLACK - 44 X 30/IN (17 X 12/10 MM), DATED: 95-05-25						
A045B A045F	ACME MILLS CO ACME MILLS CO	29619 66048	305-109	BEPE AVT H-2312	82-04-16 95-08-21	C C	IRB023 IRB023
A ESB-M9H109-A2	SHEETING, WOVEN POLYESTER - DYED GRAY - 44 X 30/IN (17 X 12/10 MM), (SHOWN ON ESB-M9H109-A1) DATED: 95-05-25						
A045B	ACME MILLS CO	29620	305-105	BEPE	82-04-16	C	IRB023
A ESB-M9H109-A3	SHEETING, WOVEN POLYESTER - DYED, GRAY - EXTRA STIFF, (SHOWN ON ESB-M9H109-A1) DATED: 95-05-25						
A045F	ACME MILLS CO	36008	305-105- 0058.XX	B&CE	89-06-29	C	IRB023
A WSD-M9H111-B	FABRIC, BACKING, POLYESTER, KNITTED, 65 G/M2, DATED: 93-08-02						
V815A	VIKTOR ACHTER GMBH & CO KG	58993		TO-D MC2123 H1027	92-01-23	C	IRB023
A ESB-M9H112-A	FABRIC, PROTECTIVE - ARAMID - NONWOVEN, DATED: 83-11-14						
D878G	EI DUPONT DE NEMOURS & CO INC	31377	E-88	BEPE/AE3-62	83-09-23	C	IRB023
A ESB-M9H113-A	SHEETING, POLYESTER/RAYON - NONWOVEN, DATED: 85-01-28						
C305A K7THD	CERTAINTED CORPORATION FREUDENBERG NONWOVENS LTD PARTNERSHIP EXCEPTIONS TO SPECIFICATION: PARA 3.3 WEIGHT 30+/- 3 G/M2 , PARA 3.4 BREAKING STRENGTH MACHINE DIRECTION 21.5N MIN. NOTE EXCEPTIONS TO SPECIFICATION: PARAGRAPH 3.4 BREAKING STRENGTH MACHINE DIRECTION 21.5N MIN.	34133 68456 68457	CT-HM6911-08 CS 5130 (30 G/M2) CS 5194 (36 G/M2)	B&CE/AS6-24 VO/DWHYTE1/ IS96-063 AVT/DWHYTE1 /IS96-063	86-09-03 96-10-17 96-10-17	C C C	IRB023 IRB023 IRB023
S764A	STEARNS TECHNICAL TEXTILES CO	31493	1-S-1.2-4111- 32	BEPE/AE3-59	83-10-31	C	IRB023
A WSD-M9H114-C	FABRIC, POLYPROPYLENE (PP), SPUNBONDED/FILM LAMINATE, DATED: 92-06-08						
B390B	BENECKE-KALIKO AG	56186	PP- SPE2948003/TO-	TO- D/MC1907/H-	90-07-03	C	IRB023
A ESB-M9H116-A	SHEETING, NON-WOVEN SPUN BONDED POLYESTER - 122 G/M SQ, DATED: 00-09-29						
E828A	LUTRAVIL	32114	LUTRADUR LDH- 7214	BEPE/ER4-7	84-06-12	C	IRB023
A ESB-M9H117-A	FABRIC, TEXTURED POLYESTER BACKING - 3.8 OZ LOCK STITCHED, DATED: 86-04-23						
D149D	MILLIKEN & CO	32215	STYLE #6735	B&CE/BH50T- 1039	84-08-27	C	IRB023

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSB-M9H117-B	FABRIC, TEXTURED POLYESTER BACKING, 130 G/M2 LOCK STITCHED, DATED: 91-12-05						
D149B	MILLIKEN & CO	58884	STYLE #5734	BEO/FSO- 1/H-1002	91-11-15	C	IRB023
A ESB-M9H118-A	FABRIC, NONWOVEN - RAYON/POLYESTER - 50 G/M2, DATED: 85-08-29						
J612A	JOHNS MANVILLE CORP	32907	GH 164	B&CE/AE5-9	85-06-07	C	IRB023
A ESB-M9H119-A	SHEETING, POLYESTER - NONWOVEN - WITH HOT MELT ADHESIVE, DATED: 86-01-20						
G498A	GLOBE AUTOMOTIVE INDUSTRIES INC	33602	031	B&CE/AE5-27	85-12-16	C	IRB023
A ESB-M9H123-A1	FABRIC, POLYESTER - NON-WOVEN - 50G/SQ.M, DATED: 00-09-29						
M679C	MOLDED ACOUSTICAL PRODUCTS INC	34580	DRYLACE	B&CE AE6-22	87-04-13	C	IRB023
A ESB-M9H123-A2	FABRIC, POLYESTER - NON-WOVEN - 68G/SQ.M, (SHOWN ON ESB-M9H123-A1) DATED: 00-09-29						
M679C	MOLDED ACOUSTICAL PRODUCTS INC	34581	DRYLACE	B&CE AE6-22	87-04-13	C	IRB023
A WSD-M9H125-B	FABRIC, POLYAMIDE (PA), KNITTED, 65 G/M2, DATED: 92-03-26						
A910A	AUTOTEX SA BACKING SCRIM	59428	W2293	TO-D T8309 H-1136	92-06-24	C	IRB023
A WSD-M9H125-B2	FABRIC, BACKING, POLYAMIDE, KNITTED, 50 G/M2, (SHOWN ON WSD-M9H125-B) DATED: 92-03-26						
A910A	AUTOTEX SA	60704		TO-D T8619 H-1393	93-04-28	C	IRB023
G940A	GUILFORD EUROPE LTD	59109		TO-D MC2148 H-1060	92-03-12	C	IRB023
A ESP-M9H126-A	SCREEN, POLYESTER, DATED: 88-03-23						
T089A	TETKO INC	35249	7-100/42XX	T&A DIV.	88-03-15	C	IRB023
A ESB-M9H129-A	SHEETING, NON-WOVEN - NEEDED POLYPROPYLENE - 140 G/M2, LISTINGS & TIEDOWNS, DATED: 00-09-29						
A045F	ACME MILLS CO	36032	DUON 4.0 OZ	CHEN/BEO	89-07-07	C2	039463
A ESB-M9H132-A	SHEETING, BACKING, KNIT NYLON SCRIM, DATED:						
G945A	GUILFORD MILLS INC	36635	GUIL-KNIT	B&CE-B/H- 776	89-07-14	C	IRB023
A WSD-M9H133-A1	FABRIC, POLYPROPYLENE, SPUN BONDED, NON-WOVEN, 45 G/M2, DATED: 92-06-08						
B390B	BENECKE-KALI KO AG	56188	COROVIN 60GSM	TO- D/MC1909/H- 802	90-07-11	C	IRB023
A WSD-M9H133-A2	FABRIC, POLYPROPYLENE, SPUN BONDED, NON-WOVEN, 55 G/M2, (SHOWN ON WSD-M9H133-A1) DATED:						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 14

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M9H133-A2	FABRIC, POLYPROPYLENE, SPUN BONDED, NON-WOVEN, 55 G/M2, (SHOWN ON WSD-M9H133-A1) DATED: 92-06-08						
B390B	BENECKE-KALIKO AG	56189	COROVIN 60GSM	TO- D/MC1909/H- 802	90-07-11	C	IRB023
A WSD-M9H133-A3	FABRIC, POLYPROPYLENE, SPUN BONDED, NON-WOVEN, 70 G/M2, (SHOWN ON WSD-M9H133-A1) DATED: 92-06-08						
B390B	BENECKE-KALIKO AG	56190	COROVIN 60GSM	TO- D/MC1909/H- 802	90-07-11	C	IRB023
A WSD-M9H133-A4	FABRIC, POLYPROPYLENE, SPUN BONDED, NON-WOVEN, 90 G/M2, (SHOWN ON WSD-M9H133-A1) DATED: 92-06-08						
B390B	BENECKE-KALIKO AG	56191	COROVIN 60GSM	TO- D/MC1909/H- 802	90-07-11	C	IRB023
A WSD-M9H134-B	FABRIC, BACKING, POLYESTER KNITTED, 70 GM/M2, DATED: 93-08-02						
NONE	SOURCE APPROVAL PENDING						
A WSD-M9H136-A	FABRIC, KNITTED, DATED: 93-08-02						
G940A	GUILFORD EUROPE LTD	57984		TO- D/MC1985/H- 853	91-01-29	C	IRB023
V815A	VIKTOR ACHTER GMBH & CO KG	57985		TO- D/MC1986/H- 854	91-01-29	C	IRB023
A WSP-M9H137-A	SCREEN, POLYESTER, MONOFILAMENT, 120 MICROMETER MESH OPENING, DATED: 93-12-16						
T089A	TETKO INC	59812	PECAP 7-125/30	T & A H- 1276	92-10-20	C	IRB023
A WSB-M9H138-A	FABRIC, WOVEN, CONVERTIBLE BOW LISTING, DATED: 94-04-19						
H015B	HAARTZ AUTO FABRIC	62377	N0000 LIN 58	BEO FS4-11 H-1411	94-04-26	C	IRB023
A WSB-M9H139-A	BACKING FABRIC, NYLON KNIT, CONVERTIBLE BOOT COVER, DATED: 93-06-14						
G945A	GUILFORD MILLS INC	60853	754176/75632	BEO H-1412	93-06-07	C	IRB023
A WSS-M9H141-A	FABRIC, NONWOVEN, STITCH BONDED, BLACK POLYESTER, DATED: 95-05-22						
A045F	ACME MILLS CO	63905	100% POLYESTER 781- 126	AVT H-2249	95-03-14	C	IRB023
A ESB-M15H39-A	THREAD, NYLON - #207 3 PLY TWISTED, DATED: 83-01-27						
A545A	COATS AMERICAN INC	22688	CSB-207	FE-829	66-01-04	C	IRB023

Materials Engineering Testing & Standards

2001-12-03