

# Product Engineering Materials Approved Source List

VOLUME 16A

PAGE 31

| SPECIFICATION NO.<br>GSDB<br>CODE | SPECIFICATION TITLE<br>SUPPLIER<br>NAME/REMARKS                                                                                                                                | TYPE/<br>GRADE | COLOR<br>CODE | COLOR<br>NAME             | LOG<br>NO. | TRADE<br>NAME/CODE | FORD<br>FILE<br>REFERENCE                     | FORD<br>APPR.<br>DATE | T<br>O<br>X | TOX<br>NO. |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------------------------|------------|--------------------|-----------------------------------------------|-----------------------|-------------|------------|
| A WSS-M33J3-D2                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, EXTERIOR, (SHOWN ON WSS-M33J3-D1)<br>DATED: 98-07-01                    |                |               |                           |            |                    |                                               |                       |             |            |
| EI30B                             | PPG CANADA INC                                                                                                                                                                 | M6050          | EQXAWHA       | CLEAR                     | 71128      | DCT1002B           | VO/EMANGIN/<br>CURRENTLY<br>IN/PRODUCTI<br>ON | 98-03-09              | C2          | 137905     |
| A WSS-M33J3-D3                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>CLEARCOAT, WET-ON-WET WITH TWO-COMPONENT<br>URETHANE, BASECOAT/CLEARCOAT SYSTEMS, (SHOWN ON<br>WSS-M33J3-D1) DATED: 98-07-01 |                |               |                           |            |                    |                                               |                       |             |            |
| I883E                             | BASF CORP                                                                                                                                                                      |                |               | TRANSPARENT/CLE<br>ARCOAT | 71306      | E14CE004W          | VO/EMANGIN/<br>WSS-M33J3<br>SPEC/UPDATE       | 98-06-26              | C2          | 139143     |
| A WSS-M33J3-D4                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, REDUCED VISCOSITY, EXTERIOR, (SHOWN ON<br>WSS-M33J3-D1) DATED: 98-07-01 |                |               |                           |            |                    |                                               |                       |             |            |
| I883E                             | BASF CORP                                                                                                                                                                      |                |               |                           | 71131      | R87AE025           | VO/EMANGIN                                    | 98-03-18              | C2          | 145614     |
|                                   | NOT FOR USE WITHIN FORD ASSEMBLY PLANTS                                                                                                                                        |                |               |                           | 71132      | R86KM524           | VO/EMANGIN                                    | 98-03-18              | C2          | 147534     |
| D876H                             | EI DUPONT DE NEMOURS & CO INC<br>FOR USE WITH                                                                                                                                  | M6414          |               | JEWEL GREEN               | 71297      | 839R98683          | VO/EMANGIN/<br>WSSM33J3<br>SPEC/UPDATE        | 98-06-23              | C2          | 136825     |
|                                   | DUPONT WSS-M33J3-<br>D5 CLEARCOATS ONLY                                                                                                                                        |                |               |                           |            |                    |                                               |                       |             |            |
| EI30B                             | PPG CANADA INC<br>FOR USE WITH PPG<br>CLEARCOATS ONLY                                                                                                                          | M6871          |               |                           | 71133      | ODCT6871           | VO/EMANGIN                                    | 98-03-18              | C2          | 146827     |
| A WSS-M33J3-D5                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS THERMOSET<br>CLEARCOAT BASECOAT/CLEARCOAT WET-ON-WET PROCESS<br>REDUCED VISCOSITY, EXTERIOR, (SHOWN ON<br>WSS-M33J3-D1) DATED: 98-07-01    |                |               |                           |            |                    |                                               |                       |             |            |
| I883E                             | BASF CORP<br>NOT FOR USE WITHIN<br>FORD ASSEMBLY<br>PLANTS                                                                                                                     |                |               | CLEAR                     | 71134      | E126CM005T         | VO/EMANGIN                                    | 98-03-18              | C2          | 143117     |
| D876H                             | EI DUPONT DE NEMOURS & CO INC<br>FOR USE WITH                                                                                                                                  | M6050          |               | TRANSPARENT/CLE<br>ARCOAT | 71298      | RKR98566           | VO/EMANGIN/<br>WSS-M33J3<br>SPEC/UPDATE       | 98-06-23              | C2          | 134423     |
|                                   | DUPONT WSS-M33J3-<br>D4 BASECOAT ONLY                                                                                                                                          |                |               |                           |            |                    |                                               |                       |             |            |
| EI30B                             | PPG CANADA INC<br>FOR USE WITH PPG<br>BASECOATS ONLY                                                                                                                           |                |               | CLEAR                     | 71135      | ODCT1002B          | VO/EMANGIN                                    | 98-03-18              | C2          | 146640     |
| A WSS-M33J3-E1                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>PROCESS, WITH WSS-M33J3-D1, ETCH RESISTANT,<br>EXTERIOR, (SHOWN ON WSS-M33J3-D1) DATED:<br>98-07-01                          |                |               |                           |            |                    |                                               |                       |             |            |
| I883E                             | BASF CORP<br>FOR USE WITH BASF<br>WSS-M33J3-D1<br>BASECOATS ONLY.                                                                                                              | M6730          |               | TRANSPARENT/CLE<br>ARCOAT | 71299      | R10CG060G          | VO/EMANGIN/<br>WSS-M33J3<br>SPEC/UPDATE       | 98-06-24              | C2          | 151420     |
| D876H                             | EI DUPONT DE NEMOURS & CO INC<br>M6730                                                                                                                                         |                |               | Gen IV-ES<br>Clearcoat    | 73216      | RKS-30127          | VO/TDUSBIBE                                   | 00-12-21              | C2          | 157515     |
| EI30B                             | PPG CANADA INC<br>For use only over PPG solvent borne basecoats.                                                                                                               |                |               |                           | 72371      | FDCT8000           | VO/TWEINGAR                                   | 99-06-03              | C2          | 153974     |

Materials Engineering Testing &amp; Standards

2001-09-04

# Product Engineering Materials Approved Source List

VOLUME 16A

PAGE 32

| SPECIFICATION NO.<br>GSDB<br>CODE | SPECIFICATION TITLE<br>SUPPLIER<br>NAME/REMARKS                                                                                                                                                          | TYPE/<br>GRADE | COLOR<br>CODE | COLOR<br>NAME           | LOG<br>NO.     | TRADE<br>NAME/CODE     | FORD<br>FILE<br>REFERENCE | FORD<br>APPR.<br>DATE | T<br>O<br>X | TOX<br>NO.       |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|-------------------------|----------------|------------------------|---------------------------|-----------------------|-------------|------------------|
| A WSS-M33J3-E2                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>BASECOAT, BASECOAT/CLEARCOAT WET-ON-WET PROCESS<br>WITH WSS-M33J3-E3, ETCH RESISTANT, EXTERIOR,<br>(SHOWN ON WSS-M33J3-D1) DATED: 98-07-01             |                |               |                         |                |                        |                           |                       |             |                  |
| D876H                             | EI DUPONT DE NEMOURS & CO INC<br>FOR USE WITH DUPONT WSS-M33J3-E3 CLEARCOAT ONLY<br>FOR USE WITH DUPONT WSS-M33J3-E3 CLEARCOAT ONLY                                                                      |                |               |                         | 71136<br>71137 | 648-BR924<br>647-DN017 | VO/EMANGIN<br>VO/EMANGIN  | 98-03-18<br>98-03-18  | C2<br>C2    | 133870<br>134627 |
| A WSS-M33J3-E3                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, WITH WSS-M33J3-E2, ETCH RESISTANT,<br>EXTERIOR, (SHOWN ON WSS-M33J3-D1) DATED:<br>98-07-01        |                |               |                         |                |                        |                           |                       |             |                  |
| D876H                             | EI DUPONT DE NEMOURS & CO INC<br>MUST BE USED WITH DUPONT WSS-M33J3-E2 BASECOATS                                                                                                                         |                |               |                         | 71138          | RKR98686               | VO/EMANGIN                | 98-03-18              | C2          | 136808           |
| A WSS-M33J3-F1                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>TINTED CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, EXTERIOR, (SHOWN ON WSS-M33J3-D1)<br>DATED: 98-07-01                                       |                |               |                         |                |                        |                           |                       |             |                  |
| D876H                             | EI DUPONT DE NEMOURS & CO INC<br>FOR USE WITH M6660<br>DUPONT BASECOATS<br>ONLY                                                                                                                          | M6660          |               | LASER RED<br>TINTED CLR | 71139          | RKR98943               | VO/EMANGIN                | 98-03-18              | C2          | 144712           |
| EI30B                             | PPG CANADA INC<br>FOR USE WITH PPG<br>BASECOATS ONLY                                                                                                                                                     | M6660          |               | LASER RED<br>TINTED CLR | 71140          | DCT6660C               | VO/EMANGIN                | 98-03-18              | C2          | 138522           |
| A WSS-M33J3-F2                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>TINTED CLEARCOAT, WET-ON-WET WITH TWO-COMPONENT<br>URETHANE BASECOAT/CLEARCOAT SYSTEMS, (SHOWN ON<br>WSS-M33J3-D1) DATED: 98-07-01                     |                |               |                         |                |                        |                           |                       |             |                  |
| I883E                             | BASF CORP<br>FOR USE WITH BASF BASECOAT AND TWO-COMPONENT URETHANE<br>CLEARCOATS                                                                                                                         |                |               |                         | 71141          | E14RE757W              | VO/EMANGIN                | 98-03-18              | C2          | 139812           |
| A WSS-M33J3-F3                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>TINTED CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, REDUCED VISCOSITY, EXTERIOR, (SHOWN ON<br>WSS-M33J3-D1) DATED: 98-07-01                    |                |               |                         |                |                        |                           |                       |             |                  |
| A WSS-M33J3-F4                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>TINTED CLEARCOAT, BASECOAT/CLEARCOAT,<br>WET-ON-WET PROCESS WITH WSS-M33J3-D1, ETCH<br>RESISTANT, EXTERIOR, (SHOWN ON WSS-M33J3-D1)<br>DATED: 98-07-01 |                |               |                         |                |                        |                           |                       |             |                  |
| A WSS-M33J3-F5                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>WET-ON-WET PROCESS WITH WSS-M33J3-E2, ETCH<br>RESISTANT, EXTERIOR, (SHOWN ON WSS-M33J3-D1)<br>DATED: 98-07-01                                          |                |               |                         |                |                        |                           |                       |             |                  |
| N WSB-M33J5-A1                    | ENAMEL, WATERBORNE, THERMOSET BASECOAT,<br>BASECOAT/CLEARCOAT WET-ON-WET PROCESS WITH<br>WSB-M33J5-A2, ETCH RESISTANT, EXTERIOR, (NOT TO<br>BE USED FOR NEW DESIGN, USE WSS-M33J6-A1)<br>DATED: 96-06-07 |                |               |                         |                |                        |                           |                       |             |                  |
| H857A<br>P435B                    | EI DUPONT DE NEMOURS & CO<br>PPG INDUSTRIES INC                                                                                                                                                          |                |               |                         | 62988<br>61912 | 686R30158<br>HWB 6290  | B&A J4792<br>B&A J4353    | 94-11-28<br>94-03-21  | C2<br>C2    | 137372<br>044940 |

Materials Engineering Testing &amp; Standards

2001-09-04

# Product Engineering Materials Approved Source List

VOLUME 16A

PAGE 33

| SPECIFICATION NO.<br>GSDB<br>CODE | SPECIFICATION TITLE<br>SUPPLIER<br>NAME/REMARKS<br>TYPE/<br>GRADE<br>COLOR<br>CODE<br>COLOR<br>NAME                                                                                                                                    | LOG<br>NO.     | TRADE<br>NAME/CODE                       | FORD<br>FILE<br>REFERENCE                            | FORD<br>APPR.<br>DATE | T<br>O<br>X | TOX<br>NO.       |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------|------------------------------------------------------|-----------------------|-------------|------------------|
| N WSB-M33J5-A2                    | ENAMEL, COMPLIANCE VOC, THERMOSET CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET PROCESS WITH WSB-M33J5-A1, ETCH RESISTANT, EXTERIOR, (SHOWN ON WSB-M33J5-A1) (NOT TO BE USED FOR NEW DESIGN USE WSS-M33J6-C3) DATED: 96-06-07               |                |                                          |                                                      |                       |             |                  |
| H857A<br>P435B                    | EI DUPONT DE NEMOURS & CO<br>PPG INDUSTRIES INC                                                                                                                                                                                        | 62989<br>61913 | RKF81887<br>FDCT 5052                    | B&A J4793<br>B&A J4354                               | 94-11-28<br>94-03-21  | C2<br>C2    | 137752<br>128401 |
| N WSB-M33J5-A3                    | ENAMEL, COMPLIANCE VOC, THERMOSET CLEARCOAT, WET-ON-WET WITH ESB-M36J1-A1 AND ESB-M36J1-A4, (SHOWN ON WSB-M33J5-A1) (NOT TO BE USED FOR NEW DESIGN ) DATED: 96-06-07                                                                   |                |                                          |                                                      |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                                                                                                                                |                |                                          |                                                      |                       |             |                  |
| N WSB-M33J5-A4                    | ENAMEL, WATERBORNE, THERMOSET BASECOAT, BASECOAT/CLEARCOAT WET-ON-WET PROCESS WITH WSB-M33J5-A5, ETCH RESISTANT, REDUCED VISCOSITY EXTERIOR, (SHOWN ON WSB-M33J5-A1) (NOT TO BE USED FOR NEW DESIGN, USE WSS-M33J6-A1) DATED: 96-06-07 |                |                                          |                                                      |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                                                                                                                                |                |                                          |                                                      |                       |             |                  |
| N WSB-M33J5-A5                    | ENAMEL, COMPLIANCE VOC, THERMOSET CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET PROCESS WITH WSB-M33J5-A4, ETCH RESISTANT, REDUCED VISCOSITY EXTERIOR, (SHOWN ON WSB-M33J5-A1) (NOT TO BE USED FOR NEW DESIGN ) DATED: 96-06-07             |                |                                          |                                                      |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                                                                                                                                |                |                                          |                                                      |                       |             |                  |
| N WSB-M33J5-B1                    | ENAMEL, COMPLIANCE VOC, THERMOSET TINTED CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET PROCESS WITH WSB-M33J5-A1, ETCH RESISTANT, EXTERIOR, (SHOWN ON WSB-M33J5-A1) (NOT TO BE USED FOR NEW DESIGN, USE WSS-M33J6-C4) DATED: 96-06-07       |                |                                          |                                                      |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                                                                                                                                |                |                                          |                                                      |                       |             |                  |
| N WSB-M33J5-B2                    | ENAMEL, COMPLIANCE VOC, THERMOSET TINTED CLEARCOAT, WET-ON WET WITH WSB-M33J5-A1 AND ESB-M36J1-C1, ETCH RESISTANT, (SHOWN ON WSB-M33J5-A1) (NOT TO BE USED FOR NEW DESIGN ) DATED: 96-06-07                                            |                |                                          |                                                      |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                                                                                                                                |                |                                          |                                                      |                       |             |                  |
| N WSB-M33J5-B3                    | ENAMEL, COMPLIANCE VOC, THERMOSET TINTED CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET PROCESS WITH WSB-M33J5-A4, ETCH RESISTANT, WSB-M33J5-A1) (NOT TO BE USED FOR NEW DESIGN ) DATED: 96-06-07                                            |                |                                          |                                                      |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                                                                                                                                |                |                                          |                                                      |                       |             |                  |
| A WSS-M33J6-A1                    | ENAMEL, WATERBORNE, THERMOSET BASECOAT, BASECOAT/CLEARCOAT WET-ON-WET PROCESS, EXTERIOR DATED: 97-09-25                                                                                                                                |                |                                          |                                                      |                       |             |                  |
| F626A                             | PPG INDUSTRIES AUSTRALIA PTY LTD<br>H8A ALASKAN FROST                                                                                                                                                                                  | 69960          | ALASKAN FROST<br>WATERBORNE<br>BASE COAT | FOA/AWILSO1<br>6/FWB/DCT36<br>01/SUBMISSI<br>ON BOOK | 97-09-11              | C2          | 148340           |

Materials Engineering Testing &amp; Standards

2001-09-04

# Product Engineering Materials Approved Source List

VOLUME 16A

PAGE 34

| SPECIFICATION NO.<br>GSDB<br>CODE | SPECIFICATION TITLE<br>SUPPLIER<br>NAME/REMARKS                                                                                                                                      | TYPE/<br>GRADE | COLOR<br>CODE | COLOR<br>NAME | LOG<br>NO. | TRADE<br>NAME/CODE                             | FORD<br>FILE<br>REFERENCE                                                     | FORD<br>APPR.<br>DATE | T<br>O<br>X | TOX<br>NO. |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------------|------------|------------------------------------------------|-------------------------------------------------------------------------------|-----------------------|-------------|------------|
| A WSS-M33J6-A1                    | ENAMEL, WATERBORNE, THERMOSET BASECOAT,<br>BASECOAT/CLEARCOAT WET-ON-WET PROCESS, EXTERIOR<br>DATED: 97-09-25                                                                        |                |               |               |            |                                                |                                                                               |                       |             |            |
| F626A                             | PPG INDUSTRIES AUSTRALIA PTY LTD                                                                                                                                                     |                | M7A           | REGENCY       | 69961      | REGENCY<br>WATERBORNE<br>BASECOAT<br>686R30158 | FOA/AWILSO1<br>6                                                              | 97-09-11              | C2          | 148341     |
| D876H<br>EI30B                    | EI DUPONT DE NEMOURS & CO INC<br>PPG CANADA INC<br>FOR USE WITH PPG<br>DCT3601M CLEARCOAT<br>ONLY                                                                                    | M6373          |               | EBONY         | 70140      |                                                | VO/ENUNEZ                                                                     | 97-07-07              | C2          | 137372     |
|                                   | FOR USE WITH PPG<br>DCT3601M CLEARCOAT<br>ONLY                                                                                                                                       | M6373          |               | EBONY         | 70086      | FWB6373                                        | VO/ENUNEZ/S<br>UBMISSION<br>BOOK/SUBMIS<br>SION BOOK<br>VO/ENUNEZ/K<br>JT/AVT | 97-06-30              | C2          | 132936     |
|                                   |                                                                                                                                                                                      |                |               |               | 70255      | FWB6373                                        |                                                                               | 97-07-30              | C2          | 132936     |
| A WSS-M33J6-B1                    | ENAMEL, COMPLIANCE VOC, MEDIUM SOLIDS,<br>THERMOSET CLEARCOAT, BASECOAT/CLEARCOAT<br>WET-ON-WET PROCESS, EXTERIOR, (SHOWN ON<br>WSS-M33J6-A1) DATED: 97-09-25                        |                |               |               |            |                                                |                                                                               |                       |             |            |
| F626A                             | PPG INDUSTRIES AUSTRALIA PTY LTD                                                                                                                                                     |                | CVP           | CLEAR         | 69967      | FC97 MED<br>SOLIDS CLEAR<br>455-48439          | FOA/AWILSO1<br>6/MEA00115                                                     | 97-09-11              | C2          | 148342     |
| A WSS-M33J6-B2                    | ENAMEL, COMPLIANCE VOC, MEDIUM SOLIDS,<br>THERMOSET TINTED CLEARCOAT, BASECOAT/CLEARCOAT<br>WET-ON-WET PROCESS, EXTERIOR, (SHOWN ON<br>WSS-M33J6-A1) DATED: 97-09-25                 |                |               |               |            |                                                |                                                                               |                       |             |            |
| A WSS-M33J6-B3                    | ENAMEL, COMPLIANCE VOC, MEDIUM SOLIDS,<br>THERMOSET CLEARCOAT, BASECOAT/CLEARCOAT<br>WET-ON-WET PROCESS, ETCH RESISTANT, EXTERIOR,<br>(SHOWN ON WSS-M33J6-A1) DATED: 97-09-25        |                |               |               |            |                                                |                                                                               |                       |             |            |
| A WSS-M33J6-B4                    | ENAMEL, COMPLIANCE VOC, MEDIUM SOLIDS,<br>THERMOSET TINTED CLEARCOAT, BASECOAT/CLEARCOAT<br>WET-ON-WET PROCESS, ETCH RESISTANT, EXTERIOR,<br>(SHOWN ON WSS-M33J6-A1) DATED: 97-09-25 |                |               |               |            |                                                |                                                                               |                       |             |            |
| A WSS-M33J6-C1                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, EXTERIOR, DATED: 97-09-25                                                     |                |               |               |            |                                                |                                                                               |                       |             |            |
| EI30B                             | PPG CANADA INC<br>APPROVED FOR USE WITH PPG WATERBORNE BASECOATS ONLY                                                                                                                |                |               |               | 70085      | DCT3601M                                       | VO/ENUNEZ/S<br>UBMISSION<br>SION BOOK                                         | 97-06-30              | C2          | 142300     |
| A WSS-M33J6-C2                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>TINTED CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, EXTERIOR, DATED: 97-09-25                                              |                |               |               |            |                                                |                                                                               |                       |             |            |
| A WSS-M33J6-C3                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>CLEARCOAT, BASECOAT/CLEARCOAT, WET-ON-WET<br>PROCESS, ETCH RESISTANT, EXTERIOR, DATED:<br>97-09-25                                 |                |               |               |            |                                                |                                                                               |                       |             |            |
| D876H                             | EI DUPONT DE NEMOURS & CO INC<br>FOR USE WITH DUPONT WATERBORNE BASECOATS ONLY                                                                                                       |                |               |               | 70141      | RKF81887                                       | VO/ENUNEZ                                                                     | 97-07-07              | C2          | 137752     |

Materials Engineering Testing &amp; Standards

2001-09-04

# Product Engineering Materials Approved Source List

VOLUME 16A

PAGE 35

| SPECIFICATION NO.<br>GSDB<br>CODE | SPECIFICATION TITLE<br>SUPPLIER<br>NAME/REMARKS                                                                                                                | TYPE/<br>GRADE | COLOR<br>CODE | COLOR<br>NAME | LOG<br>NO. | TRADE<br>NAME/CODE        | FORD<br>FILE<br>REFERENCE | FORD<br>APPR.<br>DATE | T<br>O<br>X | TOX<br>NO. |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------------|------------|---------------------------|---------------------------|-----------------------|-------------|------------|
| A WSS-M33J6-C4                    | ENAMEL, COMPLIANCE VOC, HIGH SOLIDS, THERMOSET<br>TINTED CLEARCOAT, BASECOAT/CLEARCOAT WET-ON-WET<br>PROCESS, ETCH RESISTANT, EXTERIOR, DATED:<br>97-09-25     |                |               |               |            |                           |                           |                       |             |            |
| A ESB-M33J100-A                   | ENAMEL, ACRYLIC, HIGH SOLIDS, LOW VOC,<br>EXTERIOR, DATED: 90-10-23                                                                                            |                |               |               |            |                           |                           |                       |             |            |
| B270A                             | ROHM AND HAAS                                                                                                                                                  | M1724A         | JASAXXA       | BLACK         | 37542      | 85264-3D-CC-<br>UR560CAFH | BEO/J-2967                | 91-07-29              | N           | IRB029     |
|                                   |                                                                                                                                                                | M6210A         |               | WHITE         | 36857      | 88149-1-<br>UR560CAFH     | B&CE-<br>BODY/J-2353      | 90-07-13              | C2          | 046386     |
| D876H                             | EI DUPONT DE NEMOURS & CO INC                                                                                                                                  | M6406A         | ZBFAXXA       | GLACIER WHITE | 37545      | 90022-UR560CAF            | BEO/J-2969                | 91-07-29              | N           | IRB029     |
|                                   |                                                                                                                                                                |                |               |               | 34198      | K662-AE816                | B&CE                      | 86-09-24              | C2          | 034372     |
|                                   |                                                                                                                                                                |                |               |               | 34199      | K662-AE815                | B&CE                      | 86-09-24              | C2          | 034371     |
| A ESB-M33J100-A2                  | ENAMEL, ACRYLIC, HIGH SOLIDS, LOW VOC,<br>EXTERIOR, REDUCED VISCOSITY, (SHOWN ON<br>ESB-M33J100-A) DATED: 90-10-23                                             |                |               |               |            |                           |                           |                       |             |            |
| A ESB-M36J1-A1                    | ENAMEL, THERMOSETTING, ACRYLIC BASECOAT, HIGH<br>SOLIDS, WET ON WET PROCESS EXTERIOR, DATED:<br>96-07-22                                                       |                |               |               |            |                           |                           |                       |             |            |
| I883A                             | BASF CORP                                                                                                                                                      |                |               |               | 35173      | E86AE562                  | B&CE                      |                       | C2          | 037487     |
| A ESB-M36J1-A2                    | ENAMEL, THERMOSET 2 COMPONENT URETHANE<br>CLEARCOAT, 5 K.H.N. TUKON, HIGH SOLIDS,<br>WET-ON-WET PROCESS, EXTERIOR, (SHOWN ON<br>ESB-M36J1-A1) DATED: 96-07-22  |                |               |               |            |                           |                           |                       |             |            |
| I883A                             | BASF CORP                                                                                                                                                      |                |               |               | 35172      | E86A E562                 | B&CE                      |                       | C2          | 037487     |
| A ESB-M36J1-A3                    | ENAMEL, CATALYZED 2-COMPONENT CLEARCOAT -<br>HIGH SOLIDS, WET-ON-WET LOW BAKE REPAIR PROCESS<br>EXTERIOR, DATED: 89-06-02                                      |                |               |               |            |                           |                           |                       |             |            |
| I883E                             | BASF CORP                                                                                                                                                      |                |               |               | 35918      | E10CE016                  | B&CE                      | 89-05-15              | C2          | 041958     |
| A ESB-M36J1-A4                    | ENAMEL, THERMOSET 2 COMPONENT URETHANE<br>CLEARCOAT, 10 K.H.N. TUKON, HIGH SOLIDS,<br>WET-ON-WET PROCESS, EXTERIOR, (SHOWN ON<br>ESB-M36J1-A1) DATED: 96-07-22 |                |               |               |            |                           |                           |                       |             |            |
| I883E                             | BASF CORP                                                                                                                                                      |                |               |               | 37492      | E12CE200                  | BEO/J-2830                | 91-04-22              | C2          | 059142     |
|                                   |                                                                                                                                                                |                |               |               | 37493      | N52CE200                  | BEO/J-2831                | 91-04-22              | C2          | 059143     |
| N ESB-M36J2-A                     | ENAMEL, THERMOSET, 2 COMPONENT, COLOR COAT,<br>ESB-M15J6-A) DATED: 90-10-03                                                                                    |                |               |               |            |                           |                           |                       |             |            |
| W966E                             | AKZO NOBEL COATINGS INC<br>SUBSTRATE: WSB-M2D452-A                                                                                                             |                |               |               | 37694      |                           | BEO<br>PP91001-1<br>J3118 | 91-11-07              | N           | IRB029     |
| S244A                             | SHERWIN WILLIAMS CO<br>SUBSTRATE: WSB-M4D609-A                                                                                                                 |                |               |               | 37735      |                           | BEO/PP91001<br>-10/J-3159 | 91-11-08              | N           | IRB029     |
|                                   | SUBSTRATE: WSB-M4D734-A                                                                                                                                        |                |               |               | 37736      |                           | BEO/PP91001<br>-10/J-3160 | 91-11-08              | N           | IRB029     |
|                                   | SUBSTRATE: FSB-M2D348-A3                                                                                                                                       |                |               |               | 37737      |                           | BEO/PP91001<br>-10/J-3161 | 91-11-08              | N           | IRB029     |
| W966E                             | AKZO NOBEL COATINGS INC                                                                                                                                        |                |               |               |            |                           |                           |                       |             |            |

Materials Engineering Testing &amp; Standards

2001-09-04



## Product Engineering Materials Approved Source List

VOLUME 16A

PAGE 37

| SPECIFICATION NO.<br>GSDB<br>CODE | SPECIFICATION TITLE<br>SUPPLIER<br>NAME/REMARKS                                                                    | TYPE/<br>GRADE | COLOR<br>CODE | COLOR<br>NAME       | LOG<br>NO. | TRADE<br>NAME/CODE                               | FORD<br>FILE<br>REFERENCE     | FORD<br>APPR.<br>DATE | T<br>O<br>X | TOX<br>NO. |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------|---------------|---------------------|------------|--------------------------------------------------|-------------------------------|-----------------------|-------------|------------|
| N ESB-M36J2-A                     | ENAMEL, THERMOSET, 2 COMPONENT, COLOR COAT,<br>(NOT TO BE USED FOR NEW DESIGN, USE<br>ESB-M15J6-A) DATED: 90-10-03 |                |               |                     |            |                                                  |                               |                       |             |            |
| S244A                             | SHERWIN WILLIAMS CO                                                                                                |                | YCDAXXJ       | MED DK OPAL         | 40265      | G64AC8901                                        | BEO<br>PP91001-9              | 91-11-04              | C2          | 124991     |
|                                   |                                                                                                                    |                | 7ZCAXXJ       | MED SANDALWOOD      | 40267      | G64HC5101                                        | BEO/PP91001<br>-3/J2916       | 91-05-08              | C2          | 048481     |
|                                   |                                                                                                                    |                | 7BBAXXJ       | SHADOW BLUE         | 40268      | G64LC6801                                        | BEO/PP91001<br>-3/J2917       | 91-05-08              | C2          | 048482     |
|                                   |                                                                                                                    |                | 5BDAXXJ       | DK REGATTA BLUE     | 40269      | G64LC7401                                        | BEO/PP91001<br>-3/J2918       | 91-05-08              | C2          | 048483     |
|                                   |                                                                                                                    |                | DADAXXJ       | MOCHA               | 40270      | G64NC6301                                        | BEO/PP91001<br>-3/J2919       | 91-05-08              | C2          | 048484     |
|                                   |                                                                                                                    |                | EAEAXXJ       | CURRANT             | 40271      | G64RC8501                                        | BEO/PP91001<br>-3/J2920       | 91-05-08              | C2          | 048485     |
|                                   |                                                                                                                    |                | EREAXXJ       | CRANBERRY           | 40272      | G64RC8801                                        | BEO/PP91001<br>-3/J2921       | 91-05-08              | C2          | 048486     |
|                                   |                                                                                                                    |                | KA4AXXJ       | MED CRYSTAL<br>BLUE | 40273      | G64LC7701                                        | BEO<br>PP91001-9              | 91-11-04              | C2          | 124989     |
|                                   |                                                                                                                    | M4149          | JA6AXXH       | CHARCOAL            | 35536      | G64BC36                                          | B&CE                          | 88-07-25              | C2          | 041247     |
|                                   |                                                                                                                    | M4172II        | 5AEAXXH       | RAVEN BLACK         | 35534      | G64BC31                                          | B&CE                          | 88-07-25              | C2          | 041246     |
|                                   |                                                                                                                    | M4190H         | 7ZBAXXH       | LT SANDALWOOD       | 35535      | G64UC46                                          | B&CE                          | 88-07-21              | C2          | 041248     |
|                                   |                                                                                                                    | M4193H         | 7BEAXXH       | SHADOW BLUE         | 35530      | G64LC68                                          | B&CE                          | 88-07-21              | C2          | 041249     |
|                                   |                                                                                                                    | M4197H         | 8FCAXXH       | MEDIUM CINNABAR     | 35537      | G64NC54                                          | B&CE                          | 88-07-21              | C2          | 041251     |
|                                   |                                                                                                                    | M419H          | 8FDAXXH       | DK CINNABAR         | 35531      | G64NC52                                          | B&CE                          | 88-07-21              | C2          | 041250     |
| A ESB-M36J3-A                     | ENAMEL, THERMOSET, TWO-COMPONENT COLOR COAT,<br>EXTERIOR, LOW GLOSS, DATED: 90-01-04                               |                |               |                     |            |                                                  |                               |                       |             |            |
| EC50G                             | GLIDDEN CO CANADA LTD<br>MIX RATIO A 5.5+/-<br>0.5:B 1.0                                                           |                | JASAXXG       |                     | 35592      | RIMBOND 200MG<br>-759BG30100B<br>COMPONENT A     | B&CE                          | 88-03-29              | C2          | 040452     |
|                                   | TO BE USED WITH<br>RIMBOND COATING,<br>MIX RATIO; A 5.5<br>+/- 0.5:B 1.0                                           |                | JASAXXG       |                     | 35593      | 758C30100<br>RIMBOND<br>REACTOR -<br>COMPONENT B | B&CE                          | 88-03-31              | C2          | 040451     |
|                                   | USED WITH 758-C-<br>30100 REACTOR<br>(COMP B), MIX<br>RATIO 7 TO 1                                                 | M6388G         | YGYAXXG       | EBONY               | 38391      | 759-B-30202                                      | BEO J3546                     | 92-10-02              | N           | IRB029     |
| L432A                             | LILLY INDUSTRIAL COATINGS                                                                                          | M6388G         | YGYAXXG       | BLACK               | 39811      | RIMBOND<br>759BX202                              | BEO J4286                     | 94-01-15              | N           | IRB029     |
|                                   | USE WITH 758-C-<br>30100 MIX RATIO<br>7:1                                                                          | M6388G         | YGYAXXG       | BLACK               | 67799      | RIMBOND<br>575B00005                             | AVT/JFAUNT                    | 96-07-17              | N           | IRB029     |
| R085A                             | RED SPOT PAINT VARNISHING CO INC                                                                                   | M6388G         | YGYAXXG       | BLACK               | 39872      | 289IM9045                                        | BEO J-4314                    | 94-02-11              | N           | IRB029     |
| A ESB-M50J100-B                   | ENAMEL, ACRYLIC BAKING - NON-AQUEOUS<br>DISPERSION (NAD), EXTERIOR BODY QUALITY,<br>DATED: 78-05-12                |                |               |                     |            |                                                  |                               |                       |             |            |
| W966A                             | AKZO NOBEL COATINGS INC<br>BODY APPLICATIONS                                                                       |                |               |                     |            |                                                  | LAB-80035-<br>P-1             |                       |             |            |
|                                   | NOT APPROVED FOR<br>BODY APPLICATIONS                                                                              | M1750A         |               | GRAY                | 30697      | FRM 3070                                         | FTO TROY<br>LAB-80035-<br>P-2 | 80-11-17              | C2          | 010949     |
| Q421A                             | BERGER AUTOMOTIVE COATINGS<br>APPROVED FOR FNH<br>USE ONLY                                                         | M1639A         |               | BLUE                | 34665      | 208.0862.3                                       | FNH                           | 87-04-22              | C2          | 109450     |
| H857A                             | EI DUPONT DE NEMOURS & CO<br>APPROVED FOR<br>TRACTOR USE ONLY                                                      | M1639A         | XBMAXXA       | BLUE                | 31877      | 5334                                             | FTO/81017-P                   | 82-03-25              | C2          | 017614     |
| I957A                             | INTERNATIONAL PAINTS LTD UK<br>APPROVED FOR<br>TRACTOR ONLY                                                        | M1639A         |               | BLUE                | 33374      | 4430-A-1040                                      | FTO                           | 85-07-17              | H8          | 107260     |

Materials Engineering Testing & Standards

2001-09-04

# Product Engineering Materials Approved Source List

VOLUME 16A

PAGE 38

| SPECIFICATION NO.<br>GSDB<br>CODE | SPECIFICATION TITLE<br>SUPPLIER<br>NAME/REMARKS<br>TYPE/<br>GRADE<br>COLOR<br>CODE<br>COLOR<br>NAME                      | LOG<br>NO.     | TRADE<br>NAME/CODE   | FORD<br>FILE<br>REFERENCE                 | FORD<br>APPR.<br>DATE | T<br>O<br>X | TOX<br>NO.       |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------|----------------|----------------------|-------------------------------------------|-----------------------|-------------|------------------|
| A ESB-M50J100-C                   | ENAMEL, ACRYLIC BAKING - NON-AQUEOUS<br>DISPERSION (NAD), EXTERIOR BODY QUALITY,<br>DATED: 78-10-13                      |                |                      |                                           |                       |             |                  |
| A ESB-M50J107-A                   | ENAMEL, ACRYLIC BAKING- INTERMEDIATE SOLIDS -<br>NON-AQUEOUS DISPERSION (NAD), EXTERIOR BODY<br>QUALITY, DATED: 80-06-04 |                |                      |                                           |                       |             |                  |
| A WSK-M50J111-A                   | PAINT, MEDIUM SOLID POLYESTER, BAKING,<br>EXTERIOR TOPCOAT, DATED: 90-06-01                                              |                |                      |                                           |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                  |                |                      |                                           |                       |             |                  |
| A ESB-M62J7-A2                    | PRIMER, WATER DISPERSIBLE - BLACK FLOW COAT,<br>DATED: 78-10-06                                                          |                |                      |                                           |                       |             |                  |
| I883A                             | BASF CORP                                                                                                                | 23979          | 615                  | PR75-11158                                | 76-08-23              | N           | IRB029           |
| A ESB-M62J8-A                     | PAINT, WATER EMULSION - LOW GLOSS BLACK,<br>DATED: 95-03-01                                                              |                |                      |                                           |                       |             |                  |
| P435B                             | PPG INDUSTRIES INC                                                                                                       | 23980          | DWP 1106             | BEPE                                      | 63-11-04              | N           | IRB029           |
| N ESA-M62J13-A                    | PAINT, WATER BORNE ELECTROCOAT, ACRYLIC ENAMEL<br>(NOT TO BE USED FOR NEW DESIGN, USE<br>ESA-M62J13-B) DATED: 79-04-30   |                |                      |                                           |                       |             |                  |
| NONE                              | SOURCE APPROVAL PENDING                                                                                                  |                |                      |                                           |                       |             |                  |
| A ESA-M62J13-B                    | PAINT, WATERBORNE ANODIC ELECTROCOAT, ACRYLIC<br>ENAMEL, DATED: 87-06-30                                                 |                |                      |                                           |                       |             |                  |
| C6K2A<br>EC50G                    | ANODEC INC<br>GLIDDEN CO CANADA LTD                                                                                      | 34985          | FE-01                | B&CE                                      | 87-09-30              | C2          | 038924           |
|                                   |                                                                                                                          | 36584          | K-1722               | B&CE-<br>CHASSIS/CLS<br>990789/J-<br>2120 | 90-03-02              | C2          | 045563           |
|                                   |                                                                                                                          | 36585          | 309B9105             | B&CE-<br>CHASSIS/CLS<br>990789/J-<br>2121 | 90-03-02              | C2          | 045562           |
|                                   |                                                                                                                          | 36586          | 306B30107            | B&CE-<br>CHASSIS/CLS<br>990789/J-<br>2122 | 90-03-02              | C2          | 045561           |
| A ESA-M62J15-A                    | PAINT, WATER BORNE - DIP - HIGH GLOSS BLACK,<br>DATED: 79-01-10                                                          |                |                      |                                           |                       |             |                  |
| P595A                             | GROW GROUP INC                                                                                                           | 26261          | FRM-2990             | CEO-CLS-<br>703928                        | 77-10-06              | N           | IRB029           |
| S141A                             | SEIBERT OXIDERMIO                                                                                                        |                |                      |                                           |                       |             |                  |
| S244C                             | SHERWIN WILLIAMS CO                                                                                                      | 32607<br>23984 | AWE-9360<br>G73BD502 | B&CE<br>CEO CLS-<br>701894 &<br>701895    | 84-12-14<br>77-04-06  | C2<br>C2    | 025517<br>017827 |
| A ESE-M62J17-C                    | ENAMEL, WATER BASED, AIR DRY - ENGINE, EXEMPT<br>SOLVENT, DATED: 82-10-18                                                |                |                      |                                           |                       |             |                  |
| W966A                             | AKZO NOBEL COATINGS INC                                                                                                  |                |                      |                                           |                       |             |                  |

Materials Engineering Testing &amp; Standards

2001-09-04