

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSG-M7J40-A4	VARNISH, DATED: 94-10-31						
D570A	JOHN C DOLPH COMPANY	62476	CC-1105	EFHD J4580	94-08-16	C2	134581
A WSS-M7J40-B	VARNISH, HIGH TEMPERATURE POLYESTER RESIN, HIGH SOLIDS 2 PARTS, ELECTRICAL INSULATING, DATED: 96-12-19						
NONE	SOURCE APPROVAL PENDING						
A WSS-M7J40-B2	VARNISH, HIGH TEMPERATURE POLYESTER RESIN, HIGH SOLIDS 2 PARTS, ELECTRICAL INSULATING, DATED: 00-02-28						
G412A	PD GEORGE CO	71259	6180-S POLYESTER RESIN	EFHD/NVALLA BH/98001-01	98-06-09	C2	147219
		72708	LS5855-072 8183 @ 150 CP	BE/JFAUNT/W TAYLOR7	99-11-23	C2	156225
A WSS-M7J42-A	VARNISH,, EPOXY RESIN, HIGH SOLIDS, 2 PARTS, ELECTRICAL INSULATING, DATED: 00-06-23						
A S-M14J19-A	THINNER, TOLUENE/XYLENE, LACQUER VISCOSITY REDUCTION, DATED: 95-02-02						
Q570A	AMERON COATINGS	48259	CL 1025	TO-K ML S1662/PTR 30329	85-09-17	C2	104706
		69910	TN74000 THINNERS TYPE 74	FOE/SMAYOH	97-02-10	C2	146787
A S-M14J22-A	DENATURED ALCOHOL, DATED: 94-12-19						
NONE	SOURCE APPROVAL PENDING						
A S-M14J23-A	ISOPROPYL ALCOHOL, DATED: 94-12-21						
ZZZZZ Q815A	ANY RELIABLE SUPPLIER KLUTHE	50046 51713	ISOPROPANOL ISOPROPANOL	TO-K L7101	88-04-06 91-07-04	C2 C2	105605 105605
A S-M14J210-A	THINNER, DATED: 94-12-19						
Q815A	KLUTHE	51811	HAKU 1410 K		91-08-30	C2	109868
A WSK-M14J228-B	BUTYL ACETATE, DATED: 90-11-02						
C68JA A ESK-M14J229-A	BASF AG THINNER, FOR BASECOAT, DATED: 94-12-21	57945	SV 08-4154	TO-K/J-2653	90-11-02	C2	113818
B44TA Q815A	ELF ATOCHEM DEUTSCHLAND GMBH KLUTHE	47201 50277	PLATE 87990130 HAKU3957- VERDUENNER	TO-K	84-08-31 88-04-25	R2 R2	104301 110600
A ESK-M14J232-A	THINNER, MIXTURE OF MIBK AND DIACETONEALCOHOL, DILUTION OF PAINTS, DATED: 94-12-19						
Q433A	PPG INDUSTRIES LACKE GMBH THINNER	50287	VERDUENNUNG 10205	TO-K L8004	88-04-28	C2	110861

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESK-M14J232-A	THINNER, MIXTURE OF MIBK AND DIACETONEALCOHOL, DILUTION OF PAINTS, DATED: 94-12-19						
Q433A	PPG INDUSTRIES LACKE GMBH	51398	08-913		90-12-17	C2	114021
B44TA	ELF ATOCHEM DEUTSCHLAND GMBH	50315	87990136		88-03-07	C2	111602
H269B	HERBERTS GMBH	47409	VERDUENNUNG 11007	TO-K	84-11-05	C2	106650
A ESK-M14J233-A	THINNER, DATED: 94-12-19						
X320A	SPIES HECKER GMBH	47509	111007	TO-K	84-12-05	R2	106623
A WSK-M14J239-A	XYLENE, DATED: 90-11-02						
NONE	SOURCE APPROVAL PENDING						
A WSK-M14J240-A	BUTYL GLYCOL, DATED: 90-11-02						
D1W7A	PPG INDUSTRIES DEUTSCHLAND GMBH	57946	04014	TO-K/J-2654	90-11-02	C2	111764
A WSK-M14J241-A	ETHYL GLYCOL, DATED: 90-11-02						
P435K	PPG INDUSTRIES INC	57947	SO 221	TO-K/J-2655	90-11-02	N	IRB029
A WSK-M14J243-A	THINNER, DATED: 90-11-02						
NONE	SOURCE APPROVAL PENDING						
A WSK-M14J246-A	THINNER, SUEDE COATING, DATED: 93-01-04						
E588A	SCHRAMM LACKE GMBH	58303	00-9777-501029	TO-K/J-2849	91-05-02	C2	110813
A WSK-M14J246-A2	THINNER, SUEDE COATING, (SHOWN ON WSK-M14J246-A) DATED: 93-01-04						
S371A	SONNEBORN & RIECK LTD UK	59821	01:306	TO-D J3554	92-10-23	C2	110332
A WSK-M14J247-A	SOLVENT, NITROCELLULOSE THINNER, DATED: 97-10-13						
D876H	EI DUPONT DE NEMOURS & CO INC	70848 70853 70856 70857	300S 3696S 8093S 3919S	VO/EMANGIN VO/EMANGIN VO/EMANGIN VO/EMANGIN	98-01-30 98-01-30 98-01-30 98-01-30	C2 C2 C2 C2	059379 059384 059392 059385
A WSK-M14J248-A	SOLVENT, NITROCELLULOSE THINNER, DATED: 90-02-01						
T2EFB	RENNER DUPONT TINTAS AUTOMOTIVAS E INDUSTRIAIS SA THIS MATERIALS ATTEND THE SPECIFICATION WSK-M14J248-A	73124	THINNER BAX	FSAO/GTEIXE 12	00-09-21	C2	159408
A ESK-M14J250-A	THINNER, DATED: 90-09-03						
X306A	AKZO COATINGS BV	52080	AS/56- 000000/031 (02-20007)		92-05-17	C2	115317
B44TA	ELF ATOCHEM DEUTSCHLAND GMBH	51404	87990180		91-01-07	C2	115680
J311A	DUPONT AUTOMOTIVE COATINGS (UK) LTD	51244	M850-1362	TO-K/J-2327	90-06-18	C2	114622
Q815A	KLUTHE	51714	HAKU 5682		91-07-04	C2	116221

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESK-M14J250-A2	THINNER, (SHOWN ON ESK-M14J250-A) DATED: 90-09-03									
C68KA	BASF COATINGS REFINISH LTD				51380	L18C099		90-09-05	C2	115613
C68JA	BASF AG				51312	SV 41-0381	TO-K	90-09-05	C2	115363
B44TA	ELF ATOCHEM DEUTSCHLAND GMBH				51405	87990181		91-01-07	C2	115679
Q815A	KLUTHE				51715	HAKU 5683		91-07-04	C2	116220
A WSK-M14J251-A	SOLVENT, ISOPROPYL ALCOHOL, DATED: 96-10-24									
ZZZZZ	ANY RELIABLE SUPPLIER				58154	ISOPROPANOL	TO-K/J-2799	91-03-15	C2	105605
N S-M14J260-A	THINNER, (NOT TO BE USED FOR NEW DESIGN) DATED: 00-07-20									
D0QTA	CHEMISCHE WERKE KLUTHE GMBH				73053	HAKU GB 260	FOB/POSMA1	00-07-20	C2	156235
A WSK-M14J262-A	THINNER, GENERAL, FOR USE WITH AUTOMOTIVE REFINISH PRODUCTS, DATED: 93-12-10									
X306A	AKZO COATINGS BV				61670	96179/01929	M&FQE-K J4056	93-08-02	C2	110679
A WSK-M14J263-A	THINNER, GENERAL, FOR USE WITH AUTOMOTIVE REFINISH PRODUCTS, DATED: 93-12-10									
X306A	AKZO COATINGS BV				61671	96166/01721	M&FQE-K J4057	93-08-02	C2	110678
A WSB-M14J264-A	OXO HEXYL ACETATE, DATED: 95-10-13									
G003A	GAGE PRODUCTS CO				62025	EXXATE 600	B&A J4443	94-05-03	C2	025277
A ESK-M14J512-A1	THINNER, DATED: 88-09-12									
I361A	PPG INDUSTRIES (DEUTSCHLAND) GMBH				50353	04117	TO-K L8044	88-07-20	T1	111203
A ESK-M14J512-A2	THINNER, (SHOWN ON ESK-M14J512-A1) DATED: 88-09-12									
P435K	PPG INDUSTRIES INC				50354	ADDITIVE 309	TO-K L8044	88-07-20	C2	111669
A WSS-M14J513-A	RETARDER SOLVENT, DATED: 97-10-13									
D877L	DUPONT CANADA INC				70858	LOCTITE THINNER (3602S, 3608S, 3661S)	VO/EMANGIN	98-02-04	C2	123838
D876H	EI DUPONT DE NEMOURS & CO INC				70859 70861 70867	3661S 7160S 7175S	VO/EMANGIN VO/EMANGIN VO/EMANGIN	98-02-04 98-02-04 98-02-04	C2 C2 C2	059486 124670 124671
A WSS-M14J514-A	SOLVENT, AROMATIC HYDROCARBON, THINNER, DATED: 97-10-30									
A WSS-M14J517-A	SOLVENT, WATERBORN BASECOAT PURGE MATERIAL, DATED: 97-12-17									
A WSS-M14J518-A	SOLVENT, PURGE MATERIAL FOR SOLVENTBORNE ENAMELS, DATED: 98-02-17									

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSS-M14J519-A	FADE OUT THINNER, DATED: 98-04-29						
A WSS-M14J520-A	RETARDER THINNER, DATED: 98-07-14						
A WSS-M14J521-A1	PRIMER THINNER, DATED: 98-09-28						
U81EA	GOODLASS NEROLAC PAINTS LTD	71537	1534/01443	FOE/SMAYOH	98-07-30	C2	152497
A WSS-M14J521-A2	PURGE THINNER, (SHOWN ON WSS-M14J521-A1) DATED: 98-09-28						
U81EA	GOODLASS NEROLAC PAINTS LTD	71536 71678	1534/01801 1534/01801	FOE/SMAYOH FOE/SMAYOH	98-07-30 98-07-30	C2 C2	152496 152496
A S-M14J4500-A	THINNER, DATED: 94-12-19						
E588A	SCHRAMM LACKE GMBH	49894	00-9777-501029		88-02-04	C2	110813
A SK-M14J9550-C	THINNER, DATED: 94-12-19						
NONE	SOURCE APPROVAL PENDING						
A SK-M14J9561-A	THINNER, DATED: 95-01-13						
Q815A	KLUTHE 1614	47558	NIKOTEX 1256			R2	106735
A SK-M14J9561-B	THINNER, (SHOWN ON SK-M14J9561-A) DATED: 95-01-13						
NONE	SOURCE APPROVAL PENDING						
A SK-M14J9561-C	THINNER, (SHOWN ON SK-M14J9561-A) DATED: 95-01-13						
Q887A	NABERSA	52331	59020021		93-05-26	C2	113037
A SK-M14J9561-D	THINNER, RECYCLING, FOR BASECOAT, SOLID COLOUR AND CLEARCOAT, DILUTION OF PAINT FOR CLEANING OPERATION (ESTA), (SHOWN ON SK-M14J9561-A) DATED: 95-01-13						
D0E0A	INDUSTRIAS QUIMICAS NABER SA	69263	DISOLVENTE NN MOD 30: 59020145	FOE/SMAYOH	96-12-17	C2	146284
Q815A	KLUTHE						
A SK-M14J9563-A	SOLVENT, ADDITIVE, DATED: 94-12-19						
NONE	SOURCE APPROVAL PENDING						
A SK-M14J9571-A	THINNER, DATED: 94-12-19						
NONE	SOURCE APPROVAL PENDING						
A SK-M14J9571-B	THINNER, DATED: 94-12-19						
NONE	SOURCE APPROVAL PENDING						

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A SK-M14J9573-B	THINNER, DATED: 94-12-19									
NONE	SOURCE APPROVAL PENDING									
A SK-M14J9582-A	CLEANER, SOLVENT BASE, DATED: 94-12-19									
NONE	SOURCE APPROVAL PENDING									
A WSK-M15J2-A	PAINT, ONE PACK, PLASTIC SUBSTRATES, INTERIOR, DATED: 90-11-02									
B44TA	ELF ATOCHEM DEUTSCHLAND GMBH			DK MACE 3P	57948	80168122	TO-K/J-2656	90-11-02	C2	111866
A WSK-M15J3-A	PAINT, TWO PACK, HIGH FLEXIBLE PLASTIC SUBSTRATES, INTERIOR, DATED: 90-11-02									
B44TA	ELF ATOCHEM DEUTSCHLAND GMBH			RAVEN	57949	84165132	TO-K/J-2657	90-11-02	C2	111633
E588A	SCHRAMM LACKE GMBH			Light Graphite	72887	05:3442 506 424 SENOSOFT 2K HYDROLAC 2K WATER B	FOB/MWATSON 1	00-03-17	C2	157717
				Euro Grey Parchment	72888	05:3442 506425 SENOSOFT 2K HYDROLAC WATER BORNE	FOB/MWATSON 1	00-03-17	C2	157713
				Ebony	72889	05:3442 506426 WATER BORNE DECORATIVE PAINT. SEN	FOB/MWATSON 1	00-03-17	C2	157716
A WSK-M15J4-A	PAINT, TWO PACK, PLASTIC SUBSTRATES, INTERIOR, DATED: 90-11-02									
B44TA	ELF ATOCHEM DEUTSCHLAND GMBH			BLACK	57950	84169146	TO-K/J-2658	90-11-02	C2	111601
S371A	SONNEBORN & RIECK LTD UK				69873	JAXALAC 92 47 C6614 A TWO COMPONENT BASCOAT	FOE/SMAYOH	97-02-21	C2	146950
A WSK-M15J5-A	PAINT, TEXTURED, TWO PACK, PLASTIC SUBSTRATES, INTERIOR, DATED: 90-11-02									
B44TA	ELF ATOCHEM DEUTSCHLAND GMBH				57951	84167134	TO-K/J-2659	90-11-02	C2	111608
A WSB-M15J8-A1	CLEAR TOPCOAT, ABRASION RESISTANT, ANTI-STATIC TRANSPARENT PLASTIC PARTS, DATED: 93-07-29									
C3F8A	EXXENE CORP				60509	S-28-KAS	BEO J3842	93-04-08	N	IRB029
A WSB-M15J8-A2	CLEAR TOPCOAT, ABRASION RESISTANT, TRANSPARENT PLASTIC PARTS, (SHOWN ON WSB-M15J8-A1) DATED: 93-07-29									
C3F8A	EXXENE CORP				60510	S-28-K	BEO J3843	93-04-08	N	IRB029
A WSK-M15J11-A1	PAINT, TWO PACK, WATERBASED, SOFT COATING EFFECT, PLASTIC SUBSTRATES, INTERIOR, DATED: 01-07-10									
E588A	SCHRAMM LACKE GMBH			PUMICE MID OPAL GREY RAVEN BLACK	63112 63113 63114	05-3442-503424 05-3442-503426 05-3442-503427	AVT J4614 AVT J4868 AVT J4869	95-01-19 95-01-19 95-01-19	C2 C2 C2	136523 136522 136524

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M15J11-A1	PAINT, TWO PACK, WATERBASED, SOFT COATING EFFECT, PLASTIC SUBSTRATES, INTERIOR, DATED: 01-07-10									
E588A	SCHRAMM LACKE GMBH PAINT, TWO PACK, PLASTIC SUBSTRATES, INTERIOR			BLACK	68351	SENSOL 05 3648 504086 BLACK WATER BASED	AVT/DGREEN8 /ISW 695207	96-09-25	C2	143915
	PAINT, TWO PACK, PLASTIC SUBSTRATES, INTERIOR			EBONY METALLIC	68352	SENSOL 05- 3648-504006 EBONY METALLIC WATER BASED	AVT/DGREEN8 /ISW 695208	96-09-25	C2	143399
					68726	SENOSOFT 05- 3442-504087 ALCHEMY WATERBORNE 2K	FOE/SMAYOH	96-10-22	C2	145639
					69539	SENOSOFT 05:3442:503998 MED DARK TRUFFLE WATER B	FOE/SMAYOH	97-02-11	C2	146791
					69963	SENOSOFT 05- 3442-504578 MIDNIGHT BLACK WATER BOU	FOE/SMAYOH	97-05-13	C2	147790
					69964	SENOSOFT 05- 3442-504576 DARK PARCHMENT WATER BOU	FOE/SMAYOH	97-05-13	C2	147792
					69965	SENOSOFT 05- 3442-504577 MEDIUM DARK GRAPHITE WAT	FOE/SMAYOH	97-05-13	C2	147793
					69991	SENOSOFT 05- 3442-504575 MEDIUM PARCHMENT WATER B	FOE/SMAYOH/ BL97141	97-05-13	C2	147791
					70819	SENOSOFT 05- 3442-504867 BLACK YYW	FOE/SMAYOH	97-12-04	C2	150087
					70967	SENOSO 05- 3648-504926 MID OPAL GREY WATERBASED	FOE/SMAYOH	98-01-26	C2	150554
					70968	SENOSO 05- 3648-504927 ALCHEMY WATER BASED	FOE/SMAYOH	98-01-26	C2	150555
					70969	SENOSO 05- 3648-504926 MID OPAL GREY WATERBASED	FOE/SMAYOH	98-01-26	C2	150554
					70974	SENOSOL 05- 3648-504928 BLACK (YYW) WATER BASED	FOE/SMAYOH	98-01-26	C2	150556
					70981	SENOSOL 05- MIDNIGHT BLACK WATER BASE	FOE/SMAYOH	98-01-26	C2	150557
					70982	SENOSOL 05- 3648-504883 MEDIUM DARK TRUFFLE WATER	FOE/SMAYOH	98-01-26	C2	150558
					70983	SENOSO 05- 3648-504925 TRUFFLE WATER BASED	FOE/SMAYOH	98-01-26	C2	150559
					71115	SENOSOL 05- 3648-505018 MED GREY METALLIC	FOE/SMAYOH/ IS98021	98-03-19	C2	151077

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M15J11-A1	PAINT, TWO PACK, WATERBASED, SOFT COATING EFFECT, PLASTIC SUBSTRATES, INTERIOR, DATED: 01-07-10									
E588A	SCHRAMM LACKE GMBH				71116	SENOSOL 05- 3648-505065 DARK GREY METALLIC	FOE/SMAYOH/ IS98021	98-03-20	C2	151078
					71683	SENSOL 05- 3648-505470 MEDIUM PARCHMENT	FOE/SMAYOH	98-10-23	C2	153231
					71684	SENSOL 05- 3648-505469 DK GRAPHITE	FOE/SMAYOH	98-10-23	C2	153232
S371A	SONNEBORN & RIECK LTD UK				72039	97R-361 WSL: CS852	FOE/SMAYOH	99-01-27	C2	154064
					72732	2K SOFT FEEL PAINT - IVORY - 97R-361 WSL- C6954/A	FOE/GSCHUH/ JGREENS1/J- 20531	99-12-21	C2	156804
					72755	2K SOFT FEEL PAINT - WARM CHARCOAL - 97R-361 WSL-	FOE/LRODIGA S/JGREENS1/ J20530	00-01-20	C2	156751
					72813	2K SOFT FEEL PAINT - SABLE - 97R-361 WSL- C6351/A	VO/HMEDINA1 JGREENS1/J 20532	00-02-14	C2	156805
A WSS-M15J13-A	PAINT, TWO COMPONENT COLOR COAT FOR PLASTIC, INTERIOR, DATED: 97-10-01									
W966D	AKZO NOBEL COATINGS INC for use on Pc/abs Exception: para 3.5.4 rating 3, para 3.7.9 final gloss 4.2, para 3.7.10 pending		8p6xxj		72865	11BLW47236	AVT/LSOREID E/J20976	00-03-02	N	IRB029
	for use on pc/abs exceptions: para 3.5.4 rating 3, para 3.7.9 final gloss 5.4, para 3.7.10 pending FOR USE ON FLAME TREATED TPO ONLY. NOT TO BE USED FOR TPOS THAT REQUIRE AN ADHESION PROMOTER. TECHNOLOGY APPROVAL TO THE SPECIFICATION, SEE CMIMS FOR INDIVIDUAL COLORS		7pecxxh		72866	11BLW47109	AVT/LSOREID E/J20976	00-03-02	N	IRB029
B270A	ROHM AND HAAS Technology approval. For use on WSB-M2D452-A, A2 and A3.				73107	ZUEA MIDNIGHT BLACK 1 MIL (4BLW46970)	AVT/LSOREID E	00-08-22	C2	158040
	Technology on WSB-M2D452-A, A2 and A3.	AY5AXXK		DARK PRAIRIE	73243	98241-AB698 GRAY	RVT/LSOREID E	01-01-17	N	IRB029
					73244	97079-AB698 TAN	RVT/LSOREID	01-01-17	N	IRB029
D418B	DHAKE INDUSTRIES Pending Florida Exposure. For use on PC/ABS. Pending Florida Exposure. For use on PC and ABS.	ZU8CXXK		MIDNIGHT BLACK METALLIC	73241	MC29MKP-DB	RVT/LSOREID E	01-01-17	N	IRB029
		2P3CXXH		Medium Satin Nickel	73242	MC28MP-B3 MEDIUM SATIN NICKEL	RVT/LSOREID E	01-01-17	N	IRB029
R085A	RED SPOT PAINT VARNISHING CO INC									

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 16A

PAGE 8

SPECIFICATION NO.		SPECIFICATION TITLE			LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
GSDB CODE	SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME						
A WSS-M15J13-A	PAINT, TWO COMPONENT COLOR COAT FOR PLASTIC, INTERIOR, DATED: 97-10-01									
R085A	RED SPOT PAINT VARNISHING CO INC FOR USE ON PC AND ABS EXCEPTIONS: PARA 3.7.5 25% RETENTION, PARA 3.7.9 GLOSS CHANGE GREATER THAN 1.0 IS ALLOWED, PARA 3.7.10 PENDING. PARTS MUST MEET THE REQUIREMENTS OF THE APPLICABLE SDS. FOR USE ON PC AND ABS EXCEPTIONS: PARA 3.7.4 SHOULD BE EXAMINED ON PARTS IN HIGH WEAR AREAS, PARA 3.7.5 27% RETENTION, PARA 3.7.9 GLOSS CHANGE GREATER THAN 1 IS ALLOWED, PARA 3.7.10 PENDING. PARTS MUST MEET THE REQUIREMENTS OF THE APPLICABLE SDS. FOR USE ON PC AND ABS EXCEPTIONS: PARA 3.7.5 41% RETENTION, PARA 3.7.9 GLOSS CHANGE GREATER THAN 1 IS ALLOWED, PARA 3.7.10 PENDING, PARA 3.7.18 SHOULD BE REVIEWED ON PARTS. PARTS MUST MEET REQUIREMENTS OF THE APPLICABLE SDS. FOR USE ON PC AND ABS EXCEPTION: PARA 3.7.5 IMPACT RESISTANCE GREATER THAN 17% RETENTION, PARA 3.7.10 PENDING Pending Florida Exposure. For use on PC and ABS. Pending Florida on PC/ABS and ABS. Pending Florida approval. For use on PC/ABS and ABS. Pending Florida approval. For use on PC/ABS and ABS. Pending Florida Exposure. For use on PC.	KY6AXXK	MIDNIGHT DENIM	72867	318LE50947	/AVT/LSOREIDE/J20982/	00-03-02	N	IRB029	
		7PECXXG		72868	318LE50938	AVT/LSOREIDE/J20982/	00-03-02	N	IRB029	
		ZUEAXXK	MIDNIGHT BLACK	72869	318LE50327P	/AVT/LSOREIDE/J20982	00-03-02	N	IRB029	
		UA2CXXG	SATIN ALUMINUM	73126	SATIN ALUMINUM ABRAS RESIST URETHANE PAINT (318L	AVT/LSOREIDE	00-09-21	C2	158481	
		2N5AXXK	Dark Flint	73231	DARK FLINT 318LE51125	RVT/LSOREIDE	01-01-17	N	IRB029	
		JA6CXXH	BLACK METALLIC	73232	BLACK METALLIC	RVT/LSOREID	01-01-17	N	IRB029	
		2T5AXXK	Expresso	73234	EXPRESSO 361WSL34388	RVT/LSOREIDE	01-01-17	N	IRB029	
		BJCAXXK	MEDIUM PARCHMENT	73235	MEDIUM PARCHMENT 361WSL34353	RVT/LSOREIDE	01-01-17	N	IRB029	
		2P3CXXH	Medium Satin Nickel	73236	318LE51168 MEDIUM SATIN NICKEL	RVT/LSOREIDE	01-01-17	N	IRB029	

Materials Engineering Testing & Standards

2002-01-02