

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M3P1-C	PHOSPHATE COATING, ZINC, DATED: 95-05-17						
SYSTEM NO. CA C378A	PPG CHEMFIL CORP CHEMFOS 86 ZINC NICKEL PHOSPHATE SYSTEM	56433	CHEMFOS 86R	B&CE- BODY/M90003 /P-691	90-09-27	C2	034259
		56434	CHEMFOS 86 MAKEUP A	B&CE- BODY/M90003 /P-692	90-09-27	C2	034258
		56435	CHEMFOS 86 MAKEUP B	B&CE- BODY/M90003 /P-693	90-09-27	C2	034257
		56436	CHEMFOS MAKEUP C	B&CE- BODY/M90003 /P-694	90-09-27	C2	046028
		56437	CHEMFOS FSA	B&CE- BODY/M90003 /P-695	90-09-27	C2	046029
		56438	CHEMFOS N	B&CE- BODY/M90003 /P-696	90-09-27	C2	046030
		56439	CHEMFOS Z	B&CE- BODY/M90003 /P-697	90-09-27	C2	046027
SYSTEM NO. CB N1ELA	CM SURFACE TREATMENT MANGANESE MODIFIED LOW ZINC PHOSPHATE - SPRAY	58124	GARDOBOND 24S	BEO/P-771	90-11-19	C	IRB030
		58490	GARDOBOND 24 SA	BEO/P-728	90-11-19	C2	047261
		58491	GARDOBOND 24 SEU	BEO/P-729	90-11-19	C2	047262
		58492	GARDOBOND 24 F	BEO/P-724	90-11-19	C2	047258
		58493	GARDOBOND 24 N	BEO/P-725	90-11-19	C2	047260
		58494	GARDOBOND 24 M	BEO/P-726	90-11-19	C2	047259
		58495	GARDOBOND 24 Z	BEO/P-727	90-11-19	C2	047265
SYSTEM NO. CC N1ELA	CM SURFACE TREATMENT MANGANESE MODIFIED LOW ZINC PHOSPHATE - IMMERSION	58125	GARDOBOND 24I	BEO/P-770	90-11-19	C	IRB030
		58484	GARDOBOND 24 TA	BEO/P-722	90-11-19	C2	047263
		58485	GARDOBOND 24 TEU	BEO/P-723	90-11-19	C2	047264
		58486	GARDOBOND 24 F	BEO/P-724	90-11-19	C2	047258
		58487	GARDOBOND 24 N	BEO/P-725	90-11-19	C2	047260
		58488	GARDOBOND 24 M	BEO/P-726	90-11-19	C2	047259
		58489	GARDOBOND 24 Z	BEO/P-727	90-11-19	C2	047265
SYSTEM NO. CD C378A	PPG CHEMFIL CORP CHEMFOS 710 ZINC NICKEL MANGANESE PHOSPHATE SYSTEM	60725	CHEMFOS 710	BEO P990	93-04-26	C	IRB030
		60726	CHEMKLEEN 618	BEO P991	93-04-26	N	IRB029
		60727	CHEMKLEEN 163	BEO P992	93-04-26	N	IRB029
		60728	RINSE CONDITIONER	BEO P993	93-04-26	N	IRB029
		60729	CHEMFOS 710 AW	BEO P994	93-04-26	N	IRB029
		60730	CHEMSEAL #18	BEO P995	93-04-26	N	IRB029
		60731	CHEMSEAL #20	BEO P996	93-04-26	N	IRB029
SYSTEM NO. PA	BONDERITE 952 MANGANESE NICKEL SPRAY PHOSPHATE SYSTEM	56162	BONDERITE 952 M.U.	B&CE- BODY/M90002 /P-673	90-06-04	C2	030846
		56163	BONDERITE 952 REPL B	B&CE- BODY/M90002 /P-673	90-06-04	C2	043570
		56164	ADDITIVE 311	B&CE- BODY/M90002 /P-673	90-06-04	C2	030841
		56165	ADDITIVE 315	B&CE- BODY/M90002 /P-673	90-06-04	C2	030842
SYSTEM NO. PB P066A	HENKEL SURFACE TECHNOLOGIES						

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M3P1-C	PHOSPHATE COATING, ZINC, DATED: 95-05-17						
SYSTEM NO. PB P066A	HENKEL SURFACE TECHNOLOGIES BONDERITE 958 MANGANESE NICKEL IMMERSION PHOSPHATE SYSTEM	56166	BONDERITE 958 M.U.	B&CE- BODY/M90002 /P-674	90-06-04	C2	040740
		56167	BONDERITE 958 REPL	B&CE- BODY/M90002 /P-674	90-06-04	C2	040737
		56168	ADDITIVE 301	B&CE- BODY/M90002 /P-674	90-06-04	C2	040735
		56169	ADDITIVE 302	B&CE- BODY/M90002 /P-674	90-06-04	C2	040734
		56170	ADDITIVE 319	B&CE- BODY/M90002 /P-674	90-06-04	C2	040736
C378A	PPG CHEMFIL CORP	63901	CHEMFOS 700	AVT P1296	95-03-30	C2	047162
A WSS-M3P1-D	PERFORMANCE, PHOSPHATE COATING, ZINC, DATED: 96-10-10						
NONE	SOURCE APPROVAL PENDING						
A S-M3P2-B	PHOSPHATE IRON, DATED: 94-12-19						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A S-M3P6-A	PHOSPHATE AND OIL, DATED: 94-12-19						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A S-M3P7-A	PHOSPHATE AND PAINT, (SHOWN ON S-M3P6-A) DATED: 94-12-19						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A S-M3P8-A	PHOSPHATE AND WAX, (SHOWN ON S-M3P6-A) DATED: 94-12-19						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A S-M3P9-A	PHOSPHATE COATING, (SHOWN ON S-M3P6-A) DATED: 94-12-19						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A WSS-M3P30-A2	PHOSPHATE BASE, BONDED PTFE RESIN, MOLYBDENUM DISULFIDE COATING, DATED: 96-11-15						
A WSD-M3P33-A1	PHOSPHATE COATING, ZINC, MICRO CRYSTALLINE, DATED: 01-06-11						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSD-M3P33-A2	PHOSPHATE COATING, MANGANESE IRON, MICRO CRYSTALLINE, (SHOWN ON WSD-M3P33-A1) DATED: 01-06-11						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M3P35-A1	PHOSPHATE COATING, ZINC IRON, AS COATED, DATED: 92-01-30						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSD-M3P35-A2	PHOSPHATE COATING, MANGANESE IRON, AS COATED, (SHOWN ON WSD-M3P35-A1) DATED: 92-01-30						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSD-M3P35-A3	PHOSPHATE COATING, ZINC IRON, OILED, (SHOWN ON WSD-M3P35-A1) DATED: 92-01-30						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSD-M3P35-A4	PHOSPHATE COATING, MANGANESE IRON, OILED, (SHOWN ON WSD-M3P35-A1) DATED: 92-01-30						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSB-M4P9-B1	ANODIZING, BRIGHT OVER ALUMINUM OR ALUMINUM ALLOY INTERIOR, DATED: 87-12-14						
ZZZZ	ANY RELIABLE SUPPLIER	58770				C	IRB026
A WSB-M4P9-B2	ANODIZING, BRIGHT OVER ALUMINUM OR ALUMINUM ALLOY EXTERIOR, (SHOWN ON WSB-M4P9-B1) DATED: 87-12-14						
ZZZZ	ANY RELIABLE SUPPLIER	58771				C	IRB026
A WSB-M4P10-B1	ANODIZING, ORGANICALLY COLORED OVER ALUMINUM OR ALUMINUM ALLOY INTERIOR, (SHOWN ON WSB-M4P9-B1) DATED: 87-12-14						
ZZZZ	ANY RELIABLE SUPPLIER	58772				C	IRB026
A WSB-M4P11-B1	ANODIZING, ELECTROLYTICALLY COLORED OVER ALUMINUM OR ALUMINUM ALLOY, EXTERIOR OR INTERIOR, (SHOWN ON WSB-M4P9-B1) DATED: 87-12-14						
A1Y5A	PRODUCTION ANODIZING CORP APPROVED FROM ESB-M4P11-A	54731			86-10-01	N	IRB029
P854A	PROGRESSIVE ANODIZING APPROVED FROM ESB-M4P11-A	54732			86-03-17	N	IRB029
N SQ-M4P9000-AA	ANODIZE FINISH FOR ALUMINIUM-SULPHURIC ACID TYPE, (NOT TO BE USED FOR NEW DESIGN) DATED: 92-03-31						
NONE	SOURCE APPROVAL PENDING						
A SQ-M4P9001-AA	ALUMINUM, ANODIC COATING HARD, DATED: 94-12-19						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A SK-M4P9100-A	ALUMINUM, ANODIC COATING, EXTERIOR, DATED: 95-02-02						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A WSE-M6P1-B	OXIDE COATING, DATED: 87-08-03						

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSE-M6P1-B	OXIDE COATING, DATED: 87-08-03						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSK-M6P2-B	OXIDE COATING, CHROMIUM FOR ALUMINUM, DATED: 90-02-01						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSS-M8P3-D1	PERFORMANCE, FLEXIBLE POLYMERIC FILM, INTERIOR QUALITY, UNLAMINATED, DATED: 96-12-10						
A WSS-M8P3-D2	PERFORMANCE, FLEXIBLE POLYMERIC FILM, INTERIOR QUALITY, TRILAMINATE, (SHOWN ON WSS-M8P3-D1) DATED: 96-12-10						
A WSS-M8P3-D3	PERFORMANCE, FLEXIBLE POLYMERIC FILM, INTERIOR QUALITY, BILAMINATE, (SHOWN ON WSS-M8P3-D1) DATED: 96-12-10						
A WSD-M8P5-B	THREAD, SEWING, DATED: 92-09-30						
NONE	SOURCE APPROVAL PENDING						
A WSS-M8P16-A	PERFORMANCE, CARPET, FLOOR AND TRIM, DATED: 96-06-17						
NONE	SOURCE APPROVAL PENDING						
A WSB-M8P17-A	LEATHER, FOAM LAMINATE, SEATING QUALITY, DATED: 00-11-09						
E052A	EAGLE OTTAWA LEATHER CO *APPROVED MATERIAL SOURCES ARE SHOWN UNDER RESPECTIVE ESB- M LISTINGS ON ASL	58665	ESB-M1F13- A/M17H93- C/M2G57-C*	BEO/P-828	91-09-11	C	IRB023
A WSS-M8P18-A1	PERFORMANCE, FABRIC, SEAT AND TRIM, UNLAMINATED, DATED: 98-06-29						
A WSS-M8P18-A2	PERFORMANCE, FABRIC FOAM TRILAMINATE, (SHOWN ON WSS-M8P18-A1) DATED: 98-06-29						
A WSS-M8P18-A3	PERFORMANCE, FABRIC FOAM BILAMINATE, (SHOWN ON						
A WSS-M8P18-A4	PERFORMANCE, FABRIC LAMINATE, HF WELDABLE, (SHOWN ON WSS-M8P18-A1) DATED: 98-06-29						
A WSD-M9P8-A	RUBBER PARTS, INTERIOR AND EXTERIOR PERFORMANCE, DATED: 99-04-26						
A5J4B	STANDARD PRODUCTS CANADA LTD 100% EPDM, SAE J200M8BA708B13CP CLASSIFICATION	69201	SP-9709	VO/DWHYTE1	97-01-17	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M9P8-A	RUBBER PARTS, INTERIOR AND EXTERIOR PERFORMANCE, DATED: 99-04-26						
A5J4B	STANDARD PRODUCTS CANADA LTD THIS MATERIAL IS CLASSIFIED AS A SAE J200 M2BA903C, Z1, Z2, Z3 MATERIAL WHERE C=OZONE PER BO101-01, Z1=STAIN PER ESB-M9P4-A, Z2=100% EPDM, Z3=COMPRESSION SET OF 65% MAX. THIS MATERIAL IS CLASSIFIED AS A SAE J200 M2AA707 Z1, Z2, Z3, Z4 MATERIAL WHERE Z1=STAIN TO ESB-M9P4-A, NO MIGRATION, Z2=100 EPDM, Z3=HARDNESS 65+/-5, Z4=OZONE PER BP101-01, RATING "0"	70109	FXC 29 RUBBER	VO/DWHYTE1	97-05-23	N	IRB029
		70120	EZH RUBBER	VO/DWHYTE1	97-05-23	N	IRB029
T8J4A	STANDARD PRODUCTS BRASIL IND COM LTDA FLORIDA RESULTS PENDING	69023	COMPOUND 27Q	AVT/BHENNES S/TO-D ML A31	96-12-19	N	IRB029
A WSB-M9P8-A2	WEATHERSTRIP, PERFORMANCE, FOAMED HOT MELT SEALANT, DATED: 96-01-10						
H835A	FINDLEY ADHESIVES INC	58262 59042	H5013-01 H5067-01	BEO/B-1472 BEO/P0861	91-04-22 92-01-13	C2 C2	044858 125593
B9TFB	NATIONAL STARCH & CHEMICAL CORP	58317 58318	70-7556 72-7421	BEO/B-2978 BEO/B-2979	91-04-22 91-04-22	C2 C2	048205 042861
A S-M9P1001-A	TEST REQUIREMENTS FOR HYDRAULIC RUBBER SEALS, HEAVY DUTY VEHICLES, DATED: 92-03-31						
NONE	SOURCE APPROVAL PENDING						
A WSH-M10P7-B1	COATING, CHROMATE CONVERSION COATING, FOR ALUMINUM, PROVIDES CORROSION PROTECTION AND IMPROVES PAINT ADHESION, DATED: 01-07-02						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSH-M10P7-B2	COATING, CHROMATE CONVERSION COATING, FOR ALUMINUM, PROVIDES CORROSION PROTECTION AND IMPROVES PAINT ADHESION, (SHOWN ON WSH-M10P7-B1) DATED: 01-07-02						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSH-M10P7-B3	COATING, CHROMATE CONVERSION COATING, FOR ALUMINUM, PROVIDES CORROSION PROTECTION AND IMPROVES PAINT ADHESION, (SHOWN ON WSH-M10P7-B1) DATED: 01-07-02						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSB-M10P10-A1	CHROMATE FINISH, TWO DIP COLORLESS OVER ZINC SURFACES, DATED: 88-02-26						
ZZZZZ	ANY RELIABLE SUPPLIER	54888			88-07-29	C	IRB030
A WSB-M10P10-A2	CHROMATE FINISH, BLACK DIP OVER ZINC SURFACES, (SHOWN ON WSB-M10P10-A1) DATED: 88-02-26						
ZZZZZ	ANY RELIABLE SUPPLIER	54889			88-07-29	C	IRB030
A WSB-M10P10-A3	CHROMATE FINISH, IRIDESCENT YELLOW OVER ZINC SURFACES, (SHOWN ON WSB-M10P10-A1) DATED: 88-02-26						
ZZZZZ	ANY RELIABLE SUPPLIER	54890			88-07-29	C	IRB030

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSB-M10P10-A4	CHROMATE FINISH, BRONZE (DEEP YELLOW) OVER ZINC SURFACES, (SHOWN ON WSB-M10P10-A1) DATED: 88-02-26						
ZZZZZ	ANY RELIABLE SUPPLIER	54891			88-07-29	C	IRB030
A WSB-M10P10-A5	CHROMATE FINISH, OLIVE DRAB OVER ZINC SURFACES (SHOWN ON WSB-M10P10-A1) DATED: 88-02-26						
ZZZZZ	ANY RELIABLE SUPPLIER	54892			88-07-29	C	IRB030
A WSE-M10P11-A	CONVERSION COATING, CAST IRON, DATED: 92-08-11						
L752B	LOCTITE CORP	59304	LOCTITE 18500	ED P0902	92-05-18	C2	047916
A WSS-M10P12-A1	PRETREATMENT, ALUMINUM, DATED: 01-06-21						
A SJ-M10P9000-AA	CHROMATE FINISH, FOR ZINC DIE CASTING, DATED: 92-03-31						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A SJ-M10P9001-AA	CHROMATE FINISH, FOR ZINC DIE CASTING, (SHOWN ON SJ-M10P9000-AA) DATED: 92-03-31						
ALL M	ALL MAJOR SUPPLIERS ARE CONSIDERED APPROVED.						
A WSF-M11P8-A2	ADHESION REQUIREMENTS, PRESSURE SENSITIVE ADHESIVE, SPONGE RUBBER, HIGHER TACK, DATED: 92-01-02						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSA-M11P19-C	ADHESION REQUIREMENTS, POLYURETHANE FOAM, PRESSURE SENSITIVE ADHESIVE, HIGH TACK, DATED: 93-07-29						
P500B	PLASTOMER CORP	61097	HIGH TACK ADHESIVE	CEO P-1010	93-07-21	N	IRB029
A WSB-M11P27-B	ADHESION REQUIREMENT, ADHESIVE FOR BONDING FRP/FRP AND FRP/PAINTED METAL PARTS, ASSEMBLED AFTER VEHICLE ELECTROCOAT, DATED: 00-03-30						
SYSTEM NO. AA A735A	ASHLAND CHEMICAL ADHESIVE PART A: ASHLAND CHEMICAL ADHESIVE PART B: ASHLAND CHEMICAL METAL PRIMER: ASHLAND CHEMICAL	58743 58744 58746	PLIOGRIP 7000 PLIOGRIP 7021 METAL PRIMER 6025	BEO/G-1914 BEO/G-1916 BEO/G-2081	91-08-23 91-08-23 91-10-01	C2 C2 N	048110 048112 IRB029
SYSTEM NO. AB A735A	ASHLAND CHEMICAL ADHESIVE PART B: ASHLAND CHEMICAL ADHESIVE PART A: ASHLAND CHEMICAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL METAL PRIMER: ASHLAND CHEMICAL	58994 58995 58996 58997 58998	PLIOGRIP 7020 PLIOGRIP 7000 9486 9466 METAL PRIMER 6025	BEO/G-1915 BEO/G-2159 BEO/G-2161 BEO/G-2162 BEO/G-2163	92-01-23 92-01-23 92-01-23 92-01-23 92-01-23	C2 C2 N N N	048111 048110 IRB029 IRB029 IRB029
SYSTEM NO. AC A735A	ASHLAND CHEMICAL ADHESIVE PART A: ASHLAND CHEMICAL ADHESIVE PART B: ASHLAND CHEMICAL PAINTED METAL: FORD ELECTROCOAT FRP SUBSTRATES: GOODYEAR	61289 61290 61291 61292	PLIOGRIP 7000 PLIOGRIP 7024 ESB-M64J28-A J-575 SMC	BEO G-2528 BEO G-2529 BEO G-2538 BEO G-2545	93-09-16 93-09-16 93-09-16 93-09-16	C2 C2 N N	048110 048475 IRB029 IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSB-M11P27-B	ADHESION REQUIREMENT, ADHESIVE FOR BONDING FRP/FRP AND FRP/PAINTED METAL PARTS, ASSEMBLED AFTER VEHICLE ELECTROCOAT, DATED: 00-03-30						
SYSTEM NO. AC A735A	ASHLAND CHEMICAL ADHESIVE PART A: ASHLAND ADHESIVE PART B: ASHLAND CHEMICAL FRP SUBSTRATE: GOODYEAR ESB-M3D145-A	62827 62828 62829	PLIOGRIP 7300 PLIOGRIP 7308 J-867	BEO/G2789 BEO/G2790 BEO/G2791	94-11-16 94-11-16 94-08-08	N C2 N	IRB029 135495 135497 IRB029 IRB029
SYSTEM NO. AJ A735A	ASHLAND CHEMICAL ADHESIVE PART A: ASHLAND CHEMICAL ADHESIVE PART B: ASHLAND CHEMICAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL METAL PRIMER: ASHLAND CHEMICAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL FRP SUBSTRATE: ROCKWELL INTERNATIONAL ANY OF THE ABOVE SUBSTRATE COMBINATIONS ARE ACCEPTABLE	62340 62341 62342 62343 62344 62637 62638 62639 62640 62641	PLIOGRIP 7400 PLIOGRIP 7420 9492 9466 CRLC E-COATED 9486 9481 9480 9465 8634	HT/G2571/P1 142 HT/G2638/P1 143 HTEO/P1144 HT/P1145 HT/P1146 HTEO/P1173 HTEO/P1174 HTEO/P1175 HTEO/P1176 HTEO/P1177	94-03-07 94-03-07 94-06-14 94-06-14 94-06-14 94-06-14 94-06-14 94-06-14 94-06-14 94-06-14	N C2 N N N N N N N N	IRB029 133743 135494 IRB029 IRB029 IRB029 IRB029 IRB029 IRB029 IRB029 IRB029
SYSTEM NO. AK A735A	ASHLAND CHEMICAL ADHESIVE PART A: ASHLAND CHEMICAL ADHESIVE PART B: ASHLAND CHEMICAL FRP SUBSTRATE: CAMBRIDGE	63145 63657 63658 63659	PLIOGRIP 7410 PLIOGRIP 7773 PLIOGRIP 7773 9494-1	BEO G-2572 AVT/P-1246 AVT/P-1247 AVT/P-1248	94-08-23 95-01-31 95-01-31 95-01-31	C2 N N C	133881 IRB029 IRB029 IRB025 IRB025
SYSTEM NO. AL A735A	ASHLAND CHEMICAL ADHESIVE PART A: ASHLAND CHEMICAL ADHESIVE PART B: ASHLAND CHEMICAL FRP SUBSTRATE: CAMBRIDGE INDUSTRIES	63768 63769 63770	PLIOGRIP 7400 PLIOGRIP 7410 RI 9494-1	AVT/P-1284 AVT/P-1285 AVT/P-1286	94-10-10 95-11-17 95-11-16	N N N	IRB029 IRB029 IRB029 IRB029
SYSTEM NO. BA A735A	ASHLAND CHEMICAL FRP SUBSTRATE: BAILEY	66950	40709	AVT/P1549	95-10-02	N	IRB029
A WSB-M11P28-B	ADHESION REQUIREMENTS, ADHESIVE FOR BONDING LAMP ASSEMBLIES, DATED: 96-11-04						
SYSTEM NO. CG C498A	DMC2 DEGUSSA METALS CATALYSTS	58967 58968	ARALDITE XMH 8520 RESIN ARALDITE XMH 8520 HARDENER	BEO G-1877 P0862 BEO G-1877 P0863	92-01-10 92-01-10	C2 C2	047930 047929
A WSS-M11P28-B2	ADHESION REQUIREMENTS, ADHESIVE FOR BONDING VENTED LAMP ASSEMBLIES, (SHOWN ON WSB-M11P28-B) DATED: 96-11-04						
F827J	COAT IT INC	72612	THERMOPLASTIC HOT-MELT 8221)	VISTEON/GBU RESH	99-10-19	C2	156192
T815F	EFTEC NORTH AMERICA LLC	72476	HL-6488-149	VX/GBURESH	99-08-18	C2	155408
T815Z	EFTEC NORTH AMERICA LLC	70040	UR-4536-B	ACD/BMUNRO1	97-06-25	C2	147422
A WSB-M11P38-C	PERFORMANCE REQUIREMENTS, ADHESIVE FOR BONDING PLASTIC BUMPERS, DATED: 91-09-02						
SYSTEM NO. IT CO21A	ILLINOIS TOOL WORKS ADHESIVE SYSTEMS - ITW ADHESIVE ACTIVATOR	60083 60084	8357-2B ADHESIVE 8357-12B ACTIVATOR	BEO G-2374 BEO G-2375	93-02-17 93-02-17	C2 C2	147422 129416 129417

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSB-M11P38-C	PERFORMANCE REQUIREMENTS, ADHESIVE FOR BONDING PLASTIC BUMPERS, DATED: 91-09-02						
CW77B	ESSEX SPECIALTY PRODUCTS INC ADHESIVE	56154	BETAMATE 73605	B&CE- BODY/J-1651	89-08-31	C2	041784
		56155	BETAMATE 73606	B&CE- BODY/J-1652	89-08-31	C2	041785
G225A	GENERAL ELECTRIC CO SUBSTRATE	56156	XENOY 1102	B&CE- BODY/D-1468	86-02-05	N	IRB029
CO21A	ILLINOIS TOOL WORKS ADHESIVE SYSTEMS - ITW ADHESIVE	56153	#8357-2/8357- 12ACT	B&CE- BODY/G- 1357/58	89-08-31	C2	043332
A WSB-M11P41-B1	ADHESIVE REQUIREMENTS, EXTERIOR REAR VIEW MIRROR ASSEMBLY, DATED: 91-02-01						
D760A	DOW CORNING CORPORATION	56482	Q3-7074	BEO/B- 1164/G-1742	89-11-11	C2	039484
A WSS-M11P45-A1	ADHESIVE, THREAD LOCKING - MICRO ENCAPSULATED, DATED: 89-10-31						
M547C	3M CO	58226	SCOTCHGRIP 2353	TO-D/P-0783	91-04-04	C2	016945
Q846A	3M CO UK	58225	SCOTCHGRIP 2353	TO-D/P-0782	91-04-04	C2	102266
U304A	NYLOK FASTENER CORP APPLICATOR OF OMNITECHNIK PRECOAT 80	56488	PRECOAT 80	TO-D/P-707	90-10-01	C4	110049
U304C	NYLOK FASTENER CORP APPLICATOR OF OMNITECHNIK PRECOAT 80	56489	PRECOAT 80	TO-D/P-708	90-10-01	C4	110049
A5D2A	OMNITECHNIK MIKROVERKAPSELUNGSGES.MBH	56480	PRECOAT 80	TO-D, MC1335/ P- 701	90-10-01	C4	110049
T183A	THREE BOND CO LTD	56485	THREE BOND 2403	TO-D, MC1336/P- 704	90-10-01	C4	110969
T194A	THREE BOND EUROPE SA	56483	THREE BOND 2403	TO-D, MC1336/P- 702	90-10-01	C4	110969
M89ZA	THREE BOND USA INC	56484	THREE BOND 2403	TO-D, MC1336/P- 703	90-10-01	C4	110969
A WSK-M11P47-A1	PERFORMANCE, STRUCTURAL ADHESIVE, REPAIR, DATED: 93-11-02						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P47-A2	PERFORMANCE, STRUCTURAL ADHESIVE, 0.1 TO 0.3 MM GAP, (SHOWN ON WSK-M11P47-A1) DATED: 93-11-02						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P47-A3	PERFORMANCE, STRUCTURAL ADHESIVE, 0.3 TO 7 MM GAP, (SHOWN ON WSK-M11P47-A1) DATED: 93-11-02						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P47-A4	PERFORMANCE, STRUCTURAL ADHESIVE, 0.1 TO 0.3 MM GAP, (SHOWN ON WSK-M11P47-A1) DATED: 93-11-02						
NONE	SOURCE APPROVAL PENDING						

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M11P48-A	TAPE, PERFORMANCE, PRESSURE SENSITIVE ADHESIVE TWO SIDED, EXTERIOR, WEATHERSTRIP, DATED: 92-03-02						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P49-A	TAPE, PERFORMANCE, PRESSURE SENSITIVE ADHESIVE TWO SIDED, EXTERIOR, BODY SIDE MOLDING, DATED: 93-01-04						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P50-A	TAPE, PERFORMANCE, PRESSURE SENSITIVE ADHESIVE TWO SIDED, EXTERIOR, BUMPER INSERT, DATED: 92-03-02						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSK-M11P51-A	TAPE, PERFORMANCE, PRESSURE SENSITIVE ADHESIVE TWO SIDED, EXTERIOR, EMBLEM, DATED: 00-09-11						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSB-M11P53-A	PERFORMANCE REQUIREMENTS, ADHESIVE FOR BONDING PLASTIC BUMPER GUIDE BRACKETS TO BUMPER FASCIA, DATED: 92-05-29						
SYSTEM NO. BA U306A	BOSTIK INC ADHESIVE: BOSTIK	58223	SUPERGRIP 2000/9707	BEO BE-WJC G-1706	92-06-28	C2	046471
SYSTEM NO. IA CO21A	BUMPER SUBSTRATE: GENERAL ELECTRIC	59496	XENOY 1102	BEO	92-06-28	N N	IRB029 IRB029
	ILLINOIS TOOL WORKS ADHESIVE SYSTEMS - ITW ADHESIVE PART B	62805	8357-12B	BEO/G2375	94-11-07	C2	129417
	ADHESIVE PART A	62806	8357-2B	BEO/G2374	94-11-07	C2	129415
	BUMPER SUBSTRATE: GENERAL ELECTRIC	62810	XENOY 1102		94-11-07	N	IRB029
A WSK-M11P54-A	PERFORMANCE, SEMISTRUCTURAL ADHESIVE, POLYURETHANE, METAL TO METAL, TWO COMPONENT, DATED: 93-06-01						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P55-A	PERFORMANCE, ADHESIVE, POLYURETHANE, TWO COMPONENT REPAIR, DATED: 92-12-01						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P57-A1	PERFORMANCE STRUCTURAL ADHESIVE, POLYURETHANE, ONE COMPONENT, STANDARD, DATED: 94-07-08						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P57-A2	PERFORMANCE STRUCTURAL ADHESIVE, POLYURETHANE, ONE COMPONENT, HIGH MODULUS, (SHOWN ON WSK-M11P57-A1) DATED: 94-07-08						
NONE	SOURCE APPROVAL PENDING						
A WSK-M11P57-A3	PERFORMANCE STRUCTURAL ADHESIVE, POLYURETHANE, ONE COMPONENT, FAST FIX, (SHOWN ON WSK-M11P57-A1) DATED: 94-07-08						
NONE	SOURCE APPROVAL PENDING						

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 19

PAGE 10

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M11P57-A4	PERFORMANCE STRUCTURAL ADHESIVE, POLYURETHANE, ONE COMPONENT, NONCONDUCTIVE, (SHOWN ON WSK-M11P57-A1) DATED: 94-07-08									
NONE	SOURCE APPROVAL PENDING									
A WSB-M11P58-A	ADHESION REQUIREMENTS, ADHESIVE FOR BONDING RIGID PLASTIC TO CERAMIC PAINT COATED GLASS, DATED: 95-05-15									
SYSTEM NO. DA D665F	DONNELLY CORP PLASTIC: ALLIED SIGNAL, ESF-M4D405-D				65614	PETRA D-239 BK-112	AVT/P-1311	95-05-12	N	IRB029
	ADHESIVE: ESSEX SPECIALTY PRODUCTS, WSB-M2G316-B				65615	BETASEAL 57302	AVT/P-1312	95-05-12	N	IRB029
	PLASTIC PRIMER: ESSEX SPECIALTY PRODUCTS, WSB-M2G234-C				65616	BETASEAL 43532	AVT/P-1313	95-05-12	N	IRB029
	GLASS PRIMER: ESSEX SPECIALTY PRODUCTS, WSB-M2G314-B				65617	BETASEAL 43520A	AVT/P-1314	95-05-12	N	IRB029
	GLASS CLEANER: ESSEX SPECIALTY PRODUCTS, WSB-M5B280C/C2				65618	BETASEAL 43518	AVT/P-1315	95-05-12	N	IRB029
	CERAMIC PAINT: CERDIC CORP., ESB-M99G109-C				65619	DRAKENFIELD 24-2669	AVT/P-1316	95-05-12	N	IRB029
SYSTEM NO. EA M9MLD	DURA AUTOMOTIVE SYSTEMS INC PLASTIC: GENERAL ELECTRIC, WSB-M4D682-A3				65620	GELOY XP4025- 749	AVT/P-1317	95-05-12	N	IRB029
	ADHESIVE: ESSEX SPECIALTY PRODUCTS, WSB-M2G316-B				65621	BETASEAL 57302	AVT/P-1318	95-05-12	N	IRB029
	PLASTIC PRIMER: ESSEX SPECIALTY PRODUCTS, WSB-M2G314-B				65622	BETASEAL 43520A	AVT/P-1319	95-05-12	N	IRB029
	GLASS PRIMER: ESSEX SPECIALTY PRODUCTS, WSB-M2G314-B				65623	BETASEAL 43520A	AVT/P-1320	95-05-12	N	IRB029
	GLASS CLEANER: ESSEX SPECIALTY PRODUCTS, WSB-M5B280-C/C2				65624	BETASEAL 43518	AVT/P-1321	95-05-12	N	IRB029
	CERAMIC PAINT: CERDIC CORP., ESB-M99G109-C				65625	DRAKENFIELD 24-2669	AVT/P-1322	95-05-12	N	IRB029
A WSB-M11P59-A	ADHESIVE/HEADLINER REQUIREMENTS, FOR BONDED IN HEADLINERS, DATED: 96-10-02									
ZZZZZ	ANY RELIABLE SUPPLIER				62371		BEO/P1151	94-07-29	N	IRB029
A WSB-M11P60-A	DIMENSIONAL GRAPHIC - EXTERIOR, DATED: 94-11-28									
SYSTEM NO. R K055C	KAY AUTOMOTIVE GRAPHICS EXCEPT PARA 3.7.11 THERMAL SHOCK RESISTANCE				70529	APPLIKAY DIMENSIONAL GRAPHICS TYPE IV	CPD/KBRULEY /9600649/SU PLIER'S DATA	97-10-16	N	IRB029
M547C	3M CO				65785	DG2000	AVT/P1345	94-08-26	C	IRB025
	EXCEPT PARAGRAPH 3.7.11 THERMAL SHOCK RESISTANCE				68098	DG1000	AVT/KBRULEY /CL LN5056405/S UPPLIER'S DATA /CL LN406120/SU PLIER'S DATA /KBRULEY	96-08-21	N	IRB029
D720B	EXCEPT PARAGRAPH 3.7.11 THERMAL SHOCK RESISTANCE DOUGLAS CORP				73370	DG4001	CPD/KBRULEY /CL LN9602180	01-06-04	N	IRB029
					69261	U-300	AVT/KBRULEY /CL LN9603065	97-01-29	N	IRB029
					69916	MP-200	AVT/KBRULEY /CL LN9603065	97-01-29	N	IRB029
					69917	MP-200	AVT/KBRULEY /CL LN9603065	97-01-29	N	IRB029
K055C	KAY AUTOMOTIVE GRAPHICS									

Materials Engineering Testing & Standards

2002-01-02