

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESR-M14P3-A	CLEANER, RECONDITIONING - ENGINE EXTERIOR AND ENGINE COMPARTMENT, DATED: 78-12-08						
E906A	EXCELDA MFG	24700	NO. 7-100-B (CO 2)	D8AZ- 19A536-A	68-12-13	C2	012189
A ESR-M14P4-A	CLEANER, RECONDITIONING - MULTI-PURPOSE AUTOMOTIVE, DATED: 78-12-08						
E906A	EXCELDA MFG	24701	LEATHER & VINYL CLEANER (X-7)	EOAZ-19521- A	73-08-16	C2	010039
		32544	3817-TC	EOAZ-19526- A	85-01-14	C2	012197
		32545	3817	B8A-19523- A, B, C	85-01-14	C2	002634
E906H	EXCELDA MFG	70380	MULTI-PURPOSE CLEANER (710- 1306)	FCSD/EBLACK WE	97-08-18	C2	002634
A ESR-M14P5-A	CLEANER, GLASS, DATED: 78-12-08						
S490A	DIVERSIFIED BRANDS	32546	44508	E4AZ- 19C507-A	83-10-19	C2	019761
A ESR-M14P7-A	CLEANER, RADIATOR FLUSH - NON-ACID, DATED: 78-11-17						
S180B	LILLY INDUSTRIES INC	26846	3001	D6AZ- 19A503-A	77-03-22	C2	017554
A ESR-M14P9-A	CLEANER, CARBURETOR AND COMBUSTION CHAMBER, DATED: 78-11-17						
S180B	LILLY INDUSTRIES INC	25815	RS-1004	D9AZ-19579- A	84-11-19	C2	021784
		32564	RS-1004	D9AZ-19579- B	84-11-19	C2	136044
S180D	LILLY INDUSTRIES INC	70382	POWER FLUSH INJECTOR CLEANER (E6AZ- 19579-C) (105	FCSD/EBLACK WE	97-08-22	C2	136044
A ESR-M14P10-A	CLEANER, AUTOMATIC CHOKE AND CARBURETOR LINKAGE, DATED: 78-11-17						
E906A	EXCELDA MFG	31788	EX3K05-A	FPSD/T- FPSD	84-01-13	C2	022948
		33229	EX5G30		85-08-02	C2	027901
H957D	HYDOSOL INC	26203	H957 (7157-2B)	D8AZ- 19A501-A	77-10-10	N	IRB029
A WSS-M14P10-B	CLEANER, AUTOMATIC CHOKE AND CARBURETOR LINKAGE, PERFORMANCE, DATED: 98-01-16						
A ESR-M14P12-A	CLEANER, WASH AND WAX CONCENTRATE, DATED: 78-12-08						
R740A	RUAL PRODUCTS CO	25816	DIAMOND SPARKLE	D6AZ-19523- A C9AZ- 19523-A	69-04-10	C2	012242

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESE-M14P14-B	POLISHING FINISH, ABRASIVE SLURRY SPIN CLEANING, DATED: 85-11-26						
E960A	EXXON CO USA	28442	RUSTBAN 392	ENG. ENGRG.		C2	009919
I071C	FOR COMPOUND C GKN SINTER METALS	33478	GOULD 50, 10% RUST PREVENTIVE	ENG. ENGRG.	85-11-12	C2	025411
A ESR-M14P15-A	CLEANER, WHITE WALL TIRE, DATED: 80-08-01						
E906A	EXCELDA MFG	28040	EX-78	EOAZ-19526- B	80-03-31	C2	012196
R740A	RUAL PRODUCTS CO	28486	#1		80-10-14	C2	010038
A ESE-M14P16-A	ADDITIVE, GASOLINE, ELECTRONIC FUEL INJECTOR, COMBUSTION CHAMBER & INDUCTION SYSTEM CLEANER, DATED: 85-04-30						
S180B	LILLY INDUSTRIES INC	32854	RS-2500	ENG. ENGRG.	85-04-18	C2	026236
A ESE-M14P17-A	CLEANER, PRESSURIZED, ELECTRONIC FUEL INJECTOR COMBUSTION CHAMBER, INTAKE VALVE & INDUCTION SYSTEM, DATED: 90-08-22						
S079B	SHRADER CANADA LTD	36913	F-87	ED/B-219	90-06-30	C2	045361
A WSS-M14P18-A	PERFORMANCE, CLEANER, BODY SHEET METAL, DATED: 97-08-27						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSS-M15P2-C	PERFORMANCE, SEAT TRIM COVER ASSEMBLY, DATED: 98-10-20						
N WSB-M15P4-D	INTERIOR TRIM, ASSEMBLY PERFORMANCE SPECIFICATION, (NOT TO BE USED FOR NEW DESIGN, USE WSS-M15P4-E) DATED: 91-04-29						
NONE	SOURCE APPROVAL PENDING						
A WSS-M15P4-E	INTERIOR TRIM, ASSEMBLY PERFORMANCE SPECIFICATION, DATED: 96-02-19						
A WSS-M15P6-D	PERFORMANCE REQUIREMENTS, PACKAGE TRAY ASSEMBLY, DATED: 96-06-17						
A ESB-M15P11-A	TRIM ASSEMBLY, SEMI-RIGID FOAM BACKED CARPET,						
D276A	INDIAN HEAD INDUSTRIES CO	26516	XP-062004	FE6-2	76-08-16	N	IRB029
A ESB-M15P16-A	CUSHION MATERIALS, INFLATABLE RESTRAINT, DATED: 80-01-31						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
N WSB-M15P22-B	PERFORMANCE, INSTRUMENT PANEL COVER AND POLYURETHANE FOAM ASSEMBLY, (NOT TO BE USED FOR NEW DESIGN, USE WSS-M15P45-A) DATED: 99-11-22						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
N WSB-M15P22-B	PERFORMANCE, INSTRUMENT PANEL COVER AND POLYURETHANE FOAM ASSEMBLY, (NOT TO BE USED FOR NEW DESIGN, USE WSS-M15P45-A) DATED: 99-11-22						
NONE	SOURCE APPROVAL PENDING						
A ESB-M15P23-A1	COEXTRUDED MOLDINGS, VINYL/ALUMINUM, EXTERIOR - MECHANICALLY ATTACHED, DATED: 85-01-14						
A872A	GUARDIAN AUTOMOTIVE TRIM INC	33318	B-542	B&CE/DE15P8 A-963	83-11-29	N	IRB029
M066A	COSMA BODY & CHASSIS SYSTEMS	33776	M11111	B&CE/DE15P8 A-976	85-11-29	N	IRB029
S601A	SPORTTRACK AUTOMOTIVE	33265	1078-GA-1	B&CE/DE15P8 A-954	83-11-29	N	IRB029
S671A	STANDARD PRODUCTS CO	32237	MS 2390	B&CE	84-10-03	N	IRB029
V879A	VOPLEX CORP	34191	V110-A1	B&CE/SA15P2 3A1-1074	86-10-03	N	IRB029
A ESB-M15P23-A2	COEXTRUDED MOLDINGS, VINYL/BI-METAL, EXTERIOR - MECHANICALLY ATTACHED, (SHOWN ON ESB-M15P23-A1) DATED: 85-01-14						
A872A	GUARDIAN AUTOMOTIVE TRIM INC END SEALER X303 OR 4431 MUST BE USED ON PARTS.	34190	11289A15/PR102 9	B&CE	86-10-03	N	IRB029
M066A	COSMA BODY & CHASSIS SYSTEMS END SEALER MUST BE USED ON PARTS	33775	M11112	B&CE/SA15P2 3A2-1064	86-02-20	N	IRB029
S601A	SPORTTRACK AUTOMOTIVE	34189	1114-G72B-2	B&CE/SA15P2 3A2-1044	86-10-03	N	IRB029
S671A	STANDARD PRODUCTS CO	32238	MS 2818	B&CE	84-10-03	N	IRB029
A ESB-M15P23-A3	COEXTRUDED MOLDINGS, VINYL/STAINLESS STEEL EXTERIOR - MECHANICALLY ATTACHED, (SHOWN ON ESB-M15P23-A1) DATED: 85-01-14						
F599B	PEBRA INC	33454	PPLP	B&CE/DE15P2 3-986	85-10-31	N	IRB029
S601B	SPORTTRACK AUTOMOTIVE	33418	1114-G52S-1	B&CE/SA15P2 3-A2/A3- 1044	85-10-08	N	IRB029
S671A	STANDARD PRODUCTS CO	32399	MS2818	B&CE	84-11-01	N	IRB029
V879A	VOPLEX CORP	33413	V110	B&CE/DE15P2 3-986	85-10-08	N	IRB029
A ESB-M15P24-A	TRIM ASSEMBLY, DOOR PANEL INSERT ASSEMBLY - BONDED, DATED: 85-04-08						
F528F	FINDLAY INDUSTRIES	32493	111700413 (CLOTH); 131700413 (VINYL)	B&CE/FR4-6 RGM	85-01-04	N	IRB029
A WSB-M15P26-C	ARMREST, UNITIZED, FORMED, PERFORMANCE,						
NONE	SOURCE APPROVAL PENDING						
N WSD-M15P27-C	PERFORMANCE, HEADLINING, FORMED, (NOT TO BE USED FOR NEW DESIGN, USE WSS-M15P27-D) DATED: 92-04-30						
NONE	SOURCE APPROVAL PENDING						
A WSS-M15P27-D	PERFORMANCE, HEADLINING, FORMED, DATED: 98-09-29						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M15P30-A	ORNAMENT ASSEMBLY, EXTERIOR, ADHESIVE BONDED, DATED: 00-11-29						
SYSTEM NO. DA D720A	DOUGLAS CORP PART NUMBER / DESIGNATION	40191	F57B-7820820- AAW / LIMITED Y 5314	BEO P-1130	94-05-11	C	IRB030
	CONSTRUCTION: 2-SIDE TAPE: 3M COMPANY POLYESTER FILM: ESF-M3D69-A	40192	ANY APPROVED SOURCE	BEO P-1131	94-05-11	C	IRB030
	INK (SEE BELOW) CLEAR POLYURETHANE: DOUGLAS CORPORATION	40193	SEE BELOW DOUGLAS CLEAR POLYURETHANE	BEO P-1132	94-05-11	C	IRB030
	INK: NAZ DAR MIDWEST FEGCAXA LOGO BERRY	40194	FEGC INK	BEO P-1133	94-05-11	C	IRB030
	INK: NAZ DAR MIDWEST YBWAAXA GRANITE	40195	YBWA INK	BEO P-1134	94-05-11	C	IRB030
	INK: NAZ DAR MIDWEST ZJMAAXA SILVER	40196	ZJMA INK	BEO P-1135	94-05-11	C	IRB030
	INK: NAZ DAR MIDWEST ZUVCAXA GRAPHITE	40197	ZUVA INK	BEO P-1137	94-05-11	C	IRB030
	INK: NAZ DAR MIDWEST SAWAXA WILLOW	40199	NZ677	BEO P-1138	94-05-11	C	IRB030
S247E	SIEGEL ROBERT INC	40351	E8ZB-6142550- AA	BEO P1179	94-09-06	C	IRB030
		35068		B&CE	87-12-16	C	IRB030
A ESB-M15P31-A	ACOUSTICAL LAMINATED STEEL PERFORMANCE, DATED: 88-06-23						
A492B	COLLINS & AIKMAN CARPET & ACOUSTICS	35214	MPM-4020-20420	B&CE AE8-13	88-02-26	N	IRB029
A WSS-M15P32-C	TRIM ASSEMBLY, ENCLOSED LUGGAGE COMPARTMENT COVERING, DATED: 96-06-17						
A WSS-M15P34-B1	PERFORMANCE, INTERIOR TRIM APPLIQUES, HIGH WEAR, DATED: 97-01-10						
A WSS-M15P34-B2	PERFORMANCE, INTERIOR TRIM APPLIQUES, LOW WEAR (SHOWN ON WSS-M15P34-B1) DATED: 97-01-10						
C1N5A	SERIGRAPH INC	72317	SERIGRAPH FORD COBRA RED SM432	AVT/LSOREID E	99-05-17	N	IRB029
A WSB-M15P35-A1	PERFORMANCE REQUIREMENTS, THERMOPLASTIC POSITIVE LOCKING TRIM FASTENER, TYPE I, DATED: 90-09-11						
M547Q	3M CO	56392	SJ 3711	BEO/EP- 90016/P-680	90-05-09	C	IRB030
		56393	SJ 3748	BEO/EP- 90016/P-681	90-05-09	C	IRB030
		56394	SJ 3749	BEO/EP- 90016/P-682	90-05-09	C	IRB030
A WSB-M15P35-A2	PERFORMANCE REQUIREMENTS, THERMOPLASTIC POSITIVE LOCKING TRIM FASTENER, TYPE II, (SHOWN ON WSB-M15P35-A1) DATED: 90-09-11						
M547Q	3M CO	56395	SJ 3737	BEO/EP- 90016/P-683	90-05-09	C	IRB030
		56396	SJ 3763	BEO/EP- 90016/P-684	90-05-09	C	IRB030
		56397	SJ 3765	BEO/EP- 90016/P-685	90-05-09	C	IRB030
A WSB-M15P35-A3	PERFORMANCE REQUIREMENTS, THERMOPLASTIC POSITIVE LOCKING TRIM FASTENER, TYPE III, (SHOWN ON WSB-M15P35-A1) DATED: 90-09-11						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSB-M15P35-A3	PERFORMANCE REQUIREMENTS, THERMOPLASTIC POSITIVE LOCKING TRIM FASTENER, TYPE III, (SHOWN ON WSB-M15P35-A1) DATED: 90-09-11						
M547Q	3M CO	56398	SJ 3751	BEO/EP- 90016/P-686	90-05-07	C	IRB030
		56399	SJ 3752	BEO/EP- 90016/P-687	90-05-07	C	IRB030
A WSB-M15P35-A4	PERFORMANCE REQUIREMENTS, THERMOPLASTIC POSITIVE LOCKING TRIM FASTENER, TYPE IV, (SHOWN ON WSB-M15P35-A1) DATED: 90-09-11						
M547Q	3M CO	56400	SJ 3741	BEO/EP- 90016/P-688	90-05-09	C	IRB030
		56401	SJ 3742	BEO/EP- 90016/P-689	90-05-09	C	IRB030
A WSB-M15P36-A	PERFORMANCE, INNER DOOR WATERSHIELD WITH PRESSURE SENSITIVE ADHESIVE, DATED: 90-09-27						
C012N	CADILLAC PRODUCTS AUTOMOTIVE COMPANY EXCEPT PARA 3.3.4: 75MM/MINUTE MAX	61773	SOUNDLOC	BEO AS3-57 P-1046	94-01-24	C	IRB025
E915A	EXCELLO SPECIALTY CO	61276	3BB460B40H	BEO P-1018	93-08-25	C	IRB025
		63656	3CI150B52M	AVT/P-1245	95-02-08	C	IRB025
		63663	3CI150B52M	AVT/P-1257	95-02-08	C	IRB025
E915F	EXCELLO SPECIALTY CO MAT'L ID - 3BB400F101P	69613	3BB400F101P	AVT/DHENRIC K/IS97-051	97-03-05	N	IRB029
F782A	FOAMADE INDUSTRIES	58228	LL 1006	BEO/AS1 - 12/P-787	91-03-27	C	IRB025
A WSS-M15P36-A2	PERFORMANCE, INNER DOOR WATERSHIELDS WITH PRESSURE SENSITIVE ADHESIVE, DATED: 01-03-19						
S735A	STANTON RUBBER LTD PVC WATERSHEDDER	65994		AVT DUNTON TO-D T11920	95-08-11	C	IRB025
Q409A	WARDLE STOREYS PLC PVC WATERSHEDDER	65995		AVT DUNTON TO-D T11920	95-08-11	C	IRB025
N WSD-M15P37-A	PERFORMANCE, HEEL PROTECTION PAD, (NOT TO BE USED FOR NEW DESIGN, USE WSS-M15P37-B) DATED: 91-01-16						
N/A	SOURCES ARE NOT APPLICABLE TO THIS SPECIFICATION.						
A WSS-M15P37-B	PERFORMANCE, HEEL PROTECTION PAD, DATED: 96-06-17						
NONE	SOURCE APPROVAL PENDING						
A WSB-M15P38-A	HEADLINER, INTEGRAL AIR DUCT, DATED: 94-08-16						
NONE	SOURCE APPROVAL PENDING						
A WSD-M15P39-A	PERFORMANCE, FABRIC COVERED MOULDED PARTS, DATED: 92-10-22						
K3D7A	JOHNSON CONTROLS/ROTH S.A.	58415		TO- D/MC2013/P- 772	91-03-11	C	IRB030
K3FVA	ETS TREVES SA	59815		TO-D P-0929	92-10-21	C	IRB030

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSB-M15P40-A	PERFORMANCE, NETTING ASSEMBLY, INTERIOR, MULTIPURPOSE, DATED: 92-03-16						
R0R6A	HOPE WEBBING COMPANY APPROVED ASSEMBLY: W4290 WITH 75034 MESH AND 2510 CORD	60053	CORD ASSEMBLY W-4290	BEO SA3-3 P-0949	93-01-23	C	IRB023
	"BILL OF MATERIALS ON FILE AT INTERIOR MATERIALS ENGINEERING OFFICE"	66970	F7LX-63602B96	AVT IS95- 009 P-1551	95-12-20	C	IRB023
P94GA	MCMURRAY FABRICS INC "BILL OF MATERIALS ON FILE AT BODY ENGINEERING OFFICE"	59290	F29B-1255184- AB	BEO P-0900	92-05-12	C	IRB023
M338A	MEXICAN INDUSTRIES IN MICHIGAN INC "BILL OF MATERIALS ON FILE AT BODY INTERIOR MATERIALS ENGINEERING OFFICE"	61890	MEXICAN INDUSTRIES - CONV 1	BEO SA4-11 P-1061	94-03-08	C	IRB023
	"BILL OF MATERIALS ON FILE AT BODY INTERIOR MATERIALS ENGINEERING OFFICE"	62300	CONV. 2	BEO SA4-46 P-1139	94-07-07	C	IRB023
	SAME AS CONV. 1 MATERIAL SYSTEM EXCEPT WEBBING IS POLYPROPYLENE (NEW SOURCES)BILL OF MATERIALS ON FILE AT MATERIALS ENGINEERING OFFICE	63033	CONV. 3	BEO SA4-57 H-2196	94-12-07	C	IRB023
	SAME AS CONV. 3 MATERIAL SYSTEM EXCEPT HAS MULTIPLE WEBBING WIDTHS"BILL OF MATERIALS ON FILE AT MATERIALS ENGINEERING - AVT"	63612	CONV. 4	AVT SA95-2	95-01-30	C	IRB023
		73274	POLYPROPYLENE NETTING MESH	RVT/MMEHAND R	01-02-15	C	IRB023
M338Q	MEXICAN INDUSTRIES IN MICHIGAN INC CONV5 CONVENIENCE NET WITH NEW LOW FOG PPO YARN SOURCE	69333	CONV5 - CONVENIENCE NET	AVT/YALANIV A/500690	97-02-11	C	IRB023
H6S9D	POLYTECH NETTING INDUSTRIES LP PN88600 ASSEMBLY CONSISTS OF: (NETTING, 3PP0550), (WEBBING, 1PF865520) AND(BUNGEE, 10086550). TO BE USED IN MEDIUM AND LOW SUN LOAD AREAS ONLY. ASSEMBLY CONSISTS OF: NETTING (3PX061006) AND BUNGEE (100883270) CONSISTS OF: NETTING - 3PT075016BLK; WEBBING - 1PF865520BLK; CORD - 200888060BLK	60831	PN88600	BEO SA3-8 P-0997	93-05-19	N	IRB029
		62044	PN88692	BEO SA4-17 P-1087	94-05-02	C	IRB023
		62253	PN94001	BEO SA4-44 P-1123	94-06-27	C	IRB023
Q6WHB	POLYTECH NETTING IND DE MEXICO SA	72607	50MM PP DIAMOND MESH, 3PD0500XXXXX, COLOR KEYED,	AVT/LDANIV	99-10-15	C	IRB030
A WSB-M15P41-A	PERFORMANCE REQUIREMENTS, HOOD ASSEMBLY, CONVERTIBLE TOP DUST COVER, DATED: 93-06-15						
F528A	FINDLAY INDUSTRIES	60857	1509400	BEO FS3-22 P-0998	93-06-07	N	IRB029
A WSB-M15P42-A	PERFORMANCE, CHILD SEAT LINER, FABRIC - FOAM LAMINATED COMPOSITE WITH HOT STAM, LABEL, DATED: 94-11-10						
K30VD	ACTEX	61965	ACTEX CS	BEO P-1075	94-03-01	N	IRB029
A WSB-M15P43-A	PERFORMANCE, HEADREST, BLOW MOLDED, FOAM INJECTED, DATED: 00-01-18						
F410L	JOHNSON CONTROLS INC	62387		BEO FS3-42 P-1157	94-08-05	C	IRB030
A WSS-M15P44-A	THROW IN MAT ASSEMBLIES, CARPETED, DATED: 01-06-11						
A WSS-M15P45-A	PERFORMANCE, INSTRUMENT PANEL ASSEMBLY, FLEXIBLE COVER SKIN MATERIAL, DATED: 99-12-10						
S840B	SUMMIT POLYMERS INC						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSS-M15P45-A	PERFORMANCE, INSTRUMENT PANEL ASSEMBLY, FLEXIBLE COVER SKIN MATERIAL, DATED: 99-12-10						
S840B	SUMMIT POLYMERS INC Material is not to be used on the Instrument Panel. It is for the Gap Hider	73140	GAP HIDER/FILLER ASSEMBLY	RVT/MMEHAND R	00-10-09	C	IRB023
A ESR-M17P2-A	ANTIFREEZE ADDITIVE, FUEL SYSTEMS, DATED: 78-11-17						
E906A	EXCELDA MFG	24706	GA-971-2	C8AZ- 19C544-B	72-01-24	C2	012194
U050N	UNION CARBIDE CHEMICALS & PLASTICS COMPANY INC "PRESTONE" BRAND	24705	AS-130 PRIME - GAS LINE ANTI- FREEZE	C8AZ- 19C544-B	68-11-20	N	IRB029
U401A	US AVIEX CO	25823	GLA-8	C8AZ- 19C544-B	72-01-24	C2	017559
A1D0B	VULSAY INDUSTRIES INC	66181	MOTORCRAFT GAS LINE ANTIFREEZE	FCSD/AFTX39 7/P1386	95-08-28	C2	141501
A ESR-M17P3-A	STARTING FLUID, AUTOMOTIVE ENGINE LOW TEMPERATURE, DATED: 78-12-08						
K940A	KG PACKAGING	36947	X 107	FPSD/CLS 992232/P- 678	90-08-09	C2	046533
		70381	X107 STARTING FLUID (AEROSOL)	FCSD/EBLACK WE	97-08-21	C2	046533
U050N	UNION CARBIDE CHEMICALS & PLASTICS COMPANY INC	24707	AS-234 "PRESTONE" BRAND ENGINE STARTING FLUID		68-11-22	N	IRB029
A ESR-M17P5-A	ANTIFREEZE SOLUTION, WINDSHIELD WASHER, DATED: 78-11-17						
A100B	ADELL CORPORATION	24713	R109E	C9AZ-19550- A	68-06-21	N	IRB029
A569A	AMES CHEMICAL CO	24714	G2888Y	C9AZ-19550- A	68-09-11	N	IRB029
E906A	EXCELDA MFG	24715	550-2F	C9AZ-19550- A	69-12-01	C2	009482
A ESR-M18P2-A	SEALER, ENGINE AND CHASSIS, DATED: 78-12-08						
A211A	POB INC	25825	#4	B5A-19554-A	69-04-10	C2	022103
		32561	#4	D7AZ-19554-	85-01-14	C2	022102
A ESB-M18P4-A	FRP FILLER, REPAIR KIT, PERFORMANCE, DATED: 78-12-01						
C560A R646A	CO POLYMER CHEMICAL MERIDIAN AUTOMOTIVE SYSTEMS COMPOSITES OPERATIONS INC B-M3D105-A, II, NR 3529-A (LPW), NR 2911-A (SMC).	24718	CFP-1680	MP 351-70	70-05-22	N	IRB029
		24719	NR-8294 REPAIR FILLER BPO (PASTS)	BEO-BML MP- 72146	72-12-12	N	IRB029
A ESB-M18P6-A	FRP FILLER, PRODUCTION REPAIR, PERFORMANCE, DATED: 78-12-01						
A367A	AKEMI PLASTICS INC						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M18P6-A	FRP FILLER, PRODUCTION REPAIR, PERFORMANCE, DATED: 78-12-01						
A367A	AKEMI PLASTICS INC EXCEPT: PARA 5.1.1 RESIN 1.69 KG/L, 5.1.2 ACCELERATOR 1.2 KG/L, 5.2 POT LIFE (MIXED) 4-7 MIN, AND 5.3 SHELF LIFE 6 MOS.	66968	APF #7	AVT/P1550	95-10-20	C2	011562
P436B	PPG INDUSTRIES INC GLAZE WIPE FILLER-ALKYD BASE, RED OXIDE	25829	764-1000 SUBSTRATE: ESB-M3D105	BEO/BML MP- 71124	71-10-04	N	IRB029
R254A	SOLVAY ENGINEERED POLYMERS RESIN & HARDENER FILLER-FRP PRODUCTION REPAIR	25830	XB-111143 SUBSTRATE: ESB-M3D105	BEO/BML MP- 71124	71-10-04	C2	017551
A ESR-M18P7-A	SEALING COMPOUND - PIPE, DATED: 78-09-04						
L752B	LOCTITE CORP	27710	PST	D8AZ-19554- A	78-08-18	C2	003737
A ESB-M18P11-A	SEALER, HIGH HEAT EXPANSION, PERFORMANCE REQUIREMENTS, DATED: 88-12-09						
L002A	L & L PRODUCTS INC VOLUME EXPANSION PER PARA 3.5 OF SPECIFICATION: 300% MIN, TACKY SURFACE	38729 39709	L-2106 L-2609	BEO/G1889 BEO G-2160	93-05-01 93-10-19	C2 C2	048029 125952
	VOLUME EXPANSION PER PARA 3.5 OF SPECIFICATION: 800%, NON-TACKY SURFACE	40462 40470	L-2100A L-2105A	BEO/G2756 BEO/G-2760	94-11-12 94-11-12	C2 C2	137442 137543
	VOLUME EXPANSION PER PARA 3.5: 400-500%, RAMP EXPANSION PER PARA 3.8: 200% MIN.,TACKY SURFACE ONE SIDE	40569	L-2610	BEO G-2573	94-12-15	C2	134454
M088Z E947A	LEAR CORPORATION ORBSEAL LLC VOLUME EXPANSION PER PARA 3.5 OF SPECIFICATION: 400-500%, NON-TACKY SURFACE	35696	MASPAND 537	B&CE DE8-6	88-12-09	C2	041408
	VOLUME EXPANSION PER PARA 3.5 OF THE SPECIFICATION: 1,000% MIN., NON-TACKY SURFACE	37139	ORBSEAL 136	BEO/G-1221	90-11-12	C2	040447
	VOLUME EXPANSION PER PARA 3.5 OF THE SPECIFICATION: 1,000% MIN., NON-TACKY SURFACE	38823	ORBSEAL 157	BEO G-2501	93-06-30	C2	045567
	VOLUME EXPANSION PER PARA 3.5 OF SPECIFICATION: 400-500%, TACKY SURFACE	40509	ORBSEAL 165	BEO/G-1754	90-12-06	C2	047051
A WSB-M18P11-A2	SEALER, LOW TEMPERATURE EXPANDING, PERFORMANCE REQUIREMENTS, DATED: 93-02-17						
E947A	ORBSEAL LLC VOLUME EXPANSION PER PARA 3.5 OF SPECIFICATION 800 - 1000 %	57754	157	BEO/G-1539	90-11-05	C2	045567
A WSS-M18P12-A	SEALANT, THREAD, DRY FILM, DATED: 00-02-11						
M547C	3M CO	58017	SCOTCHGRIP 4291	TO-D/P-756	91-02-11	C2	028308
L752A	LOCTITE CORP	58016 58019	LOCTITE 503 LOCTITE 516	TO-D/P-755 TO-D/P-753	91-02-11 91-02-11	C2 C2	023684 009638
L754A	LOCTITE LTD	58012 58013	LOCTITE 506 LOCTITE 218	TO-D/P-749 TO-D/P-750	91-02-11 91-02-11	C2 C2	102101 102101
M334A	MACDERMID PLC	70841	HYLOMAR MICROSEAL 204	AVT/CSALES	98-02-04	C2	149496
U304A	NYLOK FASTENER CORP APPLICATOR OF OMNITECHNIK PRECOAT 30 APPLICATOR OF OMNITECHNIK PRECOAT 5 APPLICATOR OF OMNITECHNIK PRECOAT 5	56491 56492 56493	PRECOAT 30 PRECOAT 5 PRECOAT 5	TO-D/P-710 TO-D/P-711 TO-D/P-712	90-10-01 90-10-01 90-10-01	C4 C4 C4	110046 110045 110045
U304C	NYLOK FASTENER CORP APPLICATOR OF OMNITECHNIK PRECOAT 30	56490	PRECOAT 30	TO-D/P-709	90-10-01	C4	110046
U304D	NYLOK FASTENER CORP	58014	PRECOTE 5	TO-D/P-751	91-02-11	C2	035005

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSS-M18P12-A	SEALANT, THREAD, DRY FILM, DATED: 00-02-11						
U304D	NYLOK FASTENER CORP	58018	PRECOAT 30	TO-D/P-752	91-02-11	C4	110046
A5D2A	OMNITECHNIK MIKROVERKAPSELUNGSGES.MBH	56486	PRECOAT 5	TO-D/MC1901/P-705	90-10-01	C4	110045
		56487	PRECOAT 30	TO-D/MC1806/P-706	90-10-01	C4	110046
A WSB-M18P14-A	SEALER, WINDOW MODULES, PERFORMANCE REQUIREMENTS, DATED: 95-03-24						
NONE	SOURCE APPROVAL PENDING						
A WSB-M18P15-A	SEALING REQUIREMENTS, NON DRYING MASTIC, SEALED LAMP SOCKETS, DATED: 93-10-01						
T815A	EFTEC NORTH AMERICA LLC	59551	ED-0207	BEO G-1537	92-06-23	C2	010012
A WSB-M18P16-A	SEALING REQUIREMENTS, ANTI-FLUTTER, FOR ISOLATION OF FRP/FRP PANELS, DATED: 95-03-01						
SYSTEM NO. UA U084A	UNISEAL INC SEALER: UNISEAL ESB-M3D145-A, FRP SUBSTRATE: BUDD ESB-M3D145-A, FRP SUBSTRATE: BUDD	62493 63775 67057	162.7 DSM 971 DSM 951	BEO/P1161 AVT/P-1291 AVT/P1561	94-08-26 94-08-24 95-02-15	N N N	IRB029 IRB029 IRB029
A WSS-M18P17-A	COATING, ALUMINUM, WATER SHEDDING, HYDROPHILIC DATED: 99-02-12						
SYSTEM NO. BA B30NG	BETZDEARBORN PART 1 PART 2	72055 72056	AQUA-SHED 687S AQUA-SHED 688P	ACD/LRUMAO ACD/LRUMAO	99-02-05 99-02-05	N C2 C2	IRB029 144407 144408
A ESB-M21P1-A	CORROSION PROTECTIVE COATING-, ZINC PHOSPHATE-CHROMIC ACID SEALED, DATED: 80-10-14						
C769A	CORAL INTERNATIONAL INC CHEMICAL SUPPLIER PROCESSOR: CALIFORNIA INDUSTRIAL PRODUCTS	28680 30688	CORLOK W-1	BEPE BEPE	80-03-03 80-03-03	C2 N	009540 IRB029
D210A	DETREX CORPORATION CHEMICAL SUPPLIER PROCESSOR: ERIEVIEW PLATING	28140 30689	PERMASEAL	BEPE BEPE	80-03-03 80-03-03	C2 N	008557 IRB029
F659A	FM CORP CHEMICAL SUPPLIER PROCESSOR: E/M LUBRICANTS, LOMBARD, IL PROCESSOR: E/M LUBRICANTS, ROSEVILLE, MI	28821 30690 30691	6099	BEPE BEPE BEPE	81-02-06 81-02-06 81-02-06	N N N	IRB029 IRB029 IRB029
M162A	PPG INDUSTRIES PROCESSOR: CURTIS PROCESSING CO. CHEMICAL SUPPLIER PROCESSOR: CURTIS PROCESSING CO.	30692 30693 30694	POLYSEAL	BEPE BEPE BEPE	80-03-03 81-11-10 80-03-03	N N N	IRB029 IRB029 IRB029
A ESA-M21P2-A1	CORROSION PROTECTIVE COATING, ZINC/CHROMATE/ORGANIC TYPE - 144H, DATED: 83-03-28						
D431A	DIAMOND SHAMROCK CONTACT MATERIAL SOURCE FOR LICENSED COATERS	31933	DACROMET 320	CEO	84-04-17	N	IRB029
A ESA-M21P2-A2	CORROSION PROTECTIVE COATING, ZINC/CHROMATE/ORGANIC TYPE - 240H, (SHOWN ON ESA-M21P2-A1) DATED: 83-03-28						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 19B

PAGE 10

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESA-M21P2-A2	CORROSION PROTECTIVE COATING, ZINC/CHROMATE/ORGANIC TYPE - 240H, (SHOWN ON ESA-M21P2-A1) DATED: 83-03-28									
D431A	DIAMOND SHAMROCK CONTACT MATERIAL SOURCE FOR LICENSED COATERS				27779	DACROMET 320 A&B	BEPE	79-09-20	C2	007861
					27780	DACROMET 320 C	BEPE	79-09-20	C2	007863
A ESA-M21P2-A3	CORROSION PROTECTIVE COATING, ZINC/CHROMATE/ORGANIC TYPE - 336H, (SHOWN ON ESA-M21P2-A1) DATED: 83-03-28									
D431A	DIAMOND SHAMROCK CONTACT MATERIAL SOURCE FOR LICENSED COATERS				31934	DACROMET 320	CEO	84-04-17	N	IRB029
A ESA-M21P2-A4	CORROSION PROTECTIVE COATING, ZINC/CHROMATE/ORGANIC WITH AQUEOUS TOPCOAT SEALER, 400 H, (SHOWN ON ESA-M21P2-A1) DATED: 83-03-28									
D431A	DIAMOND SHAMROCK CONTACT MATERIAL SOURCE FOR LICENSED COATERS				30827	DACROMET 320 W/DACROMET PLUS	CEO	83-03-15	N	IRB029
A ESB-M21P4-A1	CORROSION PROTECTIVE COATING, ZINC, CHROMATE, ORGANIC, 240 H SALT SPRAY, BAKED FINISH, DATED: 93-10-18									
C403A	CHEMICAL PROCESSING CO (PLATER & COATER) (ELECTROLYTIC PLATING)				34239		B&CE/ML- 86024	86-10-30	C	IRB030
D801A	DRAKE MECHANICAL PLATING INC (PLATER & COATER) (NON-ELECTROLYTIC PLATING)				34244		B&CE/ML- 86061	86-10-29	C	IRB030
E474A	TEXTRON FASTENING SYSTEMS (PLATER & COATER) (ELECTROLYTIC PLATING)			BLACK	32276	ELCO A1 BAKED FINISH	B&CE/ML- 84026	84-10-12	C	IRB030
E681C	N & W METAL FINISHING INC (PLATER & COATER) (ELECTROLYTIC PLATING)			CLEAR OR BLACK	29504	EMPIGARD	BEPE	84-04-02	C	IRB030
B4LZA	JD PLATING CO				34626		B&CE RDM. CLS 87013	87-06-01	C	IRB030
A ESB-M21P4-A2	CORROSION PROTECTIVE COATING, ZINC, CHROMATE, ORGANIC, 336 H SALT SPRAY, BAKED FINISH, (SHOWN ON ESB-M21P4-A1) DATED: 93-10-18									
C403A	CHEMICAL PROCESSING CO (PLATER & COATER) (ELECTROLYTIC			BLACK	34240		B&CE/ML- 86025	86-10-30	C	IRB030
D801A	DRAKE MECHANICAL PLATING INC (PLATER & COATER) (NON-ELECTROLYTIC PLATING)			BLACK	34245		B&CE/ML- 86061	86-10-29	C	IRB030
E474A	TEXTRON FASTENING SYSTEMS (PLATER & COATER) (ELECTROLYTIC PLATING)			BLACK	32277	ELCO A2 BAKED FINISH	B&CE/ML- 84026	84-10-12	C	IRB030
E681C	N & W METAL FINISHING INC (PLATER & COATER) (ELECTROLYTIC PLATING)			CLEAR OR BLACK	29505	EMPIGARD	BEPE	84-04-02	C	IRB030
B4LZA	JD PLATING CO				34627		B&CE RDM. CLS 87013	87-06-01	C	IRB030

Materials Engineering Testing & Standards

2001-12-03