

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM B 210 (6063T832)	ALUMINUM ALLOY, SEAMLESS DRAWN TUBE,									
ZZZZZ	ANY RELIABLE SUPPLIER				31632		PURCH/CCD	83-12-20	C	IRB026
A ASTM B 29 LEAD CORRODING GRADE 99.94%,										
ZZZZZ	ANY RELIABLE SUPPLIER				33837		PURCH/CCD	86-02-21	C2	030836
A ASTM B 607 AUTOCATALYTIC NICKEL BORON COATINGS FOR ENGINEERING USE, DATED: 99-07-12										
A ASTM F 72 GOLD WIRE FOR SEMICONDUCTOR LEAD BONDING, DATED: 98-02-09										
R8SKY	SPM INC				70854	GOLD WIRE, BE MODIFIED, ANNEALED, 38 MICRON	ACD/SDEGROO D	98-01-08	C	IRB024
A SAE J 306 AXLE AND MANUAL TRANSMISSION LUBRICANT VISCOSITY CLASSIFICATION, DATED: 91-10-01										
A SAE J 383 MOTOR VEHICLE SEAT BELT ANCHORAGES, DESIGN RECOMMENDATIONS, DATED: 86-04-01										
A SAE J 405 303 ALUMINUM ALLOY,										
ZZZZZ	ANY RELIABLE SUPPLIER				33713		EED/PURCH.	86-01-29	C	IRB026
A SAE J 410 903 ZINC/ALUMINUM ALLOY,										
ZZZZZ	ANY RELIABLE SUPPLIER				33712		EED/PURCH.	86-01-29	C	IRB026
A SAE J 452 303 DIE CASTING ALUMINUM ALLOYS, DATED: 96-11-04										
A SAE J 452 308 DIE CASTING ALUMINUM ALLOYS, DATED: 96-11-04										
A SAE J 452 383 DIE CASTING ALUMINUM ALLOYS, DATED: 96-11-04										
A SAE J 454 1100 ALUMINUM ALLOY,										
ZZZZZ	ANY RELIABLE SUPPLIER				33749		PURCH/CCD	86-02-13	C	IRB026
A SAE J 454 1145 ALUMINUM ALLOY,										
NONE	SOURCE APPROVAL PENDING									
A SAE J 454 1200 ALUMINUM ALLOY, WROUGHT,										
ZZZZZ	ANY RELIABLE SUPPLIER				30657		PURCH/CCD	82-04-13	C	IRB026
A SAE J 454 2011 ALUMINUM ALLOY,										

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A SAE J 454 2011 ALUMINUM ALLOY,										
ZZZZ	ANY RELIABLE SUPPLIER				33748		PURCH/CCD	86-02-13	C	IRB026
A SAE J 454 3003 ALUMINUM ALLOY, WROUGHT,										
ZZZZ	ANY RELIABLE SUPPLIER				30658		PURCH/CCD	82-04-13	C	IRB026
A SAE J 454 3005 ALUMINUM ALLOY, WROUGHT,										
ZZZZ	ANY RELIABLE SUPPLIER				30659		PURCH/CCD	82-04-13	C	IRB026
A SAE J 454 5052 ALUMINUM ALLOY, WROUGHT,										
ZZZZ	ANY RELIABLE SUPPLIER				30660		PURCH/CCD	82-04-13	C	IRB026
A SAE J 454 5089 ALUMINUM ALLOY,										
ZZZZ	ANY RELIABLE SUPPLIER				33751		PURCH/CCD	86-02-13	C	IRB026
A SAE J 454 5182 ALUMINUM ALLOY, WROUGHT,										
ZZZZ	ANY RELIABLE SUPPLIER				30661		PURCH/CCD	82-04-13	C	IRB026
A SAE J 454 7072 ALUMINUM ALLOY, WROUGHT,										
ZZZZ	ANY RELIABLE SUPPLIER				30662		PURCH/CCD	82-04-13	C	IRB026
A SAE J 461 CA102 COPPER, OXYGEN FREE,										
ZZZZ	ANY RELIABLE SUPPLIER				30649		PURCH/CCD	82-04-13	C	IRB026
A SAE J 461 CA110 COPPER, ELECTROLYTIC TOUGH PITCH,										
ZZZZ	ANY RELIABLE SUPPLIER				30650		PURCH/CCD	82-04-13	C	IRB026
A SAE J 461 CA122 COPPER, PHOSPHORUS DEOXIDIZED,										
ZZZZ	ANY RELIABLE SUPPLIER				30651		PURCH/CCD	82-04-13	C	IRB026
A SAE J 461 CA260 BRASS, CARTRIDGE, 70%,										
ZZZZ	ANY RELIABLE SUPPLIER				30652		PURCH/CCD	82-04-13	C	IRB026
A SAE J 461 CA345 BRASS, LEADED,										
ZZZZ	ANY RELIABLE SUPPLIER				30653		PURCH/CCD	82-04-13	C	IRB026
A SAE J 461 CA360 BRASS, FREE CUTTING,										
ZZZZ	ANY RELIABLE SUPPLIER				30654		PURCH/CCD	82-04-13	C	IRB026
A SAE J 775 N07751(INCONEL)										
	ENGINE POPPET VALVE INFORMATION REPORT, DATED: 93-08-01									
A SAE J 775 S63008(214N)										
	ENGINE POPPET VALVE INFORMATION REPORT, DATED: 93-08-01									

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A SAE J 775 S63012(212N)	ENGINE POPPET VALVE INFORMATION REPORT, DATED: 93-08-01									
A SAE J 775 S65007(SIL1)	ENGINE POPPET VALVE INFORMATION REPORT, DATED: 93-08-01									
A SAE J 775 UNS R30002	ENGINE POPPET VALVE INFORMATION REPORT, DATED: 93-08-01									
A AWS BALFI 4	BRAZE PASTE, 85% AL - 15% SI,									
F978A	FUSION INC				33975	NBA-1070-450 (FORMERLY 8- 660-012-001)	CCD/PURCH	86-02-21	C2	023471
A AWS BCUP 4	BRAZING FILLER METAL, (6 AG, 7.2 P, CU),									
E718A H060C H178A	ENGELHARD CORP HANDY & HARMAN CO J W HARRIS CO INC				32042 32837 32043	SIL-FOS 6	CCD CCD CCD	84-01-27 85-04-18 84-01-27	C2 C2 C2	022974 022974 022974
A AWS BCUP 5	BRAZING FILLER METAL, (15 AG, 5 P, CU),									
W432A	WELDING METALS INC				32034		EED	84-03-30	C2	023683
A AWS BCUP 6	BRAZING FILLER METAL, 2 AG,									
E718A H060C H178A	ENGELHARD CORP HANDY & HARMAN CO J W HARRIS CO INC				32839 32840 32838	SILVALOY 2 SIL-FOS 2 STAY-SILV 2	CCD CCD CCD	85-04-22 85-04-22 85-04-22	C2 C2 C2	026327 026327 026327
A AWS ER 5356	ALUMINUM WELD WIRE,									
ZZZZZ	ANY RELIABLE SUPPLIER				33838		PURCH/CCD	86-02-13	C2	030564
A AWS ERCUSI -A	SILICON BRONZE BRAZING WIRE,									
I123A	STERLING WELDING RESOURCES				32037		EED	84-03-30	C2	023682
A SAE J 454 4043 WELDING WIRE,										
H178A	J W HARRIS CO INC				32059	1/16" DIA.	CCD	84-03-06	C2	019951
A SAE J 454 4047 WELDING ROD,										
A243A E469A	ALUMINUM CO OF AMERICA MACARTHUR WIRE CO				31863 31862	3/64" DIA. 3/64" DIA.	CCD CCD	84-03-06 84-03-06	C2 C2	019950 019950
A ASTM B 782 GRADE1 IRON GRAPHITE SINTERED BEARINGS (OIL-IMPREGNATED), DATED: 88-01-29										

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM B 783 FC0208 MATERIALS FOR FERROUS POWDER METALLURGY STRUCTURAL PARTS, DATED: 91-08-29							
A ASTM B 32 GRADE60A							
SOLDER - ACTIVATED ROSIN CORE, 60 SN/40 PB, DATED: 89-02-24							
A250A	ALPHA METALS INC	31947		EED	84-04-26	C2	019948
F955A	FRY METALS INC	31948		EED	84-04-26	C2	019948
K470A	KESTER SOLDER CO	31949		EED	84-04-26	C2	019948
A ASTM B 32 GRADE10B							
SOLDER 10/90,							
F955A	FRY METALS INC	30647		CCD/PEO	82-04-13	C2	019953
T109A	TARACORP INDUSTRIES	30648		CCD/PEO	82-04-13	C2	019953
A ASTM B 32 GRADE50B							
SOLDER, 50 SN/50 PB (WAS M-1520),							
A250A	ALPHA METALS INC	31869		EED	84-01-27	C2	022975
F955A	FRY METALS INC	31974		EED	84-01-27	C2	022975
G065A	GARDINER METAL CO	31975		EED	84-01-27	C2	022975
I415A	INDUSTRIAL SMELTING	31976		EED	84-01-27	C2	022975
K470A	KESTER SOLDER CO	31977		EED	84-01-27	C2	022975
T109A	TARACORP INDUSTRIES	31978		EED	84-01-27	C2	022975
A ASTM B 32 GRADE95TA							
SOLDER - ACTIVATED ROSIN CORE 95 SN/5 PB, DATED: 89-02-24							
A250A	ALPHA METALS INC	30744	.0625" DIA	EED	83-02-18	C2	019952
F955A	FRY METALS INC	30745		EED	83-02-18	C2	019952
G065A	GARDINER METAL CO	30746		EED	83-02-18	C2	019952
K470A	KESTER SOLDER CO	30747		EED	83-02-18	C2	019952
T109A	TARACORP INDUSTRIES	30748		EED	83-02-18	C2	019952
A FACC 5 L 2-4006 DIODE CLAMP REELED STOCK,							
H748A	COMPOSITE TECHNICAL ALLOYS FACC 5L 2-4006-00 BRASS, SOLDER CLAD	33905		CCD PURCH. CAW.	86-03-14	C2	022316
	FACC 5L 2-4006-01 NICKEL SOLDER CLAD	34715		CCD PURCH. CAW.	87-06-12	C2	022316
A SAE NO 2 A SOLDER, 40 SN/ 60 PB, (WAS M1522), DATED: 83-10-11							
F955A	FRY METALS INC	31454		CCD/PEO	83-09-28	C2	022107
A SAE NO 3 A SOLDER, 30SN/70PB (WAS M1538A), DATED: 83-07-21							
A434A	ALUMAX INC	31508	FOIL	CCD/PEO	83-02-18	C2	020534
F955A	FRY METALS INC	31094	5/32" DIA.	CCD/PEO	83-07-21	C2	002708
I415A	INDUSTRIAL SMELTING	31950	13.75" BAR	EED	84-03-30	C2	020534
R355A	TRW INC	31509	FOIL	CCD/PEO	83-02-18	C2	020534
A SAE NO 4 A SOLDER, 25 SN/ 75 PB, (WAS M7501), DATED: 83-10-11							
F955A	FRY METALS INC						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A SAE NO 4 A SOLDER, 25 SN/ 75 PB, (WAS M7501), DATED: 83-10-11										
P955A	FRY METALS INC				31527	0.156" DIA WIRE	CCD/PEO	83-09-29	C2	021962
T109A	TARACORP INDUSTRIES				31453	WIRE	CCD/PEO	83-09-29	C2	021962
A ESE-M2A58-A BRASS, STRIP (SAE CA 260), DATED: 78-08-11										
A578C	ANAMET INDUSTRIAL INC				20189				C	IRB026
C351A	CHASE BRASS & COPPER				24955				C	IRB026
N766A	NORANDA METAL INDUSTRIES				24956				C	IRB026
B710A	SCHRADER BRIDGEPORT INTERNATIONAL INC				20190				C	IRB026
A31AA	PRODUCTOS NACOBRE				34277	E76H-8A062-AA	CCD/CLS- 604119	86-11-07	C	IRB026
R355A	TRW INC				20191				C	IRB026
A ESA-M2A62-A ALUMINUM ALLOYS, BRAKE PISTON, DATED: 79-01-10										
A158A	ALCAN ALUMINUM CORP				32061		B & C ENGRG.	84-04-30	C	IRB026
A243A	ALUMINUM CO OF AMERICA				20192		CEO	73-07-23	C	IRB026
R358A	REYNOLDS METALS CO				20193		CEO		C	IRB026
A ES2-M2A64-A BRASS, WROUGHT, GENERAL PURPOSE, DATED: 78-06-12										
ZZZZZ	ANY RELIABLE SUPPLIER				56638				C	IRB026
A ES2-M2A65-A BRASS, WROUGHT - SHEET AND TUBING, GENERAL PURPOSE, DATED: 78-06-12										
ZZZZZ	ANY RELIABLE SUPPLIER				54780				C	IRB026
A ESB-M2A83-B1 ALUMINUM ALLOY, EXTERIOR, ORNAMENTATION, DATED: 93-09-10										
C664A	CONSOLIDATED ALUMINUM				56640	AA-5351-H24	BEPE	80-02-27	C	IRB026
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION				56639	AA-5250 H24, H25	BEPE	79-10-04	C	IRB026
A ESB-M2A83-B2 ALUMINUM ALLOY, EXTERIOR, ORNAMENTATION, (SHOWN ON ESB-M2A83-B1) DATED: 93-09-10										
C664A	CONSOLIDATED ALUMINUM				56645	AA-5351-H25	BEPE	80-02-27	C	IRB026
H744A	HOWMET CORP				56642	AA-5252 H25	BEPE	79-10-04	C	IRB026
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION				56641	AA-5252 H25	BEPE	79-10-04	C	IRB026
R358A	REYNOLDS METALS CO				56644	AA-5252 H25	BEPE	79-10-04	C	IRB026
S090A	SCHRADER BRIDGEPORT INTERNATIONAL INC				56643	AA-5252 H25	BEPE	79-10-04	C	IRB026
A ESB-M2A83-B3 ALUMINUM ALLOY, EXTERIOR, ORNAMENTATION,										
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION				56646	AA-5252 H27	BEPE	79-10-04	C	IRB026
R358A	REYNOLDS METALS CO				56647	AA-5252 H27	BEPE	79-10-04	C	IRB026
A ESB-M2A83-B5 ALUMINUM ALLOY, EXTERIOR, ORNAMENTATION, (SHOWN ON ESB-M2A83-B1) DATED: 93-09-10										
C664A	CONSOLIDATED ALUMINUM				56650	AA-5351-H19	BEPE	80-02-27	C	IRB026
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION				56649	AA-5252 H19	BEPE	79-10-04	C	IRB026
A ESB-M2A83-C ALUMINUM ALLOY, EXTERIOR ORNAMENTATION, IMPROVED APPEARANCE, DATED: 86-04-01										

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M2A83-C	ALUMINUM ALLOY, EXTERIOR ORNAMENTATION, IMPROVED APPEARANCE, DATED: 86-04-01						
A243K	ALUMINUM CO OF AMERICA	33733	AA-5552	B&CE/JAB	86-01-10	C	IRB026
A WSB-M2A98-B	ZINC ALLOY - SHEET AND STRIP, DATED: 89-06-01						
K1J7A	BALL CORP APPROVED FOR CHROME PLATED APPLICATIONS ONLY	55004	191		89-01-13	C	IRB026
A ESH-M2A106-A	ALUMINUM, TUBING - DRAWN - FULLY ANNEALED - SEAMLESS, DATED: 78-11-04						
A243A	ALUMINUM CO OF AMERICA	27635	3102-0	CCD	80-09-18	C	IRB026
A ESB-M2A109-B	ALUMINUM, EXTRUSION & SHEET ALLOY, DATED: 83-10-14						
A158A	ALCAN ALUMINUM CORP (EXTRUDED & SHEET SUPPLIER)	29488	7029-T63	MP-78013, MP-80028	81-07-22	C	IRB026
A243A	ALUMINUM CO OF AMERICA (SHEET SUPPLIER)	29816	7029-T63	MF-79013	81-07-22	C	IRB026
C664A D726A	CONSOLIDATED ALUMINUM INTIER AUTOMOTIVE SEATING OF AMERICA INC. (HEAT TREATER)	29489	7029-T63	MF-81027	81-07-22	C	IRB026
S754B	DETROIT ELECTRO COATINGS CO LLC (HEAT TREATER)	29490	7029-T63	MP-78015	81-07-22	C	IRB026
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION (EXTRUDE AND SHEET SUPPLIER) (EXTRUDE AND SHEET SUPPLIER)	29817 29491 30948	7029-T63 7029-T63 AA 7029	MF-80046 MP-78002 BEPE/MF- 82038	81-07-22 81-07-22 83-03-15	C C C	IRB026 IRB026 IRB026
R358A	REYNOLDS METALS CO (EXTRUDED & HEAT TREATER SUPPLIER)	29815	7029-T5	MP-75110, MP-79003	81-07-22	C	IRB026
S258A	AG SIMPSON CO LTD (HEAT TREATER)	30338	7029-T63	MF-82040	82-10-07	C	IRB026
A WSH-M2A112-B1	ALUMINUM SHEET, VACUUM BRAZING, DATED: 98-04-29						
R358A	REYNOLDS METALS CO	58583		CCD/A-928	91-08-09	C	IRB026
A WSH-M2A112-B3	ALUMINUM SHEET, VACUUM BRAZING, (SHOWN ON WSH-M2A112-B1) DATED: 98-04-29						
L2LVA	ALUMAX TRANSPORTATION PRODUCTS	59374	ALLOY 3005/4047	CCD A1007	92-06-24	C	IRB026
A WSS-M2A112-B4	ALUMINUM SHEET, VACUUM BRAZING, (SHOWN ON WSH-M2A112-B1) DATED: 98-04-29						
A ESB-M2A113-B	ALUMINUM, FORMABLE, SHEET ALLOY, DATED:						
A158A	ALCAN ALUMINUM CORP	28272	SAE AA 7021 T- 61	BEPE/MPE MF-80037	80-07-30	C	IRB026
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION	28128	SAE AA-7021 T- 61	MP-79033	80-05-31	C	IRB026
M125A	MAGNA INTERNATIONAL INC	28129	SAE AA-7021 T- 61	MP-79036	80-05-31	C	IRB026
M078A	MARTIN MARIETTA CORP	29060	SAE AA-7021 T- 61	MF-80031	81-07-29	C	IRB026
R355A	TRW INC	28130	SAE AA-7021 T- 61	MP-79010	80-05-31	C	IRB026
R358A	REYNOLDS METALS CO	28126	SAE AA-7021 T- 61	MP-79176	80-05-31	C	IRB026

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESE-M2A114-A	ALUMINUM ALLOYS, FREE MACHINING, GENERAL PURPOSE, DATED: 79-03-26						
ZZZZZ	ANY RELIABLE SUPPLIER	30179				C	IRB026
A ESH-M2A116-A	BRASS STRIP, ARSENICAL, DATED: 81-04-27						
A578C	ANAMET INDUSTRIAL INC	27776	UNS C26130	CCD	79-09-20	C	IRB026
C351A	CHASE BRASS & COPPER	28314	261300	CEO	80-08-21	C	IRB026
G505A	GLOBAL METALS CORP	27944	BRASS STRIP, ARSENICAL	CCD	80-01-23	C	IRB026
A31AA	PRODUCTOS NACOBRE	34275	E76H-8011-AA	CCD	86-11-07	C	IRB026
A ESB-M2A118-A	ALUMINUM ALLOY - SHEET, (SAE AA2036), DATED: 83-10-31						
A243A	ALUMINUM CO OF AMERICA	27965	AA 2036	BEPE	80-02-14	C	IRB026
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION	31802	AA 2036	BEPE/MF- 81030	84-01-16	C	IRB026
R358J	REYNOLDS METALS CO	32461	AA 2036-T4	B&CE	84-12-10	C	IRB026
A ESB-M2A119-A	ALUMINUM ALLOY - SHEET, (SAE AA5182), DATED: 83-10-31						
A243A	ALUMINUM CO OF AMERICA	28444	AA 5182	BEPE	80-09-29	C	IRB026
K017A	KAISER ALUMINUM & CHEMICAL CORPORATION	31803	AA 5182	BEPE/MF- 81030	84-01-16	C	IRB026
R358J	REYNOLDS METALS CO	32462	AA 5182-0	B&CE	84-12-10	C	IRB026
A ESB-M2A121-A2	ALUMINUM ALLOY - EXTRUSION, (AA6061-T6), DATED: 83-10-31						
R358A	REYNOLDS METALS CO	28990	AA 6061-T6	BEPE	81-04-28	C	IRB026
A ESA-M2A123-A	ALUMINUM ALLOY (AA 356-T6), MODIFIED - CAST WHEEL, DATED: 82-04-12						
F780B	FONDERPRESS SPA	29563		CEO	82-03-11	C	IRB026
G016B	ALLOY WHEELS INTERNATIONAL LTD	29564		CEO	82-03-11	C	IRB026
S862A	SUPERIOR INDUSTRIES INTERNATIONAL	29562		CEO	82-03-11	C	IRB026
G6ADF	HAYES - LEMMERZ INTERNATIONAL INC	40776		AVT/VO A1231	95-02-09	C	IRB026
A ESA-M2A124-A	ALUMINUM ALLOY (AA 6061-T6), DATED: 82-06-16						
A243K	ALUMINUM CO OF AMERICA	29565		CEO	82-03-11	C	IRB026
A ESB-M2A125-A	ALUMINUM, EXTRUSION AND SHEET ALLOY (SAE AA 7129-T6), DATED: 86-05-29						
A243K	ALUMINUM CO OF AMERICA	29705	7129 T-6	BEPE	82-05-14	C	IRB026
A WSH-M2A128-B	ALUMINUM BRAZING SHEET, HEADER STOCK, DATED: 85-08-07						
SYSTEM NO. HA E1G0A	CORUS ALUMINIUM WALZPRODUKTE GMBH CORE BRAZE CLADDING COLLANT SIDE CLADDING	55336 67095 67096	HOGAL 3005 HOGAL 4004 HOGAL 7072	CCD.CFC CCD.CFC CCD.CFC	89-01-23 89-01-23 89-01-23	C C C	IRB026 IRB026 IRB026
SYSTEM NO. RM R358A	REYNOLDS METALS CO	54493	MD 240	CCD	85-07-29	C	IRB026
A WSH-M2A135-A1	ALUMINUM FIN MATERIAL, DATED: 00-03-20						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 2

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSH-M2A135-A1	ALUMINUM FIN MATERIAL, DATED: 00-03-20						
L2LVA	ALUMAX TRANSPORTATION PRODUCTS	59375	AA 3003	CCD A1008	92-06-24	C	IRB026
A WSH-M2A135-A2	ALUMINUM FIN MATERIAL, (SHOWN ON WSH-M2A135-A1) DATED: 00-03-20						
D5X8K	ALCAN ALUMINUM CORP	68335	5010	ACD/NKURTYC Z	96-09-18	C	IRB026
A ESE-M2A136-A	ALUMINUM, ALCLAD WIRE, DATED: 86-02-21						
A362A	ACS INDUSTRIES INC	33741	ALCLAD 5056	ENG. ENGRG.	86-02-03	C	IRB026
A WSD-M2A137-B1	ALUMINUM, SILICON COPPER MAGNESIUM ALLOY, DATED: 93-09-29						
H268X D0REA M279A	FEDERAL MOGUL LTD KS KOLBENSCHMIDT GMBH MAHLE GMBH	56308 56313 56311	HG 424 KS270 332	TO-D/A-0843 TO-D/A-0848 TO-D/A-0846	90-08-07 90-08-07 90-08-07	C C C	IRB026 IRB026 IRB026
A WSD-M2A137-B2	ALUMINUM, SILICON COPPER MAGNESIUM ALLOY, (SHOWN ON WSD-M2A137-B1) DATED: 93-09-29						
H268X D0REA M279A	FEDERAL MOGUL LTD KS KOLBENSCHMIDT GMBH MAHLE GMBH	56309 56314 56312	HG 413+413P KS1275 124	TO-D/A-0844 TO-D/A-0849 TO-D/A-0847	90-08-07 90-08-07 90-08-07	C C C	IRB026 IRB026 IRB026
A WSD-M2A137-B3	ALUMINUM, SILICON COPPER MAGNESIUM ALLOY, (SHOWN ON WSD-M2A137-B1) DATED: 93-09-29						
H268X	FEDERAL MOGUL LTD	56310	HG425	TO-D/A-0845	90-08-07	C	IRB026
A WSD-M2A137-B4	ALUMINUM, SILICON COPPER MAGNESIUM ALLOYS, (SHOWN ON WSD-M2A137-B1) DATED: 93-09-29						
NONE	SOURCE APPROVAL PENDING						
A WSD-M2A137-B5	ALUMINUM, SILICON COPPER MAGNESIUM ALLOYS, (SHOWN ON WSD-M2A137-B1) DATED: 93-09-29						
NONE	SOURCE APPROVAL PENDING						
A WSS-M2A137-B6	ALUMINUM, SILICON COPPER MAGNESIUM ALLOY, DATED: 01-04-30						
NONE	SOURCE APPROVAL PENDING						
A WSH-M2A138-A	ALUMINUM BRAZING SHEET, TUBE STOCK, DATED: 93-11-30						
R358A	REYNOLDS METALS CO	54576	MD 267	CCD.CFC	87-03-11	C	IRB026
A WSH-M2A139-A	ALUMINUM BRAZING SHEET, HEADER STOCK, DATED: 91-02-20						
SYSTEM NO. HA E1G0A	CORUS ALUMINIUM WALZPRODUKTE GMBH CORE BRAZE CLAD	67097 67098	HOGAL 3532 HOGAL 4104	AVT/A1302 AVT/A1303	95-09-27 95-09-27	C C C	IRB026 IRB026 IRB026
SYSTEM NO. RM R358A	REYNOLDS METALS CO	54577	MD 267	CCD.CFC	87-03-12	C	IRB026

Materials Engineering Testing & Standards

2001-12-03