

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESE-M2D352-A	TUBING, RUBBER - LARGE DIAMETER, DATED: 85-04-04						
C013A	AVON AUTOMOTIVE	32873	#00338903	ENG. ENGRG./CLS- 501273	85-05-09	N	IRB029
C757B	COOPER STANDARD AUTOMOTIVE 3/4" ID HOSE ONLY	34073	RX 597-881C	ENG. ENGRG./CLS- 601847	86-07-25	N	IRB029
G593A	GOODYEAR TIRE & RUBBER CO	32422	#52	ENG. ENGRG./CLS- 404183	84-11-13	N	IRB029
		40297	SN1876	ED/CLS40319 9/D5324	94-07-26	N	IRB029
M399A	MICHIGAN RUBBER PRODUCTS INC	33926	052011	ENG. ENGRG./CLS- 601841	86-05-06	N	IRB029
P520A	DANA CORPORATION	33540	775	ENG. ENGRG./CLS- 504143	85-11-18	N	IRB029
A ESA-M2D353-A	EPDM RUBBER, 70 DUROMETER "A" HARDNESS, SEAL, RECYCLING SYMBOL: >EPDM< DATED: 85-10-04						
K640A	KITCO INC	32427	EPDM CMPD. #117	B&CE/CLS- 403770	84-10-03	N	IRB029
A ESB-M2D354-A2	POLYURETHANE MICROCELLULAR ELASTOMER, 15% GLASS FIBER - REINFORCED - RRIM - EXTERIOR - PAINTABLE, RECYCLING SYMBOL: >PUR-GF15< DATED: 86-08-13						
D076A	TEXTRON AUTOMOTIVE COMPANY	33709	MC-1108-15	B&CE/BEPE- CLS-404551	86-01-07	N	IRB029
S232A	BTR SEALING SYSTEMS	35567	S-G 100	B&CE EP- 88041	88-08-25	N	IRB029
N ESB-M2D356-A	POLYURETHANE FOAM, RIGID, RECYCLING SYMBOL: >PUR< (NOT TO BE USED FOR NEW DESIGN, USE ESB-M2D356-B) DATED: 85-05-23						
F775A	FOAMSEAL NOVAGARD PF3000, COMPONENT A/ISOCYANATE, TOX 026109 (C2) PF3000, COMPONENT B/POLYOL, TOX 026108 (C2)	32967	PF 3000 FOAM	B&CE/FS5-6	85-06-14	N	IRB029
A ESB-M2D356-B	POLYURETHANE (PUR) FOAM, RIGID, 37 KG/M3, FREE OF CHLOROFLUOROCARBONS (CFC), RECYCLING SYMBOL: >PUR< DATED: 90-08-10						
E766A	THE DOW CHEMICAL COMPANY	39717	BETACORE(R) 87120 87100	BEO- BODY/D4878 BODY/D4880	93-12-15	C2	134211
F775A	FOAMSEAL NOVAGARD COMPONENT A-PF3000A (TOX #026109), COMPONENT B-PF4000B (TOX #045685)	36827	PF4000	B&CE- BODY/ASO- 6/D-2506	90-07-02	N	IRB029
A ESB-M2D357-A	SILICONE ELASTOMER, COLOR PIGMENTED - WEATHERABLE, EXTERIOR, RECYCLING SYMBOL: >VMQ< DATED: 85-09-27						
M627A	MOLDEX RUBBER CO INC	32830	MX-6185	B&CE/EP- 84026	85-01-26	N	IRB029
	DARK GRAY						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESE-M2D359-A	SILICONE RUBBER, HIGH TEMPERATURE RESISTANT, SPARK PLUG INSULATOR, RECYCLING SYMBOL: >VMQ< DATED: 85-06-14						
J190B	JAMAK FABRICATION INC	39537	JY-50181	ED/303384/D 4648	93-08-25	N	IRB029
X707D	MOLD EX RUBBER CO INC FOR ENGINE APPLICATIONS ONLY	66113	57WV548003	ED/503589/D 6243	95-08-25	N	IRB029
M627A	MOLDEX RUBBER CO INC	32895	MX-6024	ENG. ENGRG.	85-05-09	N	IRB029
S558A	LEXINGTON INSULATORS	32894	#79440	ENG. ENGRG.	85-05-09	N	IRB029
S558H	LEXINGTON INSULATORS ENGINE USE ONLY	66457	XO600-LG	ED/503924/D 6326	95-10-25	N	IRB029
T217A	CARLISLE ENGINEERED PRODUCTS INC	32893	TC-2077	ENG. ENGRG.	85-05-09	N	IRB029
A ESB-M2D362-A	POLYURETHANE FOAM, MOLDED, RECYCLING SYMBOL: >PUR< DATED: 86-03-26						
C225A	CARTEX CORP	33264	CARTEX FORMULA #19040341	B&CE/FS5-5	85-09-03	N	IRB029
A ESE-M2D363-A	FLUOROELASTOMER (FKM), HIGH TEMPERATURE RESISTANT - GASKET, RECYCLING SYMBOL: >FPM< DATED: 96-04-22						
S423B	ITW - SOUTHLAND	37015	1028S/10001S	ED/602461/D -2683	90-10-25	N	IRB029
		37283	1065S	ED/994718/D -2837	91-02-20	N	IRB029
A WSD-M2D363-A2	FLUOROELASTOMER (FKM), HIGH HEAT AND COMPRESSION STRESS RELAXATION RESISTANT, RECYCLING SYMBOL: >FPM< DATED: 92-02-27						
B791A	DICHTUNGSTECHNIK G. BRUSS GMBH & CO KG	59087	07688	TO-D/D-3135	91-07-24	N	IRB029
G883Y	GREINER GMBH	59088	FCM-384	TO-D/D-3136	91-07-24	N	IRB029
A ESE-M2D364-A	SILICONE RUBBER, HIGH ELONGATION, LONG LIFE GASKET, RECYCLING SYMBOL: >VMQ< DATED: 90-06-28						
J190A	JAMAK FABRICATION INC	33803	Y-4090	ENG. ENGRG./CLS- 600171	86-03-13	N	IRB029
		35123	J-4225	ENG. ENGRG./CLS- 603271	87-12-15	N	IRB029
J190B	JAMAK FABRICATION INC	34531	J-4223		87-04-21	N	IRB029
P520A	D-C COMPOUND #Q4-4627 DANA CORPORATION	34526	72450	ENG. ENGRG./CLS	87-04-21	N	IRB029
	D-C COMPOUND #Q4-4627	35491	71-451	ENG. ENGRG./CLS- 800859	88-07-12	N	IRB029
	GE 4364J MATERIAL. COLOR & CATALYST BY PLUMLEY	35493	73-451	ENG. ENGRG./CLS- 800859	88-07-12	N	IRB029
	GE 4364X03 CONTAINS COLOR & CATALYST	34135	Q-44627	ENG. ENGRG./CLS- 603068	86-08-15	N	IRB029
S423B	ITW - SOUTHLAND D-C COMPOUND #Q4-4627	34136	4013-X03	ENG. ENGRG./CLS- 603068	86-08-15	N	IRB029
	GE COMPOUND #4013	35122	SH 287	ENG. ENGRG./CLS- 603271	87-12-15	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESE-M2D364-A2	SILICONE RUBBER, HIGH ELONGATION, POST CURED, LOW VOLATILE - LONG LIFE GASKET, RECYCLING SYMBOL: >VMQ< DATED: 90-06-28						
J190A	JAMAK FABRICATION INC	34942	Y-4090	ENG. ENGRG./CLS- 600171	87-10-20	N	IRB029
J190B	JAMAK FABRICATION INC D-C COMPOUND #Q4-4627	34944	J 4223	ENG. ENGRG./CLS- 603068	87-04-21	N	IRB029
P520A	DANA CORPORATION D-C COMPOUND #Q4-4627	34946	72450	ENG. ENGRG./CLS- 603068	87-04-21	N	IRB029
S423B	ITW - SOUTHLAND NOTE: MATL MUST BE POST CURED TO MEET LOW SILICONE REQTS	34948	Q-44627	ED/CLS- 603068/D- 2424	86-08-15	N	IRB029
A ESE-M2D364-A3	SILICONE RUBBER, HIGH ELONGATION, LOW VOLATILE - LONG LIFE GASKET, OIL PAN AND ROCKER ARM COVER, RECYCLING SYMBOL: >VMQ< DATED: 90-06-28						
J190B	JAMAK FABRICATION INC	37561	JY-4105-5	ED/991076/D -3161	91-08-12	N	IRB029
N538A	NEFF PERKINS CO APPROVED FOR USE WITH G.E. COMPOUND #SE-4364LV ONLY	37004	L 4689	ED/993514/D -2669	90-10-08	N	IRB029
P520A	DANA CORPORATION	37820	71-441-0	ED/103830/D 3347	92-01-22	N	IRB029
		40349	74-443-1	ED/404226/D 5591	94-10-06	N	IRB029
		40632	74-443-1	EO/404226/D 5770	94-10-06	N	IRB029
S423B	ITW - SOUTHLAND	36632	1046S	ED/905169/D 2423	90-01-17	N	IRB029
	USE WITH DOW CORNING COMPOUND #M1602	37014	1048S	ED/903701/D 2684	90-10-25	N	IRB029
A WSD-M2D369-A	POLYACRYLIC (ACM) RUBBER, ENGINE OIL AND HIGH HEAT RESISTANT - LOW COMPRESSION SET, STATIC SEAL, RECYCLING SYMBOL: >ACM< DATED: 87-02-03						
CF33C	ROBERT BOSCH GMBH	54571	VS 16 609 GW	TO-D	87-01-19	N	IRB029
A WSE-M2D370-A	POLYACRYLATE (ACM) RUBBER, GROMMET - LONG LIFE RECYCLING SYMBOL: >ACM< DATED: 96-07-29						
B491A	BRC RUBBER GROUP INC	62397	0164	ED/CLS40264 5/D5375	94-08-10	N	IRB029
M399A	MICHIGAN RUBBER PRODUCTS INC	54738	056617	ENG. ENGRG.	87-10-20	N	IRB029
M423B	FREUDENBERG NOK	67808	520-C	ED/EDUDA1/9 6791	96-07-15	N	IRB029
A ESP-M2D373-A	ETHYLENE/ACRYLIC (AEM) RUBBER, LOW COMPRESSION SET, OIL SEAL, RECYCLING SYMBOL: >AEM< DATED: 87-11-10						
F264A	FEDERAL MOGUL CORP	34475	NATIONAL O- RING CMPD #L96B-75	T&A	87-03-19	N	IRB029
A WSP-M2D373-A2	ETHYLENE/ACRYLIC (AEM) RUBBER, LOW COMPRESSION SET, OIL SEAL, RECYCLING SYMBOL: >AEM< DATED: 90-01-27						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSP-M2D373-A2	ETHYLENE/ACRYLIC (AEM) RUBBER, LOW COMPRESSION SET, OIL SEAL, RECYCLING SYMBOL: >AEM< DATED: 90-01-27						
G638A	PARKER SEALS	55118	M2514	T&AE	88-12-09	N	IRB029
A ESE-M2D374-A	HYDROGENATED NITRILE (HSN) RUBBER, OIL SEAL, RECYCLING SYMBOL: >HNBR< DATED: 95-03-03						
C421A	CR INDUSTRIES	34612	SIRVENE 162	ENG. ENGRG/CLS 700866	87-05-21	N	IRB029
A WSP-M2D375-A	ETHYLENE/ACRYLIC (AEM) RUBBER, AUTOMATIC TRANSMISSION FLUID RESISTANT - FILTER GROMMET, RECYCLING SYMBOL: >AEM< DATED: 91-10-10						
F581E	ELASTO TEC INC	58644	ETI 7-0080-75	T&A/D-3201	91-08-30	N	IRB029
K9B0A	EXCEPT SPECIFIC GRAVITY: 1.46-1.50 FREUDENBERG NOK EXCEPT SPECIFIC GRAVITY: 1.34-1.38	58645	F-N K0706	T&A/D-3202	91-08-30	N	IRB029
A WSD-M2D376-A	ETHYLENE/PROPYLENE RUBBER (EPDM), ENGINE COOLANT AND COMPRESSION, STRESS RELAXATION RESISTANT, RECYCLING SYMBOL: >EPDM< DATED: 96-02-29						
B03QA	UNITED POLYMERS	54973	E617-62	TO-D ML 58655	88-11-08	N	IRB029
B791A D745A	DICHTUNGSTECHNIK G. BRUSS GMBH & CO KG TISPP UK LIMITED	54790	09613	TO-D	87-07-22	N	IRB029
G638D	PARKER SEALS	54972 69738	2634 E4026	TO-D ML T 0517 CCD/NKURTYC Z/1305Z/48	88-11-09 97-03-12	N N	IRB029 IRB029
A WSS-M2D376-A2	SILICONE RUBBER ENGINE COOLANT AND COMPRESSION STRESS RELAXATION RESISTANT, GASKET, DATED: 00-02-16						
A WSP-M2D377-A	ETHYLENE/ACRYLIC (AEM) RUBBER, LOW COMPRESSION SET - GROMMET, RECYCLING SYMBOL: >AEM< DATED: 87-11-10						
K859A	QUALITY SYNTHETIC RUBBER	54618	QSR L5115	T&A	87-07-28	N	IRB029
A WSD-M2D378-A1	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED ENGINE COOLANT AND MODERATE HEAT RESISTANT, 60 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< DATED: 01-03-05						
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA	55666	101-55 SANTOPRENE 201-55	TO-D/ML- S6720/1723	89-10-17	N	IRB029
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	61802 61803	SANTOPRENE 101-55 SANTOPRENE 201-55	TO-D/D5008 TO-D/D5009	94-02-09 94-02-09	N N	IRB029 IRB029
D070A	DSM POLYMERS EXTERIOR USE ONLY	67451	SARLINK 4155 NAT&BLK	AVT/CLS6004 53/D6635	96-04-17	N	IRB029
A WSD-M2D378-A2	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED, MODERATE HEAT RESISTANT, 60						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M2D378-A2	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED, MODERATE HEAT RESISTANT, 60 DUROMETER A HARDNESS, INTERIOR, RECYCLING SYMBOL: >TEO< DATED: 01-08-10									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA			S/GREY	55919	SANTOPRENE 221-55	TO-D/MCS 1825	89-11-29	N	IRB029
A WSD-M2D378-A4	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED, MODERATE HEAT RESISTANT, 48 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				59353	SANTOPRENE 111-45	TO-D/D3602	92-06-10	N	IRB029
					62351	SANTOPRENE 211-45	TO-D/D5326	94-07-26	N	IRB029
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA				62668	SANTOPRENE 211-45	TO-D/T11174/D5 588	94-10-10	N	IRB029
					62669	SANTOPRENE 111-45	TO-D/T11174/D5 589	94-10-10	N	IRB029
	Hardness Durometer A, ISO 868 Instantaneous, 43 - 53		YGYA	LOW GLOSS BLACK	73184	SANTOPRENE 111-35	AVT/JFAUNT	00-11-14	N	IRB029
A WSD-M2D378-A6	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED, 66 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				60414	SANTOPRENE 111-64	TO-D/D4071	93-03-30	N	IRB029
A WSD-M2D378-A7	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED, 87 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				62293	VYRAM 9101-85	TO-D/01385/D52 58	94-06-27	N	IRB029
					62310	VYRAM 9201-85	TO-D/01385/D52 59	94-06-27	N	IRB029
					65152	VYRAM 9101-85	TO-D/01385/D52 58	94-06-27	N	IRB029
A WSS-M2D378-B1	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED EXTERIOR WEATHERABLE 60 DATED: 00-08-11									
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA				67547	SANTOPRENE 121-58W175	AVT/D-6676	96-05-15	N	IRB029
A WSD-M2D379-A1	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED ENGINE COOLANT AND MODERATE HEAT RESISTANT, 68 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A1) DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				54626	SANTOPRENE 101-64	TO-D	87-07-02	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M2D379-A1	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED ENGINE COOLANT AND MODERATE HEAT RESISTANT, 68 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A1) DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				55665	SANTOPRENE 201-64	TO-D/ML-T0108/1722	89-10-17	N	IRB029
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA				61804	SANTOPRENE 101-64	TO-D/D5010	94-02-09	N	IRB029
					61805	SANTOPRENE 201-64	TO-D/D5011	94-02-09	N	IRB029
D070A	DSM POLYMERS EXTERIOR USE ONLY				67452	SARLINK 4165 NAT&BLK	AVT/CLS6004 53/D6636	96-04-17	N	IRB029
A WSD-M2D379-A2	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED, MODERATE HEAT RESISTANT, 69 DUROMETER A HARDNESS, INTERIOR, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A2) DATED: 01-08-10									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA			S/GREY	55920	SANTOPRENE 221-64	TO-D/MCS 1791	89-11-29	N	IRB029
A WSD-M2D379-A4	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED 68 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				63017	VYRAM 9101-65	TO-D/T11553/D5 692	94-12-05	N	IRB029
					63018	VYRAM 9201-65	TO-D/T11553/D5 693	94-12-05	N	IRB029
A WSD-M2D379-A6	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED, 76 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A6) DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				60428	SANTOPRENE 111-73	TO-D/D4072	93-03-30	N	IRB029
A WSS-M2D379-B1	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED EXTERIOR WEATHERABLE 68 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSS-M2D378-B1) DATED: 00-08-11									
N03LB D070A	ADVANCED ELASTOMER SYSTEMS NV/SA DSM POLYMERS				67548	SANTOPRENE	AVT/D-6677	96-05-15	N	IRB029
			YGYA	LOW GLOSS BLACK	73292	SARLINK 5765B4	/JFAUNT	01-03-06	N	IRB029
A WSD-M2D380-A1	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED ENGINE COOLANT AND MODERATE HEAT RESISTANT, 76 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A1) DATED: 01-03-05									
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA				54627	SANTOPRENE 101-73	TO-D	87-07-02	N	IRB029
					55663	SANTOPRENE 201-73	TO-D/MI-T0109/1720	89-10-17	N	IRB029
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA									

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M2D380-A1	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED ENGINE COOLANT AND MODERATE HEAT RESISTANT, 76 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A1) DATED: 01-03-05						
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	61806	SANTOPRENE 101-73	TO-D/D5012	94-02-09	N	IRB029
		61807	SANTOPRENE 201-73	TO-D/D5013	94-02-09	N	IRB029
D070A	DSM POLYMERS EXTERIOR USE ONLY	67453	SARLINK 4175 NAT&BLK	AVT/CLS6004 53/D6637	96-04-17	N	IRB029
S3UZA	SALFLEX POLYMERS LTD BLACK	70407	SALFLEX 375-A	PTPD/LHESS2 /9702702	97-09-10	N	IRB029
A WSD-M2D380-A2	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED, MODERATE HEAT RESISTANT, 75 DUROMETER A HARDNESS, INTERIOR, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A2) DATED: 01-08-10						
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA S/GREY	55921	SANTOPRENE 221-73	TO-D/MCS 1828	89-11-29	N	IRB029
A WSS-M2D380-B1	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED EXTERIOR WEATHERABLE 73 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSS-M2D378-B1) DATED: 00-08-11						
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	67549	SANTOPRENE 121-73W175	AVT/D-6678	96-05-15	N	IRB029
D070A	DSM POLYMERS YGYA LOW GLOSS BLACK	73317	SARLINK 5775B4	/JFAUNT	01-04-25	N	IRB029
A WSD-M2D381-A1	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED ENGINE COOLANT AND MODERATE HEAT RESISTANT, 82 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A1) DATED: 01-03-05						
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA	54628	SANTOPRENE 101-80	TO-D	87-07-02	N	IRB029
		55664	SANTOPRENE 201-80	TO-D/ML- T0160/1721	89-10-17	N	IRB029
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	61808	SANTOPRENE 101-80	TO-D/D5014	94-02-09	N	IRB029
		61809	SANTOPRENE 201-80	TO-D/D5015	94-02-09	N	IRB029
D070A	DSM POLYMERS ONLY		(NATURAL AND BLACK)	40,500168/D 6338			
S3UZA	SALFLEX POLYMERS LTD BLACK	70405	SALFLEX 380A	PTPD/LHESS2 /9702701	97-09-10	N	IRB029
A WSD-M2D381-A2	THERMOPLASTIC ELASTOMER (TPE), POLYOLEFIN, EPDM RUBBER MODIFIED, MODERATE HEAT RESISTANT, FLAME RETARDANT, 82 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< DATED: 01-03-05						
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA	55369	SANTOPRENE 251-80	TO.D	89-07-06	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M2D381-A3	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED, MODERATE HEAT RESISTANT, 83 DUROMETER A HARDNESS, INTERIOR, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A2) DATED: 01-08-10						
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA S/GREY	55922	SANTOPRENE 221-80	TO-D/MCS 1831	89-11-29	N	IRB029
A WSS-M2D381-B1	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED EXTERIOR WEATHERABLE 84 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSS-M2D378-B1) DATED: 00-08-11						
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	67551	SANTOPRENE 121-80	AVT/D-6680	96-05-15	N	IRB029
A WSD-M2D382-A1	THERMOPLASTIC ELASTOMER (TEO), POLYOLEFIN, EPDM RUBBER MODIFIED ENGINE COOLANT AND MODERATE HEAT RESISTANT, 89 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSD-M2D378-A1) DATED: 01-03-05						
N03LA	ADVANCED ELASTOMER SYSTEMS NV/SA	54629	SANTOPRENE 201-87	TO-D	87-07-02	N	IRB029
		55667	SANTOPRENE 101-87	TO-D/ML-S5808/1724	89-10-17	N	IRB029
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	61810	SANTOPRENE 101-87	TO-D/D5016	94-02-09	N	IRB029
		61811	SANTOPRENE 201-87	TO-D/D5017	94-02-09	N	IRB029
		62280	SANTOPRENE 201-87-W227	BEO/EP94008 ,CLS305735/D5207	94-05-24	N	IRB029
D070A	DSM POLYMERS NOT TO BE USED FOR INTERIOR APPLICATIONS, EXTERIOR USE ONLY	66472	SARLINK 4190 (NATURAL AND BLACK)	AVT/CLS5041 40,500158/D 6337	95-11-10	N	IRB029
S3UZA	SALFLEX POLYMERS LTD BLACK	70406	SALFLEX 387A	PTPD/LHESS2 /9702700	97-09-10	N	IRB029
A WSS-M2D382-B1	THERMOPLASTIC ELASTOMER (TEO) POLYOLEFIN, EPDM RUBBER MODIFIED EXTERIOR WEATHERABLE 90 DUROMETER A HARDNESS, RECYCLING SYMBOL: >TEO< (SHOWN ON WSS-M2D378-B1) DATED: 00-08-11						
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	67550	SANTOPRENE 121-87	AVT/D-6679	96-05-15	N	IRB029
A WSD-M2D384-A1	THERMOPLASTIC POLYESTER ETHER ELASTOMER (TEEE) 90 DUROMETER A HARDNESS - GENERAL PURPOSE,						
D876A	EI DUPONT DE NEMOURS & CO INC HYTREL BLACK 40CB CONCENTRATE	62094	HYTREL G4074 BLACK	BEO/D5197	94-05-17	N	IRB029
Q653A	DUPONT DE NEMOURS INTERNATIONAL SA	54639	HYTREL G4074	TO-D	87-08-18	N	IRB029
A WSB-M2D386-A1	SILICONE ELASTOMER (MQ), INHERENTLY LUBRICATED - LIQUID INJECTION MOLDING (LIM) COMPOUND, RECYCLING SYMBOL: >VMQ< DATED: 88-09-02						
E4J9A	SIL TECH ELASTOMERS CO INC LIGHT GRAY	54646	#2342	B&CE/BEPE - SIL-TECH DATA	87-07-24	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M2D386-A2	SILICONE RUBBER (MQ), SELF-LUBRICATED POLYCARBONATE (PC) COMPATIBLE, RECYCLING SYMBOL: >VMQ< DATED: 93-04-29						
X379A	BEHR GMBH & CO	61150	ELASTOSIL R-VP 3088/50 A.B.	TO-D/ML- T8724/D4626	92-08-05	N	IRB029
A WSK-M2D389-A	POLYURETHANE (PUR) FOAM, OPEN CELL, (FRONT GARNISH INNER), RECYCLING SYMBOL: >PUR< DATED: 88-09-12						
J3ZLA	RECTICEL PROCESSED BY STANTON RUBBER	54930	BULPREN S 60 FR 3	TO-KG 8012	88-09-12	N	IRB029
D35WA	WILHELM REISGIES GMBH & CO KG FABRICATOR ILLBRUCK	54884	REGICELI. PPI 60 FR	TO-KG 8012	88-07-28	N	IRB029
A WSK-M2D389-A2	POLYURETHANE (PUR) FOAM, OPEN CELL, RECYCLING SYMBOL: >PUR< DATED: 89-08-31						
J3ZLA	RECTICEL	55388	BULPREN 30FR 3	TO.KG 9035	89-07-10	N	IRB029
A WSK-M2D389-A3	POLYURETHANE (PUR) FOAM, OPEN CELL, RECYCLING SYMBOL: >PUR< DATED: 89-11-17						
J3ZLA	RECTICEL	55613	BULPREN 45FR3	TO.KG 9143	89-10-09	N	IRB029
A WSK-M2D391-A	FLUOROELASTOMER (FKM), ROTATING SHAFT, OIL SEAL, (ENGINES), RECYCLING SYMBOL: >FPM< DATED: 92-12-01						
A628B	FREUDENBERG TECHNICAL PRODUCTS LP	54948	SV-75	TO-KF 8072	88-10-10	N	IRB029
A WSE-M2D391-A2	FLUOROELASTOMER (FKM), HIGH TEMPERATURE ROTATING SHAFT OIL SEAL, RECYCLING SYMBOL: >FPM< DATED: 90-04-03						
C421A	CR INDUSTRIES	54970	SIRVENE 450	ENGINE ENGRG/CLS 802600	88-11-11	N	IRB029
A WSE-M2D392-A	FLUOROELASTOMER (FKM), OIL SEAL, VALVE STEM, RECYCLING SYMBOL: >FPM< DATED: 89-03-09						
Q339F	FEDERAL MOGUL CORP	54955	7510	ENG. ENGRG./CLS 802579	88-10-01	N	IRB029
		56052	FP-7511	ED/901816/D -2436	90-04-24	N	IRB029
A WSE-M2D393-A	SILICONE (VMQ) RUBBER, HIGH TEMPERATURE SYMBOL: >VMQ< DATED: 93-10-05						
L0Y5A	ELRING KLINGER SEALING SYSTEMS INC	61339	4001070	ED/303466/D 4739	93-09-24	N	IRB029
R4240	RHONE POULENC INC	61029	DS356A	ED/204916/3 02675/D4585	93-06-16	N	IRB029
A WSD-M2D393-A2	SILICONE (VMQ) RUBBER, HIGH TEMPERATURE RESISTANT; HIGH ELONGATION, 45 IRMD HARDNESS, LONG LIFE GASKET, RECYCLING SYMBOL: >VMQ< DATED: 91-08-09						
J611A	K JOH GUMMIWARENFABRIK GMBH	55128	87 449-7016	TO-D	89-03-10	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 5B

PAGE 10

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M2D393-A2	SILICONE (VMQ) RUBBER, HIGH TEMPERATURE RESISTANT; HIGH ELONGATION, 45 IRMD HARDNESS, LONG LIFE GASKET, RECYCLING SYMBOL: >VMQ< DATED: 91-08-09						
L0Y5A	ELRING KLINGER SEALING SYSTEMS INC USE WITH DOW CORNING MATERIAL 24008VKBLK	59942	4001071	ED/204292/D 3813	92-12-16	N	IRB029
A WSE-M2D394-A	SILICONE RUBBER (VMQ), HIGH DUROMETER HARDNESS HIGH TEMPERATURE RESISTANT, GASKET, RECYCLING SYMBOL: >VMQ< DATED: 91-02-25						
S423B	ITW - SOUTHLAND USE WITH DOW CORNING COMPOUND 47035-V	54987	SC-282/S11- 1031	EO/CLS80373 1/D2078	88-12-02	N	IRB029
A ESB-M2D395-A	POLYURETHANE (PUR) ELASTOMER, MICROCELLULAR, 11-12% GLASS FIBER REINFORCED, RRIM, EXTERIOR, PAINTABLE, RECYCLING SYMBOL: >PUR< DATED: 90-10-02						
D4LTB	DECOMA INTERNATIONAL	36984	P90-B135G12	B&CE- BODY/D-2637	90-08-16	N	IRB029
A WSK-M2D396-A	POLYURETHANE (PUR) FOAM, SEMI RIGID, RECYCLING SYMBOL: >PUR< DATED: 89-04-07						
E890A K48AA M636A	EUROPLASTIC HARRISON & JONES METZELER SCHAUM GMBH	61974 55178 55044 55157	EZH FR SR 28W MU 3246 MU 3245	TO-K/G4030 TO.KG 8089 TO-KG 8089 TO.KG 8089	94-04-07 89-03-20 89-02-02 89-03-20	N N N N	IRB029 IRB029 IRB029 IRB029
N WSH-M2D397-A	POLYURETHANE (PUR) FOAM, BACTERIA/FUNGUS RESISTANT, RECYCLING SYMBOL: >PUR< (NOT TO BE USED FOR NEW DESIGN) DATED: 89-07-16						
P500A	PLASTOMER CORP	55142	ULTRA DOOR FOAM	CCD	89-02-13	N	IRB029
A WSK-M2D398-A	POLYURETHANE (PUR) FOAM, MOLDED, INTEGRAL SKIN RECYCLING SYMBOL: >PUR< DATED: 94-11-02						
S735A	STANTON RUBBER LTD	55156	SR 20/W	TO-KG 9016	89-03-22	N	IRB029
A WSE-M2D399-A3	SILICONE RUBBER (VMQ) MEDIUM HARDNESS, HIGH TEMPERATURE, LOW VOLATILE SILICONE, GASKET, RECYCLING SYMBOL: >VMQ< DATED: 94-05-25						
D760B	DOW CORNING CORPORATION	71426	21290-V BLK/24097-V	VO/CTHOMAS5 /CL9700043G	98-07-30	N	IRB029
J190B	JAMAK FABRICATION INC	72719	JY-6708-5 BRN	BE/AREAUME/ D-20365	99-12-06	N	IRB029
N538A	NEFF PERKINS CO	60657	L-4792	ED/204502/2 02968/D4388	93-04-14	N	IRB029
P520A	DANA CORPORATION USE WACKER COMPOUND C1526	61771	74-611	ED/303484/D 4999	94-01-28	N	IRB029
S423D	ITW - SOUTHLAND USE WACKER SILICONE C1526A	70689	1112S	VO/CTHOMAS5	97-12-16	N	IRB029
F7V4A	WACKER SILICONES CORPORATION	71427	C1526A	VO/CTHOMAS5 /CL9700043G K	98-07-30	N	IRB029
A WSK-M2D400-A	POLYURETHANE (PUR) FOAM, MOLDED, HOT CURED, RECYCLING SYMBOL: >PUR< DATED: 89-04-07						

Materials Engineering Testing & Standards

2001-12-03