

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A SAE J 200 M3BA610A14B13C12F17P2Z1Z2	EPDM RUBBER, RECYCLING SYMBOL: >EPDM< DATED: 96-06-25									
M053A	GDH AUTOMOTIVE Z1: 100% EPDM; Z2: 65+/-5 HARDNESS				67666	46172	AVT/CLS- 9601940/D- 6732	96-06-25	N	IRB029
A ASTM 4000 PA 420C152134ZEC	NYLON 12 (POLYAMIDE 12) 15% ELECTRICALLY CONDUCTIVE CARBON OR GRAPHITE FIBER, ELECTRICAL RESISTANCE PER ASTM D-257 10 E6 OHM MAX, DATED: 00-03-17									
NONE	SOURCE APPROVAL PENDING									
A ASTM D 4894 TYPE2 POLYTETRAFLUOROETHYLENE (PTFE), GRANULAR MOLDING COMPOUND, RECYCLING SYMBOL: >PTFE< DATED: 94-12-01										
NONE	SOURCE APPROVAL PENDING									
A ASTM D 4000 ABS000E34350FJ100Z1Z2Z3Z4	ACRYLONITRILE/BUTADIENEN/STYRENE (ABS) MOLDING COMPOUND, RECYCLING SYMBOL: >ABS< DATED: 94-07-14									
N745N	NISSHO IWAI AMERICAN CORP Z1=ACRYLONITRILE/BUT ADIENE/STYRENE,Z2=F OG NO.60 MIN (FLTM BO 116-03,3H AT 100C)Z=3COMPL. WITH WSS-M99P9999- A1,Z4=SHALL MEET SAE J1885, 301 KJ/M2,MIN RATING 4	EAE			40208	BULKSAM TM15 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5286	94-06-17	N	IRB029
A ASTM D 4000 ASA000E33340FJ100Z1Z2Z3Z4	ACRYLONITRILE/STYRENE/ACRYLATE (ASA) MOLDING COMPOUND, RECYCLING SYMBOL: >ASA< DATED: 94-07-13									
N745N	NISSHO IWAI AMERICAN CORP Z1=ACRYLONITRILE/ST YRENE/ACRYLATE,Z2=F OG NO.60 MIN (FLTM BO 116-03,3H AT 100C),Z3=COMPL. WITH A1,Z4=SHALL MEET SAE J1885, 308 KJ/M2,MIN RATING 4 Z1=ACRYLONITRILE/ST YRENE/ACRYLATE,Z2=F OG NO.60 MIN (FLTM BO 116-03,3H AT 100C),Z3=COMPL. WITH WSS-99P9999- A1,Z4=SHALL MEET SAE J1885, 308 KJ/M2,MIN RATING 4	ZHE			40200	DIALAC A 5310 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5279	94-06-17	N	IRB029
		DEC			40201	DIALAC A 5310 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5280	94-06-17	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 ASA000E33340FJ100Z1Z2Z3Z4	ACRYLONITRILE/STYRENE/ACRYLATE (ASA) MOLDING COMPOUND, RECYCLING SYMBOL: >ASA< DATED: 94-07-13									
N745N	NISSHO IWAI AMERICAN CORP Z1=ACRYLONITRILE/ST YRENE/ACRYLATE,Z2=F OG NO.60 MIN(FITM BO 116-03,3H AT 100C),Z3=COMPL.WITH WSS-99P9999- A1,Z4=SHALL MEET SAE J1885, 308 KJ/M2,MIN RATING 4 Z1=ACRYLONITRILE/ST YRENE/ACRYLATE,Z2=F OG NO.60 MIN(FITM BO 116-03,3H AT 100C),Z3=COMPL.WITH WSS-99P9999- A1,Z4=SHALL MEET SAE J1885, 308 KJ/M2,MIN RATING 4 Z1=ACRYLONITRILE/ST YRENE/ACRYLATE,Z2=F OG NO.60 MIN(FITM BO 116-03,3H AT 100C),Z3=COMPL.WITH WSS-99P9999- A1,Z4=SHALL MEET SAE J1885, 308 KJ/M2,MIN RATING 4 Z1=ACRYLONITRILE/ST YRENE/ACRYLATE,Z2=F OG NO.60 MIN(FITM BO 116-03,3H AT 100C),Z3=COMPL.WITH WSS-99P9999- A1,Z4=SHALL MEET SAE J1885, 308 KJ/M2,MIN RATING 4	ZUB			40202	DIALAC A 5310 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5281	94-06-17	N	IRB029
			SGD		40203	DIALAC A 5310 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5282	94-06-17	N	IRB029
			AVA		40204	DIALAC A 5310 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5283	94-06-17	N	IRB029
			KXE		40205	DIALAC A 5310 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5284	94-06-17	N	IRB029
			PFE		40206	DIALAC A 5310 (MITSUBISHI)	BEO/EP94026 /CL402139/D 5285	94-06-17	N	IRB029
A ASTM D 200 M1GE803717273	SILICONE RUBBER, DATED: 96-02-19									
X707E	MOLD EX RUBBER CO INC				67204	90WT800002	AVT/D6555	96-02-19	N	IRB029
A ASTM D 4617 PHENOLIC COMPOUND, DATED: 96-10-23	SOURCE APPROVAL PENDING									
NONE										
A ASTM D 4745 POLYTETRAFLUOROETHYLENE MOLDING COMPOUND, RECYCLING SYMBOL: >PTFE< DATED: 96-04-25										
L92GA	ICI FLUOROPOLYMERS	II, L10			67501	PDX FC95025	ACD/D6654	96-04-25	N	IRB029
A ASTM D 4000 EMA0000G10F32630GA103M12L.B150	ETHYLENE/METHACRYLIC ACID IONOMER (EMA), 10%									

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 EMA0000G10F32630GA103M12LB150	ETHYLENE/METHACRYLIC ACID IONOMER (EMA), 10% GLASS FIBER FILLED, UV STABILIZED, EXTERIOR, DATED: 95-05-09						
S093A	A SCHULMAN INC ZIWA STORM GREY	65575	FORMION FI-393-2523	AVT/D6042	95-04-15	N	IRB029
A ASTM D 4000 EA111	A097HB660JA055KC004KM2011LC290LT015PL060QS440WC033ZB01 THERMOPLASTIC RUBBER, 95% CROSSLINKED, RECYCLING SYMBOL: >EPDM< DATED: 96-04-22						
D04KB	ADVANCED ELASTOMER SYSTEMS NV/SA	67471	SANTOPRENE 111-55	AVT/CL.S0960 1525/D6644	96-04-22	N	IRB029
A ASTM D 4000 EA121	A096HB660JA080KC009KM204LC460LT035PL054QS460WC033ZB01ZW01 SANTOPRENE THERMOPLASTIC RUBBER 121-80, UV STABILIZED, DATED: 95-12-12						
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA AB01=IRM 903 OIL AGING, 70H @ 125 C PER ASTM 471 TENSILE - 40% MAX, ELONG. -55% MAX, VOLUME SWELL 85% MAX; ZW01=XENON ARC WEATHEROMETER SAE J1960 1250KJ/M2, AATCC GRAY SCALE RATING 4, MIN	66859	SANTOPRENE 121-80	AVT/D6405	95-11-16	N	IRB029
A ASTM D 5046 FCEA122GB137JA087KC007KM204LC300LT038QS270HB660	FULLY CROSSLINKED ELASTOMERIC ALLOYS, DATED: 94-02-08						
N03LB	ADVANCED ELASTOMER SYSTEMS NV/SA	39844	SANTOPRENE 101-87/W170	ED/L0605	94-02-08	N	IRB029
A ASTM D 4000 PA000B64350FJDNIGA118MF014Z01Z02	AMORPHOUS NYLON, DATED: 96-02-29						
D876A	EI DUPONT DE NEMOURS & CO INC Z01: AMORPHOUS NYLON; Z02: MEETS HEX 9	67242	ZYTEL 330 NC010	AVT/D6559	96-02-29	N	IRB029
A ASTM D 4000 PA000G13A99960KB098FJ000PA036UA039Z1Z2Z3	POLYAMIDE 66/6 (PA66/6, 13% GLASS FIBER REINFORCED MOLDING COMPOUND, RECYCLING SYMBOL: >PA66/6-GF13< DATED: 94-02-13						
D876A	EI DUPONT DE NEMOURS & CO INC Z1=PA 66/6, Z2=FOG NO. 70 MINIMUM (FLTM BO 116-03), Z3=UV EXPOSURE	39832	ZYTEL 72G13L	BEO/EP93071 5004	94-01-03	N	IRB029
A ASTM D 4000 PA000G45A54380FJ100Z01Z02Z03	POLYAMIDE 6T/DT (PA6T/DT), 45% GLASS FIBER REINFORCED MOLDING COMPOUND, RECYCLING SYMBOL: >PA6T/DT< DATED: 94-04-20						
D876A	EI DUPONT DE NEMOURS & CO INC Z01=POLYAMIDE PA 6T/DT, Z02=FOG NUMBER (FLTM BO 116-03) 60 MINIMUM, Z03=COMPLIES WITH WSS-M99P9999-A1	39998	ZYTEL HTN51G45HS	BEO/EP94001 /CL400896/D 5117	94-04-11	N	IRB029
A ASTM D 4000 PA0110G30A39490UA057YA220							

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA0110G30A39490UA057YA220	POLYAMIDE 66 (PA66), 30% GLASS FIBER FILLED, LUBRICATED, RECYCLING SYMBOL: >PA66-GF30< DATED: 95-05-05									
H1Q3B	LNP ENGINEERING PLASTICS INC FOGGING NUMBER 99				64313	LUBRILOY RF-30	AVT/EP95032 /CL501741/D 6036	95-04-28	N	IRB029
A ASTM D 4000 PA0110GB116KB043PA160UA014YA093ZE01ZE02	IMPACT MODIFIED NYLON 6,6 UNFILLED, DATED: 96-04-04									
H1Q3B	LNP ENGINEERING PLASTICS INC				67403	STAT-KON R-HI	AVT/CLS- 502845/D662 2	96-04-04	N	IRB029
A ASTM D 4000 PA0110R60A46280GB177MA029	POLYAMIDE 66 (PA66), 60% GLASS FIBER/MINERAL REINFORCED MOLDING COMPOUND, RECYCLING SYMBOL: >PA66-(GF+M)60< DATED: 95-10-11									
T128A	THERMOFIL INC				66275	AMG-440-A	AVT/EXT/D63 01	95-09-28	N	IRB029
A ASTM D 4000 PA110G30A53480	NYLON 66, 30% GLASS FIBER REINFORCED MOLDING COMPOUND, DATED: 89-11-24									
F448C	DSM ENGINEERING PLASTICS				38254	AKULON S223-G6	ENG. ENGRG.	85-01-07	N	IRB029
A ASTM D 4000 PA110G33A53480	NYLON 66, 33% GLASS FIBER REINFORCED, INJECTION MOLDING, DATED: 87-09-01									
D876A	EI DUPONT DE NEMOURS & CO INC				31997	ZYTEL 70G33	ENG. ENGRG./ESB- M4D89-A	84-03-06	N	IRB029
					31998	ZYTEL 70G33L	ENG. ENGRG./ESB- M4D89-A	84-03-06	N	IRB029
F540A R424Y	NYLON POLYMERS INC RHONE POULENC INC				32871 30678	NPGF 133 TECHNYL A218V30	ENG. ENGRG. ENG. ENGRG. C-16181	85-05-03 81-09-30	N N	IRB029 IRB029
A ASTM D 4000 PA110G43A54580	NYLON, TYPE 66 - 43% GLASS FIBER REINFORCED,									
D876A	EI DUPONT DE NEMOURS & CO INC				31970	ZYTEL 70G43L	ENG. ENGRG./ESF- M4D335-A	84-03-06	N	IRB029
A ASTM D 4000 PA110M40A22170	NYLON 66, 40% MINERAL FILLED, INJECTION MOLDING (SHOWN ON ESB-M4D353-A1) DATED: 87-09-01									
F448C G0A2B	DSM ENGINEERING PLASTICS HOECHST CELANESE CORP				33866	NYLATRON 1025	ENG. ENGRG.	86-04-04	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA110M40A22170										
	NYLON 66, 40% MINERAL FILLED, INJECTION MOLDING (SHOWN ON ESB-M4D353-A1) DATED: 87-09-01									
G0A2B	HOECHST CELANESE CORP				30684	N-277	ENG. ENGRG/D0097	80-03-26	N	IRB029
					31957	N265	ENG. ENGRG/ESB- M4D353-A2	84-03-12	N	IRB029
A ASTM D 4000 PA111 NYLON 66, MOLDING COMPOUND, DATED: 87-09-01										
A358A K21.RA	ADELL PLASTICS INC BASF CORP				33816	AS-10-N-P	ENG. ENGRG.	86-03-14	N	IRB029
					32609	ULTRAMID A3KN	ENG. ENGRG/SKM4 D9580-A	85-01-28	N	IRB029
					32612	ULTRAMID A3K	ENG. ENGRG/SKM4 D9580-A	85-01-28	N	IRB029
					32613	ULTRAMID A3 (GRAN. 24)	ENG. ENGRG/SKM4 D9585-A	85-01-28	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				30419 32018	ZYTEL 101F ZYTEL 101	ENG. ENGRG. ENG. ENGRG/ESF- M4D150-A	81-08-05 84-03-06	N N	IRB029 IRB029
					32019	ZYTEL 101 L	ENG. ENGRG/ESF- M4D150-A	84-03-06	N	IRB029
G0A2B	HOECHST CELANESE CORP				31962	1000-2	ENG. ENGRG/ESF- M4D150-A	84-03-12	N	IRB029
M736A	SOLUTIA INC.				31980	VYDYNE 21	ENG. ENGRG/ESF- M4D150-A	84-03-12	N	IRB029
E984A R424Y T106A	NYLTECH NORTH AMERICA RHONE POULENC INC POLYONE CORP				32710 30420 33522	NYCOA 510 TECHNYL A216 TEXALON 1200 AL	ENG. ENGRG. C 16185 ENG. ENGRG.	85-02-25 81-08-05 85-11-20	N N N	IRB029 IRB029 IRB029
A ASTM D 4000 PA111L02B54140ZZ01										
	NYLON 66, MOLYBDENUM DISULFIDE FILLED, DATED: 87-08-05									
F448C H1Q3B	DSM ENGINEERING PLASTICS ZZ01=MOLYBDENUM DISULFIDE FILLED INP ENGINEERING PLASTICS INC ZZ01=MOS2 FILLED				33867	NYLATRON GS	ENG. ENGRG.	86-04-04	N	IRB029
					32242	LUBRICOMP NYKON R	ENG. ENGRG/ESF- M4D211-A	84-09-25	N	IRB029
A ASTM D 4000 PA114 NYLON 66, FLEXIBLE - EXTRUSION GRADE - GENERAL										
D876A M736A	EI DUPONT DE NEMOURS & CO INC SOLUTIA INC.				32015 31885	ZYTEL 42 VYDYNE 66B	ENG. ENGRG. ENG ENGRG/ESF- M4D150-A	84-03-06 84-03-12	N N	IRB029 IRB029
E984A T106A	NYLTECH NORTH AMERICA POLYONE CORP				32706 33520	NYCOA 550 TEXALON XP 1380	ENG. ENGRG. ENG. ENGRG.	85-02-25 85-11-20	N N	IRB029 IRB029
A ASTM D 4000 PA120G13A22170										
	NYLON, TYPE 66 - 13% GLASS FIBER REINFORCED, DATED: 87-09-01									

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA120G13A22170							
	NYLON, TYPE 66 - 13% GLASS FIBER REINFORCED, DATED: 87-09-01						
G0A2B	HOECHST CELANESE CORP	31959	1403-2	ENG. ENGRG./ESA- M4D349-A	84-03-12	N	IRB029
A ASTM D 4000 PA120G13A32180							
	NYLON 66, 13% GLASS FIBER REINFORCED - HEAT STABILIZED MOLDING COMPOUND, DATED: 86-03-20						
A358A D876A	ADELL PLASTICS INC EI DUPONT DE NEMOURS & CO INC	33822 31995	AR-33-N ZYTEL 70G13 HS1-L	ENG. ENGRG. ENG. ENGRG.	86-03-14 84-03-06	N N	IRB029 IRB029
A ASTM D 4000 PA120G33A53480							
	POLYAMIDE 66, HEAT STABILIZED - 33% GLASS FIBER REINFORCED, DATED: 87-09-01						
A358A	ADELL PLASTICS INC	30682	AR-37-N	ENG. ENGRG.	79-12-07	N	IRB029
G995A H4KJA D876A	BAY RESINS INC CHEM POLYMER CORP EI DUPONT DE NEMOURS & CO INC	33823 34235 32872 31999	AR-37-N-L PA113G33 NPGF 133 HS ZYTEL 70G33 HS1-L	ENG. ENGRG. ENG. ENGRG. ENG. ENGRG. ENG. ENGRG./ESE- M4D287-B	86-03-14 86-10-29 85-05-03 84-03-06	N N N N	IRB029 IRB029 IRB029 IRB029
G0A2B	HOECHST CELANESE CORP	31958	1503-2	ENG. ENGRG./ESB- M4D89-A	84-03-12	N	IRB029
M736A	SOLUTIA INC.	30679	VYDYNE R-533H	ENG. ENGRG. CLS-165922	81-11-19	N	IRB029
G828A T106A	RIP CO POLYONE CORP	32120 30681	AIP-205.3 HS TEXALON GF- 1200 A-33 H.S.	ENG. ENGRG. ENG. ENGRG.	84-07-03 82-10-25	N N	IRB029 IRB029
W425A	WELLMAN INC	30680	WELLAMID GF33- 66 22LH-XE	ENG. ENGRG.	82-01-27	N	IRB029
A ASTM D 4000 PA120M40A22130							
	POLYAMIDE 66, HEAT STABILIZED - 40% MINERAL FILLED,						
G995A M736A	BAY RESINS INC SOLUTIA INC.	34236	PA113M40P	ENG. ENGRG.	86-10-29	N	IRB029
		31889	VYDYNE R-840	ENG. ENGRG./ESB- M4D353- A4/D0875	84-03-12	N	IRB029
		31971	VYDYNE R-220	ENG. ENGRG./ESB- A4/D0876	84-03-12	N	IRB029
A ASTM D 4000 PA120R19A21160							
	POLYAMIDE 66, HEAT STABILIZED, 19% REINFORCED,						
D876A	EI DUPONT DE NEMOURS & CO INC	35518	MINLON 6202	ENGINE ENGRG.	88-07-26	N	IRB029
C565A	FERRO CORP [AA002]BLACK	36853	NYBEX 25009 HS	ED/D-2511	90-07-02	N	IRB029
T106A	POLYONE CORP AA002=BLACK	38337	TEXALON XP 1644 HS BK-13	ED/D-3699	92-09-08	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA120R37A32170										
	NYLON 66, 37% MINERAL/GLASS FIBER FILLED -HEAT STABILIZED, INJECTION MOLDED PARTS, REPLACES ASTM D4000PA120R39A32170, DATED: 87-09-01									
A358A	ADELL PLASTICS INC				30426	AL-38	ENG	81-08-05	N	IRB029
F448C	DSM ENGINEERING PLASTICS				33868	NYLATRON 1026	ENG. ENGRG.	86-04-04	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				30421	MINLON 22C	ENG. ENGRG./ESB-M4D353-A7	84-03-07	N	IRB029
					30422	MINLON FE6134	ENG.	81-05-11	N	IRB029
					31968	MINLON 21C	ENG. ENGRG./ESB-M4D353-A7	84-03-07	N	IRB029
	[AA002]=BLACK				34517	MINLON FE6182 BK 086	ENG. ENGRG.	84-03-22	N	IRB029
G0A2B	HOECHST CELANESE CORP				30425	N-276	ENG	81-07-13	N	IRB029
M736A	SOLUTIA INC.				30423	VYDYNE R-400G	ENG	81-05-11	N	IRB029
					34516	VYDYNE R-860	ENG. ENGRG.	84-03-12	N	IRB029
T106A	POLYONE CORP				34821	TEXALON GMF 1204-39 HS	ENG. ENGRG.	87-08-24	N	IRB029
	(AA002) OR (AB002) = BLACK				34822	TEXALON GMF 1204-39 HS BK-18	ENG. ENGRG.	87-08-24	N	IRB029
W425A	WELLMAN INC				30424	WELLAMID MRGF 25/15	ENG	82-06-23	N	IRB029
A ASTM D 4000 PA121 POLYAMIDE 66, HEAT STABILIZED - MOLDING COMPOUND, DATED: 87-09-01										
A358A	ADELL PLASTICS INC				33810	AS-30-P	ENG. ENGRG.	86-03-14	N	IRB029
K2LRA	BASF CORP				32611	ULTRAMID A3W	ENG. ENGRG./SKM4 D9581-A	85-01-28	N	IRB029
G995A	BAY RESINS INC				34234	PA113	ENG. ENGRG.	86-10-29	N	IRB029
H4KJA	CHEM POLYMER CORP				32636	NP 100 HS	ENG. ENGRG.	85-02-04	N	IRB029
F448C	DSM ENGINEERING PLASTICS				32572	AKULON S223-FH	ENG. ENGRG.	85-01-07	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				30674	ZYTEL 103F	ENG. ENGRG.	81-08-24	N	IRB029
					32017	ZYTEL 103 HSL	ENG. ENGRG./ESF-M4D82-A	84-03-06	N	IRB029
G0A2B	HOECHST CELANESE CORP				31961	1003-2	ENG. ENGRG./ESF-M4D82-A	84-03-12	N	IRB029
R6DVA	MICHAEL DAY ENTERPRISES INC				71271	N6665HSL2U - NAT	APO/ABROOKS	98-05-13	C2	151249
M736A	SOLUTIA INC.				31981	VYDYNE 10H	ENG. ENGRG./ESF-M4D82-A	84-03-12	N	IRB029
					31982	VYDYNE 22H	ENG. ENGRG./ESF-M4D82-A	84-03-12	N	IRB029
E984A	NYLTECH NORTH AMERICA				32709	NYCOA 517	ENG. ENGRG.	85-02-25	N	IRB029
L03MA	PLASTIC MATERIALS CO INC				36071	6603HSL	ENG. ENGRG.	89-08-01	N	IRB029
R424Y	RHONE POULENC INC				30673	TECHNYL A218	ENG. ENGRG. C-16189	81-08-24	N	IRB029
T106A	POLYONE CORP				33521	TEXALON 1200 AL HS	ENG. ENGRG.	85-11-20	N	IRB029
A ASTM D 4000 PA121L02B54140ZZ01										
	POLYAMIDE 66, HEAT STABILIZED - 2% MOS2 FILLED, DATED: 89-11-24									
G995A	BAY RESINS INC				34227	PA113C	ENG. ENGRG.	86-10-29	N	IRB029
	ZZ01=MOLYBDENUM DISULFIDE FILLED									

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA121L02B54140ZZ01	POLYAMIDE 66, HEAT STABILIZED - 2% MOS2 FILLED, DATED: 89-11-24						
F448C	DSM ENGINEERING PLASTICS ZZ01=MOLYBDENUM DISULFIDE FILLED	33865	NYLATRON GS HS	ENG. ENGRG.	86-04-04	N	IRB029
A ASTM D 4000 PA124 NYLON (TYPE 66), FLEXIBLE - HEAT STABILIZED - EXTRUSION GRADE,							
D876A	EI DUPONT DE NEMOURS & CO INC	32013	ZYTEL 45 HSB	ENG. ENGRG.	84-03-06	N	IRB029
T106A	POLYONE CORP	32014	ZYTEL 42 HSB	ENG. ENGRG.	84-03-06	N	IRB029
		33519	TEXALON XP 1380 HS	ENG. ENGRG.	85-11-20	N	IRB029
A ASTM D 4000 PA131 NYLON 66, NUCLEATED, MOLDING COMPOUND, DATED: 87-09-01							
A358A	ADELL PLASTICS INC	33811	AS-40-P	ENG. ENGRG.	86-03-14	N	IRB029
K2LRA	BASF CORP	32610	ULTRAMID A3SK	ENG. ENGRG.	85-01-28	N	IRB029
G0A2B	HOECHST CELANESE CORP	31960	1310-2	ENG. ENGRG./ESA- M4D343-A	84-03-12	N	IRB029
M736A	SOLUTIA INC.	31886	VYDYNE 20N	ENG. ENGRG./ESB- M4D304-A	84-03-12	N	IRB029
E984A	NYLTECH NORTH AMERICA	32707	NYCOA 538	ENG. ENGRG.	85-02-25	N	IRB029
T106A	POLYONE CORP	33518	TEXALON 1200 AL ZIP-1	ENG. ENGRG.	85-11-20	N	IRB029
A ASTM D 4000 PA161 NYLON 66, IMPACT MODIFIED, MOLDING COMPOUND, DATED: 87-09-01							
A358A	ADELL PLASTICS INC	33812	AI-10-P	ENG. ENGRG.	86-03-14	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC	32010	ZYTEL 408	ENG. ENGRG./ESB- M4D264-A	84-03-06	N	IRB029
		32011	ZYTEL 408 L	ENG. ENGRG./ESB- M4D264-A	84-03-06	N	IRB029
G0A2B	HOECHST CELANESE CORP	30675	7020-2	ENG. ENGRG.	82-03-30	N	IRB029
T106A	POLYONE CORP	33524	TEXALON 1308A	ENG. ENGRG.	85-11-20	N	IRB029
A ASTM D 4000 PA162 NYLON (TYPE 66), IMPACT MODIFIED,							
D876A	EI DUPONT DE NEMOURS & CO INC	32006	ZYTEL ST 801	ENG. ENGRG./ESA- M4D379-A	84-03-06	N	IRB029
A ASTM D 4000 PA170B21990PA000YA036	POLYAMIDE 66 (PA66), IMPACT MODIFIED, HEAT SYMBOL: >PA66< DATED: 94-10-24						
D876A	EI DUPONT DE NEMOURS & CO INC	40405	ZYTEL FN 718	BEO/EP94051 /D5617	94-10-24	N	IRB029
A ASTM D 4000 PA170B54310FJ100Z01	POLYAMIDE 66 (PA66), HEAT STABILIZED, IMPACT MODIFIED MOLDING COMPOUND, RECYCLING SYMBOL: >PA66< DATED: 92-09-15						
D876A	EI DUPONT DE NEMOURS & CO INC						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA170B54310FJ100Z01										
	POLYAMIDE 66 (PA66), HEAT STABILIZED, IMPACT MODIFIED MOLDING COMPOUND, RECYCLING SYMBOL: >PA66< DATED: 92-09-15									
D876A	EI DUPONT DE NEMOURS & CO INC Z01=FOGGING (FLTM BO 116-03) 70 MINIMUM				38338	ZYTEL FE4209HSL BK000	BODY/D-3698	92-08-18	N	IRB029
A ASTM D 4000 PA170G13A31470										
	POLYAMIDE 66, HEAT STABILIZED - IMPACT MODIFIED - 13% GLASS FIBER REINFORCED,									
G995A	BAY RESINS INC				34225	PA123G15	ENG. ENGRG.	86-10-29	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				31969	ZYTEL 71G13 HS1-L	ENG. ENGRG./ESA- M4D349-B	84-03-06	N	IRB029
A ASTM D 4000 PA170G33A32680										
	POLYAMIDE 66, HEAT STABILIZED - IMPACT MODIFIED - 33% GLASS FIBER REINFORCED,									
G995A	BAY RESINS INC				34226	PA123G33	ENG. ENGRG.	86-10-29	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC			BLACK	32089	ZYTEL 80G33 HS1-L	ENG. ENGRG.	84-06-06	N	IRB029
A ASTM D 4000 PA170KB050LB035PA150UB018										
	NYLON 66, HEAT STABILIZED - IMPACT MODIFIED, DATED: 87-09-01									
G0A2B	HOECHST CELANESE CORP [AA002]= BLACK				33961	7023-2	ENG. ENGRG.	86-06-03	N	IRB029
T106A	[AA002]= BLACK POLYONE CORP AA002=BLACK				33962	7023	ENG. ENGRG.	86-06-03	N	IRB029
					38336	TEXALON 1313 HS BK-13	ED/D-3697	92-09-08	N	IRB029
A ASTM D 4000 PA170KB050LB035PA150UB018AA002										
	NYLON, TYPE 66 - IMPACT MODIFIED - HEAT STABILIZED,									
D876A	EI DUPONT DE NEMOURS & CO INC AA002-BLACK				31964	ZYTEL FF 4162 HSL BK-152	ENG. ENGRG.	84-03-06	N	IRB029
A ASTM D 4000 PA170M36A22320										
	NYLON 66, IMPACT MODIFIED - 36% MINERAL FILLED									
D876A	EI DUPONT DE NEMOURS & CO INC				30683	MINLON 12T	ENG. ENGRG.	81-02-04	N	IRB029
A ASTM D 4000 PA171 NYLON 66, IMPACT MODIFIED - HEAT STABILIZED, MOLDING COMPOUND, DATED: 87-09-01										
A358A	ADELL PLASTICS INC				33813	AI-30-P	ENG. ENGRG.	86-03-14	N	IRB029
G995A	BAY RESINS INC				34224	PA123	ENG. ENGRG.	86-10-29	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				31965	ZYTEL 3189 HSL	ENG. ENGRG.	84-03-06	N	IRB029
					32008	ZYTEL 408 HS	ENG. ENGRG./ESA- M4D267-A	84-03-06	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 10

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA171 NYLON 66, IMPACT MODIFIED - HEAT STABILIZED, MOLDING COMPOUND, DATED: 87-09-01										
G0A2B T106A	HOECHST CELANESE CORP POLYONE CORP				30676 33200	7023-2 TEXALON 1308 A HS	ENG. ENGRG. ENG. ENGRG./ESA- M4D276-A	82-03-30 85-08-16	N N	IRB029 IRB029
A ASTM D 4000 PA172 NYLON (TYPE 66), IMPACT MODIFIED - HEAT STABILIZED,										
D876A	EI DUPONT DE NEMOURS & CO INC				32007	ZYTEL ST 801 HS	ENG. ENGRG./ESA- M4D379-B	84-03-06	N	IRB029
A ASTM D 4000 PA212 NYLON 6, MOLDING COMPOUND, DATED: 87-09-01										
A358A A196A	ADELL PLASTICS INC HONEYWELL INTERNATIONAL				33814 32057	BS-10-P CAPRON 8202	ENG. ENGRG. ENG. ENGRG./ESF- M4D78-A	86-03-14 84-03-07	N N	IRB029 IRB029
K2LRA	BASF CORP				32616	ULTRAMID B3K	ENG. ENGRG./SM4D 4584-A	85-01-28	N	IRB029
F458A F448C	CELANESE MEXICANA SA DSM ENGINEERING PLASTICS				32355 32575	NYLON 3100 AKULON M238-D1	ENG. ENGRG. ENG. ENGRG./S- M4D4585-A	84-10-24 85-01-07	N N	IRB029 IRB029
M8HQA E984A	EMS AMERICAN GRILON INC NYLTECH NORTH AMERICA				32576 32363 32713	AKULON M231-D1 GRILON A28GM NYCOA 436	ENG. ENGRG. ENG. ENGRG. ENG. ENGRG./ESF- M4D78-A	85-01-07 84-10-26 85-02-25	N N N	IRB029 IRB029 IRB029
T106A	POLYONE CORP				33925	TEXALON 600A	ENG. ENGRG./CLS- 600724	86-05-05	N	IRB029
A ASTM D 4000 PA220B32210										
NYLON, TYPE 6 - HEAT STABILIZED - FLEXIBLE - EXTRUSION GRADE,										
A196A	HONEYWELL INTERNATIONAL				31820	CAPRON 8216 HS	ENG. ENGRG./ESA- M4D331-A	84-03-07	N	IRB029
T106A	POLYONE CORP				34824	TEXALON 600 A PL-2 HS	ENG. ENGRG.	87-08-24	N	IRB029
A ASTM D 4000 PA220G33A43370										
POLYAMIDE 6, HEAT STABILIZED - 33% GLASS REINFORCED, DATED: 89-11-24										
A196A	HONEYWELL INTERNATIONAL					HS	ENGRG./ESB- M4D133-A			
	(AA002) = BLACK				34838	CAPRON 8233G HS BK-102	ENG. ENGRG./ESB- M4D133-A	87-08-24	N	IRB029
T106A	POLYONE CORP				34823	TEXALON GF 600-A-33 HS	ENG. ENGRG.	87-08-24	N	IRB029
A ASTM D 4000 PA220R40A32160										
NYLON 6, 40% MINERAL/GLASS FIBER FILLED - HEAT STABILIZED, INJECTION MOLDED,										
A358A	ADELL PLASTICS INC				30668	BL-38	ENG. ENGRG.	81-08-05	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 6

PAGE 11

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ASTM D 4000 PA220R40A32160							
	NYLON 6, 40% MINERAL/GLASS FIBER FILLED - HEAT STABILIZED, INJECTION MOLDED,						
A196A	HONEYWELL INTERNATIONAL	30670	CAPRON 8267 G HS	ENG. ENGRG.	81-02-12	N	IRB029
T106A	POLYONE CORP	30669	TEXALON GMF 600 40 HS	LN- 101859/0336	81-08-05	N	IRB029
A ASTM D 4000 PA220R40A33170							
	POLYAMIDE 6, HEAT STABILIZED - 40% REINFORCED, DATED: 89-11-24						
A196A	HONEYWELL INTERNATIONAL	31818	CAPRON 8266G HS	ENG. ENGRG./ESB- M4D353-A3	84-03-07	N	IRB029
G995A T106A	BAY RESINS INC POLYONE CORP	34231	PA213N40	ENG. ENGRG.	86-10-29	N	IRB029
	(AA002) = BLACK	34825	TEXALON GMF 600-40 HS	ENG. ENGRG.	87-08-24	N	IRB029
		34826	TEXALON GMF 600-40 HS BK- 18	ENG. ENGRG.	87-08-24	N	IRB029
A ASTM D 4000 PA222 POLYAMIDE 6, HEAT STABILIZED, DATED: 89-11-24							
A358A A196A	ADELL PLASTICS INC HONEYWELL INTERNATIONAL	33817 31860	BS-30-P CAPRON 8202 HS	ENG. ENGRG. ENG. ENGRG./ESF- M4D101-A	86-03-14 84-03-07	N N	IRB029 IRB029
G995A J653A	BAY RESINS INC CAWE BRI LTD	34228 35606	PA213 CBL-770	ENG. ENGRG. ENGINE ENGRG.	86-10-29 88-09-30	N N	IRB029 IRB029
F458A F448C	CELANESE MEXICANA SA DSM ENGINEERING PLASTICS	32356 32574	NYLON 3100 HS AKULON M238- DIH	ENG. ENGRG. ENG. ENGRG.	84-10-24 85-01-07	N N	IRB029 IRB029
M8HQA	EMS AMERICAN GRILON INC	32362	GRILON A28GM HS	ENG. ENGRG.	84-10-26	N	IRB029
F540A T106A	NYLON POLYMERS INC POLYONE CORP	32635 33523	NP 212 TEXALON 600A HS	ENG. ENGRG. ENG. ENGRG.	85-02-04 85-11-20	N N	IRB029 IRB029
A ASTM D 4000 PA223 NYLON 6, HEAT STABILIZED - MOLDING COMPOUND, DATED: 84-04-02							
A358A A196A	ADELL PLASTICS INC HONEYWELL INTERNATIONAL	33818 31858	BS-30-P CAPRON 8200 HS	ENG. ENGRG. ENG. ENGRG./ESF- M4D101-A	86-03-14 84-03-07	N N	IRB029 IRB029
K2LRA	BASF CORP	32615	ULTRAMID B35W	ENG. ENGRG./SM4D 4584-A	85-01-28	N	IRB029
E984A	NYLTECH NORTH AMERICA	32705	NYCOA 1047	ENG. M4D101-A	85-02-25	N	IRB029
T106A	POLYONE CORP	33525	TEXALON 600A HV HS	ENG. ENGRG.	85-11-20	N	IRB029
A ASTM D 4000 PA226R36A32160							
	NYLON 6, 36% MINERAL/GLASS FIBER FILLED -HEAT STABILIZED - RECONSTITUTED, INJECTION MOLDED,						
A196A	HONEYWELL INTERNATIONAL	30667	NYPEL 2365 G HS	ENG. ENGRG.	81-07-13	N	IRB029
T106A	POLYONE CORP						

Materials Engineering Testing & Standards

2001-12-03