

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 29

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESF-M4D341-C	POLYESTER, THERMOPLASTIC-, 15% GLASS FILLED, RECYCLING SYMBOL: >PBT-GF15< DATED: 91-01-31									
G0A2B	HOECHST CELANESE CORP EXCEPT, HDT = 180 DEG. C, MIN AT 1.82 MPA.				57432	CELANEX 3200	T&A/CLS- 303051, 305734	84-01-04	N	IRB029
					57786	CELANEX 4202	EED/GPT #9010- 28494/D- 2709	90-11-07	N	IRB029
H1Q3A T106A	LNP ENGINEERING PLASTICS INC POLYONE CORP				57434 58927	WF-1003 TEXALON 8400 15 NATURAL	EED ED/CL101606 /D-3287	73-09-20 91-11-25	N N	IRB029 IRB029
A ESP-M4D342-A	NYLON (TYPE 66), MONOFILAMENT THREAD, RECYCLING SYMBOL: >PA66< DATED: 79-09-11									
D876A	EI DUPONT DE NEMOURS & CO INC				21364	MONOFILAMENT NYLON 6/6	PCR-991420	72-03-27	N	IRB029
A ESB-M4D345-B	POLYPROPYLENE SHEET, 40% CONTINUOUS GLASS FIBER REINFORCED, RECYCLING SYMBOL: >PP-GF40< DATED: 85-11-14									
P435B	PPG INDUSTRIES INC			NATURAL	32798	AZDEL PM10400- 101	B&CE/EP- 85026	85-04-04	N	IRB029
				BLACK	32800	AZDEL PM10400- 710	B&CE/EP- 85026	85-04-04	N	IRB029
				BLACK	32803	AZDEL PM10400- 701	B&CE/EP- 85026	85-04-04	N	IRB029
J54PA	QUADRANT PLASTIC COMPOSITES AG				35575	SYMALIT GM 40 PP	B&CE/EP- 88038	88-07-22	N	IRB029
A ESA-M4D347-A	POLYURETHANE MOLDING COMPOUND, ETHER BASED, RECYCLING SYMBOL: >PUR< DATED: 79-01-10									
F150A	US FARATHANE CORPORATION				21367	F111-622	CEO CLS- 604762	76-07-01	N	IRB029
E033A	EAGLE PICHER AUTOMOTIVE GROUP				21368	12062	CEO	75-04-15	N	IRB029
A ESA-M4D349-B	NYLON (TYPE 66), 13% GLASS FIBER REINFORCED - IMPACT MODIFIED, HEAT STABILIZED, RECYCLING SYMBOL: >PA66-GF13< DATED: 79-03-26									
G995A	BAY RESINS INC				35627	PA123G13	LTEO/CL8004 61/702596/D 2034	88-02-23	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC			BLACK	27679	ZYTEL 71G13 HS1L BK-31	CL903406/D0 154	77-07-20	N	IRB029
				NATURAL	28312	ZYTEL FE 5110	CEO/CL90340 6	80-08-20	N	IRB029
	MEETS 7%, MINIMUM ELONGATION				32898	7423	B&CE/EP8502 9/D1224	85-04-12	N	IRB029
R6DVA	MICHAEL DAY ENTERPRISES INC NOT APPROVED FOR LT TRUCK USE.				39627	N66G13THSL	CHASSIS/SUP PLIER DATA/D4843	93-10-07	N	IRB029
M736A	SOLUTIA INC. NOT APPROVED FOR BODY ENGRG. INTERIOR APPLICATIONS				39795	VYDYNE R-413H	CEO/D4945	93-12-10	N	IRB029
W425A	WELLMAN INC				31351	WELLAMID GFT13-66 XE- NBK1	CEO/CL30237 3/D0746	83-09-06	N	IRB029
					31352	WELLAMID GF13- 66 22LH14 NBK1 (RECONSTITUTED)	CEO/CL30237 3/D0746A	83-09-06	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 30

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D353-A1	NYLON (TYPE 66), MINERAL FILLED - HIGH IMPACT GRADE, RECYCLING SYMBOL: >PA66-M40< DATED: 80-05-07									
M736A	SOLUTIA INC. APPRVD. FOR CEO APPLIC. ONLY				63534 63535	VYDYNE R-100 VYDYNE R-200	BML-222-71 CEO	73-04-19 81-12-21	C2 N	004399 IRB029
A ESB-M4D353-A2	NYLON (TYPE 66), MINERAL FILLED - HIGH MODULUS GRADE, RECYCLING SYMBOL: >PA66-M40< (SHOWN ON ESB-M4D353-A1) DATED: 80-05-07									
D876A	EI DUPONT DE NEMOURS & CO INC				63536 63537	MINLON 10B-40 MINLON 10B-40 HSIL NC-10	RP-73012 RP-74078	73-04-19 74-06-26	N N	IRB029 IRB029
G0A2B	HOECHST CELANESE CORP				63538 63539	N-265 NKX-022	CEO/CLS- 800838 CEO/CLS 800838	78-04-04 78-04-05	N N	IRB029 IRB029
W425A	APPRVD. FOR ENG. ENGRG. APPLIC. ONLY WELLMAN INC NOT APPRVD. FOR BEPE APPLIC.				63540 63541	N-277 WELLAMID MR 410 22H-N (RECONSTITUTED)	ENG. ENGRG. CL004373/D0 498	80-03-26 82-06-28	N N	IRB029 IRB029
A ESB-M4D353-A3	NYLON (TYPE 6), MINERAL/GLASS FILLED -, EXTERIOR PAINTED BODY COLOR, RECYCLING SYMBOL: >PA6-(GF+M)40< (SHOWN ON ESB-M4D353-A1) DATED: 80-05-07									
A358A	ADELL PLASTICS INC NOT APPRVD. FOR BEPE & LTEO APPLIC.				57439	BL-38 RECONSTITUTED	ENG. ENGRG.	81-12-02	N	IRB029
G99GC	HONEYWELL INTERNATIONAL ENGINEERED APPLICATIONS AND SOLUTIO EXCEPTION: FLEX MODULUS 6.2 GPA MINIMUM				N 57436 59531	CAPRON 8266G HS CAPRON 8267G HS NATURAL	BEPE/EP- 83032/CLS- 300938 BODY/ESB- M4D505- A/D3619	83-04-21 92-07-06	N N	IRB029 IRB029
H4KJA	CHEM POLYMER CORP				67874	NP 225-15 MF GF	AVT/LKINDT/ IS96043	96-07-17	N	IRB029
G0A2B	HOECHST CELANESE CORP APPRVD. FOR EED APPLIC. ONLY				57438	N-276 (NYLON 66)	EED	80-05-07	N	IRB029
T106A	POLYONE CORP				57435	TEXALON GMF600P-40	B&CE/BEPE - CLS 304995	88-04-14	N	IRB029
W425A	WELLMAN INC				57437 63860 63861	WELLAMID MRGF 25/15 42H RECONSTITUTED WELLAMID MRGF 25/15 42H-N WELLAMID MRGF 25/15 42H NBKI BLACK	CI.903052/D0 513 AVT/EP95015 /CLS404411/ AVT/EP95014 /CLS404411/ D5925	82-07-16 95-03-06 95-03-06	N N N	IRB029 IRB029 IRB029
A ESB-M4D353-A4	NYLON (TYPE 66), MINERAL FILLED -, EXTERIOR PAINTED BODY COLOR, RECYCLING SYMBOL: >PA66-M40< (SHOWN ON ESB-M4D353-A1) DATED: 80-05-07									
D876A	EI DUPONT DE NEMOURS & CO INC APPRVD. FOR ENG. ENGRG. APPLIC. ONLY (NONPAINTABLE)				63542 63545	MINLON 11C-40 BK-121 MINLON 11C-40 NC-10	BODY/EP9300 8/D3899 CL810440/D0 032	93-01-27 79-11-01	N N	IRB029 IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 31

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D353-A4	NYLON (TYPE 66), MINERAL FILLED -, EXTERIOR PAINTED BODY COLOR, RECYCLING SYMBOL: >PA66-M40< (SHOWN ON ESB-M4D353-A1) DATED: 80-05-07						
D876A	EI DUPONT DE NEMOURS & CO INC	63546	FE 6096 NC-10	BEPE/EP7706 1/CL709984/ D0595	83-01-28	N	IRB029
M736A	SOLUTIA INC.	63543	VYDYNE R-228 BLACK	BODY/D3020	91-05-20	N	IRB029
		63544	VYDYNE R-840	BEPE/EP8101 0/D0391	82-11-08	C2	016188
		63547	VYDYNE R-220	RP-74015	75-04-04	C2	004403
A ESB-M4D354-A1	POLYBUTYLENE TEREPHTHALATE, 30% GLASS FILLED, EXTERIOR - PAINTABLE, RECYCLING SYMBOL: >PBT-GF30< DATED: 84-05-25						
G225A	GENERAL ELECTRIC CO NOT PAINTABLE. UNPAINTED UV APPLICATIONS ONLY.	57446	VALOX 420U	B&CE/BEPE- EP 88006	88-03-22	N	IRB029
	CONTAINS MOLD RELEASE AGENT	57448	VALOX 420	BML-223-72	78-12-06	N	IRB029
		59614	VALOX 420R	BODY/EP9203 0/D-3650	92-07-22	N	IRB029
G0A2B	HOECHST CELANESE CORP	57445	CELANEX 1462Z, BK 225	B&CE/BEPE - EP 89051/CLS 900271	89-06-14	N	IRB029
	EXCEPT MELT FLOW RATE 23 G/10 MIN, MAX	57449	CELANEX 1462Z	EP-76095	78-12-06	N	IRB029
		57784	CELANEX 3300-2	BEO/EP- 90035/CLS- 994895/D- 2711	90-11-06	N	IRB029
	EXCEPT MELT FLOW RATE 23 G/10 MIN, MAX	57785	CELANEX 3300	BEO/EP- 90035/CLS- 994895/D- 2710	90-11-06	N	IRB029
W425A	WELLMAN INC	57447	9330GR-N	EED/GPT- 8807-22- 034-1	88-09-26	N	IRB029
A ESB-M4D354-A2	POLYBUTYLENE TEREPHTHALATE, 30% GLASS FILLED - INTERNALLY LUBRICATED, (SHOWN ON ESB-M4D354-A1) RECYCLING SYMBOL: >PBT-GF30< DATED: 84-05-25						
G0A2B	HOECHST CELANESE CORP MELT FLOW RATE: 8 G/10 MIN, MAX	63548	CELANEX 1662Z	BEPE/BML EP-77055	78-12-06	N	IRB029
	MFR 4-10 G/10 MINUTES IMPACT STRENGTH, IZOD, NOTCHED 73J/M MINIMUM	63550	CELANEX 4300	B&CE/BODY/E P-90006/D- 2408	90-02-20	N	IRB029
F758A	MITSUBISHI GAS CHEMICAL CO	63549	NOVADUR 5710GT30	B&CE/BEPE - EP 88037	88-07-18	N	IRB029
A ESB-M4D354-A3	POLYBUTYLENE TEREPHTHALATE, 30% GLASS FILLED - SYMBOL: >PBT-GF30< (SHOWN ON ESB-M4D354-A1) DATED: 84-05-25						
G225A	GENERAL ELECTRIC CO	57450	VALOX 420 SE-O	BEPE/BML BML-223-72	78-12-06	N	IRB029
A ESB-M4D354-A4	POLYBUTYLENE TEREPHTHALATE, 26% GLASS FILLED - SELF EXTINGUISHING - NONPAINTABLE, RECYCLING SYMBOL: >PBT-GF26< (SHOWN ON ESB-M4D354-A1) DATED: 84-05-25						
G0A2B	HOECHST CELANESE CORP	63551	CELANEX 1452F	BEPE/BML EP-77094	78-12-06	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 32

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESF-M4D354-A6	POLYBUTYLENE TEREPHTHALATE, 17% GLASS FIBER REINFORCED - SELF EXTINGUISHING, RECYCLING SYMBOL: >PBT-GF17< DATED: 89-08-22						
G225A	GENERAL ELECTRIC CO	54542	VALOX DR-48	EED/CLS- 206358/3012 79	83-05-12	N	IRB029
F850A	ORICA EXCEPT, SP. GRAVITY 1.55-1.65 G/CM3 FOR FOA APPLIC. ONLY.	54543	DURANEX PBT, GRADE 3175	FOA	86-09-29	N	IRB029
A ESF-M4D354-A7	POLYBUTYLENE TEREPHTHALATE, 30% GLASS FIBER REINFORCED - IMPACT MODIFIED - LOW WARPAGE, RECYCLING SYMBOL: >PBT-GF30< DATED: 83-06-17						
G225A	GENERAL ELECTRIC CO EXCEPTIONS: NOTCHED IZOD IMPACT 71 J/M MINIMUM. SPECIFIC GRAVITY 1.48 - 1.55 EXCEPTION: ARC RESISTANCE 60 SECONDS MINIMUM	30944	VALOX 508	EED/CL20635 9/D0651	83-05-12	N	IRB029
		38806	VALOX 508R	BEO/EP93023 /CL302138/D -4503	93-05-13	N	IRB029
A ESF-M4D355-B	POLYPROPYLENE (PP), 42% TALC AND TiO2 FILLED, HEAT STABILIZED, MOLDING COMPOUND, RECYCLING SYMBOL: >PP-(TD+TiO2)42< DATED: 93-03-31						
U0BTA	ALCO COMPOUNDERS INC	68141	HP0335T40 WHITE B12391	ACD/SDEGROO D/SUPPLIER DATA	96-08-22	N	IRB029
F448C	DSM ENGINEERING PLASTICS	27981	PP-60/TC/HS OPWT-2595	EED	80-02-27	N	IRB029
		28203	PP-60/TC/40 OPWT	EED	79-09-25	N	IRB029
		39715	FIBERFIL PP- 60/TC/40/HS/OP WT-2595	EED/D4922	93-09-14	N	IRB029
C565A W353D	FERRO CORP WASHINGTON PENN PLASTICS CO INC	28204 67474	TPP40AC38WH PPH2TF4-WHT	EED ACD/D6647	79-09-25 96-04-24	C2 N	014762 IRB029
A WSB-M4D356-B	POLYVINYL BUTYRAL (PVB) FILM, TINTED INTERLAYER, LAMINATED SAFETY GLASS, LOW LIGHT TRANSMITTANCE, DUSTED OR REFRIGERATED, RECYCLING SYMBOL: >PVB< DATED: 92-09-28						
M736A	SOLUTIA INC. PIGMENTED INTERLAYER COLOR CODE 360900	58658	SAFLEX TG 47	BODY/ML9102 4/D-3207	91-09-06	N	IRB029
A FSB-M4D357-A	ACETAL COPOLYMER, GLASS FILLED - GLASS TO COPOLYMER - CHEMICALLY COUPLED, RECYCLING SYMBOL: >POM-GF25< DATED: 78-06-07						
K2LRA	BASF CORP		N2200G5	604193			
G0A2B	HOECHST CELANESE CORP CHNG. IN FORMULATION NECESSITATED BY OSHA HLTH./SAF. REG. APPROVED FOR EFHD APPLICATIONS ONLY	26365	CELCON GC-25A	BEPE/BML EP-77013	77-11-17	N	IRB029
	APPROVED FOR EFHD APPLICATIONS ONLY	40115	CELCON CKX 5221	EFHD/D5202	93-02-18	N	IRB029
	APPROVED FOR EFHD APPLICATIONS ONLY	40116	CELCON GC25TF	EFHD/D5203	93-02-18	N	IRB029
	APPROVED FOR EFHD APPLICATIONS ONLY	66911	CELCON GC25TF	EFHD/D6452	95-12-20	N	IRB029
	APPROVED FOR EFHD APPLICATIONS ONLY	66912	CELCON GC25TF	EFHD/D6453	95-12-20	N	IRB029
H1Q3B	LNP ENGINEERING PLASTICS INC	27937	THERMOCOMP KFX-1005	BEPE EP- 79210 CLS- 807982	80-01-18	N	IRB029
M602A	MITSUI PETROCHEMICAL INDUSTRIES LTD						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 33

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D357-A	ACETAL COPOLYMER, GLASS FILLED - GLASS TO COPOLYMER - CHEMICALLY COUPLED, RECYCLING SYMBOL: >POM-GF25< DATED: 78-06-07									
M602A	MITSUI PETROCHEMICAL INDUSTRIES LTD APPRVD. FOR BEPE APPLIC. ONLY				33605	POLYPLASTICS/D URCON GC-25	B&CE/EP- 85044	85-11-01	N	IRB029
A ESB-M4D358-A	LAMINATE, POLYVINYL CHLORIDE FOAM-POLYVINYL CHLORIDE SKIN-, RIGID SUBSTRATE FORMED TRIM ASSEMBLY, RECYCLING SYMBOL: >PVC,PVC,Z< DATED: 78-10-26									
A180A G828A	ALLEN INDUSTRIES INC RTP CO (VINYL SKIN FOAM)				28889	MAT 149	AEO-31	81-03-27	N	IRB029
U502A	UNIROYAL PLASTICS CO INC (LAMINATE SUPPLIER)				25238	74-102	SA4D358- A527	75-10-29	N	IRB029
V010A	VAN DRESSER CORP (LAMINATE SUPP BY UNIROYAL #1417)				21378	#1417			N	IRB029
	(LAMINATE SUPP. BY CHRYSLER PLASTIC PROD. #DC311)				26012	358-A (1)	SA4D358A- 618	77-06-17	N	IRB029
					26013	358A (2)	SA4D358A- 616	77-06-17	N	IRB029
A ESA-M4D359-A1	POLYBUTYLENE TEREPHTHALATE (PBT), INJECTION MOLDING COMPOUND, RECYCLING SYMBOL: >PBT< DATED: 95-11-09									
A555A	YAZAKI NORTH AMERICA INC NOT APPROVED FOR EED APPLICATIONS				35948	TORAY 5101 C02	B&CE/BEPE	89-04-24	N	IRB029
D876A	NOT APPROVED FOR EED APPLICATIONS EI DUPONT DE NEMOURS & CO INC				35949	TORAY 1401 X06	B&CE/BEPE	89-04-24	N	IRB029
G225A G0A2B	GENERAL ELECTRIC CO HOECHST CELANESE CORP				69601	CRASTIN S610 NCO10	AVT/MMASSER 1/IS97030	97-02-27	N	IRB029
					29548	VALOX 325	CLS 709875	78-08-11	N	IRB029
					29547	CELANEX 1602Z	CEO-CLS 609878	77-01-10	N	IRB029
	NOT APPROVED FOR EED APPLICATIONS				31532	CELANEX 2002-2	CEO/CLS- 301345	83-10-20	N	IRB029
M583A	BAYER CORP NOT APPROVED FOR CEO APPLICATIONS				34488	POCAN B 1505	ENG. ENGRG.	87-03-04	N	IRB029
T106A	POLYONE CORP NOT APPROVED FOR INTERIOR APPLICATIONS				37242	TEXALON 8400	ED/CL993862 /D-2784	91-01-02	N	IRB029
W425A	WELLMAN INC				35313	WELLITE 9000 GP BLACK	EED/GPT #8802-20918	88-03-15	N	IRB029
A ESA-M4D359-A2	POLYBUTYLENE TEREPHTHALATE (PBT), EXTRUSION MOLDING COMPOUND, RECYCLING SYMBOL: >PBT< (SHOWN ON ESA-M4D359-A1) DATED: 95-11-09									
D876A	EI DUPONT DE NEMOURS & CO INC				40167	RYNITE 6500 NC010	BEO/EP94019 /D5206	94-05-27	N	IRB029
G225A	GENERAL ELECTRIC CO				37993	VALOX 317	305511 LTEO/D-3377	92-02-19	N	IRB029
G0A2B	HOECHST CELANESE CORP				29549	CELANEX 1600A	CEO	82-03-02	N	IRB029
					32077	CELANEX 2002	CEO/CLS- 301345	84-05-30	N	IRB029
					33140	CELANEX 2002-2	B&CE/CLS- 405585/5028 27	85-07-23	N	IRB029
A ESL-M4D359-A3	THERMOPLASTIC POLYESTER, NON-REINFORCED PBT - HIGH IMPACT MODIFIED, RECYCLING SYMBOL: >PBT< DATED: 84-01-25									
D876A	EI DUPONT DE NEMOURS & CO INC									

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 34

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESL-M4D359-A3	THERMOPLASTIC POLYESTER, NON-REINFORCED PBT - HIGH IMPACT MODIFIED, RECYCLING SYMBOL: >PBT< DATED: 84-01-25									
D876A	EI DUPONT DE NEMOURS & CO INC				36064	CRASTIN ST820 NC010	CEO/CL90156 9/D-2289	89-07-31	N	IRB029
					36086	CRASTIN ST820 BK503	CEO/CL90301 6/D-2293	89-08-16	N	IRB029
G225A	GENERAL ELECTRIC CO				69589	VALOX 337	AV1/MMASSER 1/IS97049	97-03-03	N	IRB029
G0A2B	HOECHST CELANESE CORP				31361	VANDAR 4602Z	LTEO/D-747	83-09-13	N	IRB029
					37370	VANDAR 2500	LTEO/D-2894	91-03-05	N	IRB029
A ESB-M4D360-A	POLYVINYL CHLORIDE TUBING, HEAT SHRINKABLE, RECYCLING SYMBOL: >PVC< DATED: 78-04-25									
M547C	3M CO				21381	#3025 SCOTCHTITE	BEO-BML RP- 73082	74-01-08	N	IRB029
A ESB-M4D365-A2	POLYPROPYLENE, 40% CALCIUM CARBONATE FILLED - EXTRUSION GRADE - STAMPABLE, DISCONTINUED, USE DELTA ES-E97B1011014AA & ESB-M4D365-B2, RECYCLING SYMBOL: >PP-KD40< DATED: 78-10-30									
F448C	DSM ENGINEERING PLASTICS				25240	PP/60/K/CC/40 BK-3934	BEPE/MES RP-76004	76-05-22	N	IRB029
H276B	BASELL USA INC				21383	ASTRYN 68F5-4	BEPE/MES RP-76005	76-05-22	N	IRB029
S093A	A SCHULMAN INC EXCEPTIONS: MELT FLOW RATE 0.2 - 0.8 G/10 MINUTES				40508	POLYFORT FPP1151-E-31	BODY/EP9101 7/CL101303/ D-3004	94-10-25	N	IRB029
A ESB-M4D365-B2	POLYPROPYLENE, 40% CALCIUM CARBONATE FILLED - EXTRUSION GRADE - STAMPABLE, RECYCLING SYMBOL: >PP-KD40< (SHOWN ON ESB-M4D365-A2) DATED: 78-10-30									
F448C	DSM ENGINEERING PLASTICS				25242	PP/60/K/CC/40 BK-3934	BEPE/MES RP-76004	76-05-22	N	IRB029
H276B	BASELL USA INC				21384	ASTRYN 68F5-4	RP-76004	76-05-22	N	IRB029
S093A	A SCHULMAN INC EXCEPTIONS: MELT FLOW RATE 0.2 - 0.8 G/10 MINUTES				39886	POLYFORT FPP1151-E-31	BEO/EP93074 /D5044	94-02-07	N	IRB029
A WSS-M4D365-B3	POLYPROPYLENE, 40% CALCIUM CARBONATE FILLED, EXTRUSION GRADE--STAMPABLE, RECYCLING SYMBOL: >PP-KD40< DATED: 01-01-12									
W353A	WASHINGTON PENN PLASTICS CO INC				73523	POLYPROPYLENE, 40% CALCIUM CARBONATE	/SLASKOSK	01-10-17	N	IRB029
A ESB-M4D366-A1	NYLON (TYPE 6), 40% GLASS REINFORCED, RECYCLING SYMBOL: >PA6-GB40< DATED: 80-05-07									
W425A	WELLMAN INC				25243	WELLAMID GS40- 60 WELL-SPERE	BEPE/RP7414 9	75-06-04	N	IRB029
W425C	WELLMAN INC				69466	WELLAMID GS40- 60 42L-N	AVT/NADAMOW ICZ	97-02-22	N	IRB029
					69467	WELLAMID GS40- 60 42L-NBK1	AVT/NADAMOW ICZ	97-02-22	N	IRB029
A ESB-M4D366-A2	NYLON (TYPE 66), 25% GLASS SPHERE - 15% GLASS FIBER FILLED, RECYCLING SYMBOL: >PA66-(GB+GF)40< (SHOWN ON ESB-M4D366-A1) DATED: 80-05-07									

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 35

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D366-A2	NYLON (TYPE 66), 25% GLASS SPHERE - 15% GLASS FIBER FILLED, RECYCLING SYMBOL: >PA66-(GB+GF)40< (SHOWN ON ESB-M4D366-A1) DATED: 80-05-07						
W425A	WELLMAN INC	25244	WELLAMID GSF 25/15-66 22L-N	BEPE/MES	75-06-04	N	IRB029
W425C	WELLMAN INC	69468	WELLAMID GSF25/15-66 22L-N	AVT/NADAMOW ICZ	97-02-22	N	IRB029
		69469	WELLAMID GSF25/15-66 22L-NBK1	AVT/NADAMOW ICZ	97-02-22	N	IRB029
A ESH-M4D367-A	NYLON (TYPE 612), 43% GLASS FIBER REINFORCED - HEAT STABILIZED - BLACK, RECYCLING SYMBOL: >PA612-GF43< DATED: 81-10-30						
D876A	EI DUPONT DE NEMOURS & CO INC	21385	ZYTEL FE 5011	CCD	76-05-19	N	IRB029
A ESA-M4D369-A	POLYETHYLENE, ULTRA HIGH MOLECULAR WEIGHT, RECYCLING SYMBOL: >PE-UHMW< DATED: 79-01-10						
A196A	HONEYWELL INTERNATIONAL	26015	AC-1222	CLS-503201 +509847	77-04-27	N	IRB029
A326A	AMER HOECHST CORP	26016	GR-7255P (BLEND 25%/75%)	CEO-CLS 710224	77-11-18	C2	000405
G0A2B	HOECHST CELANESE CORP	26329	HOSTALEN GUR 4120	CEO/CLS 803075	78-04-18	N	IRB029
		26383	HOSTALEN GUR 4120+GR7255P BLEND (25% & 75%)	803312 & 804739		N	IRB029
		40169	HOSTALEN GUR 4130	AVT/CL50412 7/D5211	94-06-07	N	IRB029
		66243	HOSTALEN GUR 4150	AVT/CL50412 7/D6293	95-10-05	N	IRB029
A ESA-M4D370-A	POLYTETRAFLUOROETHYLENE, 15% GLASS FILLED, RECYCLING SYMBOL: >PTFE-GF15< DATED: 79-01-10						
C421A	CR INDUSTRIES FABRICATOR	21388	409097	CEO-CLS 504187	76-10-28	N	IRB029
	MATERIAL SOURCE - ALLIED CORP.	21389	G80 BASE RESIN & 1015 FP PREBLENDED RESIN			N	IRB029
	MATERIAL SOURCE - DUPONT	21390	7A & 7C BASE RESIN			N	IRB029
	MATERIAL/BLENDING SOURCE - ICI	25247	6103			N	IRB029
D936B	MATERIAL/BLENDING SOURCE - LNP FLOWSERVE CORP	26783	FR03			N	IRB029
	MATERIAL SOURCE - ALLIED CORP.	26782	215 1015-XFP PREBLENDED RESIN	504187 CEO	76-10-28	N	IRB029
G090A	GARLOCK INC (FABRICATOR)	21392		CEO-CLS 504187	76-12-22	N	IRB029
	MATERIAL SOURCE - DUPONT	21393	TEFLON 1603 - GARLOCK MP 171			N	IRB029
	MATERIAL SOURCE - LNP	21394	FR03 - GARLOCK MP 190			N	IRB029
	MATERIAL SOURCE - PLASTOMER CORP.	21395	MP 210 - GARLOCK MP 224			N	IRB029
	MATERIAL SOURCE - ICI	25248	FLUON G-163 - GARLOCK MP 982			N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 36

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESA-M4D370-A	POLYTETRAFLUOROETHYLENE, 15% GLASS FILLED, RECYCLING SYMBOL: >PTFE-GF15< DATED: 79-01-10						
G090A	GARLOCK INC MATERIAL SOURCE - AMERICAN HOECHST CORP.	25249	TF-1740 - GARLOCK MP 954			N	IRB029
C849A	JOHN CRANE INC FABRICATOR	21386		CEO-CLS 501274		N	IRB029
	MATERIAL SOURCE - DUPONT	21387	7A & 7C BASE RESIN			N	IRB029
	MATERIAL/BLENDING SOURCE - LNP	21391	FR03	CEO	76-10-28	N	IRB029
	MATERIAL SOURCE - ICI	25245	G161 & G256 BASE RESIN			N	IRB029
	MATERIAL/BLENDING SOURCE - ICI	25246	6103			N	IRB029
A ESH-M4D370-B	POLYTETRAFLUOROETHYLENE, 25% GLASS FILLED, RECYCLING SYMBOL: >PTFE-GF25< DATED: 79-05-25						
A196A	HONEYWELL INTERNATIONAL	27566	#1025	CCD	79-05-24	N	IRB029
A ESA-M4D371-A	POLYPROPYLENE MOLDING COMPOUND, ULTRAVIOLET STABILIZED, RECYCLING SYMBOL: >PP< DATED: 81-02-25						
E065A	EASTMAN CHEMICAL CO COLORS: VTCA, MLCA, RDCA, NDDA, RECA, MBCA, MFCA, RHCA, RYCA, JAEA	28514	P2791-67AA	CEO	80-10-16	N	IRB029
F345A	FERRO CORP COLORS: JAEA, RHCA, NDDA, MFCA, VTCA, MLCA, RDCA	28684	POLYPROPYLENE SWPH	002145, 005996	81-01-08	N	IRB029
S093A	A SCHULMAN INC	27618	POLYFORT PP 1221	CLS-901739 & 903020	79-08-09	N	IRB029
A ESF-M4D373-A	ABS, HIGH TEMPERATURE, MOLDING COMPOUND, RECYCLING SYMBOL: >ABS< DATED: 89-08-22						
G225A	GENERAL ELECTRIC CO	57451	CYCOLAC Z-48	EED	77-07-28	C2	014758
A ESA-M4D374-A	TUBING, NYLON (TYPE 11 AND TYPE 12), RECYCLING SYMBOL: >PA11< OR >PA12< DATED: 79-01-10						
M05TJ	ATOFINA CHEMICALS INC	57456	AESN EP 076 TL	B&CE/CLS- 404462	85-01-29	N	IRB029
	12	57457	AESN P10 BLK TL	CLS-903223 & 904031	79-07-16	N	IRB029
	11	57458	BESN P10 BLK T	CLS-903223 & 904031	79-07-16	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC PA 1212 MOLDING COMPOUND APPROVED FOR CHASSIS SUSPENSION APPLICATIONS ONLY	57452	ZYTEL CFE 3008 HS	B&CE- CHASSIS/CL9 92052/D- 2508	90-07-02	N	IRB029
M8HQA	EMS AMERICAN GRILON INC	57454	L25F10 GRILAMID	B&CE/CEO/CL S-600476	86-04-17	N	IRB029
H841A	HULS AMERICA INC	57455	L25FVS10 VESTAMID L- 2121 (TYPE 12 ONLY)	CLS-900749	79-04-26	N	IRB029
A ESA-M4D375-A	POLYTETRAFLUOROETHYLENE, 10% GRAPHITE FILLED, RECYCLING SYMBOL: >PTFE-CD10< DATED: 79-09-29						
G090A	GARLOCK INC FABRICATOR INTERMEDIARY - LNP	28483	TF-7A	CEO	79-02-08	N	IRB029
C849A	MATERIAL SOURCE - ICI JOHN CRANE INC FABRICATOR	28484	TF-7A			N	IRB029
		28455	GRADE 7530	CEO	80-10-06	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7A

PAGE 37

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESA-M4D375-A	POLYTETRAFLUOROETHYLENE, 10% GRAPHITE FILLED, RECYCLING SYMBOL: >PTFE-CD10< DATED: 79-09-29									
M312A	MATHER CO FABRICATOR				28456	#1-427-5-01	CEO	80-10-06	N	IRB029
A ESA-M4D379-A	NYLON (TYPE 66), MODIFIED - HIGH IMPACT GRADE, RECYCLING SYMBOL: >PA66< DATED: 79-01-10									
A358A	ADELL PLASTICS INC NOT APPROVED FOR EED APPLICATIONS				35809	AD-30-N	B&CE/EP8901 1/D2113	89-01-19	N	IRB029
H4KJA	CHEM POLYMER CORP				37414	CHEMLON 109	EED/CL10092 2/D2953	91-03-26	N	IRB029
C934A	CUSTOM RESINS INC NOT APPROVED FOR CEO APPLIC. FORMERLY NYLAMID 4114 OF PSC (F476A)				34487	NYLENE 4114	EED/GPT8702 - 18400/D1719	87-03-05	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				26018	ZYTEL ST801	CEO CLS- 703635 & 703638	77-05-02	N	IRB029
	APPROVED FOR EXTERIOR, UV STABILIZED, BLACK APPLICATIONS		YG YA	BLACK	35394	ZYTEL ST801W BK-195	B&CE/EP8802 6/D1960	88-04-20	N	IRB029
	APPROVED FOR INTERIOR UV STABILIZED MOLDED-IN-COLOR APPLICATIONS WITH REED COLOR CONCENTRATE				36135	ZYTEL ST801W NC-10	B&CE/EP8907 2/D2295	89-08-22	N	IRB029
					36292	ZYTEL ST800 HSL NC-10	B&CE- CHASSIS/CL 904145/D- 2342	89-11-08	N	IRB029
					36294	ZYTEL ST800 HSL BK-10	B&CE- CHASSIS/CL9 04145/D2340	89-11-08	N	IRB029
G0A2B	HOECHST CELANESE CORP			NATURAL	35800	6030	B&CE/CL8026 66/804221/D 2090	89-01-16	N	IRB029
				BLACK	35851	6030	B&CE/CL8042 21/D2164	89-03-09	N	IRB029
	APPROVED FOR BLACK		JA6A	BLACK	40340	6030UV	BEO/EP9403/ ESBM99P22A2 /D5560	94-07-08	N	IRB029
H1Q3A	LNP ENGINEERING PLASTICS INC NOT APPROVED FOR B&CE-BODY APPLICATIONS				36359	MARANYL TA510	EED/GPT8911 - 25902/D2369	89-12-20	N	IRB029
S093A	A SCHULMAN INC APPROVED AS BLACK AND NATURAL				69580	COMALLOY E- 17222 BLACK AND NATURAL	AVT4/MMASSE R1/IS97049	97-03-03	N	IRB029
T106A	POLYONE CORP				35874	TEXALON 2000A	CL804484/D2 160	89-03-10	N	IRB029
A ESA-M4D379-B	NYLON (TYPE 66), MODIFIED - HEAT STABILIZED - HIGH IMPACT GRADE, RECYCLING SYMBOL: >PA66<									
A358A	ADELL PLASTICS INC NOT APPROVED FOR EED APPLICATIONS				35810	AD-30-N	B&CE/EP8901 1/D2113A	89-01-19	N	IRB029
H4KJA	CHEM POLYMER CORP				37992	CHEMLON 109 H	CEO/CL10092 2/D3414	92-02-28	N	IRB029
C934A	CUSTOM RESINS INC FORMERLY NYLAMID 4114 HS OF PSC (F476A)				36308	NYLENE 4114 HS	EED/GPT8910 -25735- 1/D2351	89-11-09	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				26019	ZYTEL ST801 HS	CEO/CL70363 5&703638	77-07-11	N	IRB029
					36291	ZYTEL ST800 HSL NC-10	B&CE/CL9041 45/D2343	89-11-08	N	IRB029

Materials Engineering Testing & Standards

2001-12-03