

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C1	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE I), RECYCLING SYMBOL: >PVC< DATED: 85-11-14									
G550A	BF GOODRICH COMPANY				57335	GEON 86143 BLACK 2900	BEPE	80-10-01	N	IRB029
F631A	GENCORP AUTOMOTIVE		JASA	BLACK	57336	20053	B&CE/BML402 -68	69-03-07	N	IRB029
G373F	GDX AUTOMOTIVE MATERIAL MEETS FOGGING REQUIREMENTS. FOG NO.70 MINIMUM (FLTM BO 116-03)				59579	20,053-1	BODY/EP9202 9/D-3630	92-07-10	N	IRB029
L290A	LEON PLASTICS INC		SPLCDE	SILVER MET	57330	60-OE1-26-093- B	BEO/BML- 73041RP	74-02-09	N	IRB029
			SUBADE	LT TAN	57331	60-OE1-18-078- F	BEO/BML- 73041RP	74-02-09	N	IRB029
			SGLCDE	AVOCADO	57332	60-OE1-26-079- B	BEO/BML- 73041RP	74-02-09	N	IRB029
			UBRCDE	BLUE MET	57333	60-OE1-26-094- A	BEO/BML- 73041RP	74-02-09	N	IRB029
			JASADE	BLACK	57334	60-OE1-26-092- A	BEO/BML- 73041RP	74-02-09	N	IRB029
K3C8A	NISHIKAWA RUBBER CO LTD PVC RESIN SUPPLIER- MITSUBISHI KASAI VINYL CO. (VINICA)		B7AM	SHADOW BLUE	57965	C-2987-D-B	BEO/AEO- 13/D-2810	91-01-03	N	IRB029
	PVC RESIN SUPPLIER- MITSUBISHI KASAI VINYL CO. (VINICA)		ZHAU	EBONY	57966	C-2987-D-GY	BEO/AEO- 13/D-2809	91-01-03	N	IRB029
	PVC RESIN SUPPLIER- MITSUBISHI KASAI VINYL CO. (VINICA)		DABD	LIGHT MOCHA	57967	C-2987-L-BR	BEO/AEO- 13/D-2808	91-01-03	N	IRB029
	PVC RESIN SUPPLIER- MITSUBISHI KASAI VINYL CO. (VINICA)		ERAK	CRANBERRY	57968	C-2987-R	BEO/AEO- 13/D-2807	91-01-03	N	IRB029
T031A	TEKNOR APEX CO		JASA	BLACK	57329	71-2401-A	B&CE/SA4D28 4C-1040	85-08-29	N	IRB029
A ESB-M4D284-C2	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE II), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
G550A	BF GOODRICH COMPANY				57338	GEON 86135 BLACK 2830	BEPE	80-10-01	N	IRB029
F631A	GENCORP AUTOMOTIVE		JASA	BLACK	57339	20165	B&CE/BML126 -71	71-06-18	N	IRB029
T031A	TEKNOR APEX CO		JASA	BLACK	57337	71-2401-B	B&CE/SA4D28 4C-1040	85-08-29	N	IRB029
A ESB-M4D284-C3	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY ESB-M4D284-C1) DATED: 85-11-14									
G550A	BF GOODRICH COMPANY				57350	GEON 86144 CHARCOAL	B&CE/SA4D28 4C-1002	84-10-22	N	IRB029
					57351	GEON 86144 BLACK 2900	BEPE	80-10-01	N	IRB029
C551B	ATREX INC		JASA	BLACK	57353	1B-72-71-SA	B&CE/BML246 -72	72-11-28	N	IRB029
G374C	TEXTILEATHER CORP		JASA	BLACK	57352	20129	B&CE/BML126 -71	71-06-18	N	IRB029
L290A	LEON PLASTICS INC		4PLAAX	LT CHARCOAL	57349	90-OE1-36-331A	BEPE	83-09-09	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C3	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE III), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
P919A	ASC EXTERIOR TECHNOLOGIES			CLEAR	57347	M-11032	SA4D284C-021	81-03-30	N	IRB029
				BLACK	57348	M-11030	SA4D284C-021	81-03-30	N	IRB029
P013A	STANDARD PRODUCTS CANADA LTD			BLACK	57346	GEON 6636	SA4D284C-042	82-07-27	N	IRB029
C935A H450B	AEROQUIP CORPORATION AEROQUIP CORPORATION				59811	6001-2501	BEO/D-3771	92-10-21	N	IRB029
			KAHCWHA	CRYSTAL BLUE	57340	C-935-A	B&CE/BEPE - SA4D284C-946	89-03-03	N	IRB029
			7DLAXXA	RED-ORANGE	57341	C-935-A	B&CE/BEPE - SA4D284C-947	89-03-03	N	IRB029
			7FQEWHA	ROSE QUARTZ	57342	C-935-A	B&CE/BEPE - SA4D284C-948	89-03-03	N	IRB029
S7881	AEROQUIP CORPORATION									
			7DQAXXA	BURGUNDY	57343	C-935-A	B&CE/BEPE - SA4D284C-949	89-03-03	N	IRB029
T031A	TEKNOR APEX CO			BLACK	57345	APEX 79-B427D	BEPE/SA4D284C-031	83-07-22	N	IRB029
V771A	VICHEM VINYL COMPOUNDS		JASA	BLACK	59287	VNF-80-301-7261, M-1724	BODY/D-3538	92-04-28	N	IRB029
E860A	VISTA POLYMERS INC			BLACK	57344	48562	B&CE/BEPE-SA4D284C-1027	85-03-29	N	IRB029
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
G550A	BF GOODRICH COMPANY				63503	GEON 83700 CHARCOAL	B&CE/SA4D284C-1002	84-10-22	N	IRB029
					63504	GEON 83700 BLACK 28500	BEPE	80-10-01	N	IRB029
C551B	ATREX INC		DANABL	MOCHA FROST	63209	PVC 313-T-94-35D	BODY/EM9200 2/D-3637	92-07-07	N	IRB029
			ZJMABL	SILVER	63210	PVC 224-A-94-35D	BODY/EM9200 2/D-3636	92-07-07	N	IRB029
			MDYABL	MD AQUAMARINE	63211	PVC 324-BL-93-35D	BODY/EM9200 2/D-3635	92-07-07	N	IRB029
			JASAXXG	BLACK	63213	1-B-72-96 PVC	BEO/EP92001	92-04-07	N	IRB029
	MOLDED IN COLOR AND MEET DESIGN APPEARANCE									
	MOLDED IN COLOR AND PAINTED BY CCI TO MEET DESIGN APPEARANCE		4WFAXXG	OXFORD WHITE	63214	1-B-72-96 PVC 58-W-35D	BEO/EP92001 /D3496	92-04-07	N	IRB029
	MOLDED IN COLOR AND PAINTED BY CCI TO MEET DESIGN APPEARANCE		8B9AXXG	TWILIGHT BLUE	63215	1-B-72-96 PVC 258-BL-35D	BEO/EP92001 /D3495	92-04-07	N	IRB029
	MOLDED IN COLOR AND PAINTED BY CCI TO MEET DESIGN APPEARANCE		ERZAXXG	DARK CRANBERRY	63216	1-B-72-96 PVC 46-M-35D	BEO/EP92001 /D3494	92-04-07	N	IRB029
			JASA	BLACK	63510	1B-72-96-SA	B&CE/BML246-72	72-11-28	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
E291A	EPTON INDUSTRIES INC		JASA	BLACK	63511	1BG 304	B&CE/BEPE/S A4D284-923	79-12-16	N	IRB029
F631A	GENCORP AUTOMOTIVE		JASA	BLACK	63505	20123	B&CE/BML436 -68	69-05-01	N	IRB029
G373F	GDX AUTOMOTIVE MATERIAL MEETS FOGGING REQUIREMENTS. FOG NO.70 MINIMUM (FLTM BO 116-03)				63212	20,123-1	BODY/EP9202 9/D-3631	92-07-10	N	IRB029
L290A	LEON PLASTICS INC		7BRA	DEEP SHADOW BLUE	63368	90-OE1-37496-A	B&CE/BEPE/S M4D284C-705	86-07-30	N	IRB029
			7GPA	PRAIRIE MIST	63374	90-OE1-37529A	B&CE/BEPE/S M4D284C-707	86-10-02	N	IRB029
			7DSA	MIDNIGHT CABERNET	63380	90-OE1-37489A	B&CE/SM4D28 4C-701	86-05-28	N	IRB029
			7JPA	AMETHYST	63381	90-OE1-37462A	B&CE/SM4D28 4C-703	86-05-28	N	IRB029
			6FRA	DK TAUPE	63382	90-OE1-37460A	B&CE/SM4D28 4C-704	86-05-28	N	IRB029
			7ZLA	LT SANDLEWOOD	63383	90-OE1-37466A	B&CE/SM4D28 4C-702	86-05-28	N	IRB029
			6FSABBAX	DK TAUPE	63471	90-OE1-37266A	B&CE/SM4D28 4C-603	85-05-13	N	IRB029
			6KNABBAX	AGEAN	63472	90-OE1-37270A	B&CE/SM4D28 4C-603	85-05-13	N	IRB029
			6PKABBAX	SMOKE	63474	90-OE1-37262B	B&CE/SM4D28 4C-603	85-05-13	N	IRB029
			6PRABBAX	GRAPHITE	63475	90-OE1-37271B	B&CE/SM4D28 4C-603	85-05-13	N	IRB029
			6TRABBAX	DEEP SANDLEWOOD	63476	90-OE1-37279A	B&CE/SM4D28 4C-603	85-05-13	N	IRB029
			4GNABBAX	MED SAGE	63477	90-OE1-36290A	B&CE/SM4D28 4C-510	84-07-07	N	IRB029
			4GHCLLAX	MED SAGE MET	63478	90-OE1-36115B	BEPE/SM4D28 4C-403	83-05-13	N	IRB029
			4ULALLAX	LT DESERT TAN	63479	90-OE1-36051A	BEPE/SM4D28 4C-401	83-01-24	N	IRB029
			3P4CLLAX	MED CHARCOAL MET	63480	90-OE1-35258A	SM4D284C- 318	82-06-11	N	IRB029
			3L3CLLAX	FR VANILLA MET	63481	90-OE1-35239B	SM4D284C- 317	82-06-11	N	IRB029
			6PPA	DK SMOKE	63482	90-OE1-37377A	B&CE/SM4D28 4C-611	85-10-21	N	IRB029
			6BQA	DEEP SHADOW BL	63483	90-OE1-37347A	B&CE/SM4D28 4C-610	85-08-01	N	IRB029
			6FHA	LT TAUPE	63484	90-OE1-37315A	B&CE/SM4D28 4C-609	85-07-23	N	IRB029
			6TLA	MED SAND	63485	90-OE1-37325	B&CE/SM4D28 4C-608	85-07-23	N	IRB029
			5TGA	LT SAND BEIGE	63486	90-OE1-37277A	B&CE/SM4D28 4C-602	85-07-23	N	IRB029
			6BSA	DEEP SHADOW BL	63487	90-OE1-37269A	B&CE/SM4D28	85-07-23	N	IRB029
			5BHC	PASTEL REGATTA BL	63488	90-OE1-37089E	B&CE/SM4D28 4C-523	84-10-03	N	IRB029
			4YUA	LT WHEAT	63489	90-OE1-37023B	B&CE/SM4D28 4C-527	84-10-22	N	IRB029
			4YUABB	LT WHEAT	63490	90-OE1-37023B	B&CE/SM4D28 4C-527	84-10-19	N	IRB029
			3SHCAX	PASTEL CADET BL	63491	90-OE1-35272B	BEPE/SM4D28 4C-331	83-11-04	N	IRB029
			4DPCAX	MED CANYON RED	63492	90-OE1-36222A	BEPE/SM4D28 4C-413	83-09-16	N	IRB029
			4YLC	MED WHEAT MET	63493	90-OE1-36171B	BEPE/SM4D28 4C-411	83-08-17	N	IRB029
			3DPELL	MED RED MET	63494	AX-90-OE1- 36121B	BEPE/SM4D28 4C-404	83-02-01	N	IRB029
			3SSLLAX	DK CADET BL MET	63495	90-OE1-35278A	SM4D284C- 319	82-07-02	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
L290A	LEON PLASTICS INC		WLGALL	FR VANILLA	63496	90-OE1-35151A	SM4D284C-311	82-05-11	N	IRB029
			3KQCLL	DK TEAL	63497	90-OE1-35223B	SM4D284C-307	82-05-11	N	IRB029
			VDVALL	MED RED	63498	90-OE1-34039A	SM4D284C-312	82-05-11	N	IRB029
			3ZRCLL	DK WALNUT MET	63499	90-OE1-35201C	SM4D284C-305	82-04-23	N	IRB029
			3ZQCLL	WALNUT MET	63500	90-OE1-35208C	SM4D284C-303	82-04-23	N	IRB029
			WK5CLL	DK TEAL MET	63501	90-OE1-35214B	SM4D284C-306	82-04-23	N	IRB029
			WK4CLL	LT TEAL MET	63502	90-OE1-35209A	SM4D284C-302	82-04-23	N	IRB029
P919A	ASC EXTERIOR TECHNOLOGIES			CLEAR	63469	11049	SA4D284C-064	82-07-22	N	IRB029
F503A	PTI				63388	M-11089 BLACK	B&CE/BEPE AS 8-16	88-06-06	N	IRB029
			RETA	BITTERSWEET	63468	M-11046	B&CE/SAM4D284C-1010	84-12-10	N	IRB029
S093C	A SCHULMAN INC		3ZSAAXG	WALNUT	63462	POLYVIN 8423-4239D	SM4D284C-326	82-08-31	N	IRB029
			3SSAAXG	DK BL SMOOTH	63463	POLYVIN 8423-6149A	SM4D284C-324	82-07-06	N	IRB029
			3PNAAXG	MED CHARCOAL	63464	POLYVIN 8423-2101A	SM4D284C-321	82-07-06	N	IRB029
			3DNCLL	DK RED MET	63465	POLYVIN 8423-5151C	SM4D284C-320	82-07-06	N	IRB029
			3SNCLL	DK CADET BL	63466	POLYVIN 8423-6153B	SM4D284C-323	82-07-06	N	IRB029
P013A	STANDARD PRODUCTS CANADA LTD			WHITE	63467	GEON 6628	SAM4D284C-042	82-07-27	N	IRB029
S668J	STANDARD PRODUCTS CO		4DRAAXA	MIDNIGHT RED	63445	2A23F2	BEPE/SA4D284C-088	83-08-03	N	IRB029
			4WFAAXA	WHITE	63446	2A23F1	BEPE/SA4D284C-088	83-08-03	N	IRB029
			3P4CAXA	GRAY MET	63447	2B02F1	BEPE/SA4D284C-088	83-08-03	N	IRB029
			4GNCAXA	SAGE MET	63448	2A23F3	BEPE/SA4D284C-088	83-08-03	N	IRB029
			3ZQCAXA	WALNUT MET	63449	2C01E1	BEPE/SA4D284C-088	83-08-03	N	IRB029
			4YLCAXA	WHEAT MET	63450	2C24F1	BEPE/SA4D284C-088	83-08-03	N	IRB029
			3ZSABBG	DK WALNUT	63451	2J11E1	BEPE/BH50T-997	83-08-02	N	IRB029
			3S4ABBG	DK BLUE	63452	2J01E1	BEPE/BH50T-997	83-08-02	N	IRB029
			3PNABBG	CHARCOAL GRAY	63453	2H09E1	BEPE/BH50T-997	83-08-02	N	IRB029
			MB5CAXA	DK BLUE MET	63454	2E26D2	BEPE/BH50T-997	83-08-02	N	IRB029
				CLEAR	63455	PDX-10-247-1	BEPE/SA4D284C-704	83-01-24	N	IRB029
S671A	STANDARD PRODUCTS CO		UAWAAXA	EBONY BLACK	63250	1J20L1A	B&CE-BODY/SM4D284C-25/D-2403	90-02-09	N	IRB029
			UAWAAXA	EBONY BLACK	63251	1J20L1	B&CE-BODY/SM4D284C-26/D-2404	90-02-09	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
S671A	STANDARD PRODUCTS CO		YFPCAXG	CHARCOAL ARGENT MET	63252	4K17L1	B&CE- BODY/SM4D28 4C-27/D- 2402	90-02-09	N	IRB029
			ERNCAAXA	LT CRANBERRY MET	63253	1K18L1	B&CE- BODY/SM4D28 4C-23/D- 2397	90-01-26	N	IRB029
	USE ONLY WITH CLEAR TOPCOAT SPRAY		ERNCAAXA	LT CRANBERRY MET	63254	1K18L1A	B&CE- BODY/SM4D28 4C-24/D- 2398	90-01-26	N	IRB029
			ERZEAXA	DK CRANBERRY MET	63255	1J12L1A	B&CE- BODY/SM4D28 4C-20/D- 2399	90-01-25	N	IRB029
			DANEAXA	MOCHA FRST MET	63258	1I29L1	B&CE- BODY/SM4D28 4C-12/D- 2384	90-01-08	N	IRB029
	USE ONLY WITH CLEAR TOPCOAT SPRAY		DANEAXA	MOCHA FRST MET	63259	1I29L1A	B&CE- BODY/SM4D28 4C-13/D- 2385	90-01-08	N	IRB029
			KNWEAXA	MED AMETHYST FRST MET	63260	1I12L1A	B&CE- BODY/SM4D28 4C-14/D- 2386	90-01-08	N	IRB029
			KNWEAXA	MED AMETHYST FRST MET	63261	1I12L1	B&CE- BODY/SM4D28 4C-15/D- 2387	90-01-08	N	IRB029
			YAWCAXA	MED TITANIUM MET	63262	4H1811A	B&CE- BODY/SM4D28 4C-16/D- 2388	90-01-08	N	IRB029
			DATCAXA	MED MOCHA MET	63263	1J05L1A	B&CE- BODY/SM4D28 4C-17/D- 2389	90-01-08	N	IRB029
			DATCAXA	MED MOCHA MET	63264	1J05L1	B&CE- BODY/SM4D28 4C-18/D- 2390	90-01-08	N	IRB029
			ERZEAXA	DK CRANBERRY MET	63265	1J12L1	B&CE- BODY/SM4D28 4C-19/D- 2391	90-01-08	N	IRB029
			ERYCAXA	MED CRANBERRY MET	63266	1J12L2	B&CE- BODY/SM4D28 4C-21/D- 2392	90-01-08	N	IRB029
				MET			BODY/SM4D28 4C-22/D- 2393			
			AEHAAXA	RACE YELLOW	63268	2H04L1	B&CE- BODY/SM4D28 4C-3/D-2348	89-10-24	N	IRB029
			PAWEAXA	DEEP JEWEL GREEN MET	63269	2G24L1	B&CE- BODY/SM4D28 4C-2/D-2347	89-10-24	N	IRB029
			EBQAAXA	RED STRIPE INSERT	63270	4G20L1	B&CE- BODY/SM4D28 4C-1/D-2345	89-10-24	N	IRB029
			ABJAAXG	PASTEL SANDALWOOD	63271	4F16L1	B&CE- BODY/SM4D28 4C-999/D- 2346	89-10-24	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
S671A	STANDARD PRODUCTS CO		METEAXA	ULTRA BLUE MET	63273	4F12L1	B&CE- BODY/SM4D28 4C-989/D- 2328	89-10-16	N	IRB029
			EGRAAXA	VERMILLION	63274	1F02L3	B&CE- BODY/SM4D28 4C-990/D- 2329	89-10-16	N	IRB029
			JASAAXA	BLACK	63275	1F02L2	B&CE- BODY/SM4D28 4C-991/D- 2330	89-10-16	N	IRB029
			4WFAAXA	OXFORD WHITE	63276	1F02L1	B&CE- BODY/SM4D28 4C-992/D- 2331	89-10-16	N	IRB029
			7DTEAXA	WILD STRAWBERRY MET	63277	4F08L1	B&CE- BODY/SM4D28 4C-993/D- 2332	89-10-16	N	IRB029
			8B9EAXA	TWILIGHT BLUE MET	63278	4F13L1	B&CE- BODY/SM4D28 4C-994/D- 2333	89-10-16	N	IRB029
			MAJEAXA	LT CRYSTAL BLUE	63279	4F26L1	B&CE- BODY/SM4D28 4C-995/D- 2334	89-10-16	N	IRB029
			7P9CAXG	DK TITANIUM MET	63280	4D20L1	B&CE- BODY/SM4D28 4C-996/D- 2335	89-10-16	N	IRB029
			YKJCAXG	BRIGHT SILVER MET	63281	1F22L1	B&CE- BODY/SM4D28 4C-997/D- 2336	89-10-16	N	IRB029
			YAHEAXA	LT TITANIUM MET	63282	4F12L3	B&CE- BODY/SM4D28 4C-998/D- 2337	89-10-16	N	IRB029
			YAHAXA	LT. TITANIUM	63283	1I10J2	B&CE/BEPE/S M4D284C-926	89-07-31	N	IRB029
			8PPAAXA	MED. DARK TITANIUM	63284	2C27J1	B&CE/BEPE/S M4D284C-836	89-07-31	N	IRB029
			7DNAAXA	MEDIUM RED	63285	2E02L1	B&CE/BEPE/S M4D284C-975	89-07-31	N	IRB029
			3P7CAXA	SILVER METALLIC	63286	1D12L1	B&CE/BEPE- SM4D284C- 973	89-07-13	N	IRB029
			3P7CAXA	SILVER METALLIC	63287	2D12L1	B&CE/BEPE- SM4D284C- 974	89-07-13	N	IRB029
				ALABASTER			SM4D284C- 962			
			AHFAAXA	PASTEL ALABASTER	63289	1L06K1	B&CE/BEPE SM4D284C- 964	89-06-19	N	IRB029
			AHFAAXA	PASTEL ALABASTER	63290	2L06K1	B&CE/BEPE SM4D284C- 963	89-06-19	N	IRB029
			YUKEAXA	TITANIUM FRST MET.	63291	1A31L1A	B&CE/BEPE SM4D284C- 965	89-06-19	N	IRB029
	APPROVAL BASED ON 1600H WEATHEROMETER PENDING FLORIDA EXPOSURE APPROVAL BASED ON 1600H WEATHEROMETER PENDING FLORIDA EXPOSURE APPROVAL BASED ON 1600H WEATHEROMETER PENDING FLORIDA EXPOSURE, USE ONLY WITH CLEAR TOPCOAT SPRAY									

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
S671A	STANDARD PRODUCTS CO APPROVAL BASED ON 1600H WEATHEROMETER PENDING FLORIDA EXPOSURE APPROVAL BASED ON 1600H WEATHEROMETER PENDING FLORIDA EXPOSURE		YUKEAXA	TITANIUM FRST MET.	63292	1A31L1	B&CE/BEPE SM4D284C- 966	89-06-19	N	IRB029
			ALJEAXA	SANDALWOOD FRST MET.	63293	1A31L3	B&CE/BEPE SM4D284C- 971	89-06-19	N	IRB029
			ALJEAXA	SANDALWOOD FRST MET.	63294	1A31L3A	B&CE/BEPE SM4D284C- 970	89-06-19	N	IRB029
	APPROVAL BASED ON 1600H WEATHEROMETER PENDING FLORIDA EXPOSURE, USE ONLY WITH CLEAR TOPCOAT SPRAY APPROVAL BASED ON 1600H WEATHEROMETER PENDING FLORIDA EXPOSURE		MAKEAXA	CRYSTAL BLU FRST MET.	63295	1A31L2A	B&CE/BEPE SM4D284C- 967	89-06-19	N	IRB029
			MAKEAXA	CRYSTAL BLU FRST MET.	63296	1A31L2	B&CE/BEPE SM4D284C- 968	89-06-19	N	IRB029
			EAZEAXA	ELCTRC CURRANT RED ME	63297	2B14L1	B&CE/BEPE SM4D284C- 972	89-06-19	N	IRB029
			5BJCAXA	MED. REGATTA BLU MET.	63298	2D06J1	B&CE/BEPE SM4D284C- 838	89-06-19	N	IRB029
			5BJCAXA	MED. REGATTA BLU MET.	63299	1D15J1	B&CE/BEPE SM4D284C- 827	89-06-19	N	IRB029
			AAHAAXA	PASTEL ADOBE	63300	2I03H1	B&CE/BEPE SM4D284C- 929	89-06-19	N	IRB029
			AAHAAXA	PASTEL ADOBE	63301	1I03H1	B&CE/BEPE SM4D284C- 929	89-06-19	N	IRB029
			EGRAAXA	VERMILLION	63302	1I16J1	B&CE/BEPE SM4D284C- B&CE/BEPE SM4D284C- 927	89-06-19	N	IRB029
			YAHEAXA	LT. TITANIUM MET	63303	2I110J1	B&CE/BEPE SM4D284C- 928	89-06-19	N	IRB029
			YAHEAXA	LT. TITANIUM MET	63304	1I110J1	B&CE/BEPE SM4D284C- 831	89-04-28	N	IRB029
			8ZLEAXA	MED. SANDALWOOD MET.	63307		B&CE/BEPE SM4D284C- 833	89-04-28	N	IRB029
			8PPCAXG	DK. TITANIUM MET.	63308	1H07J1	B&CE/BEPE SM4D284C- 836	89-04-28	N	IRB029
			JASAAXA	BLACK	63309	2E01J1	B&CE/BEPE SM4D284C- 832	89-04-28	N	IRB029
			7PPAAXA	DK. TITANIUM	63310	1L16I1	B&CE/BEPE SM4D284C- 830	89-04-28	N	IRB029
			8FPEAXA	CINNABAR MET.	63311	2I1511A	B&CE/BEPE SM4D284C- 826	89-04-28	N	IRB029
			7D9EAXA	MIDNGT. CABERNET MET.	63312	2D19I3	B&CE/BEPE SM4D284C- 822	89-04-28	N	IRB029
			8ZLAAXA	MED. SANDALWOOD	63313	2C03J1	B&CE/BEPE SM4D284C- 821	89-04-28	N	IRB029
			8FPAAXA	CINNABAR	63314	1L18I1				

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
S671A	STANDARD PRODUCTS CO		CCTAAXA	MED. WOODROSE	63315	1H01K2	B&CE/BEPE- SM4D284C- 957	89-04-18	N	IRB029
			EAQAAXA	MED. CURRANT RED	63316	1H01K2	B&CE/BEPE- SM4D284C- 956	89-04-18	N	IRB029
			KAHAAXA	CRYSTAL BLUE	63332	1C01K2	SM4D284C- 911	88-10-11	N	IRB029
			EATEAXA	BRT. CURRANT RED MET.	63333	1L10J1	SM4D284C- 919	88-10-11	N	IRB029
			8B9AAXA	TWILIGHT BLUE	63334	1C01K3	SM4D284C- 918	88-10-11	N	IRB029
			8B9EAXA	TWILIGHT BLUE MET.	63335	2B08K1	SM4D284C- 917	88-10-11	N	IRB029
			ACNAAXA	LT. TITANIUM	63336	1C01K1	SM4D284C- 916	88-10-11	N	IRB029
			AE8AAXA	MIDN. CURRANT RED	63337	1C01K5	SM4D284C- 915	88-10-11	N	IRB029
			EA8EAXA	MIDN. CURRANT RED MET	63338	1L14J1	SM4D284C- 914	88-10-11	N	IRB029
			EATAAXA	MED. CURRANT RED	63339	1C01K4	SM4D284C- 913	88-10-11	N	IRB029
			ACNEAXA	TITANIUM METALLIC	63340	1E10K1	SM4D284C- 912	88-10-11	N	IRB029
	TO BE USED WITH CLEAR TOP COAT ONLY		KAHCAXA	CRYSTAL BLUE METALLIC	63341	2I01H1	SM4D284C- 925	88-10-11	N	IRB029
			EATEAXA	BRT. CURRANT RED MET.	63342	1L10J1A	SM4D284C- 924	88-10-11	N	IRB029
			EA8EAXA	MIDN. CURRANT RED MET.	63343	1L14J1A	SM4D284C- 923	88-10-11	N	IRB029
			8B9EAXA	TWILIGHT BLUE MET.	63344	2B08K1A	SM4D284C- 922	88-10-11	N	IRB029
			8ZFAXA	LT. SANDALWOOD	63345	1K13J1	SM4D284C- 921	88-10-11	N	IRB029
			7P9EAXA	DK. TITANIUM METALLIC	63346	2B12K1	SM4D284C- 920	88-10-11	N	IRB029
			6PCAAXG	SMOKE	63347	2C04H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			5BNAAXA	MED REGATTA BL	63348	2D10H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			7BNCAAXA	MED SHADOW BL MET	63349	1K18H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			7DLAAXA	BRIGHT RED	63350	2D04H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			6PNCAXG	MED TITANIUM MET	63351	2H20H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			6FRAAXA	DEEP TAUPE	63352	2K14H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			CDJAAXA	RED	63353	2D16H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			6FRCAXA	DEEP TAUPE MET	63354	2J31H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
				MET			B&CE/SA4D28 4C-1082			
			6PNCAXA	MED TITANIUM MET	63356	2J28H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			6KQCAXA	DK AEGEAN MET	63357	2H13H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			6PJEAXA	CRYSTAL MET	63358	2J16H1A	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			7FQEAXA	ROSE QUARTZ MET	63359	1J31H2	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			7DQAAXA	MED CABERNET	63360	2B06I1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			7GPAAXA	PRAIRIE MIST	63361	2B06I3	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029
			7DVAAXA	MED SCARLET	63362	2K11H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7A

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESB-M4D284-C4	POLYVINYL CHLORIDE, EXTRUSION AND MOLDING GRADE - EXTERIOR - SOIL RESISTANT, (FORMERLY TYPE IV), RECYCLING SYMBOL: >PVC< (SHOWN ON ESB-M4D284-C1) DATED: 85-11-14									
S671A	STANDARD PRODUCTS CO									
		7GPCAXA	PRAIRIE MIST MET	63363	2K26H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029	
		6PNAAXA	MED TITANIUM	63364	2D16I2	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029	
		7ZLAAXA	LT SANDLEWOOD	63365	2K14H2	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029	
		7DSAAXA	MIDNIGHT CABERNET	63366	2K15H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029	
		7BRAAXA	DEEP SHADOW BLUE	63367	2B06I2	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029	
	TO BE USED ONLY WITH CLEAR VINYL PROTECTIVE COATING MS1998-2		OXFORD WHITE	63379	MS2687 EXTRUSION GRADE	B&CE/BEPE- KS	88-07-01	N	IRB029	
		4G4A	BLACK	63387	2B22K1	B&CE/BEPE- SM4D284C- 910	88-09-21	N	IRB029	
		7DREAXA	DK CABERNET MET	63390	1J16H1	B&CE/SA4D28 4C-1082	86-12-08	N	IRB029	
		6FHCAXA	LT TAUPE MET	63396	2E21H1	B&CE/BEPE/S A4D284C- 1045	86-02-13	N	IRB029	
		6KHCAXA	LT AGEAN MET	63397	2F05H1	B&CE/BEPE/S A4D284C- 1045	86-02-13	N	IRB029	
		6BSCAXA	DEEP SHADOW BL MET	63398	2F06H1	B&CE/BEPE/S A4D284C- 1045	86-02-13	N	IRB029	
		5DLA	JALAPENA RED	63429	CP-426	B&CE/SA4D28 4C-1042	85-10-21	N	IRB029	
		5BNC	MED REGATTA BL MET	63430	2L19G1	B&CE/SA4D28 4C-1042	85-10-21	N	IRB029	
		5BHA	PSTL REGATTA BL	63431	2C02H1	B&CE/SA4D28 4C-1042	85-10-21	N	IRB029	
		6PKA	SMOKE	63432	2C01H1	B&CE/SA4D28 4C-1042	85-10-21	N	IRB029	
		6NPA	BROWNWOOD	63433	2C26H2	B&CE/SA4D28 4C-1042	85-10-21	N	IRB029	
		5BRABNG	DK BLUE	63434	CP-360	B&CE/SA4D28 4C-1009	84-12-12	N	IRB029	
		5FQAAXA	DK ROSEWOOD	63435	2D19G3	B&CE/SA4D28 4C-1009	84-12-12	N	IRB029	
		5PNAAXG	LT GRAY	63436	2K30F2	B&CE/SA4D28 4C-1009	84-12-12	N	IRB029	
		STKABNG	SAND BEIGE	63437	CP-362	B&CE/SA4D28 4C-1009	84-12-12	N	IRB029	
		RETAAXA	BITTERSWEET	63438	2L13F1	B&CE/SA4D28 4C-1009	84-12-12	N	IRB029	
		4PJAXX	LT GRAY	63439		BEPE/BH50T- 1005	84-02-24	N	IRB029	
		3SVAAX	LT CADET BLUE	63440		BEPE/BH50T- 1005	84-02-24	N	IRB029	
		4ULABN	LT DESERT TAN	63442		BEPE/BH50T- 1005	84-02-24	N	IRB029	
			CANYON RED MET	63443	2F01F1	BEPE/BH50T- 1005	84-02-24	N	IRB029	
		4GGCLL	LT SAGE MET	63444		BEPE/BH50T- 1005	84-02-24	N	IRB029	
			PASTEL FR VANILLA	63456	2E26D3	SM4D284C- 209	81-10-30	N	IRB029	
			GRAY SUEDE GRAIN	63457	2D30D1	SM4D284C- 211	81-10-30	N	IRB029	
			DK TEAL MET SM	63458	2E16D6	SM4D284C- 207	81-10-30	N	IRB029	
			DK RED MET SM	63459	2E16D3	SM4D284C- 208	81-10-30	N	IRB029	

Materials Engineering Testing & Standards

2002-01-02