

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D751-A	POLYETHYLENE (PE) FOAM, CHEMICALLY CROSSLINKED CLOSED CELL, 50 KG/M3, RECYCLING SYMBOL: >PE< DATED: 90-09-03									
F896A	ALVEO AG				55917	ALVEOLIT TA 2012	TO- K/G9183/BQ3 071	90-02-13	N	IRB029
A WSK-M4D752-A	POLYAMIDE (PA) 66, HEAT STABILIZED COOLING AGENT RESISTANT, 30% GLASS FIBER REINFORCED, MOLDING COMPOUND, RECYCLING SYMBOL: >PA66-GF30< DATED: 90-04-02									
B039A	BASF AKTIENGESELLSCHAFT				55936	ULTRAMID A3WG6 BLACK Q75 20560	TO- K/S9081/BQ3 057	90-02-19	N	IRB029
					56043	ULTRAMID A3WG6 BLACK Q71 564	TO- K/S9081/BQ3 057	90-02-19	N	IRB029
B039B	BASF AKTIENGESELLSCHAFT				73347	ULTRAMID A3HG6 HR-BLACK 23591	/LRODIGAS	01-05-11	N	IRB029
K2LRA	BASF CORP				61404	ULTRAMID A3WG6BLACK Q75 20560	TO- K/G931001/D 4792	93-09-23	N	IRB029
					61405	ULTRAMID A3WG6 BLACK Q71 564	TO- K/G931001/D 4793	93-09-23	N	IRB029
B242B	BAYER AG				55983	DURETHAN AKV30H1.0 9000/0 NATURAL	TO-KS 9081/BQ3124	90-03-13	N	IRB029
					56045	DURETHAN AKV30H2.0 9005/0 BLACK	TO- K/S9081/BQ3 124	90-02-19	N	IRB029
D876A	EI DUPONT DE NEMOURS & CO INC				73079	DURETHAN AKV 30 H2.0 HR	FOE/LRODIGA S	00-08-01	N	IRB029
					63125	ZYTEL FE 5407 BK-083J	ACD/D5755	95-01-06	N	IRB029
					63628	ZYTEL FE 5407 BK-083F	ACD/D5756	95-01-06	N	IRB029
					73003	ZYTEL FE5512 BK083J	ELD/LRUMAO	00-06-12	N	IRB029
A8NAC	DUPONT CANADA INC				73424	ZYTEL EFE7276 BK398	AVT/AREAUME	01-06-29	N	IRB029
Q653A	DUPONT DE NEMOURS INTERNATIONAL SA				55986	ZYTEL 70G30 HSL A BK-99	TO-KS 9081/BQ3127	90-03-13	N	IRB029
				BLACK	55987	ZYTEL EFE 7185 BK-99	TO- KS/9081/BQ3 127	90-03-13	N	IRB029
					56046	ZYTEL 70G30 HSL R NC-10 NATURAL	TO- K/S9081/BQ3 127	90-02-19	N	IRB029
					56047	ZYTEL 70G30 BLACK	TO- 127	90-02-19	N	IRB029
					56320	ZYTEL A175S NC-10	TO- K/S0065/D25 94	90-07-19	N	IRB029
					56321	ZYTEL A175S BK-377	TO- K/S0065/D25 95	90-07-19	N	IRB029
					62795	ZYTEL 70G30 HS R2 BK-309	TO- K/G4125/D56 48	94-11-07	N	IRB029
R6DVA	MICHAEL DAY ENTERPRISES INC Approved for Visteon CCSD Applications				72694	N66G30HRL BK	VISTEON.LRU MAO	99-11-16	C2	156562
M583A	BAYER CORP									

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 2

SPECIFICATION NO.		SPECIFICATION TITLE			LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
GSDB CODE	SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME						
A WSK-M4D752-A	POLYAMIDE (PA) 66, HEAT STABILIZED COOLING AGENT RESISTANT, 30% GLASS FIBER REINFORCED, MOLDING COMPOUND, RECYCLING SYMBOL: >PA66-GF30< DATED: 90-04-02									
M583A	BAYER CORP				55984	DURETHAN AKV30H1.0 9000/0 NATURAL	TO-KS 9081/BQ3125	90-03-13	N	IRB029
					56044	DURETHAN AKV30H2.0 9005/0 BLACK	TO-K/S9081/BQ3 125	90-02-19	N	IRB029
Q878C	SOLUTIA EUROPE SA/NV				60163	VYDYNE R-530HE-01 BLACK	TO-K/G3015/D39 48	93-02-26	N	IRB029
M736A	SOLUTIA INC.				61512	VYDYNE R-530H-02	CCD/SUPPLIE R DATA/D4867	93-10-25	N	IRB029
S9MAA	RHODIA BRASIL LTDA				69231	TECHNYL A218V30 NATURAL	FOE/KGERHAR D/AVTKG7013	97-01-22	N	IRB029
					69232	TECHNYL A 218 V30 BLACK 34 NG	FOE/KGERHAR D/AVTKG7014	97-01-22	N	IRB029
G998A	A SCHULMAN GMBH				58913	SCHULAMID 66GF30HR BLACK 96.8001	TO-K/SBQ4472/D -3303	91-11-26	N	IRB029
					58914	SCHULAMID 66GF30HR NATURAL	TO-K/SBQ4472/D -3304	91-11-26	N	IRB029
	Approved for use with OAT coolant.			Black	72562	SCHULAMID 66GF30HR-31 BLACK	AVT/AREAUME	99-09-15	N	IRB029
	Approved for use with Hybrid OAT Coolant			31 Black	72605	SCHULAMID 66GF30HR	AVT/AREAUME	99-10-13	N	IRB029
T196A	RHODIA ENGINEERING PLASTICS				55985	TECHNYL A218 V30 BLACK 34N	TO-KS 9081/BQ3126	90-03-13	N	IRB029
					58388	SNIAMID SSD300 KNF BLACK 02	TO-K/S0124/D-3029	91-05-28	N	IRB029
					60025	TECHNYL A218 V30 BLACK NG	TO-K/G3004/D38 79	93-01-28	N	IRB029
A WSK-M4D753-A	POLYBUTYLENE TEREPHTHALATE (PBT), MODIFIED, 20% GLASS FIBER REINFORCED MOLDING COMPOUND, EXTERIOR, RECYCLING SYMBOL: >PBT-GF20< DATED: 92-06-01									
B039A	BASF AKTIENGESELLSCHAFT				62759	ULTRADUR KR 4040G4, 35309 GREY	TO-K/J4120/D56 33	94-10-27	N	IRB029
	ONLY					KR4040 G4, 15029	K/J5019/D58 38			
	EXCEPTION: PARA 3.7 FLORIDA EXPOSURE PENDING				65828	ULTRADUR KR4040 G4, BLACK 15072 Q29	AVT/KJ5077/ D6131	95-07-25	N	IRB029
K2LRA	BASF CORP				63720	ULTRADUR KR 4040G4, 35309 GREY	TO-K/J530303/D 5878	94-10-27	N	IRB029
B242B	BAYER AG				60761	POCAN T7323, 07/681	TO-K/K8136	93-05-10	N	IRB029
		XSC1823		MID GREY						
		FA		BLACK	55937	POCAN T7323, 19/026	TO-K/K8136/BQ3 082	90-02-19	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D753-A	POLYBUTYLENE TEREPHTHALATE (PBT), MODIFIED, 20% GLASS FIBER REINFORCED MOLDING COMPOUND, EXTERIOR, RECYCLING SYMBOL: >PBT-GF20< DATED: 92-06-01									
L9XGA	GE PLASTICS JAPAN		YYW	BLACK	60580	VALOX VX8022, 7064	TO- K/K8136/D43 21	93-04-13	N	IRB029
G225A	GENERAL ELECTRIC CO		YYW	BLACK	60579	VALOX VX8022, 7064	TO- K/K8136/D43 20	93-04-13	N	IRB029
G232A	GENERAL ELECTRIC CO		YYW	BLACK	60578	VALOX VX8022, 7064	TO- K/K8136/D43 19	93-04-13	N	IRB029
A WSK-M4D753-A2	POLYBUTYLENE TEREPHTHALATE (PBT), MODIFIED, 20 % GLASS FIBER MOLDING COMPOUND, PAINTABLE, RECYCLING SYMBOL: >PBT< DATED: 93-12-01									
B039A	BASF AKTIENGESELLSCHAFT				59365	ULTRADUR 4300 G4, BLACK	TO- K/K2064/D- 3606	92-06-16	N	IRB029
	EXCEPTIONS: PARA 3.4.1 MELT FLOW RATE 15-30 G/10 MINUTES				61945	ULTRADUR B4300G4 BLACK	TO- K/J3144/D50 80	93-12-20	N	IRB029
	EXCEPTIONS: PARA 3.5.6.2 IZOD IMPACT AT -40 C - 4.0 KJ/M2 MINIMUM				61946	ULTRADUR B 4300 G4 Q22 15029 BLACK	TO- K/J3143/D50 81	93-12-20	N	IRB029
K2LRA	BASF CORP EXCEPTIONS: PARA 3.4.1 MELT FLOW RATE 15-30 G/10 MINUTES, PARA 3.5.6.2 IZOD IMPACT AT -40 C - 5.0 KJ/M2 MINIMUM				61947	ULTRADUR B 4300 G4 BLACK	TO- K/J3145/D50 82	93-12-20	N	IRB029
	EXCEPTIONS: PARA 3.4.1 MELT FLOW RATE 15-30 G/10 MINUTES				63721	ULTRADUR B4300G4 BLACK 15029 Q22	TO- K/J950303/D 5879	93-12-20	N	IRB029
B242B	BAYER AG	FA		BLACK	60768	POCAN T7323, 19/026	TO- K/J930510/D4 437	93-03-31	N	IRB029
L9XGA	GE PLASTICS JAPAN			BLACK	61362	VALOX VX4022, 7001	TO- K/K3031/D43 28	93-04-13	N	IRB029
G225A	GENERAL ELECTRIC CO			BLACK	61361	VALOX VX4022, 7001	TO- K/K3031/D43 27	93-04-13	N	IRB029
G232A	GENERAL ELECTRIC CO				59366	VALOX 4022, BLACK	TO- K/K2064/D- 3607	92-06-16	N	IRB029
				BLACK	61360	VALOX VX4022, 7001	TO- K/K3031/D43	93-04-13	N	IRB029
A WSK-M4D754-A	POLYAMIDE (PA) 6, HEAT STABILIZED, 15% GLASS FIBER REINFORCED MOLDING COMPOUND, EXTERIOR, RECYCLING SYMBOL: >PA6-GF15< DATED: 90-04-02									
B242B	BAYER AG				55938	DURETHAN BKV15H2.0 9005/5 BLACK	TO- K/S8114/BQ3 078	90-02-19	N	IRB029
Q653A	DUPONT DE NEMOURS INTERNATIONAL SA				60200	MARANYL B183X BLACK 9155	TO- K/G8114/D39 63	93-03-15	N	IRB029
M583A	BAYER CORP				58411	DURETHAN BKV15H2.0 9005/5 BLACK	TO- K/S8114/D- 3051	91-06-11	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D755-A1	THERMOPLASTIC POLYURETHANE ELASTOMER (TPU), 55 DUROMETER HARDNESS, RECYCLING SYMBOL: >TPUR< DATED: 00-02-15						
B242B	BAYER AG	55943	DESMOPAN 455	TO- K/R9106/BQ3 087	90-02-26	N	IRB029
		69161	DESMOPAN 355	AVT/LRODIGA S/AVT.KR700 5	97-01-14	N	IRB029
E356A	ELASTOGRAN KUNSTSTOFF TECHNIK GMBH	58750	ELASTOLLAN C59D	TO- K/R1059A/D- 3231	91-10-07	N	IRB029
A WSK-M4D755-A2	THERMOPLASTIC POLYURETHANE ELASTOMER (TPU), 40 DUROMETER D HARDNESS MOLDING COMPOUND, RECYCLING SYMBOL: >TPUR< (SHOWN ON WSK-M4D755-A1) DATED: 00-02-15						
B242B	BAYER AG	56053	DESMOPAN 392	TO- K/R8157.2/B Q3191	90-04-20	N	IRB029
E356A	ELASTOGRAN KUNSTSTOFF TECHNIK GMBH	58749	ELASTOLLAN C90A	TO- K/R1050B/D- 3232	91-10-07	N	IRB029
A WSK-M4D755-A3	THERMOPLASTIC POLYURETHANE ELASTOMER (TPUR), 65 DUROMETER D HARDNESS MOLDING COMPOUND, RECYCLING SYMBOL: >TPUR< DATED: 92-12-01						
S093A	A SCHULMAN INC	59332	POLYPUR FPU- 1112	TO- K/R2052/D- 3580	92-06-03	N	IRB029
A WSK-M4D757-A	POLYCARBONATE (PC), 12.5% TiO2 FILLED MOLDING COMPOUND, RECYCLING SYMBOL: >PC-MD12< DATED: 91-01-31						
G225A	GENERAL ELECTRIC CO	55967	LEXAN ML5848	EED/D-2412	90-03-05	N	IRB029
A WSK-M4D758-A1	POLYPROPYLENE (PP) HOMOPOLYMER, 30% MINERAL FILLED, SELF-EXTINGUISHING MOLDING COMPOUND, RECYCLING SYMBOL: >PP-M30< DATED: 90-08-01						
V2WRA	TARGOR GMBH MFR 1 - 5 G/10 MINUTES	55992	HOSTACOM X 4300 103045	TO- K/R9161.A/B Q2796	90-03-08	N	IRB029
A WSK-M4D758-A2	POLYPROPYLENE (PP) HOMOPOLYMER, 30% MINERAL FILLED, SELF-EXTINGUISHING MOLDING COMPOUND, RECYCLING SYMBOL: >PP-M30< DATED: 90-08-01						
V2WRA	TARGOR GMBH MFR 7 - 15 G/10 MINUTES	55990	HOSTACOM X 4313 103045	TO- K/R9161.B/B Q3089	90-03-08	N	IRB029
A WSK-M4D759-A1	POLYPROPYLENE (PP) HOMOPOLYMER, 20% MINERAL FILLED, SELF-EXTINGUISHING MOLDING COMPOUND, RECYCLING SYMBOL: >PP-TD20< DATED: 93-05-03						
L3T3A	MONTELL MFR 8 - 12 G/10 MINUTES	55989	ASTRYN FR X78JT350	TO- K/R0024.A/B Q3092	90-03-08	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D759-A1	POLYPROPYLENE (PP) HOMOPOLYMER, 20% MINERAL FILLED, SELF-EXTINGUISHING MOLDING COMPOUND, RECYCLING SYMBOL: >PP-TD20< DATED: 93-05-03						
L3T3A	MONTELL	56057	ASTRYN X78JT3- GN	TO- K/R0024.A/B Q3092	90-03-08	N	IRB029
		57914	ASTRYN FR X78JT3-GN	TO- K/R0024.A/B Q3092	90-03-08	N	IRB029
A WSK-M4D759-A2	POLYPROPYLENE (PP) HOMOPOLYMER, 20% MINERAL FILLED, SELF-EXTINGUISHING MOLDING COMPOUND, RECYCLING SYMBOL: >PP-M20< DATED: 90-05-02						
V2WRA	TARGOR GMBH MFR 7 - 15 G/10 MINUTES	55991	HOSTACOM X 4312 103045	TO- K/R0024.B/B Q3090	90-03-08	N	IRB029
A WSK-M4D760-A	POLYPROPYLENE (PP) COPOLYMER, SELF-EXTINGUISHING MOLDING COMPOUND, RECYCLING SYMBOL: >PP< DATED: 96-03-04						
L3T3A	MONTELL	67248	ASTRYN FR EPQ 58PI BLACK	AVT/KR6019/ D6562	96-03-03	N	IRB029
H436X	HOECHST AG	55950	HOSTALEN PPR 7342FL-10/3350	TO- K/R9092.A/B Q2797	90-03-08	N	IRB029
A WSK-M4D761-A	POLYCARBONATE (PC), MEDIUM MELT FLOW RATE MOLDING COMPOUND, INTERIOR, RECYCLING SYMBOL: >PC< DATED: 99-01-21						
SYSTEM NO. B B242B	BAYER AG		TRANSPARENT				
		60236	MAKROLON 2603, 55/115	TO-K/K9048/	93-03-03	N	IRB029
B242B	BAYER AG		TRANSPARENT				
		60234	MAKROLON 2603, FBL	TO- K/K9048/D- 3992	93-03-03	N	IRB029
		60235	MAKROLON 2603, 55/396	TO- K/K9048/D- 3993	93-03-03	N	IRB029
		60237	MAKROLON 2603, 25/303	TO- K/K9048/D- 3995	93-03-03	N	IRB029
		60238	MAKROLON 2603, 25/391	TO- K/K9048/D- 3996	93-03-03	N	IRB029
		60239	MAKROLON 2603, 25/392	TO- K/K9048/D- 3997	93-03-03	N	IRB029
			25/393	K/K9048/D- 3998			
		60241	MAKROLON 2603, 35/391	TO- K/K9048/D- 3999	93-03-03	N	IRB029
		60242	MAKROLON 2603, 65/326	TO- K/K9048/D- 4000	93-03-03	N	IRB029
		60243	MAKROLON 2603, 35/392	TO- K/K9048/D- 4001	93-03-03	N	IRB029
		60244	MAKROLON 2603, 35/393	TO- K/K9048/D- 4002	93-03-03	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 6

SPECIFICATION NO. GSDB CODE	SUPPLIER NAME/REMARKS	SPECIFICATION TITLE TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D761-A		POLYCARBONATE (PC), MEDIUM MELT FLOW RATE MOLDING COMPOUND, INTERIOR, RECYCLING SYMBOL: >PC< DATED: 99-01-21								
B242B	BAYER AG			BLUE	60245	MAKROLON 2603, 55/393	TO- K/K9048/D- 4003	93-03-03	N	IRB029
			FA	BLACK	60246	MAKROLON 2603, 91/007	TO- K/K9048/D- 4004	93-03-03	N	IRB029
			YYW	BLACK	60247	MAKROLON 2603, 91/007	TO- K/K9048/D- 4005	93-03-03	N	IRB029
				WHITE	60248	MAKROLON 2603	TO- K/K9048/D- 4006	93-03-03	N	IRB029
				WHITE	60249	MAKROLON 2607	TO- K/K9048/D- 4007	93-03-03	N	IRB029
				TRANSPARENT	60250	MAKROLON 2803, 55/115	TO- K/K9048/D- 4008	93-03-03	N	IRB029
				TRANSPARENT	60251	MAKROLON 2803, FBL	TO- K/K9048/D- 4009	93-03-03	N	IRB029
				TRANSPARENT	60252	MAKROLON 2803, 55/396	TO- K/K9048/D- 4010	93-03-03	N	IRB029
				TRANSPARENT	60264	MAKROLON 2807, 55/115	TO- K/K9048/D- 4022	93-03-03	N	IRB029
				TRANSPARENT	60265	MAKROLON 2807, 55/396	TO- K/K9048/D- 4023	93-03-03	N	IRB029
				TRANSPARENT	60266	MAKROLON 2807, FBL	TO- K/K9048/D- 4024	93-03-03	N	IRB029
				TRANSPARENT	65656	MAKROLON 2607- 55/115	AVT/KR5064/ D6068	95-05-26	N	IRB029
S8T4A	GE PLASTICS SOUTH AMERICA SA				68866	LEXAN 143R-112 NATURAL	AVT/LRODIGA S/AVT.KR617 2	96-11-29	N	IRB029
L9XGA	GE PLASTICS JAPAN			TRANSPARENT	60268	LEXAN 141R, 111	TO- K/K9048/D- 4027	93-03-15	N	IRB029
			FA	BLACK	60269	LEXAN 141R, 705337	TO- K/K9048/D- 4028	93-03-15	N	IRB029
			YYW	BLACK	60270	LEXAN 141R, 705337	TO- K/K9048/D- 4029	93-03-15	N	IRB029
			YYW	BLACK	60279	LEXAN 141, 705337	TO- K/K9048/D- 4038	93-03-15	N	IRB029
			FA	BLACK	60280	LEXAN 141,	TO- 4039	93-03-15	N	IRB029
				TRANSPARENT	60281	LEXAN 141, 111	TO- K/K9048/D- 4040	93-03-15	N	IRB029
G225A	GENERAL ELECTRIC CO			TRANSPARENT	60267	LEXAN 141R, 111	TO- K/K9048/D- 4026	93-03-15	N	IRB029
			YYW	BLACK	60271	LEXAN 141R, 705337	TO- K/K9048/D- 4030	93-03-15	N	IRB029
			FA	BLACK	60272	LEXAN 141R, 705337	TO- K/K9048/D- 4031	93-03-15	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D761-A	POLYCARBONATE (PC), MEDIUM MELT FLOW RATE MOLDING COMPOUND, INTERIOR, RECYCLING SYMBOL: >PC< DATED: 99-01-21									
G225A	GENERAL ELECTRIC CO		FA	BLACK	60277	LEXAN 141, 705337	TO- K/K9048/D- 4036	93-03-15	N	IRB029
			YYW	BLACK	60278	LEXAN 141, 705337	TO- K/K9048/D- 4037	93-03-15	N	IRB029
				TRANSPARENT	60283	LEXAN 141, 111	TO- K/K9048/D- 4042	93-03-15	N	IRB029
					63615	LEXAN 141- 41375	ACD/D5763	94-12-22	N	IRB029
			YYW	BLACK	66196	LEXAN 143A-705 337	AVT/KR5098/ D6267	95-09-18	N	IRB029
				TRANSPARENT	66197	LEXAN 143R-111	AVT/KR5098/ D6268	95-09-18	N	IRB029
	APPROVED FOR CCSD-VISTEON APPLICATIONS ONLY				72352	LEXAN 141R-112	VISTEON/LRU MAO	99-05-20	N	IRB029
G232A	GENERAL ELECTRIC CO			TRANSPARENT	55957	LEXAN 141R ,111	TO- K/K9048/D- 4025	93-03-15	N	IRB029
			FA	BLACK	60273	LEXAN 141R, 705337	TO- K/K9048/D- 4032	93-03-15	N	IRB029
			YYW	BLACK	60274	LEXAN 141R, 705337	TO- K/K9048/D- 4033	93-03-15	N	IRB029
			YYW	BLACK	60275	LEXAN 141, 705337	TO- K/K9048/D- 4034	93-03-15	N	IRB029
			FA	BLACK	60276	LEXAN 141, 705337	TO- K/K9048/D- 4035	93-03-15	N	IRB029
				TRANSPARENT	60282	LEXAN 141, 111	TO- K/K9048/D- 4041	93-03-15	N	IRB029
	FLORIDA EXPOSURE PENDING			RED	62242	LEXAN 141R- 6111	TO- K/R4066/D52 46	94-06-21	N	IRB029
	FLORIDA EXPOSURE PENDING			WHITE	62243	LEXAN 141R- 82048	TO- K/R4066/D52 47	94-06-21	N	IRB029
	FLORIDA EXPOSURE PENDING. EXCEPTIONS: PARA 3.5.2 DENSITY 1.23 G/CM3			OPAL WHITE	62244	LEXAN 141R- 82103	TO- K/R4066/D52 48	94-06-21	N	IRB029
			YYW	BLACK	66198	LEXAN 143R-705 337	AVT/KR5098/ D6269	95-09-18	N	IRB029
				TRANSPARENT	66199	LEXAN 143R-111	AVT/KR5098/ D6270	95-09-18	N	IRB029
					72698	LEXAN 143R (VARIOUS)	VISTEON/DTO FLOVA	99-11-16	C2	156259
M583A	BAYER CORP			WHITE	60229	MAKROLON 2603	TO- K/K9048/D- 3986	93-03-03	N	IRB029
				TRANSPARENT	60253	MAKROLON 2603, 1006	TO- K/K9048/D- 4011	93-03-03	N	IRB029
				CLEAR TRANSPARENT	60254	MAKROLON 2603, 1068	TO- K/K9048/D- 4012	93-03-03	N	IRB029
				AMBER	60255	MAKROLON 2603, 6869	TO- K/K9048/D- 4013	93-03-03	N	IRB029
				BLUE	60256	MAKROLON 2603, 8889	TO- K/K9048/D- 4014	93-03-03	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 8

SPECIFICATION NO. GSDB CODE	SUPPLIER NAME/REMARKS	SPECIFICATION TITLE TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D761-A		POLYCARBONATE (PC), MEDIUM MELT FLOW RATE MOLDING COMPOUND, INTERIOR, RECYCLING SYMBOL: >PC< DATED: 99-01-21								
M583A	BAYER CORP			RED	60257	MAKROLON 2603, 7867	TO- K/K9048/D- 4015	93-03-03	N	IRB029
			YYW	BLACK	60258	MAKROLON 2603, 1510	TO- K/K9048/D- 4016	93-03-03	N	IRB029
			FA	BLACK	60259	MAKROLON 2603, 1510	TO- K/K9048/D- 4017	93-03-03	N	IRB029
				TRANSPARENT	60260	MAKROLON 2803, 1068	TO- K/K9048/D- 4018	93-03-03	N	IRB029
				TRANSPARENT	60261	MAKROLON 2803, 1006	TO- K/K9048/D- 4019	93-03-03	N	IRB029
				TRANSPARENT	60262	MAKROLON 2807, 1068	TO- K/K9048/D- 4020	93-03-03	N	IRB029
				TRANSPARENT	60263	MAKROLON 2807, 1006	TO- K/K9048/D- 4021	93-03-03	N	IRB029
				TRANSPARENT	63097 65657	LISA 9400-1059 MAKROLON 2607- 55/115	ACD/D5764 AVT/KR5064/ D6069	94-12-22 95-05-26	N N	IRB029 IRB029
A WSK-M4D761-A2		POLYCARBONATE (PC), HIGH MELT FLOW RATE MOLDING COMPOUND, INTERIOR, RECYCLING SYMBOL: >PC< DATED: 94-06-01								
B242B	BAYER AG			TRANSPARENT	63928	MAKROLON 2403- 55/115	AVT- KR5059/D598 8	95-04-26	N	IRB029
	PARA 3.8 WEATHERING NOT APPLICABLE			TRANSPARENT	63930	MAKROLON 2405- 55/115	AVT- KR5059/D599 0	95-04-26	N	IRB029
				TRANSPARENT	63932	MAKROLON 2407- 55/115	AVT- KR5059/D599 2	95-04-26	N	IRB029
L9XGA	GE PLASTICS JAPAN			TRANSPARENT	61442	LEXAN 121R-111	TO- K/R3111/D48 28	93-10-01	N	IRB029
					62211	LEXAN LS1 - 21242	TO- K/R4063/D52 24	94-06-13	N	IRB029
G225A	GENERAL ELECTRIC CO			TRANSPARENT	61441	LEXAN 121R	TO- K/R4063/D52 22/TO- K/R3111/D48 27	93-10-01	N	IRB029
						21242	K/R4063/D52 22			
G232A	GENERAL ELECTRIC CO			TRANSPARENT	61440	LEXAN 121R-111	TO- K/R3111/D48 26	93-10-01	N	IRB029
					62210	LEXAN LS1 - 21242	TO- K/R4063/D52 23	94-06-13	N	IRB029
M583A	BAYER CORP			TRANSPARENT	63929	MAKROLON 2403- 55/115	AVT- KR5059/D598 9	95-04-26	N	IRB029
	PARA 3.8 WEATHERING NOT APPLICABLE			TRANSPARENT	63931	MAKROLON 2405- 55/115	AVT- KR5059/D599 1	95-04-26	N	IRB029

Materials Engineering Testing & Standards

2002-01-02

Worldwide & European Engineering Materials Approved Source List

VOLUME 7D

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS	TYPE/ GRADE	COLOR CODE	COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSK-M4D761-A2	POLYCARBONATE (PC), HIGH MELT FLOW RATE MOLDING COMPOUND, INTERIOR, RECYCLING SYMBOL: >PC< DATED: 94-06-01									
M583A	BAYER CORP			TRANSPARENT	63933	MAKROLON 2407- 55/115	AVT- KR5059/D599 3	95-04-26	N	IRB029
A WSK-M4D762-A2	POLYCARBONATE+POLYBUTYLENE TEREPHTHALATE BLEND (PC+PBT), MODIFIED MOLDING COMPOUND, HIGH IMPACT, PAINTABLE, RECYCLING SYMBOL: >PC+PBT< DATED: 91-03-01									
AMAWA	B & M PLASTICS INC				72954	PC / PBT 400 IMI.	VO/TWEINGAR	00-05-08	C2	155371
L9XGA	GE PLASTICS JAPAN				58180	XENOY XD1102, DK GREY 7017	TO- K/K0023/D- 2922	91-03-15	N	IRB029
G225A	GENERAL ELECTRIC CO				58181	XENOY XD1102, DK GREY 7017	TO- K/K0023/D- 2923	91-03-15	N	IRB029
					71655	XENOY 1103	AVT/THONEY	98-10-19	C2	154163
					72982	XENOY RESIN 1102-GY7556	VO/WCOHEN/B LEISHMA/BL ISHMA/GBURE SH	00-05-23	C2	158017
G232A	GENERAL ELECTRIC CO				56356	XENOY XD 1102, DARK GREY 7017	TO- K/K0023/D- 2607	90-08-27	N	IRB029
				BLACK	68048	XENOY CL 101- 78211	AVT/LRODIGA S/AVT.KR613 8	96-08-07	N	IRB029
A WSK-M4D763-A1	POLYCARBONATE+POLYBUTYLENE TEREPHTHALATE BLEND (PC+PBT), MODIFIED, VERY EASY FLOW MOLDING COMPOUND, EXTERIOR, RECYCLING SYMBOL: >PC+PBT< DATED: 90-09-03									
G232A	GENERAL ELECTRIC CO		1EM	GREY	55959	XENOY XD1344, 78264	TO- K/K8181/BQ3 112	90-03-16	N	IRB029
A WSK-M4D763-A2	POLYCARBONATE+POLYBUTYLENE TEREPHTHALATE BLEND (PC+PBT), MODIFIED, EASY FLOW MOLDING COMPOUND, EXTERIOR, SELF-COLORED BUMPER SHELLS, RECYCLING SYMBOL: >PC+PBT< DATED: 93-11-02									
S8T4A	GE PLASTICS SOUTH AMERICA SA				68378	XENOY XD 1507- 306470	AVT/LRODIGA S/AVT.KR615 6	96-10-14	N	IRB029
	FLORIDA EXPOSURE PENDING					- 306470	S/AVT.KR615 6			
G232A	GENERAL ELECTRIC CO		XSC1823	MIDGREY	61110	XENOY XD1507- 306470	TO/KR3052.A /D4600	93-07-27	N	IRB029
	24 MOS FLORIDA & ARIZON EXPOSURE PENDING			RED	61111	XENOY XD1507- 322499	TO/KR3052.A /D4601	93-07-27	N	IRB029
	24 MOS FLORIDA & ARIZONA EXPOSURE PENDING			ONTARIO BLUE	61112	XENOY XD1507- 322500	TO/KR3052.A /D4602	93-07-27	N	IRB029
	24 MOS FLORIDA & ARIZONA EXPOSURE PENDING		XSC691	WHITE	61113	XENOY XD1507- 312478	TO/KR3052.A /D4603	93-07-27	N	IRB029

Materials Engineering Testing & Standards

2002-01-02