

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 1

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSS-M5D10-B	POLYOL, COMPONENT A FOR ENERGY ABSORBING FOAM, DATED: 01-05-10						
NONE	SOURCE APPROVAL PENDING						
A WSS-M5D19-A	ISOCYANATE, FOR PUR, FOAM SEALS, DATED: 01-06-25						
E586A	ERNST SONDERHOFF GMBH & CO KG	68330	FERMAPOR K31-B5	AVT/KGERHAR 4/AVT- KG6021	96-09-26	C2	143735
A WSS-M5D20-A	POLYOL, FOR PUR, FOAM SEALS, DATED: 01-06-25						
E586A	ERNST SONDERHOFF GMBH & CO KG	68331	FERMAPOR K31-9030-1	AVT/KGERHAR 4/AVT- KG6022	96-09-26	C2	143736
A WSS-M5D21-A	ISOCYANATE, FOR PUR FOAM, MOLDED, DATED: 01-06-25						
E356A	ELASTOGRAN KUNSTSTOFF TECHNIK GMBH	68336	ELASTOFLEX W5091-B	AVT/KGERHAR 4/AVT- KG6013	96-10-01	C2	143274
A WSS-M5D22-A	POLYOL, FOR PUR FOAM, MOLDED, DATED: 01-06-25						
E356A	ELASTOGRAN KUNSTSTOFF TECHNIK GMBH	68337	ELASTOFLEX W5091-A	AVT/KGERHAR 4/AVT- KG6012	96-10-01	C2	143275
A WSS-M5D23-A	POLYOL, FOR ENERGY ABSORBING PUR FOAM, BUMPER SHELLS, DATED: 97-10-28						
J24BD	ICI CHLOR	70390	DALTO FLEX XEF 13620	FOE/KGERHAR D/AVT.KG616 0	97-09-04	C2	144019
A ESA-M96D4-A	HOSE, HYDRAULIC BRAKE, DATED: 87-10-15						
AER8A	CF GOMMA USA INC	72984	GOODYEAR GY5052 IP EPDM	AVT/THOROSZ Y	00-05-25	N	IRB029
		72985	GOODYEAR GY5056 IP EPDM	AVT/THOROSZ Y	00-05-25	N	IRB029
W417B	DANA CORP	32225	W 512 (GOODYEAR HOSE)	B&CE	84-08-30	N	IRB029
G593A	GOODYEAR TIRE & RUBBER CO	34895	5030 BRAKE HOSE	/B&CE/CEO/B &CE/B&CE/CE O	87-09-28	N	IRB029
A ESA-M96D4-A2	HOSE, HYDRAULIC BRAKE, DATED: 00-02-04						
W417A	DANA CORP	34282	HITACHI HW HOSE	B&CE/CEO/CL S-505249	86-11-05	N	IRB029
H384C	HITACHI CABLES INDIANA INC	34288	HITACHI HW HOSE	B&CE/CEO/CL S-505249	86-11-05	N	IRB029
E774D	LEAR CORPORATION AUTOMOTIVE SYSTEMS	33982	MEIJI NO. 95-6	B&CE/CEO/CL S-504601	86-05-14	N	IRB029
A ESE-M96D7-A	HOSE, SILICONE - HIGH TEMPERATURE -OIL RESISTANT, DATED: 90-04-26						
F770A	FLEXFAB INC	33681	MBF-03410	ENG. ENGRG./CLS- 504435	86-01-20	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 2

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A ESE-M96D7-A	HOSE, SILICONE - HIGH TEMPERATURE -OIL RESISTANT, DATED: 90-04-26						
X707E	MOLD EX RUBBER CO INC	39585	KAVLICO	ED/303874/D 4757	93-09-28	N	IRB029
A WSD-M96D9-A	TUBE, EPICHLOROHYDRIN (ECO) RUBBER - FUEL AND OIL RESISTANT, DATED: 00-03-27						
D05WA	MUENDENER GUMMIWERK GMBH	56029	5160A	TO- D/T3963/189 3	90-04-26	N	IRB029
		56450	5160D	TO-D/ML T4768/1949/ D-2659	90-10-15	N	IRB029
		61826	6087B	TO- D/MLT10710/ D5026	94-02-16	N	IRB029
P108A	PASS-GUMMIWERKE GMBH & CO KG	54546	073	TO-D S6401	86-10-29	N	IRB029
S094A	SABO SISTEMAS AUTOMOTIVOS LTDA.	68698	HP 426/65	AVT/BHENNES S/TO-D ML T13259	96-11-06	N	IRB029
A WSD-M96D9-A2	TUBE, EPICHLOROHYDRIN (ECO) RUBBER, FUEL, OIL AND ACIDIC AQUEOUS CONDENSATE RESISTANT, (SHOWN ON WSD-M96D9-A) DATED: 00-03-27						
D44KA	AVON AUTOMOTIVE	68023	00-865013	AVT/BHENNES S/TO-D ML T13395	96-08-03	N	IRB029
K250A	CIKAUTXO S COOP	55395	C72GA	TO.D-T2016	89-07-25	N	IRB029
C685X	CONTITECH ELASTOMER -BESCH	54936	FBMH 6990 (FOR INJ MLDG)	TO-D	88-09-29	N	IRB029
		54937	TBD (FOR EXTRUS. MLDG)	TO-D	88-09-29	N	IRB029
K4UKA	GATES VULCA, S.A.	67552	ECO 22551	AVT/D- 6681/TO-D ML T12944	96-05-15	N	IRB029
D05WA	MUENDENER GUMMIWERK GMBH	56030	5160A	TO- D/T3963/189 3	90-04-26	N	IRB029
P108A	PASS-GUMMIWERKE GMBH & CO KG	55788	ECO 1385	TO- D/MLT1159/T 2307/1793	90-01-02	N	IRB029
A WSD-M96D13-A	HOSE, ETHYLENE/ACRYLIC (AEM) RUBBER, REINFORCED - AUTOMATIC TRANSMISSION FLUID AND, ENGINE OIL RESISTANT, DATED: 00-05-30						
C685X	CONTITECH ELASTOMER -BESCH	54595	SOHA 8091	TO-D	87-03-11	N	IRB029
A WSE-M96D14-A1	HOSE, EPDM RUBBER - PARA-ARAMID FIBERS REINFORCED -, ENGINE COOLANT AND STEAM						
C757B	COOPER STANDARD AUTOMOTIVE	59181	3719	ED/800984/D 3475	92-04-03	N	IRB029
D126B	DAYCO PRODUCTS INC	57997	WB 6177	ED/804351/D -2825	91-01-29	N	IRB029
K4UKA	GATES VULCA, S.A. EAO ONLY, EXCEPTIONS: PARA 3.6.3 TUBE 366%; PARA 3.10 ELONG -31%; PARA 3.11 BURST 1.4 MPA FOR < 19 MM ID	59209	2567	TO- D/MLT8006/D 3498	92-04-07	N	IRB029
G591A	GOODYEAR TIRE & RUBBER	55816	SN 1500	ED/904712/D -2356	90-01-05	N	IRB029
D0BQA	HUTCHINSON GMBH MANNHEIM	59049	TBD	TO-B/D3375	92-02-28	N	IRB029
AAWPA	HUTCHINSON S.R.O.	70958	TUBE- EAS73, TUBE- EAP71	FOE/BHENNES S/ML TO-D A1263	98-03-06	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 3

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSE-M96D14-A1	HOSE, EPDM RUBBER - PARA-ARAMID FIBERS REINFORCED -, ENGINE COOLANT AND STEAM RESISTANT, DATED: 89-07-12						
D19TA	HUTCHINSON (UK) LTD	69744	TUBE- 79018 COVER- 79031	AVT/BHENNES S/TO-D ML A395	97-03-21	N	IRB029
A WSE-M96D14-A2	HOSE, EPDM RUBBER - META-ARAMID FIBERS REINFORCED -, ENGINE COOLANT AND STEAM RESISTANT, RECYCLING SYMBOL: >EPDM< DATED: 89-07-12						
C757B	COOPER STANDARD AUTOMOTIVE	59182	3720	ED/800984/D 3477	92-04-03	N	IRB029
D126B	DAYCO PRODUCTS INC	57998	WB 6187	ED/804351/D -2826	91-01-29	N	IRB029
G591A	GOODYEAR TIRE & RUBBER	55817	SN 1500	ED/904712/D -2357	90-01-05	N	IRB029
A WSD-M96D14-A3	HOSE, EPDM RUBBER - RAYON OR POLYESTER REINFORCED, ENGINE COOLANT RESISTANT, LOW COMPRESSION SET, RECYCLING SYMBOL: >EPDM< DATED: 91-05-01						
Q524A	AVON AUTOMOTIVE	54740 73067	ECP 26418 00-2901 (COVER) 00- 2904 (LINER)WESTBUR Y	TO-D FOE/BHENNES S	87-11-17 00-07-26	N N	IRB029 IRB029
		73068	00-2901 (COVER) 00- 2906 (LINER) WESTBURY	FOE/BHENNES S	00-07-26	N	IRB029
S3JA	AVON POLIMEROS	71073	LINER- 00- 2811, COVER 00-2834	FOE/BHENNES S/ML TO-D A1319	98-04-01	N	IRB029
V4FVA	AVON AUTOMOTIVE A.S.	70671	35976 (COVER) 35977 (LINING)	FOE/BHENNES S/TO-D ML A1088	97-12-05	N	IRB029
K4UKA	GATES VULCA, S.A.	70661	GATES VULCA 7568	FOE/BHENNES S/TO-D ML A1048	97-12-02	N	IRB029
D0BQA Q5HEA	HUTCHINSON GMBH MANNHEIM HUTCHINSON INDUSTRIAS DEL CAUCHO S.A.	58314 71303	CP470/RAYON 79036/RAYON	TO-D/D-3006 FOE/BHENNES S/TO-D ML/A1452	91-05-10 98-06-24	N N	IRB029 IRB029
AAWPA	HUTCHINSON S.R.O.	71302	CP470/RAYON/RO KYCANY	FOE/BHENNES S/TO-D ML/A1451	98-06-24	N	IRB029
K0R6A	HUTCHINSON SNC	58315	COVER 79017/TUBE 79018	TO-D/D-3007	91-05-10	N	IRB029
D19TA	HUTCHINSON (UK) LTD	69743	TUBE- 79018	AVT/BHENNES A396	97-03-21	N	IRB029
S094A	SABO SISTEMAS AUTOMOTIVOS LTDA. APPROVED FOR SOUTH AMERICA ONLY	69739	EP65	AVT/BHENNES S/TO-D ML A393	97-03-21	N	IRB029
A WSS-M96D14-A4	HOSE, EPDM RUBBER-RAYON OR POLYESTER REINFORCED, ENGINE COOLANT RESISTANT, LOW COMPRESSION SET, LOW EXTRACTABLE ZINC, DATED: 00-02-15						
A WSD-M96D15-A1	DRIVE BELT, TOOTHED-HYDROGENATED NITRILE RUBBER (HNBR) GLASS TENSION CORDS-, EXTENDED LIFE-SINGLE FACING FABRIC, RECYCLING						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 4

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M96D15-A1	DRIVE BELT, TOOTHED-HYDROGENATED NITRILE RUBBER (HNBR) GLASS TENSION CORDS-, EXTENDED LIFE-SINGLE FACING FABRIC, RECYCLING SYMBOL: >HNBR< DATED: 99-04-16						
G149P	THE GATES RUBBER CO	54607	POWERGRIP	TO-D	87-07-21	N	IRB029
F848A	DAYCO EUROPE S.R.L.	57835	5GXN37G1 ISORAN	TO-D/TS144/D-2735	90-11-20	N	IRB029
A WSD-M96D15-A2	DRIVE BELT, TOOTHED - HYDROGENATED NITRILE RUBBER (HSN) - GLASS TENSION CORDS, EXTENDED LIFE - DOUBLE FACING FABRIC, RECYCLING SYMBOL: >HNBR< DATED: 88-02-09						
F848A	DAYCO EUROPE S.R.L.	54608	HSN	TO-D	87-07-21	N	IRB029
A WSD-M96D15-A3	DRIVE BELT, TOOTHED, HYDROGENATED NITRILE RUBBER (HNBR), 80 IRHD, GLASS TENSION CORDS, EXTENDED LIFE, DOUBLE FACING FABRIC, RECYCLING SYMBOL: >HNBR< DATED: 00-07-25						
F848A	DAYCO EUROPE S.R.L.	56028	TBE	TO-D/1892	90-04-23	N	IRB029
A WSD-M96D15-A4	DRIVE BELT, TOOTHED, HYDROGENATED NITRILE, RUBBER (HNBR), 80 IRHD, GLASS TENSION, CORDS, EXTENDED LIFE, DOUBLE FACING FABRIC, HYDROLYSIS RESISTANT, DATED: 00-07-25						
F848A	DAYCO EUROPE S.R.L.	61960	ISORAN P6 116RHDN200 HSN	TO-D/ML T10920/D475 3	94-03-25	N	IRB029
A WSS-M96D15-A5	DRIVE BELT, TOOTHED, HYDROGENATED NITRILE RUBBER (HNBR), GLASS TENSION CORDS, SINGLE FACING FABRIC, DATED: 00-04-05						
A WSD-M96D16-A	DRIVE BELT, TOOTHED - POLYCHLOROPRENE RUBBER (CR) - PARA-ARAMID TENSION CORDS, SINGLE FACING FABRIC, RECYCLING SYMBOL: >CR< DATED: 88-02-08						
G149P	THE GATES RUBBER CO	54609	POWERGRIP	TO-D	87-07-22	N	IRB029
A ESA-M96D19-A	HOSE, REINFORCED RUBBER - FUEL RESISTANT, DATED: 90-11-30						
C013D	AVON AUTOMOTIVE	36527	TUBE- 505813/COVER- 833413	B&CE- BODY/901406 /90483/D- 2420 CIP 88- 7520-1	90-03-17	N	IRB029
G593A	GOODYEAR TIRE & RUBBER CO	35391	377B/COVER 8485 SN-1244	B&CE/CEO - CLS 604508	88-05-02	N	IRB029
P520A	DANA CORPORATION	35390	#579/273 (COVER)	B&CE/CEO - CLS 600547	88-05-02	N	IRB029
A WSA-M96D19-A2	HOSE, REINFORCED RUBBER, FUEL RESISTANT, DATED: 94-02-01						
C013D	AVON AUTOMOTIVE	60097	RUBBER FUEL HOSE	CEO/D3913	93-02-22	N	IRB029
A WSD-M96D20-A	TUBE, PVC/NITRILE (PVC/NBR) RUBBER, UNREINFORCED, OXYGENATED FUEL RESISTANT,						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 5

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M96D20-A	TUBE, PVC/NITRILE (PVC/NBR) RUBBER, UNREINFORCED, OXYGENATED FUEL RESISTANT, RECYCLING SYMBOL: >PVC+NBR< DATED: 94-03-31						
C013A	AVON AUTOMOTIVE	61593	00-510213	TO-D/ML T10246/D491 3	93-11-05	N	IRB029
C685X	CONTITECH ELASTOMER -BESCH EXCEPT FOR SHRINKAGE AFTER DRYING REQ	55786	JKVX 7090	TO- D/MLT3267/1 795	89-07-03	N	IRB029
T5A2A	MACFI MANUFACTURA DE CAUCHO Y FIBRA, S.A.	71483	97KB-9K164-	FOE/BHENNES S/TO-D ML A1082	98-08-17	N	IRB029
M853A	MUENDENER GUMMIWERK GMBH	54754	#2444	TO-D	88-01-29	N	IRB029
P108A	PASS-GUMMIWERKE GMBH & CO KG	60658	446.3	TO- K/T9662/D43 89	93-04-13	N	IRB029
D1X3A	PRECISION CUT RUBBER CO LTD	70662	13708/3	FOE/BHENNES S/TO-D ML A1081	97-12-02	N	IRB029
A WSD-M96D21-A1	WEATHERSTRIP, ETHYLENE/PROPYLENE (EPDM) RUBBER THERMOPLASTIC POLYOLEFIN (TPO) CO-EXTRUDED SLIDING-COAT, RECYCLING SYMBOL: >PP+EPDM< DATED: 88-10-14						
Q777A	HUTCHINSON INDUSTRIES	54768	102 463 01 01	TO-D	88-03-14	N	IRB029
A WSD-M96D21-A2	WEATHERSTRIP, ETHYLENE/PROPYLENE (EPDM) RUBBER SHORT FIBRE FLOCK COATED, RECYCLING SYMBOL: >EPDM< (SHOWN ON WSD-M96D21-A1) DATED: 88-10-14						
Q777A	HUTCHINSON INDUSTRIES	54909	102 463 01 01	TO-D	88-07-06	N	IRB029
T8J4A	STANDARD PRODUCTS BRASIL IND COM LTDA	69033	BXC27Q	AVT/BHENNES S/TO-D ML A31	96-12-20	N	IRB029
A WSD-M96D21-A3	WEATHERSTRIP/WINDLACE CO-EXTRUSION, ETHYLENE PROPYLENE (EPDM) FOAM/ETHYLENE-PROPYLENE RUBBER (EPDM), DATED: 93-02-23						
S80UA	DUPLEX ARTEFATOS DE BORRACHA LTDA PENDING FLORIDA EXPOSURE APPROVAL	67728	CE6595/CE0630	AVT/BHENNES S/TO-D ML T13280	96-07-02	N	IRB029
K759A	MESNEL SA	59112	TBD	TO-D/D3427	92-02-11	N	IRB029
X296A	SCHLEGEL UK ELASTOMERS LTD	59113	TBD	TO-D/D3428	92-02-11	N	IRB029
T8J4A	STANDARD PRODUCTS BRASIL IND COM LTDA	69022	COMPOUND 27G	AVT/BHENNES S/TO-D ML A34	96-12-19	N	IRB029
A WSD-M96D21-A4	WEATHERSTRIP/WINDLACE CO-EXTRUSION, ETHYLENE PROPYLENE (EPDM) FOAM/POLYVINYL CHLORIDE (PVC),						
Q648A	DRAFTEX UK LTD	59114	TBD	TO-D/D3429	92-02-11	N	IRB029
P743A	BTR SEALING SYSTEMS IBERICA S.A.	59115	TBD	TO-D/D3430	92-02-11	N	IRB029
A ESF-M96D22-A	HOSE, REINFORCED, FLUOROELASTOMER (FKM) RUBBER OXYGENATED AND OXIDIZED, FUEL RESISTANT, IN-TANK HIGH PRESSURE FUEL LINE, RECYCLING SYMBOL: >FPM< DATED: 01-06-25						
A268A	DAYCO PUROLATOR	35387	TBD	EED	88-05-04	N	IRB029
P520A	DANA CORPORATION	35386	TBD	EED	88-05-04	N	IRB029
A WSD-M96D23-A1	HOSE, REINFORCED SILICONE (MQ) RUBBER, HIGH TEMPERATURE, COOLANT RESISTANT, RECYCLING						

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 6

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M96D23-A1	HOSE, REINFORCED SILICONE (MQ) RUBBER, HIGH TEMPERATURE, COOLANT RESISTANT, RECYCLING SYMBOL: >MQ< DATED: 91-03-28						
C685X	CONTITECH ELASTOMER -BESCH	55787	IKAS 7030	TO-D/MLT3038/1794	89-12-20	N	IRB029
G149E	THE GATES RUBBER CO	58578	4281B	TO-D/T5937/D-3142	91-08-09	N	IRB029
Q777A	HUTCHINSON INDUSTRIES	54836	COVER CMPD #29511; INNER CMPD #29508 5910507/03	TOO-D ML TO726	88-06-08	N	IRB029
L22VA	TABUR CAOUTCHOUC SA	55562		TO-D/ML-T5295/D-3112	89-01-23	N	IRB029
T894A	THERMOPOL LTD	58515	S.65.35		91-07-12	N	IRB029
A WSD-M96D24-A	TUBE, ETHYLENE/PROPYLENE (EPDM) RUBBER, HEAT RESISTANT, RECYCLING SYMBOL: >EPDM< DATED: 91-11-29						
K250A	CIKAUTXO S COOP	57832	1 EPM 671	TO-D/T5212/D-2734	90-11-29	N	IRB029
		57912	WSDM96D24A	TO-D/T5212/D-2769	90-11-29	N	IRB029
D0BQA	HUTCHINSON GMBH MANNHEIM	55974	CP480	TO-D/ML T3702/1874	90-03-19	N	IRB029
M853A	MUENDENER GUMMIWERK GMBH	54871	3667	TO-D	88-07-08	N	IRB029
P108A	PASS-GUMMIWERKE GMBH & CO KG	60659	1269	TO-D/T7512/D4390	93-04-14	N	IRB029
A WSH-M96D25-A2	HOSE, AIR CONDITIONING REFRIGERANT (NYLON BARRIER) RESISTANT, MEDIUM PRESSURE, DATED: 00-04-25						
G593A	GOODYEAR TIRE & RUBBER CO	61716	GY 4860	CCD/D4971	93-01-24	N	IRB029
P074D	PARKER HANNIFIN CORP	62631	7634	CCD/D5460	94-08-01	N	IRB029
A WSS-M96D25-A3	HOSE, AIR CONDITIONING REFRIGERANT (NYLON 6 BARRIER), RESISTANT, MEDIUM PRESSURE, DATED: 00-04-25						
G593A	GOODYEAR TIRE & RUBBER CO	66122	GY 4860	ACD/D6247	95-08-30	N	IRB029
		66839	GY 4860	CCD/D6385	95-12-12	N	IRB029
P074D	PARKER HANNIFIN CORP	66123	7634	ACD/D6248	95-08-30	N	IRB029
		66838	7634	CCD/D6384	95-12-12	N	IRB029
A WSA-M96D26-A	HOSE, REINFORCED RUBBER, AUTOMATIC 97-10-28						
A118R	AEROQUIP CORP	70376	1H103-06	CPD/JSPENCE 5	97-08-26	N	IRB029
A268A	DAYCO PUROLATOR	55123	61-553 (FORMED)	B&CE/CEO - CLS 803176	89-02-03	N	IRB029
A WSS-M96D26-A2	HOSE, REINFORCED RUBBER, AUTOMATIC TRANSMISSION FLUID RESISTANCE, DATED: 95-06-27						
G149A	THE GATES RUBBER CO	65717	4219L.F	AVT/D6095	95-06-14	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 7

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSD-M96D27-A	TUBE, CHLOROSULPHONATED POLYETHYLENE (CSM) RUBBER, MODERATE OIL RESISTANCE, RECYCLING SYMBOL: >CSM< DATED: 89-11-17						
Q524A	AVON AUTOMOTIVE	55125 55897	ECM 26476 18X151	TO-D TO-D/ML T3404/1811	89-03-07 90-01-30	N N	IRB029 IRB029
		55898	ECH 27050	TO-D/ML T3404/1812	90-01-30	N	IRB029
		73069	00-6901	FOE/BHENNES S	00-07-26	N	IRB029
K250A	CIKAUTXO S COOP	55901	3CSM70E	TO-D/ML T3404/1815	90-01-30	N	IRB029
C685X	CONTITECH ELASTOMER -BESCH	55895	IMBC 7090	TO-D/ML T3404/1809	90-01-30	N	IRB029
		55896	FTFC 7090	TO-D/ML T3404/1810	90-01-30	N	IRB029
K4UKA	GATES VULCA, S.A.	55899	HY-08-73	TO-D/ML T3404/1813	90-01-30	N	IRB029
D0BQA	HUTCHINSON GMBH MANNHEIM	55975	HYPALON 85	TO-D/ML T3701/1875	90-03-19	N	IRB029
F681A	MACFI SA	55900	E-748	TO-D/ML T3404/1814	90-01-30	N	IRB029
D05WA	MUENDENER GUMMIWERK GMBH	55902	3816	TO-D/ML T3404/1816	90-01-30	N	IRB029
P108A	PASS-GUMMIWERKE GMBH & CO KG	55124 61827	#1275 506	TO-D TO- D/MLT10573/ D5027	89-03-07 94-02-16	N N	IRB029 IRB029
K760A	VERITAS GUMMIWERKE AG	61528	CSM Y071/52	TO- D/MST10343/ D4897	93-11-19	N	IRB029
A WSK-M96D28-A	LAMINATE, POLYURETHANE (PUR) FOAM/POLYVINYL CHLORIDE (PVC) FILM, RECYCLING SYMBOL: >PUR,PVC< DATED: 89-04-07						
I053A	ILLBRUCK AUTOMOTIVE INTERNATIONAL GMBH	55186	T 3035 XF/PEGUBOND TRP 6725726	TO.KG 8121	89-04-11	N	IRB029
		55187	T 31/S4440/0920- C180M	TO.KG 8121	89-04-11	N	IRB029
		55188	MA 3032D/PEGUBOND TRP 6725726	TO.KG 8121	89-04-11	N	IRB029
G871A	ORTMANNS GMBH	55167	FIREFLEX T31-S 4440/0920 C180M	TO-KG 8121	89-03-22	N	IRB029
S735A	STANTON RUBBER LTD	55185	SR 5/E 28 FRLF	TO.KG 8121	89-04-11	N	IRB029
A WSK-M96D28-A2	LAMINATE, POLYURETHANE (PUR) FOAM, PE-EXPANDED SHEETING, RECYCLING SYMBOL: >PUR,PE< DATED:						
I053A	ILLBRUCK AUTOMOTIVE INTERNATIONAL GMBH	58221 58222	ILLPRELEN T30 ILLPRELEN A30	TO-K/D-2948 TO-K/D-2949	91-04-02 91-04-02	N N	IRB029 IRB029
A WSD-M96D30-A	HOSE, ETHYLENE/ACRYLIC (AEM) RUBBER REINFORCED LOW PRESSURE, ENGINE OIL RESISTANT - 75 IRHD, RECYCLING SYMBOL: >AEM< DATED: 96-05-13						
C685X	CONTITECH ELASTOMER -BESCH	55910	SOHA 8091	TO-D/MCS- 1819	90-02-09	N	IRB029
M853A	MUENDENER GUMMIWERK GMBH	55909	4688C	TO-D/MCS- 1820	90-02-09	N	IRB029

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 8

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSS-M96D30-A2	HOSE, ETHYLENE/ACRYLIC (AEM) RUBBER REINFORCED LOW PRESSURE, ENGINE OIL RESISTANT, 65 IRHD, (SHOWN ON WSD-M96D30-A) DATED: 96-05-13						
D05WA	MUENDENER GUMMIWERK GMBH	65691	3884	AVT/TO- D/MLT11918/ D6092	95-06-07	N	IRB029
		67513	3934/595	AVT/TO-D MLT11918	96-05-01	N	IRB029
A WSD-M96D32-A	HOSE, NITRILE (NBR) OR PVC/NITRILE (PVC/NBR) RUBBER, EXTERNALLY REINFORCED, OXYGENATED, FUEL RESISTANT, DATED: 97-12-01						
C685X	CONTITECH ELASTOMER -BESCH	56286	SKVX 7090	TO- D/MC1213/D- 2558	90-07-27	N	IRB029
D05WA	MUENDENER GUMMIWERK GMBH	56285	3484	TO- D/MC1911/D- 2557	90-07-27	N	IRB029
		56287	2444(LOW THURAM)	TO- D/MC1912/D- 2559	90-07-27	N	IRB029
A WSL-M96D33-A	HOSE, REINFORCED RUBBER, FUEL RESISTANT, STATIC CONDUCTIVE, DATED: 90-10-22						
G593A	GOODYEAR TIRE & RUBBER CO	56447	SN-1486	LTEO/D-2611	90-08-22	N	IRB029
A WSA-M96D33-A2	HOSE/REINFORCED RUBBER, FUEL/ALCOHOL RESISTANT NON-CONDUCTIVE, LOW PERMEATING, DATED: 93-04-14						
C013D A268B	AVON AUTOMOTIVE DAYCO PUROLATOR	59725 60167	TBE 54-8XX	BEO/D3700 CEO/D3951	92-09-21 93-03-11	N N	IRB029 IRB029
A WSL-M96D33-A3	HOSE, NON-REINFORCED RUBBER, FUEL/ALCOHOL RESISTANT, CONDUCTIVE, LOW PERMEATING, DATED: 95-02-28						
C013D	AVON AUTOMOTIVE	61531	CADBAR	LT/CLS30522 7/D4901	93-11-19	N	IRB029
A WSL-M96D33-A4	HOSE, NON-REINFORCED RUBBER, FUEL/ALCOHOL RESISTANT, CONDUCTIVE, LOW PERMEATING, RECYCLING SYMBOL: >TBD,ECO< DATED: 95-02-28						
BHZ3A	AVON POLIMERES FRANCE	73099	CADBAR II ECO 5 778 721 THV 6 700 001	FOE/BHENNES S	00-08-04	N	IRB029
C013A	AVON AUTOMOTIVE	62662	CADBAR II	LTO/D5585	94-10-06	N	IRB029
A WSL-M96D33-A5	HOSE, NON-REINFORCED RUBBER, FUEL/ALCOHOL RESISTANT, CONDUCTING, LOW PERMEATING, DATED: 95-02-28						
A443A	AEROQUIP CORP	62763	PHASE IV	LTO/D5636	94-10-28	N	IRB029
A WSS-M96D33-A6	HOSE, REINFORCED RUBBER, FUEL/ALCOHOL RESISTANT, CONDUCTIVE, LOW PERMEATING, DATED: 96-03-26						
BHZ3A	AVON POLIMERES FRANCE	73196	CADBAR II, THV6 700 002+6 6700 001, ECO 5 778721	RVT/BHENNES S	00-12-04	C2	158818

Materials Engineering Testing & Standards

2001-12-03

Product Engineering Materials Approved Source List

VOLUME 7F

PAGE 9

SPECIFICATION NO. GSDB CODE	SPECIFICATION TITLE SUPPLIER NAME/REMARKS TYPE/ GRADE COLOR CODE COLOR NAME	LOG NO.	TRADE NAME/CODE	FORD FILE REFERENCE	FORD APPR. DATE	T O X	TOX NO.
A WSS-M96D33-A6	HOSE, REINFORCED RUBBER, FUEL/ALCOHOL RESISTANT, CONDUCTIVE, LOW PERMEATING, DATED: 96-03-26						
C013D	AVON AUTOMOTIVE APPROVAL FOR HOSE WITH 9.53 MM OR GREATER INNER DIAMETER ONLY	67355	CARBAR II/REINFORCED	AVT/D6575	96-03-26	N	IRB029
C757A	COOPER STANDARD AUTOMOTIVE	66154	THV500ESD/8833 /8833	AVT/D6258	95-09-06	N	IRB029
		70043	THV510ESD/8833 /8842	CPD/JSPENCE 5/CL #9604670	97-05-06	N	IRB029
A WSS-M96D33-A7	HOSE, REINFORCED RUBBER, FUEL/ALCOHOL RESISTANT,, LOW PERMEATING, VAPOR ONLY, DATED: 00-07-20						
NONE	SOURCE APPROVAL PENDING						
A WSS-M96D33-A8	REINFORCED RUBBER, REFORMULATED FUEL RESISTANT CONDUCTIVE, LOW PERMEATING, HOSE, DATED: 98-04-03						
G594F	GOODYEAR CANADA INC	70885	SN-1886	CPD/JSPENCE 5	98-02-14	N	IRB029
A WSS-M96D33-A9	HOSE, NON-REINFORCED RUBBER, FUEL RESISTANT, CONDUCTIVE, LOW PERMEATING (NBR/THV/NBR/CSM), RECYCLING SYMBOL: >NBR,THV,CSM< DATED: 99-06-25						
C013A	AVON AUTOMOTIVE	72435	CADBAR III	AVT/CTHOMAS 5	99-08-05	N	IRB029
C757J	COOPER STANDARD AUTOMOTIVE	72821	COBRA F2	BE/AREAUME/ D20467	00-02-14	N	IRB029
A WSS-M96D33-A10	HOSE, REINFORCED RUBBER, FUEL RESISTANT, CONDUCTIVE, LOW PERMEATING (NBR/THV/NBR/CSM), RECYCLING SYMBOL: >NBR, THV, CSM< (SHOWN ON WSS-M96D33-A9) DATED: 99-06-25						
C013A	AVON AUTOMOTIVE	72398	CADBAR IIIR	AVT/CTHOMAS 5	99-07-07	N	IRB029
C757J	COOPER STANDARD AUTOMOTIVE Coop-low perm. tubing	72763	TUBE-6744 COVER-8485 BARRIER-1203	BE/AREAUME/ D20420	00-01-24	N	IRB029
A WSS-M96D33-A11	HOSE, NON-REINFORCED RUBBER, FUEL RESISTANT, CONDUCTIVE, LOW PERMEATING (NBR/THV/NBR/CM), RECYCLING SYMBOL: >NBR, THV, CM< (SHOWN ON WSS-M96D33-A9) DATED: 99-06-25						
A268D	DAYCO PUROLATOR			/D20448			
A WSS-M96D33-A12	HOSE, REINFORCED RUBBER, FUEL RESISTANT, CONDUCTIVE, LOW PERMEATING (NBR/THV/NBR/CM), RECYCLING SYMBOL: >NBR, THV, CM< (SHOWN ON WSS-M96D33-A9) DATED: 99-06-25						
A268D	DAYCO PUROLATOR Low Permeation, multilayer elastomer hose (reinforced)	72786	DAYPERM-R	RVT/CTHOMAS 5/D20449	00-02-09	N	IRB029
A WSS-M96D33-B1	HOSE, REINFORCED RUBBER, DIESEL FUEL RESISTANT CONDUCTIVE, RECYCLING SYMBOL: >NBR/CPE/CSM< DATED: 01-07-19						

Materials Engineering Testing & Standards

2001-12-03