



Evaluation of Brakes - Wambach Circular Route
Bremsen-Beurteilung Wambachring

Approved
GM do Brasil

Approved
Holden's Automotive

Approved
Saab

Approved
Holden's Engine Company

Approved
ISUZU

Approved
TDCE
[Signature]

Approved
Delta Motor

File name: 125032--.DOC

Prepared: <i>[Signature]</i>	DM	GMHA	GMB	HEC	ISUZU	SAAB	TDCE	
------------------------------	----	------	-----	-----	-------	------	------	--

Revisions

Date	Paragraph
02.97	new, TDCE release

Änderungen

Datum	Abschnitt
02.97	neu, TEZE Freigabe

1 Introduction

1.1 Purpose

To assess the comfort criteria of brake systems.

1.2 Foreword

N. a.

1.3 Applicability

For all passenger car brake systems.

1.4 Definitions

N. a.

1.5 References

Nothing in the test procedure, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Remark: In the event of a conflict between the English and the domestic language, the English language shall take precedence.

2 Resources

2.1 Facilities

Defined test route, ≈ 25 km (see appendix) or equivalent test route.

2.2 Equipment

Additional equipment as required.

2.3 Test Vehicle/Test Piece

2.3.1 Test Vehicle

The equipment and engine power of the test vehicles shall be as specified by the client.

2.3.2 Brake System

2.3.2.1 Gauged brake linings (front and rear axles), thickness measurement.

1 Einleitung

1.1 Zweck

Beurteilung von Komfortkriterien von Brems-systemen.

1.2 Vorwort

N. a.

1.3 Anwendbarkeit

Für alle Pkw Bremssysteme.

1.4 Definitionen

N. a.

1.5 Referenzen

Falls keine Ausnahmen vereinbart wurden, darf das Prüfverfahren keine anzuwendenden Gesetze und Regelungen außer Kraft setzen.

Hinweis: Im Falle von Unstimmigkeiten zwischen dem englischen und dem landessprachlichen Text, ist der englische Text ausschlaggebend.

2 Geräte und Einrichtungen

2.1 Einrichtung

Definierte Fahrstrecke, ≈ 25 km (siehe Anhang) oder adäquate Fahrstrecke.

2.2 Ausrüstung

Zusätzliche Ausrüstung nach Bedarf.

2.3 Versuchsfahrzeug/Probekörper

2.3.1 Versuchsfahrzeug

Ausrüstung und Motorleistung des Versuchsfahrzeuges sind vom Auftraggeber zu spezifizieren.

2.3.2 Bremssystem

2.3.2.1 Vermessene Bremsbeläge (VA und HA), Dickenmessung.