IEC 60153-2

Edition 3.0 2016-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Hollow metallic waveguides –
Part 2: Relevant specifications for ordinary rectangular waveguides

Guides d'ondes métalliques creux –
Partie 2: Spécifications applicables relatives aux guides d'ondes rectangulaires normaux

Documents
Document Sharing Hub

IEC 60153-2:2016-05(en-fr)

Full document details: IEC 60153-2 2016

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue
Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org
Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

Documents
Document Sharing Hub

Full document details: IEC 60153-2 2016

IEC 60153-2

Edition 3.0 2016-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Hollow metallic waveguides –
Part 2: Relevant specifications for ordinary rectangular waveguides

Guides d'ondes métalliques creux –
Partie 2: Spécifications applicables relatives aux guides d'ondes rectangulaires normaux

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.120.10

ISBN 978-2-8322-3383-2

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

AVA Documents
Document Sharing Hub

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

Full document details: IEC 60153-2 2016

CONTENTS

FOREWORD....3
INTRODUCTION....5
1 Scope....6
2 Normative references....6
3 Terms and definitions....6
4 General....6
4.1 Standardized types....6
4.2 Type designation....6
4.3 Frequency range....7
5 Mechanical requirements....7
5.1 General....7
5.2 Dimensions....7
5.2.1 General....7
5.2.2 Inside dimensions....7
5.2.3 Wall thickness....8
5.2.4 Eccentricity....8
5.2.5 Outside dimensions....8
5.2.6 Rectangularity of cross-section....8
5.3 Other mechanical requirements....9
5.3.1 Bow....9
5.3.2 Twist....10
5.3.3 Surface roughness....10
5.3.4 Internal stresses....10
5.4 Electrical tests....10
5.4.1 Attenuation....10
5.5 Additional tests – Gas tightness....11

Table 1 – Deviation of aperture dimension....7
Table 2 – Deviation of outside dimensions....8
Table 3 – Specification and attenuation constants (informative)....12

Documents
Document Sharing Hub
Full document details: IEC 60153-2 2016

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOLLOW METALLIC WAVEGUIDES –

Part 2: Relevant specifications for ordinary rectangular waveguides

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60153-2 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

This third edition cancels and replaces the second edition published in 1974. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) expand and revise the operation frequency range for waveguides;
b) revise the allowance of aperture dimensions;
c) revise the test method for aperture dimensions;
d) revise the equation of attenuation.

Documents
Document Sharing Hub

Full document details: IEC 60153-2 2016

The text of this standard is based on the following documents:

CDV	Report on voting
46F/303/CDV	46F/317/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60153 series, published under the general title *Hollow metallic waveguides*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: IEC 60153-2 2016

INTRODUCTION

This International Standard relates to straight hollow metallic tubing for use as waveguides in electronic equipment. In recent year the operation frequency of waveguide components and system has been extended to 1 THz and above. However, the first edition of the IEC 60153 series of standards only specified the aperture dimensions for ordinary rectangular waveguide for frequencies up to 325 GHz. In addition, the first edition of the IEC 60153 series of standards, dating from the 1960's, does not cover current applications. This new edition of IEC 60153-2 addresses these two issues by extending the frequency coverage to 3 300 GHz and by addressing current applications for this type of waveguide.

Documents
Document Sharing Hub

Full document details: IEC 60153-2 2016

HOLLOW METALLIC WAVEGUIDES –

Part 2: Relevant specifications for ordinary rectangular waveguides

1 Scope

This part of IEC 60153 specifies straight hollow metallic tubing of ordinary rectangular waveguide for use as waveguides in electronic equipment.

The aim of this standard is to specify for hollow metallic waveguides:

a) the details necessary to ensure compatibility and, as far as essential, interchangeability;

b) test methods;

c) uniform requirements for the electrical and mechanical properties.

It should be noted that no recommendations are made for the materials to be used for waveguides. The choice of material is agreed between customer and manufacturer.

This document should be read in conjunction with IEC 60153-1, which gives general requirements and test methods.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at <http://www.electropedia.org/)

IEC 60153-1:2016, *Hollow metallic waveguides – General requirements and measuring methods*

IEC 60261, *Sealing test for pressurized waveguide tubing and assemblies*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-726 apply.

4 General

4.1 Standardized types

The series of ordinary rectangular waveguides covered by this publication are shown in Table 1.

4.2 Type designation

For these waveguides, the type designation comprises:

a) the code: 60153 IEC-R

Documents
Document Sharing Hub

Full document details: IEC 60153-2 2016

b) a number characterizing a particular size of waveguide. This number expresses approximately in multiples of 100 MHz the geometric mean frequency of the recommended frequency range;

c) if the symbol “K” is being used to indicate a factor of 1 000 (which it is suspected that it is), then the symbol needs to be in lower case (i.e. “k”), which stands for “kilo” in the SI system. This affects many waveguide names given in Table 3 and elsewhere in this standard.

Example:

"60153 IEC-R 100" denotes a 22,860 mm × 10,160 mm (0,900 in × 0,400 in) ordinary rectangular waveguide for general purposes with a centre frequency of approximately 10 GHz in the dominant mode.

4.3 Frequency range

The frequency range indicated in Table 1 is from approximately 1,25 to 1,9 times the cut-off frequency in the dominant mode. For any particular type of application, the working frequency range may be smaller or greater than the frequency range given in the table.

5 Mechanical requirements

5.1 General

It should be noted that no recommendations are made for the materials to be used for waveguides. The choice of material shall be agreed upon between customer and manufacturer.

5.2 Dimensions

5.2.1 General

The series of ordinary rectangular waveguides covered by this publication are shown in Table 1.

5.2.2 Inside dimensions

The nominal values for the waveguide aperture height and width, and the permissible maximum deviations in these nominal values, are specified in Table 3.

The deviations for both the width and height of the waveguide aperture are summarized in Table 1.

Table 1 – Deviation of aperture dimension

Range of sizes	Deviation ± (%) of *a*
R 3 – R 500	0,2
R 620 – R 4K	0,5
R 5K – R 14K	1,0
R 18K – R 36K	2,0

Although some difficulty has been experienced in manufacturing waveguides that meet these deviation requirements, in practice, small departures from these deviations create no serious electrical discontinuity problems, except at the terminations of the waveguide.

To accomplish satisfactory electrical mating, it is generally necessary to use a tool for sizing the waveguide opening after the flange has been mounted.

AVA Documents
Document Sharing Hub

Full document details: IEC 60153-2 2016