IEC 60384-26-1

Edition 1.0 2010-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fixed capacitors for use in electronic equipment – Part 26-1: Blank detail specification – Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte – Assessment level EZ

Condensateurs fixes utilisés dans les équipements électroniques – Partie 26-1: Spécification particulière cadre – Condensateurs fixes électrolytiques en aluminium à électrolyte solide en polymère conducteur – Niveau d'assurance de la qualité EZ

IEC 60384-26-1:2010

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.
Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub
The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, withdrawn and replaced publications.
- IEC Just Published: www.iec.ch/online_news/justpub
Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.
- Electropedia: www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.
- Customer Service Centre: www.iec.ch/webstore/custserv
If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:
Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm
Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,…). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.
- Just Published CEI: www.iec.ch/online_news/justpub
Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.
- Electropedia: www.electropedia.org
Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.
- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:
Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

IEC 60384-26-1

Edition1.0 2010-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fixed capacitors for use in electronic equipment – Part 26-1: Blank detail specification – Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte – Assessment level EZ

Condensateurs fixes utilisés dans les équipements électroniques – Partie 26-1: Spécification particulière cadre – Condensateurs fixes électrolytiques en aluminium à électrolyte solide en polymère conducteur – Niveau d'assurance de la qualité EZ

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX Q

ICS 31.060.50

ISBN 978-2-88912-169-4

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

CONTENTS

FOREWORD 3
1 General data 6
1.1 Recommended method(s) of mounting (to be inserted) 6
1.2 Dimensions 6
1.3 Rating and characteristics 7
1.4 Normative references 7
1.5 Marking 8
1.6 Ordering information 8
1.7 Certified records of released lots 8
1.8 Additional information (not for inspection) 8
1.9 Other requirements for generic or sectional specifications 8
2 Inspection requirements 8
2.1 Procedures 8
2.1.1 Qualification approval 8
2.1.2 Quality conformance inspection 8
Bibliography 17

Table 1 – Case size reference and dimensions 6
Table 2 – Values of capacitance and of voltage related to case sizes 7
Table 3 – Characteristics 7
Table 4 – Other requests (other characteristics) 8
Table 5 – Test schedule for quality conformance inspection 9

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 26-1: Blank detail specification – Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte – Assessment level EZ

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-26-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2053/FDIS	40/2063/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

AVA Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

A list of all parts of the IEC 60384 series can be found, under the general title *Fixed capacitors for use in the electronic equipment*, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 26-1: Blank detail specification – Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte – Assessment level EZ

Blank detail specification

A blank detail specification is a supplementary document to the sectional specification and contains requirements for style and layout and minimum content of detail specifications. Detail specifications not complying with these requirements may not be considered as being in accordance with IEC specification nor shall they so be described.

In the preparation of detail specifications the contents of 1.4 of the sectional specification shall be taken into account.

The numbers between brackets on the first page correspond to the following information which shall be inserted in the position indicated.

Identification of the detail specification

[1] The “International Electrotechnical Commission” or the National Standards Organization under whose authority the detail specification is drafted.

[2] The IEC or National Standards number of the detail specification, date of issue and any further information required by the national system.

[3] The number and date of issue of the IEC or National Generic Specification.

[4] The number of the IEC or National blank detail specification.

Identification of the capacitor

[5] A short description of the type of capacitor.

[6] Information on typical construction (If applicable).

[7] Outline drawing with main dimensions which are of importance for interchange ability and / or reference to the national or international documents for outlines. Alternatively, this drawing may be given in an appendix to the detail specification.

[8] Application or group of applications covered and / or assessment level.

[9] Reference data on the most important properties, to allow comparison between the various capacitor types.

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

[1]	[2]
ELECTRONIC COMPONENTS OF ASSESSED QUALITY IN ACCORDANCE WITH: [3]	IEC 60384-26-1 [4]
	Aluminium electrolytic capacitors with conductive polymer solid electrolyte [5]
Outline drawing: (see Table 1) (... angle projection) [7]	[6]
	Assessment level(s): EZ [8]

Information on the availability of components qualified to this detail specification is given in the qualified product list.

[9]

1 General data

1.1 Recommended method(s) of mounting (to be inserted)

See IEC 60384-26, 1.4.2

1.2 Dimensions

Table 1 – Case size reference and dimensions

Dimensions in millimeters

Case size reference							
	L	*W*	*H*	*d*			

NOTE 1 When there is no case-size reference, decline Table 1 and give the dimensions in Table 2 as Table 1.

NOTE 2 Indicate the dimensions as maximum dimension or as nominal dimensions with tolerance.

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

1.3 Rating and characteristics

Ratings and characteristics are as listed below.

- Nominal capacitance range (see Table 2)
- Tolerance on nominal capacitance
- Rated voltage (see Table 2)
- Climatic category
- Rated temperature
- Rated ripple current (see Table 3)
- Tangent of loss angle (see Table 3)
- Leakage current (see Table 3)
- Equivalent series resistance (see Table 3)
- Reverse voltage (if required in the detail specification)

Table 2 – Values of capacitance and of voltage related to case sizes

Rated voltage					
Nominal capacitance	Case size	Case size	Case size	Case size	Case size

Table 3 – Characteristics

U_R V	C_N µF	Tangent of loss angle at … °C, … Hz Hz	Leakage current at … °C µA	Equivalent series resistance at … °C, … Hz Ω	Rated ripple current at … °C, … Hz mA or A

1.4 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T – Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60384-1:2008, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 60384-26:– [1] *Fixed capacitors for use in electronic equipment – Part 26: Sectional specification – Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte*

[1] To be published.

Documents
Document Sharing Hub
Full document details: IEC 60384-26-1 2010

1.5 Marking

The marking of the capacitor and the package shall be in accordance with the requirements of IEC 60384-26, 1.6.

NOTE The details of the marking of the component and package should be given in full in the detail specification.

1.6 Ordering information

Orders for capacitors covered by this specification shall contain, in clear or in coded form, the following minimum information:

a) nominal capacitance;

b) tolerance on nominal capacitance;

c) rated d.c. voltage;

d) issue number and edition of the detail specification and type of capacitors.

1.7 Certified records of released lots

Required / not required

NOTE Clearly state a necessity for customer requests.

1.8 Additional information (not for inspection)

NOTE Clearly state a necessity for additional information.

1.9 Other requirements for generic or sectional specifications

NOTE Other requirements should be specified to those that are absolutely necessary. See Table 4.

Table 4 – Other requests (other characteristics)

This table is to be used for defining characteristics which are additional to, or more severe than, those given in the sectional specification.

2 Inspection requirements

2.1 Procedures

2.1.1 Qualification approval

For qualification approval, the procedures shall be in accordance with IEC 60384-26, 3.4.

2.1.2 Quality conformance inspection

For quality conformance inspection, the test schedule (Table 5) includes sampling, periodicity, severities and requirements. The formation of inspection lots is covered by IEC 60384-26, 3.5.1.

Documents
Document Sharing Hub

Full document details: IEC 60384-26-1 2010

Table 5 – Test schedule for quality conformance inspection

Subclause number and test [a]	D or ND [b]	Test condition [a]	Sample number and criteria [c]			Requirements [a]
			IL	*n*	*c*	
Group A inspection (each lot) Subgroup A0 4.22 High surge current 4.4.1 Leakage current 4.4.2 Capacitance 4.4.3 Tangent of loss angle (tan δ) 4.4.4 Equivalent series resistance (ESR)	ND	Protective resistor: 1 000 Ω Frequency: ... Hz Bias voltage: ... V Frequency: ... Hz Bias voltage: ... V Frequency: 100 kHz	100 %[d]			See detail specification 0,2 $C_N U_R$(μA) or 500 μA (whichever is greater) Within specified tolerance See Table 3 See Table 3
Subgroup A1 4.3 Visual inspection	ND		S-3	f	0	See IEC 60384-26, 4.3.2
Subgroup A2 4.3 Dimensions (detail) [e]	ND		S-3	f	0	See Table 1
Group B inspection (each lot) 4.7 Solderability 4.7.2 Final measurement 4.18 Solvent resistance of marking [g]	D	Test method and severity: As in IEC 60068-2-20, Test Ta, method 1 Visual inspection Solvent: 2-propanol Solvent temp: 23 °C ± 5 °C Method: 1 Rubbing material: cotton wool Recovery time:	S-3	f	0	See 4.7.2

a Subclause numbers of tests and performance requirements refer to IEC 60384-26 and Clause 1 of this specification.

b In this table: D = destructive, ND = non-destructive

c In this table: *IL* = inspection level, *n* = sample size, *c* = acceptance criterion (permitted number of non-conforming items)
The permissible number of non-conforming items indicates acceptance criteria. In case non-conforming item(s) is equal or less than the number, this lot shall be accepted.

d 100 % testing shall be followed by re-inspection by sampling in order to monitor outgoing qualify level by non-confirming items per million. The sampling level shall be established by each manufacturer. For the calculation of parts per million values, any parametric failure shall be counted as a non-conforming item. If one or more non-conforming items occur in a sample, this lot shall be rejected.

e This test may be replaced by in-production testing if the manufacturer installs statistical process control (SPC) on dimensional measurements or other mechanisms to avoid parts exceeding the limits.

f Inspection levels are selected from IEC 60410.

g If required in the detail specification.

AVA Documents
Document Sharing Hub
Full document details: IEC 60384-26-1 2010

Table 5 *(continued)*

Subclause number and test [a]	D or ND [b]	Test condition [a]	Sample number and criteria [c]			Requirements [a]
			p	*n*	*c*	
Subgroup C1A	D		6	12	0	
4.3 Dimension (detail)						See detail specification
4.5.1 Initial measurement		Capacitance				
		Visual inspection				No visible damage
4.5 Terminal strength		Method and Criteria See IEC 60384-1, 4.13 Tension test Bending test				
4.6 Resistance to soldering heat		Non-preconditioning (Drying)				
4.6.1 Initial measurement		Capacitance				
4.6.2 Test		Test method and severity: As in IEC 60068-2-20, Test Tb, method 1				
4.6.3 Final measurement		Visual inspection				No visible damage Legible marking
		Leakage current [d]				See 4.4.1.2
		Capacitance				See detail specification
		Tangent of loss angle (tan δ)				See 4.4.3
		Equivalent series resistance (ESR)				See detail specification
4.17 Solvent resistance of components (If required in the detail specification)		Solvent: 2-propanol Solvent temp: 23 °C ± 5 °C Method: 2 Recovery time:				No visible damage Legible marking
Subgroup C1B	D					
4.7 Solderability		Test method: Solder bath method (See IEC 60068-2-20 Test Ta, Method 1) Non-preconditioning (Aging)				
4.7.2 Final measurement		Visual inspection				See 4.7.2
4.18 Solvent resistance of marking (If required in the detail specification)		Solvent: 2-propanol Solvent temp: 23 °C ± 5 °C Method: 1 Rubbing material: cotton wool Recovery time:				

Documents
Document Sharing Hub
Full document details: IEC 60384-26-1 2010