

NORME  
INTERNATIONALE  
INTERNATIONAL  
STANDARD

CEI  
IEC  
60602

1980

AMENDEMENT 1  
AMENDMENT 1

1987-02

---

---

Amendement 1

**Magnétoscopes à enregistrement hélicoïdal  
de type B**

Amendment 1

**Type B helical video recorders**

LICENSED TO MECON Limited, - RANCHI/BANGALORE  
FOR INTERNAL USE AT THIS LOCATION ONLY, SUPPLIED BY BOOK SUPPLY BUREAU.

© IEC 1987 Droits de reproduction réservés — Copyright - all rights reserved

International Electrotechnical Commission

3, rue de Varembé Geneva, Switzerland

Telefax: +41 22 919 0300

e-mail: inmail@iec.ch

IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

CODE PRIX  
PRICE CODE

**D**

*Pour prix, voir catalogue en vigueur  
For price, see current catalogue*

## PRÉFACE

La présente modification a été établie par le Sous-Comité 60B: Enregistrement vidéo, du Comité d'Etudes n° 60 de la CEI: Enregistrement.

Le texte de cette modification est issu des documents suivants:

| Règle des Six Mois | Rapport de vote |
|--------------------|-----------------|
| 60B(BC)70          | 60B(BC)79       |

Pour de plus amples renseignements, consulter le rapport de vote mentionné dans le tableau ci-dessus.

## Page 10

TABLEAU III: *Dimension B*

Ajouter les dimensions suivantes:

| Millimètres      | Inches             |
|------------------|--------------------|
| $164,8^{+0,5}_0$ | $6,500 \pm 0,010$  |
| $304,5^{+0,5}_0$ | $12,000 \pm 0,010$ |
| $317,2^{+0,5}_0$ | $12,500 \pm 0,010$ |

TABLEAU IV: *Capacités approximatives des bobines*

Modifier le titre de ce tableau et ajouter les valeurs suivantes:

TABLEAU IV

*Capacités approximatives des bobines pour bandes d'épaisseur de 26  $\mu\text{m}$*

| Millimètres | Inches | Mètres | Pieds | Minutes |
|-------------|--------|--------|-------|---------|
| 165         | 6,5    | 330    | 1 080 | 22      |
| 305         | 12     | 2 130  | 7 000 | 145     |
| 318         | 12,5   | 2 300  | 7 500 | 156     |

## Page 20

## 7.4 Enregistrement de la piste audio

Remplacer le paragraphe 7.4.1 par le suivant:

## 7.4.1 Niveau de flux de référence pour les pistes audio:

Le niveau enregistré de référence audio doit correspondre à un flux magnétique de court-circuit de  $100 \pm 5 \text{ nWb/m}$  valeur efficace.

## PREFACE

This amendment has been prepared by Sub-Committee 60B: Video Recording, of IEC Technical Committee No. 60: Recording.

The text of this amendment is based on the following documents:

| Six Months' Rule | Report on Voting |
|------------------|------------------|
| 60B(CO)70        | 60B(CO)79        |

Further information can be found in the Report on Voting indicated in the table above.

## Page 11

TABLE III: *Dimension B*

Add the following dimensions:

| Millimetres      | Inches             |
|------------------|--------------------|
| $164.8^{+0.5}_0$ | $6.500 \pm 0.010$  |
| $304.5^{+0.5}_0$ | $12.000 \pm 0.010$ |
| $317.2^{+0.5}_0$ | $12.500 \pm 0.010$ |

TABLE IV: *Approximate spool capacities*

Amend the title of this table and add the following values:

TABLE IV

*Approximate spool capacities for 26  $\mu$ m thick tape*

| Millimetres | Inches | Metres | Feet  | Minutes |
|-------------|--------|--------|-------|---------|
| 165         | 6.5    | 330    | 1 080 | 22      |
| 305         | 12     | 2 130  | 7 000 | 145     |
| 318         | 12.5   | 2 300  | 7 500 | 156     |

## Page 21

7.4 *Recording of the audio track*

Replace Sub-clause 7.4.1 by the following:

7.4.1 *Reference flux level for the sound tracks*

The recorded reference audio level shall correspond to a magnetic short circuit flux level of  $100 \pm 5$  nWb/m r.m.s.