IEC 60794-3

Edition 4.0 2014-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Optical fibre cables –
Part 3: Outdoor cables – Sectional specification

Câbles à fibres optiques –
Partie 3: Câbles extérieurs – Spécification intermédiaire

IEC 60794-3:2014-09(en-fr)

Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue
Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

IEC 60794-3

Edition 4.0 2014-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Optical fibre cables –
Part 3: Outdoor cables – Sectional specification

Câbles à fibres optiques –
Partie 3: Câbles extérieurs – Spécification intermédiaire

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

Q

ICS 33.180.10

ISBN 978-2-8322-1854-9

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

AVA Documents
Document Sharing Hub

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

Full document details: IEC 60794-3 2014

CONTENTS

FOREWORD 4
1 Scope 6
2 Normative references 6
3 Terms, definitions, symbols and abbreviations 7
4 Optical fibre 7
4.1 General 7
4.2 Attenuation 8
4.2.1 Attenuation coefficient 8
4.2.2 Attenuation uniformity – Attenuation discontinuities 8
4.3 Cut-off wavelength 8
4.4 Fibre colouring 8
4.5 Polarization mode dispersion (PMD) 8
5 Cable element 8
5.1 General 8
5.2 Tight secondary coating or buffer 9
5.3 Ruggedized fibre 9
5.4 Slotted core 9
5.5 Polymeric tube 9
5.6 Ribbon 9
5.6.1 General 9
5.6.2 Dimensions 10
5.6.3 Mechanical requirements 10
5.7 Metallic tube 11
5.7.1 Metallic tube on the optical core 11
5.7.2 Fibres directly located in a metallic tube 11
6 Optical fibre cable construction 11
6.1 General 11
6.2 Lay-up of the cable elements 12
6.3 Cable core filling 12
6.4 Strength member 12
6.5 Moisture barrier 12
6.6 Cable sheath and armouring 13
6.6.1 Inner sheath 13
6.6.2 Armouring 13
6.6.3 Outer sheath 13
6.7 Sheath marking 14
6.8 Hydrogen gas 14
7 Installation and operating conditions 14
8 Characterization of cable elements 14
9 Optical fibre cable tests 15
10 Quality assurance 16
Bibliography 17

Documents
Document Sharing Hub
Full document details: IEC 60794-3 2014

Table 1 – Maximum dimensions of optical fibre ribbons 10
Table 2 – Characteristics of different types of cable elements 15
Table 3 – Mechanical and environmental applicable tests 16

Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

Part 3: Outdoor cables – Sectional specification

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-3 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This fourth edition cancels and replaces the third edition, published in 2001, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the specification has been streamlined by cross-referencing with IEC 60794-1-1;
- soft strippable tubes introduced into the "polymeric" tube heading and metal tubes have been added;
- ribbon clauses have been simplified;
- more precise outer sheath details have been added;
- cable element tests and cable tests have been simplified by the use of tables instead of text;
- Annex A on PMD has been removed, to avoid duplication with IEC TR 61282-3.

AVA Documents
Document Sharing Hub

The text of this standard is based on the following documents:

CDV	Report on voting
86A/1589/CDV	86A/1621/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

OPTICAL FIBRE CABLES –

Part 3: Outdoor cables – Sectional specification

1 Scope

This part of IEC 60794 specifies the requirements for optical fibre cables and cable elements which are intended to be used externally in communications networks. Other types of applications requiring similar types of cables can be considered.

Requirements for cables to be used in ducts, for directly buried applications, aerial cables and cables for lake and river crossings are included in this standard. Also included are cables for specialized use in sewers and in water and gas pipes.

For aerial application, this standard does not cover all functional aspects of cables installed in the vicinity of overhead power lines. For such applications, additional requirements and test methods may be necessary. Moreover, this standard excludes optical ground wires and cables attached to the phase or earth conductors of overhead power lines.

For cables for lake and river crossings, this standard does not cover methods of cable repair, nor repair capability, nor does it cover cables for use with underwater line amplifiers.

NOTE IEC TR 62839-1[1] gives rules to built an environmental declaration if needed.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60304, *Standard colours for insulation for low-frequency cables and wires*

IEC 60708, *Low-frequency cables with polyolefin insulation and moisture barrier polyolefin sheath*

IEC 60793-1-21, *Optical fibres – Part 1-21: Measurement methods and test procedures – Coating geometry* [1]

IEC 60793-1-32, *Optical fibres – Part 1-32: Measurement methods and test procedures – Coating strippability*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-44, *Optical fibres – Part 1-44: Measurement methods and test procedures – Cut-off wavelength*

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

[1] To be published.

Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods*[2]

IEC 60794-1-22, *Optical fibre cables – Part 1-22: Basic optical cable test procedures – Environmental test methods*

IEC 60794-1-23, *Optical fibre cables – Part 1-23: Basic optical cable test procedures – Cable elements test methods*

IEC 60811-202, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheaths*

IEC 60811-203, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions*

IEC 60811-401, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven*

IEC 60811-406, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 406: Miscellaneous tests – Resistance to stress cracking of polyethylene and polypropylene compounds*

IEC 60811-501, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: General tests – Tests for determining the mechanical properties of insulating and sheathing compounds*

IEC 60811-604:2012, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 604: Physical tests – Measurement of absence of corrosive components in filling compounds*

IEC 60811-607, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 607: Physical tests – Test for the assessment of carbon black dispersion in polyethylene and polypropylene*

IEC TR 62690, *Hydrogen effects in optical fibre cables – Guidelines*

IEC TR 62691, *Optical fibre cables – Guide to the installation of optical fibre cables*

3 Terms, definitions, symbols and abbreviations

For the purposes of this document, the terms, definitions, symbols and abbreviations given in IEC 60794-1-1 apply.

4 Optical fibre

4.1 General

Optical fibre shall be used which meets the requirements of IEC 60793-2. The fibre type shall be agreed between the customer and supplier.

[2] To be published.

Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

4.2 Attenuation

4.2.1 Attenuation coefficient

The maximum cabled fibre attenuation coefficient shall conform to IEC 60794-1-1. Particular values may be agreed between the customer and supplier.

The attenuation coefficient shall be measured in accordance with IEC 60793-1-40.

4.2.2 Attenuation uniformity – Attenuation discontinuities

Attenuation uniformity shall conform to IEC 60794-1-1.

4.3 Cut-off wavelength

For single-mode fibre, the cabled fibre cut-off wavelength λ_{cc} shall be less than the operational wavelength, when measured in accordance with IEC 60793-1-44, and in conformity with IEC 60794 1-1.

4.4 Fibre colouring

If the primary coated fibres are coloured for identification, the coloured coating shall be readily identifiable throughout the lifetime of the cable and shall be a reasonable match to IEC 60304.

4.5 Polarization mode dispersion (PMD)

Cabled single-mode fibre PMD shall conform to IEC 60794-1-1.

5 Cable element

5.1 General

Generally, optical cables comprise several elements or individual constituents, depending on the cable design which takes into account the cable application, operating environment and manufacturing processes, as well as the need to protect the fibre during handling and cabling.

The material(s) used for a cable element shall be selected to be compatible with the other elements in contact with it. An appropriate compatibility test method shall be defined in the family or detail specification.

When the fibres are in contact with a filling compound, the compatibility of the filling compound with the fibre coating shall be demonstrated by testing coating stripping force stability after accelerated ageing in accordance with IEC 60794-1-21, Method E5. Alternative ageing conditions and tests may be agreed between the customer and supplier.

Optical elements are cable elements containing optical fibres and are designed to be a primary functional unit of the cable core. They may comprise any of the cable elements described below. Optical elements and each fibre within a cable element shall be uniquely identified, for example by colours, a positional configuration, markings, tapes, threads or as specified in the detail specification.

Tests may be performed on cable elements either in uncabled form or in a finished cable. Unless otherwise specified, testing shall be performed on cable elements in a finished cable. (This means that testing shall be performed only on a finished cable if the cable element manufacturing operation is done by the same manufacturer as the cabling operation. Testing shall be performed on cable elements only if the cable element is supplied by a third party; this does not exclude testing of the finished cable.)

AVA Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

Different types of optical elements are described below.

5.2 Tight secondary coating or buffer

If a tight secondary coating is required, it shall consist of one or more layers of polymeric material. The coating shall be easily removable for splicing. For tight buffers, the buffer and fibre primary coating shall be removable in one operation over a length of 10 mm to 25 mm, depending on customer requirements. The nominal overall diameter of the secondary coating shall be between 800 μm and 900 μm. The value, which shall be agreed between the customer and supplier, shall have a tolerance of ±50 μm. The fibre/secondary coating eccentricity shall not exceed 75 μm, unless otherwise agreed between the customer and supplier.

The colour of the tight secondary coating shall be readily identifiable throughout the life-time of the cable and shall be a reasonable match to IEC 60304.

5.3 Ruggedized fibre

Further protection can be provided to tight secondary coated fibres by surrounding one or more with non-metallic strength members within a sheath of suitable material (e.g. for fan-out cables).

5.4 Slotted core

The slotted core is obtained by extruding a suitable material (for example polyethylene or polypropylene) with a defined number of slots, providing helical or SZ configuration along the core. One or more primary coated fibres or optical element is located in each slot which may be filled by compound.

The slotted core usually contains a central element which may be either metallic or non-metallic. In this case, there shall be adequate adhesion between the central element and the extruded core in order to obtain the required temperature stability and tensile behaviour for the slotted core element.

The profile of the slot shall be uniform and shall ensure the optical and mechanical performance required of the optical cable.

5.5 Polymeric tube

One or more primary coated fibres or other optical elements are packaged (loosely or not) in a tube construction which may be filled by compound. The tube may be reinforced with a composite wall. The polymeric tube may be hard, to provide some crush protection to the fibre bundle, or soft to enable easy strippability of the tube without specialized tools.

If required, the suitability of the tube shall be determined by an evaluation of its kink resistance in accordance with IEC 60794-1-23, Method G7.

If used, the filling compound in the tube shall comply with IEC 60794-1-21, Method E15. The filled tube shall comply with IEC 60794-1-21, Method E14, when tested in tube or cabled form.

5.6 Ribbon

5.6.1 General

Optical fibre ribbons are optical fibres assembled in a composite linear array.

Fibres shall be arranged in parallel and formed into ribbons of typically 4, 6, 8, 12, 24 or 36 fibres each according to user requirements. The fibres within the ribbons shall remain parallel and not cross over.

AVA Documents
Document Sharing Hub

Full document details: IEC 60794-3 2014

The design intent is that adjacent fibres within a ribbon are contiguous and that fibre centre lines are straight, parallel and coplanar.

Unless otherwise specified, each ribbon shall be uniquely identified with a printed legend or by uniquely colouring the reference fibre in the ribbon and/or by colouring the matrix material of the ribbon.

Some parameters shall be measured in the ribbon since the corresponding tests on the primary coated fibre or finished cable are not sufficient for complete characterization. These parameters are identified below.

5.6.2 Dimensions

Unless otherwise specified in the detail specification, the maximum dimensions and the structural geometry of optical fibre ribbons shall be as shown in Table 1.

Table 1 – Maximum dimensions of optical fibre ribbons

			Fibre alignment	
	Width	**Height**	**Extreme fibres**	**Planarity**
Number of fibres [a]	w	h	b	p
	µm	µm	µm	µm
4	1 220	360	786	50
6	1 648	360	1 310	50
8	2 172	360	1 834	50
12	3 220	360	2 882	75
24	6 500	360	Per 12f unit [a]	Per 12f uni [a]
36	9 800	360	Per 12f unit [a]	Per 12f unit [a]
[a] Per unit values are measured with the ribbon separated into the intended sub-units.				

More stringent requirements may need to be agreed between the customer and supplier, depending on the splice or the connector technique employed.

The dimensions and structural geometry can be verified with a type test, described as the visual measurement method (IEC 60794-1-23, Method G2) to establish and ensure proper control of the ribbon manufacturing process. Once the process is established, and in order to ensure functional performance, the width and height of the ribbons may be controlled and verified, for final inspection purposes, with an aperture gauge (IEC 60794-1-23, Method G3) or a dial gauge (IEC 60794-1-23, Method G4) or by the visual measurement methods.

5.6.3 Mechanical requirements

5.6.3.1 Separability of individual fibres from a ribbon

If fibre breakout capability is required, the ribbons shall be constructed in such a way that fibres can be separated from the ribbon construction, into sub-units or individual optical fibres, while meeting the following criteria:

a) the ribbon shall be tested for the ability to break out individual fibres using the tear (separability) test shown in IEC 60794-1-23, Method G5, or a method agreed upon between the customer and supplier;

b) breakout shall be accomplished without specialized tools or apparatus;

Documents
Document Sharing Hub
Full document details: IEC 60794-3 2014