IEC 61156-5

Edition 2.0 2009-02

INTERNATIONAL STANDARD

Withdrawn

Multicore and symmetrical pair/quad cables for digital communications –

Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Sectional specification

IEC 61156-5:2009(E)

Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub
The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, withdrawn and replaced publications.
- IEC Just Published: www.iec.ch/online_news/justpub
Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.
- Electropedia: www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.
- Customer Service Centre: www.iec.ch/webstore/custserv
If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

withdrawn

Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009

IEC 61156-5

Edition 2.0 2009-02

INTERNATIONAL STANDARD

withdrawn

Multicore and symmetrical pair/quad cables for digital communications –

Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz-horizontal floor wiring – Sectional specification

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE T

ICS 33.120.20

ISBN 978-2-88910-424-6

® Registered trademark of the International Electrotechnical Commission

Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms and definitions 8
4 Installation considerations 8
4.1 General remarks 8
4.2 Bending radius of installed cable 8
4.3 Climatic conditions 8
5 Materials and cable construction 8
5.1 General remarks 8
5.2 Cable construction 8
5.2.1 Conductor 8
5.2.2 Insulation 8
5.2.3 Cable element 9
5.2.4 Cable make-up 9
5.2.5 Screening of the cable core 9
5.2.6 Sheath 9
5.2.7 Identification 9
5.2.8 Finished cable 10
6 Characteristics and requirements 10
6.1 General remarks 10
6.2 Electrical characteristics and tests 10
6.2.1 Conductor resistance 10
6.2.2 Resistance unbalance 10
6.2.3 Dielectric strength 10
6.2.4 Insulation resistance 10
6.2.5 Mutual capacitance 10
6.2.6 Capacitance unbalance 10
6.2.7 Transfer impedance 11
6.2.8 Coupling attenuation 11
6.2.9 Current-carrying capacity 11
6.3 Transmission characteristics 11
6.3.1 Velocity of propagation (phase velocity) 11
6.3.2 Phase delay and differential delay (delay skew) 11
6.3.3 Attenuation (α) 12
6.3.4 Unbalance attenuation (TCL) 13
6.3.5 Near-end crosstalk ($NEXT$) 13
6.3.6 Far-end crosstalk ($FEXT$) 14
6.3.7 Alien (exogenous) near-end crosstalk ($ANEXT$) 14
6.3.8 Alien (exogenous) far-end crosstalk ($AFEXT$) 14
6.3.9 Alien (exogenous) crosstalk of bundled cables 15
6.3.10 Impedance 15
6.3.11 Return loss (RL) 16
6.4 Mechanical and dimensional characteristics and requirements 16
6.4.1 Dimensional requirements 16
6.4.2 Elongation at break of the conductors 16

Withdrawn

AVA Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009

6.4.3 Tensile strength of the insulation ... 17
6.4.4 Elongation at break of the insulation ... 17
6.4.5 Adhesion of the insulation to the conductor ... 17
6.4.6 Elongation at break of the sheath ... 17
6.4.7 Tensile strength of the sheath ... 17
6.4.8 Crush test of the cable ... 17
6.4.9 Impact test of the cable ... 17
6.4.10 Bending under tension ... 17
6.4.11 Repeated bending of the cable ... 17
6.4.12 Tensile performance of the cable ... 17
6.4.13 Shock-test requirements of the cable ... 17
6.4.14 Bump-test requirements of the cable ... 17
6.4.15 Vibration-test requirements of a cable ... 17
6.5 Environmental characteristics ... 18
6.5.1 Shrinkage of insulation ... 18
6.5.2 Wrapping test of insulation after thermal ageing ... 18
6.5.3 Bending test of insulation at low temperature ... 18
6.5.4 Elongation at break of the sheath after ageing ... 18
6.5.5 Tensile strength of the sheath after ageing ... 18
6.5.6 Sheath pressure test at high temperature ... 18
6.5.7 Cold bend test of the cable ... 18
6.5.8 Heat shock test ... 18
6.5.9 Damp heat steady state ... 18
6.5.10 Solar radiation (UV test) ... 18
6.5.11 Solvents and contaminating fluids ... 18
6.5.12 Salt mist and sulphur dioxide ... 18
6.5.13 Water immersion ... 19
6.5.14 Hygroscopicity ... 19
6.5.15 Wicking ... 19
6.5.16 Flame propagation characteristics of a single cable ... 19
6.5.17 Flame propagation characteristics of bunched cables ... 19
6.5.18 Halogen gas evolution ... 19
6.5.19 Smoke generation ... 19
6.5.20 Toxic gas emission ... 19
6.5.21 Integrated fire test ... 19
7 Category 5e multipair cable ... 19
7.1 General ... 19
7.2 Transmission ... 19
8 Introduction to the blank detail specification ... 20

Annex A (informative) Acronyms for common cable constructions ... 21

Bibliography ... 23

Figure 1 – Impedance template ... 16
Figure A.1 – Common cable construction examples ... 22

Withdrawn

Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009

Table 1 – Cable categories 7
Table 2 – Transfer impedance 11
Table 3 – Coupling attenuation 11
Table 4 – Attenuation equation constants 12
Table 5 – Near-end unbalance attenuation 13
Table 6 – Worst-pair PS NEXT(1) values 13
Table 7 – Worst-pair PS EL FEXT(1) values 14
Table 8 – *PS ANEXT* 14
Table 9 – *PS AACR-F* 15
Table 10 – Return loss 16
Table A.1 – Cable construction acronyms 21

Withdrawn

Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Sectional specification

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61156-5 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This part of IEC 61156 is to be read in conjunction with IEC 61156-1.

This second edition cancels and replaces the first edition published in 2002. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) new requirements for new $Cat6_A$ and $Cat7_A$ cables;

Withdrawn

AVA Documents Document Sharing Hub

Full document details: IEC 61156-5 2009

b) revised requirements and tests for Cat5e, Cat6 and Cat7 cables.

The text of this standard is based on the first edition and on the following documents:

FDIS	Report on voting
46C/878 /FDIS	46C/888/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61156 series, under the general title *Multicore and symmetrical pair/quad cables for digital communications* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of May 2009 and February 2010 have been included in this copy.

Withdrawn

Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Sectional specification

Withdrawn

1 Scope

This part of IEC 61156 describes the cables intended primarily for horizontal floor wiring as defined in ISO/IEC 11801.

It covers individually screened, common screened and unscreened pairs or quads (see Annex A). The transmission characteristics and the frequency range (see Table 1) of the cables are specified at 20 °C.

Table 1 – Cable categories

Cable designation	Maximum referenced frequency MHz
Category 5e	100
Category 6	250
Category 6_A	500
Category 7	600
Category 7_A	1 000

These cables can be used for various communication channels which use as many as four pairs simultaneously. In this sense, this sectional specification provides the cable characteristics required by system developers to evaluate new systems.

The cables covered by this standard are intended to operate with voltages and currents normally encountered in communication systems. While these cables are not intended to be used in conjunction with low impedance sources, for example, the electric power supplies of public utility mains, they are intended to be used to support the delivery of low voltage and power applications such as IEEE 802.3af (Power over Ethernet) and IEEE 802.3at (Power over Ethernet Plus).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC 61156-5-1, *Multicore and symmetrical pair/quad cables for digital communications – Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Blank detail specification*

AVA Documents
Document Sharing Hub

Full document details: IEC 61156-5 2009