IEC 62805-2

Edition 1.0 2017-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Method for measuring photovoltaic (PV) glass – Part 2: Measurement of transmittance and reflectance

Méthode de mesure du verre photovoltaïque (PV) – Partie 2: Mesurage du facteur de transmission et du facteur de réflexion

IEC 62805-2:2017-08(en-fr)

Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue
Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

IEC 62805-2

Edition 1.0 2017-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Method for measuring photovoltaic (PV) glass – Part 2: Measurement of transmittance and reflectance

Méthode de mesure du verre photovoltaïque (PV) – Partie 2: Mesurage du facteur de transmission et du facteur de réflexion

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.160

ISBN 978-2-8322-4721-1

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

CONTENTS

FOREWORD 3
INTRODUCTION 5
1 Scope 6
2 Normative references 6
3 Terms and definitions 6
4 Apparatus 7
4.1 General 7
4.2 Performance of test instrument 7
5 Test specimens and reference standards 7
5.1 Test specimens 7
5.2 Reference standard 7
6 Conditioning 7
7 Procedure 8
7.1 General 8
7.2 Measurement of spectral hemispherical transmittance 8
7.2.1 Instrument calibration 8
7.2.2 Sample measurement 8
7.3 Measurement of spectral hemispherical reflectance 8
7.3.1 Instrument calibration 8
7.3.2 Sample measurement 9
8 Calculation and expression of results 10
8.1 Effective hemispherical transmittance of photon irradiance 10
8.2 Effective hemispherical reflectance of photon irradiance 10
9 Test report 11
Bibliography 12

Figure 1 – Schematic of the integrating sphere for reflectance measurement 9

Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METHOD FOR MEASURING PHOTOVOLTAIC (PV) GLASS –

Part 2: Measurement of transmittance and reflectance

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62805-2 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

The text of this standard is based on the following documents:

FDIS	Report on voting
82/1298/FDIS	82/1322/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62805, published under the general title *Method for measuring photovoltaic (PV) glass*, can be found on the IEC website.

AVA Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

INTRODUCTION

This document differentiates from the other standards related to transmittance and reflectance test as follows:

- the scope of this document is restricted to transmittance and reflectance measurement for PV glass,
- the wavelength range is typically from 280 nm to 1 250 nm which is related to the spectral response of common solar cells,
- in order to harmonize the calculation of the transmittance and reflectance of PV glass, the photon irradiance was used instead of the spectral solar irradiance,
- apparatus conditions such as the integrating sphere type and diameter are specified.

This part of IEC 62805 establishes IEC requirements for providing procedures and calculation methods for measuring the transmittance and reflectance of glass used in photovoltaic (PV) modules.

Types of PV glass include ultra-clear patterned glass, anti-reflective coated glass, transparent conductive oxide (TCO) glass and other kind of glass used in PV modules. With the rapid growth of the global PV industry, the amount of PV glass being used has increased tremendously. The optical properties including the transmittance and reflectance of PV glass play an important role in determining the performance of PV modules.

At present, the methods used to measure the transmittance and reflectance of PV glass by different laboratories and manufacturers can be quite different because there is no standard method being used. While there are other international standards for the measurement of transmittance and reflectance of glass or other transparent materials, the spectral irradiance is used for performing the calculations, and the wavelength range incorporates either the visible spectrum or the entire solar spectrum depending on the different applications of the glass under test. See for example ISO 9050, and ISO 13837. As photon flux is important in determining the number of carriers that are generated and hence the current produced by a solar cell, the spectral photon flux (photon irradiance) is used in this document for calculation of the transmittance and reflectance of PV glass. The wavelength range is restricted to the solar cell response range, typically from 280 nm to 1 250 nm. The transmittance of ultra-clear patterned PV glass from different manufacturers could vary depending upon whether the spectral solar irradiance or the spectral photon irradiance is used in the calculation, even if the same test apparatus and procedure is applied. In addition the measuring conditions, the apparatus requirements and sample preparation method are modified to correctly measure PV glass.

The aim of this document is:

- to provide a specific method for measuring transmittance and reflectance of PV glass, especially PV glass having both specular and diffuse optical properties;
- to develop the procedure for measuring transmittance and reflectance in the solar cell response wavelength range, typically from 280 nm to 1 250 nm;
- to provide a method for calculating the transmittance and reflectance using the spectral photon irradiance spectrum in the solar cell response wavelength range, typically from 280 nm to 1 250 nm.

Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

METHOD FOR MEASURING PHOTOVOLTAIC (PV) GLASS –

Part 2: Measurement of transmittance and reflectance

1 Scope

This part of IEC 62805 specifies methods for measuring the transmittance and reflectance of glass used in photovoltaic (PV) modules and provides instructions on how to calculate the effective hemispherical transmittance and reflectance of this glass.

This document is applicable to PV glasses used in PV modules, including ultra-clear patterned glass, anti-reflective coated (AR) glass, transparent conductive oxide coated (TCO) glass and other kinds of PV glass used in PV modules.

These test methods are designed to provide reproducible data appropriate for comparison of results among laboratories or at different times by the same laboratory and for comparison of data obtained on different PV glasses.

These test methods have been found practical for glass having both specular and diffuse optical properties.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60904-3:2016, *Photovoltaic devices – Part 3: Measurement principles for terrestrial photovoltaic (PV) solar devices with reference spectral irradiance data*

IEC 62788-1-4, *Measurement procedures for materials used in Photovoltaic Modules – Part 1-4: Encapsulants – Measurement of optical transmittance and calculation of the solar-weighted photon transmittance, yellowness index, and UV cut-off frequency*

IEC 62805-1:2017, *Method for measuring photovoltaic (PV) glass – Part 1: Measurement of total haze and spectral distribution of haze*

ISO 9050, *Glass in building – Determination of light transmittance, solar direct transmittance, total solar energy transmittance, ultraviolet transmittance and related glazing factors*

3 Terms and definitions

For the purposes of this document, the terms and definitions in IEC 62805-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

Documents
Document Sharing Hub

Full document details: IEC 62805-2 2017

3.1
effective hemispherical transmittance of photon irradiance
ratio of the transmitted photon irradiance to the incident photon irradiance in the wavelength range of 280 nm to 1 250 nm

Note 1 to entry: The transmitted photon irradiance is collected over an entire hemisphere for detection.

Note 2 to entry: The term "effective" in the title refers to the effective wavelength range which is related to the spectral response characterization of solar cells. In this document, the wavelength range of 280 nm to 1 250 nm is chosen as the representative response spectrum of the common solar cells, including crystalline silicon solar cells, silicon thin film solar cells and others. If the PV glass is used in a PV module in which the response spectrum of the solar cells is beyond the range of 280 nm to 1 250 nm, a different effective wavelength range will be specified.

3.2
effective hemispherical reflectance of photon irradiance
ratio of the total reflected photon irradiance to the incident photon irradiance in the wavelength range of 280 nm to 1 250 nm

Note 1 to entry: The reflected photon irradiance is collected over an entire hemisphere for detection.

4 Apparatus

4.1 General

Double-beam instruments or single-beam instruments with stabilized light source, integrating sphere and other elements according to IEC 62805-1.

4.2 Performance of test instrument

Performance of the test instruments shall conform to the requirement of IEC 62805-1.

5 Test specimens and reference standards

5.1 Test specimens

Test specimens shall conform to the requirements of IEC 62805-1.

5.2 Reference standard

For transmittance measurement, an air layer shall be used as the 100 % transmittance reference standard for the measurement baseline.

For reflectance measurement, a laboratory certified, calibrated reference standard with characteristics similar to PV glass sample shall be used as the 100 % reflectance reference standard for the measurement baseline. For example, a certified coated quartz sample may be used as a working reference for measurements of glass.

6 Conditioning

The test shall be done in an environment maintained at (23 ± 2) °C and (40 ± 15) % relative humidity.

The specimen of coated PV glass, such as AR glass and TCO glass, shall be maintained in the same environment for not less than 4 h prior to measurement unless otherwise agreed between customer or supplier.

Documents
Document Sharing Hub
Full document details: IEC 62805-2 2017