IEC 62838

Edition 1.0 2015-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

LEDsi lamps for general lighting services with supply voltages not exceeding 50 V a.c. r.m.s. or 120 V ripple free d.c. – Safety specifications

Lampes à LEDsi pour l'éclairage général fonctionnant à des tensions d'alimentation ne dépassant pas 50 V en courant alternatif efficace ou 120 V en courant continu lisse – Spécifications de sécurité

IEC 62838:2015-10(en-fr)

Documents
Document Sharing Hub
Full document details: IEC 62838 2015

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue
Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

Documents
Document Sharing Hub

Full document details: IEC 62838 2015

IEC 62838

Edition 1.0 2015-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

LEDsi lamps for general lighting services with supply voltages not exceeding 50 V a.c. r.m.s. or 120 V ripple free d.c. – Safety specifications

Lampes à LEDsi pour l'éclairage général fonctionnant à des tensions d'alimentation ne dépassant pas 50 V en courant alternatif efficace ou 120 V en courant continu lisse – Spécifications de sécurité

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140

ISBN 978-2-8322-2901-9

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

AVA Documents
Document Sharing Hub

Full document details: IEC 62838 2015

CONTENTS

FOREWORD 3
INTRODUCTION 5
1 Scope 6
2 Normative references 7
3 Terms and definitions 8
4 General requirement and general test requirements 8
5 Marking 8
6 Interchangeability 9
6.1 Cap interchangeability 9
6.2 Bending moment and mass imparted by the lamp at the lampholder 9
7 Protection against accidental contact with live parts 10
8 Insulation resistance and electric strength after humidity treatment 10
8.1 General 10
8.2 Insulation resistance 10
8.3 Electric strength 10
9 Mechanical strength 11
9.1 Pull force 11
10 Cap temperature rise 11
11 Resistance to heat 11
12 Resistance to flame and ignition 11
13 Fault conditions 11
13.1 General 11
13.2 Compliance 11
14 Creepage distances and clearances 11
15 Abnormal operation 11
16 Photobiological safety 12
16.1 UV radiation 12
16.2 Blue light hazard 12
16.3 Infrared radiation 12
17 Ingress protection 12
18 Information for luminaire design 12
Annex A (informative) Information for luminaire design 13
A.1 Water contact 13
A.2 Further impact on luminaires 13
Bibliography 14

Figure 1 – Types of LED lamps with supply voltage ≤ 50V 7
Figure 2 – Lamp not suitable for use under dust and moisture 9

Table 1 – Interchangeability gauges, lamp cap dimensions, bending moment and mass 9
Table 2 – Test voltages for caps 11

Documents
Document Sharing Hub
Full document details: IEC 62838 2015

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LEDsi LAMPS FOR GENERAL LIGHTING SERVICES WITH SUPPLY VOLTAGES NOT EXCEEDING 50 V A.C. R.M.S. OR 120 V RIPPLE FREE D.C. – SAFETY SPECIFICATIONS

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62838 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment

The text of this standard is based on the following documents:

FDIS	Report on voting
34A/1852/FDIS	34A/1869/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

Documents
Document Sharing Hub

Full document details: IEC 62838 2015

– requirements proper: in roman type

– *test specifications: in italic type*

– notes: in small roman type

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of October 2017 have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: IEC 62838 2015

INTRODUCTION

This standard provides the requirements and conditions of compliance for the safety of semi-integrated LED lamps with supply voltages equal to or less than 50 V a.c. r.m.s. or equal to or less than 120 V ripple free d.c.

The establishing of this standard does not exclude a future relocation as a sub-part of IEC 60968, self-ballasted lamps, or a merging with the standard for self-ballasted LED lamps with supply voltages greater than 50 V.

Documents
Document Sharing Hub

Full document details: IEC 62838 2015

LEDsi LAMPS FOR GENERAL LIGHTING SERVICES WITH SUPPLY VOLTAGES NOT EXCEEDING 50 V A.C. R.M.S. OR 120 V RIPPLE FREE D.C. – SAFETY SPECIFICATIONS

1 Scope

This International Standard specifies the safety and interchangeability requirements, together with the test methods and conditions, required to show compliance of LED lamps with integrated means for stable operation, intended for domestic and similar general lighting purposes, having:

– a rated power up to 60 W

– a rated voltage equal to or less than 50 V a.c. r.m.s. or equal or less 120 V ripple free d.c.,

– caps according to Table 1.

NOTE 1 The value of 60 W rated power is under consideration. Heat management may require lower power.

This standard shall be used for products in conjunction with ELV lighting installations.

With reference to IEC 60364-7-715, in ELV lighting installations only SELV sources are applied. Where bare conductors are used, the maximum lamp voltage shall be 25 V a.c. or 60 V d.c.

The requirements of this standard relate only to type testing.

For lamps > 25 V a.c. or 60 V d.c., recommendations for whole production testing or batch testing are given in IEC 60598-1 Table Q.1, column class III luminaire, column 4 or 5.

NOTE 2 Where in this standard the term “lamp(s)” is used, it is understood to stand for semi-integrated LED lamp(s) with supply voltages as in the scope above, except where it is obviously assigned to other types of lamps.

An overview of systems composed of LED modules, lamps and controlgear is given in IEC 62504. Supply voltage does not mean necessarily mains voltage, e.g. 230 V / 50 Hz. A semi-integrated LED lamp can also be driven on a supply voltage with 12 V a.c. or d.c. The control unit in the controlgear in a semi-integrated LED lamp then provides the conversion of 12 V a.c. or d.c. to a special current and voltage to power the LED inside the semi-integrated LED lamp. Schematically, the types of LEDni and LEDsi lamps are shown in Figure 1.

Documents
Document Sharing Hub
Full document details: IEC 62838 2015



a) Example of a non-integrated LED lamp with supply voltage ≤ 50V

Key

1 Converter not LED specific, but designed typically for incandescent or tungsten halogen lamps.

2 Non-integrated LED light source, typically a module. It may have an IEC 60061-1 conform cap which is LED specific and not retrofit.



b) Example of a semi-integrated LED lamp with supply voltage ≤ 50V, in the scope of this standard

Key

1 Converter not LED specific, but designed typically for incandescent or tungsten halogen lamps.

2 LED control unit.

3 Semi-integrated LED lamp as defined in 3.15.4 of IEC 62504.

NOTE Figure 1a) type is not covered by this standard.

Figure 1 – Types of LED lamps with supply voltage ≤ 50V

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60061-3, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges*

IEC 60364-4-41:2005, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*

IEC 60364-7-715:2011, *Electrical installations – Requirements for special installations or locations – Extra-low-voltage lighting installations*

IEC 60417, *Graphical symbols for use on equipment* (available from: http://www.graphical-symbols.info/equipment)

IEC 60598-1, *Luminaires – Part 1: General requirements and tests*

IEC 61347-1:2015, *Lamp controlgear – Part 1: General and safety requirements*

IEC 62031, *LED modules for general lighting – safety requirements*

IEC 62504, *General lighting – LEDs and LED modules – terms and definitions*

IEC 62560, *Self-ballasted LED lamps for general lighting services by voltage > 50 V – Safety specifications*

AVA Documents
Document Sharing Hub
Full document details: IEC 62838 2015

IEC TR 62778, *Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires*

3 Terms and definitions

For the purposes of this document the terms and definitions of IEC 62031, IEC 62504, IEC 62560 and IEC 61347-1 as well as the following apply.

3.1
ultraviolet hazard efficacy of luminous radiation
$K_{S,v}$
quotient of a ultraviolet hazard quantity to the corresponding photometric quantity

Note 1 to entry: Ultraviolet hazard efficacy of luminous radiation is expressed in mW/klm.

Note 2 to entry: The ultraviolet hazard efficacy of luminous radiation is obtained by weighting the spectral power distribution of the lamp with the UV hazard function $S_{UV}(\lambda)$. Information about the relevant UV hazard function is given in IEC 62471. It only relates to possible hazards regarding UV exposure of human beings. It does not deal with the possible influence of optical radiation on materials, such as mechanical damage or discoloration.

4 General requirement and general test requirements

The requirements of IEC 62560 apply.

5 Marking

The requirements of IEC 62560 apply.

Deviating from the frequency marking in IEC 62560, 5.1 d), the following applies.

If a lamp is only suitable for DC, it shall be marked "DC" or "⎓"(IEC 60417-5031 (2002-10)).

If a lamp is only suitable for AC electronic, it shall be marked “AC electronic” or “ electronic ∼” (IEC 60417-5032 (2002-10)).

If a lamp is only suitable for AC 50 Hz/60Hz, it shall be marked “AC 50 Hz/60Hz” or “∼ 50 Hz/60 Hz".

If a lamp is suitable for AC electronic and AC 50 Hz/60Hz, it shall be marked “AC”; the addition “electronic and 50 Hz/ 60 Hz” is optional.

If a lamp is suitable for DC, AC electronic and AC 50 Hz/60 Hz, it shall only be marked with the voltage, not with the frequency.

Lamps with bulbs not suitable for water contact shall be marked with the symbol according to Figure 2. The marking shall be provided on the packaging or accompanying information. The height of the graphical symbol shall be at least 5 mm. The symbol is not needed if a written cautionary notice is provided.

Documents
Document Sharing Hub
Full document details: IEC 62838 2015

IEC 60417-6179-1 (2014-10)

Figure 2 – Lamp not suitable for use under moisture

6 Interchangeability

6.1 Cap interchangeability

Interchangeability shall be ensured by the use of caps in accordance with IEC 60061-1 and gauges in accordance with IEC 60061-3; see Table 1. Caps originally developed for single-capped extra low voltage (ELV) lamps shall not be used for mains voltage lamps. Examples of ELV lamp caps are given in Table 1, see also IEC 60432-3.

Lamps with additional mechanical fixation (e.g. rim mounted lamps) are exempted of the bending moment and mass requirements of Table 1.

Compliance is checked by the use of the relevant gauges.

Table 1 – Interchangeability gauges, lamp cap dimensions, bending moment and mass

Lamp cap	Cap sheet no. from IEC 60061-1	Cap dimensions to be checked by the gauge	Gauge sheet no. from IEC 60061-3	Bending moment Nm	Mass g
G4	7004-72	“Go” and “Not Go”	7006-72 Gauge A	u.c.	20
GU4	7004-108	“Go” and “Not Go”	7006-108	u.c.	u.c.
GU5.3	7004-109	“Go” and “Not Go”	7006-109	u.c.	u.c.
GX5.3	7004-73A	“Go” and “Not Go”	7006-73B	u.c.	u.c.
G6.35	7004-59	“Go” and “Not Go”	7006-61	u.c.	u.c.
		“Go”	7006-61A	u.c.	u.c.
GY4	7004-72A	u.c.	u.c.	u.c.	u.c.
GY6.35	7004-59	“Go” and “Not Go”	7006-61	u.c.	u.c.
		“Go”	7006-61A	u.c.	u.c.
GU7	7004-113	“Go” and “Not Go”	7006-113	u.c.	u.c.
G53	7004-143	u.c.	u.c.	u.c.	u.c.
NOTE u.c.: under consideration					

6.2 Bending moment and mass imparted by the lamp at the lampholder

The value of the bending moment, imparted by the lamp at the lampholder shall not exceed the value given in Table 1. For the measurement method, see IEC 62560, 6.2.

Compliance shall be checked by measurement.

Documents
Document Sharing Hub

Full document details: IEC 62838 2015