

IEEE Standard for Quality of Electronic and Software Intellectual Property Used in System and System on Chip (SoC) Designs

IEEE Computer Society

Sponsored by the
Design Automation Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1734™-2011

30 September 2011

IEEE Standard for Quality of Electronic and Software Intellectual Property Used in System and System on Chip (SoC) Designs

Sponsor

Design Automation Standards Committee
of the
IEEE Computer Society

Approved 16 June 2011

IEEE-SA Standards Board

This standard contains material originally published by the VSI Alliance and currently available in the public domain (<http://vsi.org/>). Acknowledgment is made to the VSI Alliance, who developed the VSIA-QIP v4.0 spreadsheet and macros, and the QIP Metric Users Guide Version 4.0 document from which some material in this standard was derived.

Abstract: A standard XML format for representing electronic design intellectual property (IP) quality information, based on an information model for IP quality measurement, is defined. It includes a schema and the terms that are relevant for measuring IP quality, including the software that executes on the system. The schema and information model can be focused to represent particular categories of interest to IP users. In the context of this document, the term *IP* shall be used to mean *electronic design intellectual property*. Electronic design intellectual property is a term used in the electronic design community to refer to a reusable collection of design specifications that represent the behavior, properties, and/or representation of the design in various media.

Keywords: AMS, analog and mixed signal, design environment, EDA, electronic design automation, electronic system level, ESL, IEEE 1734, implementation constraints, MEMS, microelectromechanical systems, QIP, Quality IP metrics, register transfer logic, RTL, SCRs, semantic consistency rules, use models, verification IP, VIP, XML design meta data, XML schema

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2011 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 30 September 2011. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

Verilog is a registered trademark of Cadence Design Systems, Inc. in the United States and/or other jurisdictions.

W3C is a registered trademark of the World Wide Web Consortium (registered in numerous countries). Marks of W3C are registered and held by its host institutions: Massachusetts Institute of Technology (MIT), European Research Consortium for Information and Mathematics (ERCIM), and Keio University, Japan.

PDF: ISBN 978-0-7381-6675-9 STD97122
Print: ISBN 978-0-7381-6676-6 STDPD97122

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied “**AS IS.**”

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 1734-2011, IEEE Standard for Quality of Electronic and Software Intellectual Property Used in System and System on Chip (SoC) Designs.

The purpose of this standard is to provide a unified view of quality measures for *electronic design intellectual property* (IP) to facilitate the use and integration of IP used in electronic system design. These quality measures can be evaluated in the context of the end application to help determine suitability and plan mitigation measures for potential integration gaps. This can enable the continuous improvement of IP used for system design and verification by providing a mechanism for qualitative comparison between such IP. The standard IP quality measures and characteristic exchange format defined can be incorporated into a variety of electronic design automation (EDA) tools. The goal of this specification is to specify a quality standard metric that will account for the variances in designing, verifying and testing the IP, which will result in fair quality assessment, reducing the risk of schedule slip or mask spins due to faulty IP.

The working group consisted of electronic system, IP provider, semiconductor, and EDA companies, and used the VSI Alliance Quality IP (QIP) metric as a baseline for the metrics. The data specified by the standard is extensible in locations specified in the schema. This structure can be used as the basis of both manual and automatic methodologies.

This standardization project provides electronic design and SoC engineers with a well-defined standard that meets their requirements in evaluating and validating IP and enables a step function increase in their productivity. This project also provides the EDA industry with a standard to which they can adhere and that they can support in order to deliver their solutions in this area.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/findstds/interps/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the Quality IP Metrics Working Group had the following membership:

Kathy Werner, *Chair*

Peter Arnoldy
Victor Berman
Stephane Bonniol
Ahmed Dabbagh
Gary Delp
Yossi Drori
Savario Fazzari
Thad Gardner
Marc Greenberg

Steve Grout
Camille Kokozaki
Kenneth Larsen
Minh Le
Jordy Li
Kenneth Lo
Mark Mok
Gerardo Nahum
Ka Lun Ng
Ingrid Oesten

Michael Posner
Omri Raisman
David Schwan
Rodrigo Souza
Michel Tabusse
Andreas Voerg
Zongyao Wen
Mobashar Yazdani
Alex Zamfirescu

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Accellera Organization, Inc.
Advanced Micro Devices
(AMD)

Cadence Design Systems, Inc.
Freescale Semiconductor, Inc.
Nokia

Open SystemC Initiative (OSCI)
Synopsys, Inc.

When the IEEE-SA Standards Board approved this standard on 16 June 2011, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert M. Grow, *Past Chair*
Judith Gorman, *Secretary*

Masayuki Ariyoshi
William Bartley
Ted Burse
Clint Chaplin
Wael Diab
Jean-Philippe Faure
Alexander Gelman
Paul Houzé

Jim Hughes
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling
Oleg Logvinov
Ted Olsen

Gary Robinson
Jon Walter Rosdahl
Sam Sciacca
Mike Seavey
Curtis Siller
Phil Winston
Howard L. Wolfman
Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Lisa Perry
IEEE Standards Program Manager, Document Development

Joan M. Woolery
IEEE Standards Program Manager, Technical Program Development

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	1
1.3 Design environment.....	2
1.4 QIP-compliant enabled implementations.....	2
1.5 Conventions used.....	3
1.6 Use of color in this standard	6
1.7 Contents of this standard	6
2. Normative references.....	7
3. Definitions, acronyms, and abbreviations	7
3.1 Definitions	7
3.2 Acronyms and abbreviations	8
4. Interoperability use model.....	8
4.1 Roles and responsibilities	9
4.2 IP exchange flows.....	9
5. QIP schema structures	10
5.1 QIP schema structure for golden XML.....	10
5.2 QIP schema structure for the answer XML	14
5.3 Tooling requirements for operating on golden XML.....	16
5.4 Relationship between golden XML and completed XML	20
5.5 User extensions.....	21
6. Compatibility with VSIA QIP	22
Annex A (informative) Bibliography	24
Annex B (normative) Semantic consistency rules.....	25

IEEE Standard for Quality of Electronic and Software Intellectual Property Used in System and System on Chip (SoC) Designs

IMPORTANT NOTICE: *This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.*

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This specification defines a standard XML format for representing electronic design intellectual property (IP) quality information, based on an information model for IP quality measurement. It includes a schema and the terms that are relevant for measuring IP quality, including the software that executes on the system. The schema and information model can be focused to represent particular categories of interest to IP users. In the context of this document, the term *IP* shall be used to mean *electronic design intellectual property*. Electronic design intellectual property is a term used in the electronic design community to refer to a reusable collection of design specifications that represent the behavior, properties, and/or representation of the design in various media.

1.2 Purpose

The purpose of this standard is to provide a unified view of quality measures for IP to facilitate the use and integration of this IP used in electronic system design. This will enable the continuous improvement of IP used for system design and verification by providing a mechanism for qualitative comparison between such

IP. The standard IP quality measures and characteristic exchange format defined can be incorporated into a variety of electronic design automation (EDA) tools.

1.3 Design environment

The IP quality specification is a mechanism to express and exchange information about design IP, its development, data management, documentation, verification and validation processes, as well as evaluating the quality and stability of the owning or development organization. While the XML description formats are the core of this standard, describing the quality specification in the context of its basic use model, the design environment (DE), more readily depicts the extent and limitations of the semantic intent of the data. The DE coordinates a set of tools and IP, or expressions of that IP (e.g., models), through the evaluation and manipulation of metadata descriptions of the IP such that the IP can be efficiently integrated into and SoC and reused.

1.3.1 Design intellectual property

Quality IP (QIP) is structured around the concept of IP reuse. *Electronic design intellectual property*, or IP, is a term used in the electronic design community to refer to a reusable collection of design specifications that represent the behavior, properties, and/or representation of the design in various media. The name IP is partially derived from the common practice of considering a collection of this type to be the intellectual property of one party. Both hardware and software collections are encompassed by this term.

Examples of these collections may include the following:

- a) Design objects—This can include the following:
 - 1) Fixed HDL descriptions: Verilog[®], VHDL¹
 - 2) Verification IP descriptions: Verilog (see IEEE Std 1364[™] [B2], IEC/IEEE 61691-1-1 [B1])²
 - 3) Hardened IP descriptions: GDSII, LEF, LIB, LVS, Characterization Reports
 - 4) Software descriptions: C, C++, etc.
 - 5) HDL-specified verification IP (e.g., basic stimulus generators and checkers)
- b) IP views—This is a list of different views (levels of description and/or languages) to describe the IP object. These views include the following:
 - 1) Design view: RTL Verilog or VHDL, flat or hierarchical components
 - 2) Simulation view: model views, targets, simulation directives, etc.
 - 3) Documentation view: standard, user guide, etc.
 - 4) Supporting scripts: synthesis, makefile, manufacturing test, etc.

1.4 QIP-compliant enabled implementations

Complying with the rules outlined in this subclause allows the provider of tools or IP to class their products as *QIP compliant*. Conversely, any violation of these rules removes that naming right. This subclause first

¹ Verilog is a registered trademark of Cadence Design Systems, Inc. in the United States and/or other jurisdictions. This information is given for the convenience of users of this standard and does not constitute an endorsement by the IEEE of these products. Equivalent products may be used if they can be shown to lead to the same results.

² The numbers in brackets correspond to that of the bibliography in Annex A

introduces the set of metrics for measuring the valid use of the specifications. It then specifies when those validity checks are performed by the various classes of products and providers: DEs, point tools, and IPs.

- a) Parse validity
 - 1) Parsing correctness: Ability to read all QIP descriptions.
 - 2) Parsing completeness: Cannot require information that could be expressed in a QIP format to be specified in a non-QIP format. Processing of all information present in a QIP document is not required.
- b) Description validity
 - 1) Schema correctness: Metrics are described using XML files that conform to the QIP schema.
 - 2) Usage completeness: Extensions to the QIP schema shall only be used to express information that is not currently described in QIP. This information shall be forwarded to the IEEE 1734 committee for potential inclusion in a later release.
- c) Semantic validity
 - 1) Semantic correctness: Adheres to the semantic interpretations of QIP data described in this standard.
 - 2) Semantic completeness: Obeys all the semantic consistency rules described in Annex B.

These validity rules can be combined with the product class specific rules to cover the full QIP-enabled space. The following subclauses describe the rules a provider has to check to claim a tool or DE is QIP compliant.

A QIP-compliant DE or point tool may read descriptions based on multiple versions of the QIP schema. If the DE or point tool does provide this capability, the effect shall be as if all of the descriptions had been translated by an XSL Transform (XSLT), which converts descriptions from one version to the next.

1.4.1 Design environments

A QIP-enabled DE:

- a) Shall follow the parse validity requirements shown in 1.4.
- b) Shall do so without losing any preexisting information when modifying any existing QIP descriptions. In particular, it shall preserve any vendor extension data included in the existing QIP description.

1.5 Conventions used

The conventions used throughout the document are included here.

QIP schema is case-sensitive.

1.5.1 Visual cues (meta-syntax)

Bold shows required keywords and/or special characters, e.g., `addressSpace`. For the initial definitional use (per element), keywords are shown in **boldface-red** text, e.g., **bitsInLau** (see also 1.6).

Bold italics shows group names or data types, e.g., *nameGroup* or *boolean*.