



**IEEE Standard for Information Technology—
Telecommunications and Information Exchange between Systems
Local and Metropolitan Area Networks—
Specific Requirements**

Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications

IEEE Computer Society

Developed by the
LAN/ MAN Standards Committee

IEEE Std 802.11™-2024
(Revision of IEEE Std 802.11-2020)

STANDARDS

**IEEE Standard for Information Technology—
Telecommunications and Information Exchange between Systems
Local and Metropolitan Area Networks—
Specific Requirements**

**Part 11: Wireless LAN Medium Access Control
(MAC) and Physical Layer (PHY) Specifications**

Developed by the
LAN/MAN Standards Committee
of the
IEEE Computer Society

Approved 26 September 2024
IEEE SA Standards Board

Abstract: Technical corrections and clarifications to IEEE Std 802.11 for wireless local area networks (WLANs) as well as enhancements to the existing medium access control (MAC) and physical layer (PHY) functions are specified in this revision. Amendments 1 to 7 published in 2021 to 2024 have also been incorporated into this revision.

Keywords: 2.4 GHz, 256-QAM, 3650 MHz, 4.9 GHz, 5 GHz, 5.9 GHz, 60 GHz, advanced encryption standard, AES, audio, beamforming, carrier sense multiple access/collision avoidance, CCMP, channel switching, clustering, contention based access period, Counter Mode with Cipher-block chaining Message authentication code Protocol, confidentiality, CSMA/CA, DFS, direct link, directional multi-gigabit, dynamic allocation of service period, dynamic extension of service period, dynamic frequency selection, dynamic truncation of service period, E911, EDCA, emergency alert system, emergency services, fast session transfer, forwarding, GCMP, generic advertisement service, high throughput, IEEE 802.11™, international roaming, interworking, interworking with external networks, LAN, local area network, MAC, management, measurement, medium access control, media-independent handover, medium access controller, mesh, MIS, millimeter-wave, MIMO, MIMO-OFDM, multi-band operation, multi-hop, multi-user MIMO, multiple input multiple output, network advertisement, network discovery, network management, network selection, noncontiguous frequency segments, OCB, path-selection, personal basic service set, PHY, physical layer, power saving, QoS, quality of service, quality-of-service management frame, radio, radio frequency, RF, radio resource, radio management, relay operation, spatial sharing, SSPN, subscriber service provider, television white spaces, TPC, transmit power control, video, wireless access in vehicular environments, wireless LAN, wireless local area network, WLAN, wireless network management, zero-knowledge proof

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2025 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 28 April 2025. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 979-8-8557-1834-8 STDPD27688
PDF: ISBN 979-8-8557-1835-5 STD27689

IEEE prohibits discrimination, harassment and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within IEEE Societies and subcommittees of IEEE Standards Association (IEEE SA) Board of Governors. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. IEEE Standards documents do not guarantee safety, security, health, or environmental protection, or guarantee against interference with or from other devices or networks. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon their own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PROCURE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus balloting process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Use by artificial intelligence systems

In no event shall material in any IEEE Standards documents be used for the purpose of creating, training, enhancing, developing, maintaining, or contributing to any artificial intelligence systems without the express, written consent of IEEE SA in advance. “Artificial intelligence” refers to any software, application, or other system that uses artificial intelligence, machine learning, or similar technologies, to analyze, train, process, or generate content. Requests for consent can be submitted using the Contact Us form.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter’s views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group. Statements made by volunteers may not represent the formal position of their employer(s) or affiliation(s).

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and subcommittees of the IEEE SA Board of Governors are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#).¹ An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.²

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable

¹ Available at: <https://development.standards.ieee.org/myproject-web/public/view.html#landing>.

² Available at: <https://standards.ieee.org/content/ieee-standards/en/about/contact/index.html>.

regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, neither IEEE nor its licensors waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#).³ For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#).⁴ Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the

³ Available at: <https://ieeexplore.ieee.org/browse/standards/collection/ieee>.

⁴ Available at: <https://standards.ieee.org/standard/index.html>.

Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE standards are developed in compliance with the [IEEE SA Patent Policy](#).⁵

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

Technologies, application of technologies, and recommended procedures in various industries evolve over time. The IEEE standards development process allows participants to review developments in industries, technologies, and practices, and to determine what, if any, updates should be made to the IEEE standard. During this evolution, the technologies and recommendations in IEEE standards may be implemented in ways not foreseen during the standard's development. IEEE standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

⁵ Available at: <https://standards.ieee.org/about/sasb/patcom/materials.html>.

Participants

At the time this revision was sent to SA ballot, the IEEE 802.11 Working Group (WG) had the following officers:

Dorothy V. Stanley, *Chair*
Jon Walter Rosdahl, *1st Vice Chair*
Robert Stacey, *2nd Vice Chair*
Stephen McCann, *Secretary*

The officers of the WG Task Group and the members of the WG ballot group for this revision are as follows:

Michael Montemurro, *Chair*
Mark Hamilton, *Vice Chair*
Mark Rison, *Vice Chair*
Jon W. Rosdahl, *Secretary*
Emily H. Qi, *Technical Co-Editor*
Edward Au, *Technical Co-Editor*

Rana Abdelaal
Shaima' AbidRabbu
Mohamed Abouelseoud
Osama S. Aboulmagd
Abdelrahman Abushattal
Tomoko Adachi
Shubhodeep Adhikari
Peyush Agarwal
Sandeep Agrawal
Kosuke Aio
Dmitry Akhmetov
Iyad Al Falujah
Carlos Aldana
Danny Alexander
Michel Allegue Martinez
Abhishek Ambede
Song-Haur An
Krishnasamy Anandakumar
Amelia Andersdotter
Carol Ansley
Gary Anwyl
Diego Arlandis
Antonio Arregui
Arthur Arrington
Yusuke Asai
Alfred Asterjadhi
Kwok Shum Au
Oscar Au
Vijay Auluck
Ziv Avital
Matthieu Avrillon
Geert A. Awater
Mehmet Aygul
Hari Ram B
Agustin Badenes
SunHee Baek
Eugene Baik
Gabor Bajko
Raja Banerjee

Dmitry Bankov
Stephane Baron
David Barr
Anuj Batra
Tuncer Baykas
Bastien Bechadergue
Chris Beg
Jianwei Bei
Yaron Ben Arie
Friedbert Berens
Christian Berger
Alan Berkema
Stephan Berner
Nehru Bhandaru
Harry Bims
Andreas Bluschke
Lennert Bober
David Boldy
Olivier Bouchet
Daniel Bravo
Albert Bredewoud
Radhakrishna Canchi
Rui Cao
Laurent Cariou
William Carney
Dave Cavalcanti
Gurkan Cepni
Yee Chan
Clint F. Chaplin
Naftali Chayat
Cheng Chen
Cheng-Ming Chen
Evelyn Chen
Jindou Chen
Na Chen
Xiaogang Chen

Paul Cheng
Xilin Cheng
George Cherian
Rojan Chitrakar
Hangyu Cho
Jinsoo Choi
Seungho Choo
Liwon Chu
Jinyoung Chun
Bruce Chung
Chulho Chung
Dana Ciochina
John Coffey
Carlos Cordeiro
D.Nelson Costa
Claudio da Silva
Dibakar Das
Subir Das
Debashis Dash
Leonard Dauphinee
Robert Davies
Rolf J de Vegt
Antonio DeLaOlivaDelgado
Thomas Derham
Rocco Di Taranto
Baokun Ding
Yanyi Ding
Ali Dogukan
Xiandong Dong
Rui Du
Zhenguo Du
Ruchen Duan
Peter Ecclesine
Richard Edgar
Alecsander Eitan
Ahmed ElSherif

Marc Emmelmann
Vinko Erceg
Assaf Erell
Juan Fang
Yonggang Fang
Shuling Feng
Xiang Feng
David Ferruz
Matthew J. Fischer
Paul Fletcher
Roi Fridman
Sho Furuichi
Ming Gan
Vijay Ganwani
James Gardner
Lalit Garg
Alireza Ghaderipour
Chittabrata Ghosh
Ravi Gidvani
James P. Gilb
Sachin Godbole
Timothy Godfrey
Bo Gong
Fumihide Goto
Niranjan Grandhe
Michael Grigat
Xiangxin Gu
Romain Guignard
Lakshmikanth Guntupalli
Yuchen Guo
Muhammad Kumail Haider
Robert Hall
Chong Han
Jonghun Han
Xiao Han
Zhiqiang Han
Thomas Handte
Christopher J. Hansen
Daniel N. Harkins
Edward Harrison
Brian D. Hart
Abdullah Haskou
Victor Hayes
Jerome Henry
Marco Hernandez
Lili Hervieu
Guido R. Hiertz
Ryuichi Hirata
Duncan Ho
Jay Holcomb
Oliver Holland
Hung-Tao Hsieh
Chien-Fang Hsu
Chunyu Hu
Mengshi Hu
Guogang Huang
Lei Huang
Po-Kai Huang
George Hurtarte
Mostafa Ibrahim
Tetsuo Ido
Tetsushi Ikegami

Hirohiko Inohiza
Yasuhiko Inoue
Salvador Iranzo
Eduardo Izquierdo
Insun Jang
Timothy Jeffries
Eunsung Jeon
Chenhe Ji
Jia Jia
Feng Jiang
Jinjing Jiang
Allan Jones
Vincent Knowles Jones IV
Myung Cheul Jung
Volker Jungnickel
Ishaque Ashar Kadampot
Carl W. Kain
Naveen Kakani
Manoj Kamath
Mahmoud Kamel
Srinivas Kandala
Kyu-Min Kang
Sugbong Kang
Assaf Y. Kasher
Oren Kedem
Richard H. Kennedy
John Kenney
Stuart J. Kerry
Naseem Khan Evgeny
Khorov Nilesh Khude
Jeongki Kim
Myeong-Jin Kim
Nameong Kim
Sang Gook Kim
Sanghyun Kim
Yongho Kim
Youhan Kim
Patrick Kinney
Akira Kishida
Shoichi Kitazawa
Arik Klein
Andrey Klimakov
Jarkko Knecht
Geonjung Ko
Yoshihisa Kondo
Michail Koundourakis
Aleksandra Kozarev
Bruce P. Kraemer
Manish Kumar
Aleksey Kureev
Jin-Sam Kwak
Young Hoon
H Kwon
Massinissa Lalam
Zhou Lan
James Lansford
Brice Le Houerou
Hong Won Lee
Hyeong Ho Lee
Jae Seung S Lee
Nancy Lee

Wookbong Lee
James Lepp
Ilya Levitsky
Joseph Levy
Bo Li
Guoqing Li
Jialing Li
Jianhui Li
Qinghua Li
Yanchun Li
Yiqing Li
Yunbo Li
Dong Guk Lim
Taesung Lim
Wei Lin
Zinan Lin
Erik Lidskog
Chenchen Liu
Der-Zheng Liu
Jeff Liu
Jianfei Liu
Jianhan Liu
Ying Liu
Yong Liu
Vyacheslav Loginov
Miguel Lopez
Mikael Lorgeoux
Hanqing Lou
Hui-Ling Lou
Kaiying Lu
Liuming Lu
Yuxin Lu
Kurt Lumbatis
Chaoming Luo
Lily Lv
Mikhail Lyakh
Li Ma
Mengyao Ma
Girish Madpuwar
Jouni K. Malinen
Hiroshi Mano
Roger Marks
Marcos Martinez Vasquez
Sebastian Max
Stephen McCann
Morteza Mehrnoush
Ezra Melzer
Ebubekir Memisoglu
Simone Merlin
Jun Minotani
Khashayar Mirfakhraei
Apurva Mody
Dignus-Jan Moelker
Bibhu Mohanty
Pooya Monajemi
Leo Montreuil
Juseong Moon
Hitoshi Morioka
Hiroyuki Motozuka
Robert Mueller
Wisnu Murti
Andrew Myles

Yukimasa Nagai
 Kengo Nagata
 Gaurang Naik
 Hiroki Nakano
 Junyoung Nam
 Vamadevan Namboodiri
 Sai Shankar S Nandagopalan
 Sharan Naribole
 Karim Nassiri
 Toussi Patrice Nezou
 Boon Loong Ng
 An Nguyen
 Paul Nikolich
 Yujin Noh Hyun
 Seo S. Oh
 Hiraku Okada
 Hassan Omar
 Michael Orlovsky
 Stephen Orr
 Masatomo Ouchi
 Satoshi Oyama
 Basak Ozbakis
 Ozlem Ozden Zengin
 Saju Palayur
 Stephen Palm
 Thomas Pare
 Jatin Parekh
 Eunsung Park
 Minyoung Park
 Glenn Parsons
 Abhishek Patil
 Gaurav Patwardhan
 Eldad Perahia
 Anthony Pesin
 James E. Petranovich
 Albert Petrick
 Brian Petry
 Charlie Pettersson
 Riku Pirhonen
 Ron Porat
 Dinakar Prabhakaran
 Srinath Puducheri
 Rethnakaran Pulikkoonattu
 Rajat Pushkarna
 Saira Rafique
 Kapil Rai
 Alireza Raissinia
 Enrico-Henrik Rantala
 Oded Redlich
 Kiran Rege
 Dror Regev
 Mor Reich
 Meriam Rezk
 Maximilian Riegel

Joerg Robert
 Benjamin Rolfe
 Jon Walter. Rosdahl
 Sayak Roy
 Bahareh Sadeghi
 Takenori Sakamoto
 Kazuyuki Sakoda
 Mohamed Salem
 Hanadi Salman
 Sam Sambasivan
 Stephan Sand
 Shivraj Sandhu
 Ioannis Sarris
 Naotaka Sato
 Sigurd Schelstraete
 Sebastian Schiessl
 Martin Schmidhammer
 Andy Scott
 Jonas Sedin
 Jonathan Segev
 Yongho Seok
 Nikola Serafimovski
 Ankit Sethi
 Julien Sevin
 Rubayet Shafin
 Kunal Shah
 Stephen J. Shellhammer
 Ian Sherlock
 Shimi Shilo
 Ulrich Sinn
 Graham K. Smith
 Muhammad Sohaib Solaija
 Ju-Hyung Son
 Robert Sosack
 Sudhir Srinivasa
 Ivan Startsev
 Athanasios Stavridis
 Max Stepanov
 Adrian P. Stephens
 Noel Stott
 Paul Strauch
 Hang Su
 Hongjia Su
 Jung Hoon H. Suh
 Takenori Sumi
 Bo Sun
 Li-Hsiang Sun
 Sheng Sun
 Yanjun Sun
 Yingxiang Sun
 Dennis Sundman
 Frank Suraci
 Mineo Takai

Danny Tan
 Yusuke Tanaka
 Jesus Gutierrez Teran
 Francois Thoumy
 Bin Tian
 Tao Tian
 Alexander Tolpin
 Takada Tomoyuki
 Payam Torab Jahromi
 Alejandro Torrijo
 Solomon B. Trainin
 Tsung-Han Tsai
 Genadiy Tsodik
 Yuki Tsujimaru
 Halise Turkmen
 Kiran Uln
 Makoto Umehara
 Paul Unterhuber
 Yoshio Urabe
 Richard D. Van Nee
 Allert Van Zelst
 Prabodh Varshney
 Ganesh Venkatesan
 Jay Yang
 Lin Yang
 Mao Yang
 Rui Yang
 Steve T.S. Yang
 Xun Yang
 Yunsong Yang
 Kazuto Yano
 James Yee
 Peter Yee
 Yongjiang Yi
 Takahiro Yokoyama
 Homin Yoo
 Jeonghwan Yoon
 Yuki Yoshikawa
 Chirstopher Young
 Heejung Yu
 Jian Yu
 Mao Yu
 Fangchao Yuan
 Salah Eddine Zegrar
 Nader Zein
 Ruochen Zeng
 Hongyuan Zhang
 Jiayin Zhang
 Meihong Zhang
 Yan Zhang
 Pei Zhou
 Yifan Zhou
 Peiying Zhu
 Tristan Zou

The following members of the individual balloting committee voted on this revision. Balloters may have voted for approval, disapproval, or abstention.

Tomoko Adachi	Volker Jungnickle	Emily H. Qi
Sandeep Agrawal	Lokesh Kabra	Kapil Rai
Abdel Karim Ajami	Naveen Kakani	R. K. Rannow
Thomas Alexander	Srinivas Kandala	Josh Redmore
Boon Chong Ang	Piotr Karocki	Alon Regev
Butch Anton	Stuart J. Kerry	Maximilian Riegel
Alfred Asterjadhi	Dongwan Kim	Mark Rison
Kwok Shum Au	Yongbum Kim	Craig Rodine
Stefan Aust	Youhan Kim	Stephen Rodriguez
Madhusudan Banavara	Shoichi Kitazawa	Benjamin Rolfe
Maciej Borowka	Jarkko Knecht	Jon Walter Rosdahl
Vern Brethour	Yasushi Kudoh	Stephan Sand
William Byrd	Takashi Kuramochi	Naotaka Sato
Paul Cardinal	Gavin Lai	Sigurd Schelstraete
Pin Chang	Hyeong Ho Lee	Benedikt Schweizer
Cheng Chen	James Lepp	Nikola Serafimovski
Paul Chiuchiolo	Joseph Levy	Di Dieter Smely
Baw Chng	Jialing Li	Robert Sosack
Claudio da Silva	Weiyl Li	Dorothy V. Stanley
Patrick Diamond	Ru Lin	Noel Stott
Donald Dunn	Greg Luri	Mark Sturza
Marc Emmelmann	Valerie Maguire	Jung Hoon Suh
Michael Fischer	Jouni K. Malinen	YanJun Sun
P. Flynn	Christophe Mangin	Bin Tian
Avraham Freedman	Hiroshi Mano	Allert Van Zelst
David Goodall	William Rogelio Marchand Nino	Prabodh Varshney
David Halasz	Roger Marks	Ganesh Venkatesan
Mark Hamilton	Stephen McCann	John Vergis
Xiang He	Jonathon McIendon	Lei Wang
Marco Hernandez	Michael Montemurro	Xiaofei Wang
Lili Hervieu	Hiroyuki Motozuka	Lisa Ward
Shui Heung	Ronald Murias	Stephen Webb
Ronald Hochnadel	Andrew Myles	Dong Wei
Werner Hoelzl	Gaurang Naik	Menzo M. Wentink
Xiaokun Hu	John Notor	Scott Willy
Glenn Hu	Stephen Orr	Andreas Wolf
David Hunter	Satoshi Oyama	John Wullert
Kazi Mohammed Saidul Huq	Bansi Patel	Fangxin Xu
Raj Jain	Abhishek Patil	Peng Yan
Pranav Jha	Arumugam Paventhan	Oren Yuen
Vincent Knowles Jones IV	Clinton Powell	Janusz Zalewski
Joe Natharaj Juisai	Venkatesha Prasad	Lihua Zhu

When the IEEE SA Standards Board approved this recommended practice on 26 September 2024, it had the following membership:

David J. Law, *Chair*
Jon Walter Rosdahl, *Vice Chair*
Gary Hoffman, *Past Chair*
Alpesh Shah, *Secretary*

Sara R. Biyabani
Ted Burse
Stephen Dukes
Doug Edwards
J. Travis Griffith
Guido R. Hiertz
Ronald W. Hotchkiss
Hao Hu

Yousef Kimiagar
Joseph L. Koepfinger*
Howard Li
Xiaohui Liu
John Haiying Lu
Kevin W. Lu
Hiroshi Mano
Paul Nikolich

Robby Robson
Jon W. Rosdahl
Mark Siira
Lei Wang
F. Keith Waters
Sha Wei
Philip B. Winston
Don Wright

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 802.11-2024, IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications.

This revision gives users, in one document, the IEEE 802.11 standard for wireless local area networks (WLANs) with all of the amendments that have been published to date.

Incorporating published amendments

The original standard was published in 1997, revised in 1999 with MIB changes, and reaffirmed in 2003.

A revision was published in 2007, which incorporated into the 1999 edition the following amendments:

- IEEE Std 802.11aTM-1999: High-speed Physical Layer in the 5 GHz Band (Amendment 1)
- IEEE Std 802.11bTM-1999: Higher-Speed Physical Layer Extension in the 2.4 GHz Band (Amendment 2)
- IEEE Std 802.11b-1999/Corrigendum 1-2001: Higher-speed Physical Layer (PHY) extension in the 2.4 GHz band (Corrigendum 1 to Amendment 2)
- IEEE Std 802.11dTM-2001: Specification for operation in additional regulatory domains (Amendment 3)
- IEEE Std 802.11gTM-2003: Further Higher Data Rate Extension in the 2.4 GHz Band (Amendment 4)
- IEEE Std 802.11hTM-2003: Spectrum and Transmit Power Management Extensions in the 5 GHz band in Europe (Amendment 5)
- IEEE Std 802.11iTM-2004: Medium Access Control (MAC) Security Enhancements (Amendment 6)
- IEEE Std 802.11jTM-2004: 4.9 GHz–5 GHz Operation in Japan (Amendment 7)
- IEEE Std 802.11eTM-2005: Medium Access Control (MAC) Quality of Service Enhancements (Amendment 8)

A revision was published in 2012, which incorporated into the 2007 revision the following amendments:

- IEEE Std 802.11kTM-2008: Radio Resource Measurement of Wireless LANs (Amendment 1)
- IEEE Std 802.11rTM-2008: Fast Basic Service Set (BSS) Transition (Amendment 2)
- IEEE Std 802.11yTM-2008: 3650–3700 MHz Operation in USA (Amendment 3)
- IEEE Std 802.11wTM-2009: Protected Management Frames (Amendment 4)
- IEEE Std 802.11nTM-2009: Enhancements for Higher Throughput (Amendment 5)
- IEEE Std 802.11pTM-2010: Wireless Access in Vehicular Environments (Amendment 6)
- IEEE Std 802.11zTM-2010: Extensions to Direct-Link Setup (DLS) (Amendment 7)
- IEEE Std 802.11vTM-2011: Wireless Network Management (Amendment 8)
- IEEE Std 802.11uTM-2011: Interworking with External Networks (Amendment 9)
- IEEE Std 802.11sTM-2011: Mesh Networking (Amendment 10)

A revision was published in 2016, which incorporated into the 2012 revision the following amendments:

- IEEE Std 802.11aeTM-2012: Prioritization of Management Frames (Amendment 1)
- IEEE Std 802.11aaTM-2012: MAC Enhancements for Robust Audio Video Streaming (Amendment 2)

- IEEE Std 802.11ad™-2012: Enhancements for Very High Throughput in the 60 GHz Band (Amendment 3)
- IEEE Std 802.11ac™-2013: Enhancements for Very High Throughput for Operation in Bands below 6 GHz (Amendment 4)
- IEEE Std 802.11af™-2013: Television White Spaces (TVWS) Operation (Amendment 5)

A revision was published in 2020, which incorporated into the 2016 revision the following amendments:

- IEEE Std 802.11ai™-2016 (second printing): Fast Initial Link Setup (Amendment 1)
- IEEE Std 802.11ah™-2016: Sub 1 GHz License Exempt Operation (Amendment 2)
- IEEE Std 802.11aj™-2018: Enhancements for Very High Throughput to Support Chinese Millimeter Wave Frequency Bands (60 GHz and 45 GHz) (Amendment 3)
- IEEE Std 802.11ak™-2018: Enhancements for Transit Links Within Bridged Networks (Amendment 4)
- IEEE Std 802.11aq™-2018: Preassociation Discovery (Amendment 5)

This revision is based on IEEE Std 802.11-2020, into which the following amendments have been incorporated:


- IEEE Std 802.11ax™-2021: Enhancements for High Efficiency WLAN (Amendment 1)
- IEEE Std 802.11ay™-2021: Enhanced Throughput for Operations in License-exempt Bands above 45 GHz (Amendment 2)
- IEEE Std 802.11ba™-2021: Wake-Up Radio Operation (Amendment 3)
- IEEE Std 802.11az™-2022: Enhancements for Positioning (Amendment 4)
- IEEE Std 802.11bd™-2022: Enhancements for Next Generation V2X (Amendment 5)
- IEEE Std 802.11bb™-2023: Light Communications (Amendment 6)
- IEEE Std 802.11bc™-2024: Enhanced Broadcast Services (Amendment 7)

Technical corrections, clarifications, and enhancements

In addition, this revision specifies technical corrections and clarifications to IEEE Std 802.11 as well as enhancements to the existing medium access control (MAC) and physical layer (PHY) functions. In addition, this revision removes some features previously marked as obsolete and adds new indications of other obsolete features.

Generally, features that are marked deprecated or obsolete are not maintained; there might be technical errors in the material describing these features.

The evolution of this numbering is shown in Figure 1.



Contents

1.	Overview.....	252
1.1	Scope.....	252
1.2	Purpose.....	252
1.3	Supplementary information on purpose.....	252
1.4	Word usage	253
1.5	Terminology for mathematical, logical, and bit operations.....	255
2.	Normative references.....	258
3.	Definitions, acronyms, and abbreviations.....	263
3.1	Definitions	263
3.2	Definitions specific to IEEE Std 802.11	278
3.3	Definitions specific to IEEE 802.11 operation in some regulatory domains.....	323
3.4	Acronyms and abbreviations	323
3.5	Acronyms and abbreviations in some regulatory domains.....	338
4.	General description	339
4.1	General description of the architecture.....	339
4.2	How wireless local area networks (WLANs) are different.....	339
4.2.1	Introduction.....	339
4.2.2	Wireless station (STA).....	339
4.2.3	Media impact on design and performance.....	339
4.2.4	The impact of handling mobile STAs.....	340
4.2.5	Interaction with other IEEE 802® layers.....	340
4.2.6	Interaction with non-IEEE-802 protocols.....	340
4.3	Components of the IEEE 802.11 architecture	340
4.3.1	General.....	340
4.3.2	Independent BSS (IBSS)	341
4.3.3	Personal BSS (PBSS).....	341
4.3.4	STA membership in a BSS is dynamic.....	341
4.3.5	Distribution system (DS) concepts	342
4.3.5.1	Overview	342
4.3.5.2	Extended service set (ESS): the large coverage network.....	343
4.3.6	Area concepts.....	344
4.3.7	Integration with non-IEEE-802.11 LANs.....	345
4.3.8	Robust security network association (RSNA)	346
4.3.9	Centralized coordination service set (CCSS) and extended centralized AP or PCP clustering (ECAPC).....	347
4.3.10	QoS BSS	348
4.3.11	Wireless LAN radio measurements	350
4.3.11.1	General	350
4.3.11.2	Beacon.....	351
4.3.11.3	Measurement pilot.....	351
4.3.11.4	Frame	351
4.3.11.5	Channel load	351
4.3.11.6	Noise histogram	351
4.3.11.7	STA statistics	351
4.3.11.8	Location	351

4.3.11.9	Measurement pause.....	352
4.3.11.10	Neighbor report.....	352
4.3.11.11	Link measurement.....	352
4.3.11.12	Transmit stream/category measurement	352
4.3.12	Operation in licensed frequency bands.....	352
4.3.12.1	General	352
4.3.12.2	Dynamic STA enablement (DSE) in licensed bands	352
4.3.12.3	Contention based protocol (CBP) in nonexclusively licensed bands .	352
4.3.12.4	Using DSE STA identification to resolve interference.....	353
4.3.12.5	Further coexistence enhancements in nonexclusively licensed bands	353
4.3.13	High Throughput (HT) STA	353
4.3.14	Sub 1 GHz (S1G) STA	353
4.3.14.1	Overview	353
4.3.14.2	S1G relay.....	355
4.3.15	Very high throughput (VHT) STA	355
4.3.16	High-efficiency (HE) STA.....	356
4.3.17	Wake-up radio (WUR) AP and WUR non-AP STA	357
4.3.18	Television very high throughput (TVHT) STA	358
4.3.19	STA transmission of Data frames outside the context of a BSS	360
4.3.20	Next generation vehicle-to-everything (V2X) (NGV) STA	361
4.3.21	Tunneled direct link setup.....	362
4.3.22	Wireless network management.....	362
4.3.22.1	Overview	362
4.3.22.2	BSS max idle period management.....	363
4.3.22.3	BSS transition management.....	363
4.3.22.4	Channel usage	363
4.3.22.5	Colocated interference reporting.....	363
4.3.22.6	Diagnostic reporting.....	364
4.3.22.7	Directed multicast service (DMS).....	364
4.3.22.8	Event reporting.....	364
4.3.22.9	Flexible multicast service (FMS).....	364
4.3.22.10	Location services.....	364
4.3.22.11	Multicast Diagnostic report.....	364
4.3.22.12	Multiple BSSID capability.....	364
4.3.22.13	Proxy ARP	365
4.3.22.14	QoS traffic capability	365
4.3.22.15	SSID list	365
4.3.22.16	Triggered STA statistics.....	365
4.3.22.17	TIM broadcast.....	365
4.3.22.18	Timing measurement.....	366
4.3.22.19	FTM	366
4.3.22.20	Traffic filtering service	366
4.3.22.21	U-APSD coexistence.....	367
4.3.22.22	WNM notification	367
4.3.22.23	WNM sleep mode	367
4.3.23	Subscription service provider network (SSPN) interface	367
4.3.24	Mesh BSS	367
4.3.24.1	General	367
4.3.24.2	Overview of the mesh BSS	368
4.3.24.3	Mesh STA	368
4.3.24.4	IEEE 802.11 components and mesh BSS	369
4.3.24.5	Introduction to mesh functions	369
4.3.25	DMG STA.....	374
4.3.26	DMG relay	374

4.3.27	Robust audio video (AV) streaming	375
4.3.27.1	Introduction	375
4.3.27.2	Groupcast with retries (GCR)	375
4.3.27.3	Stream classification service (SCS)	375
4.3.27.4	Mirrored stream classification service (MSCS)	375
4.3.27.5	Overlapping BSS (OBSS) management	375
4.3.27.6	Interworking with IEEE 802.1Q Stream Reservation Protocol (SRP)	376
4.3.27.7	Intra-access category prioritization	376
4.3.28	Operation under geolocation database (GDB) control	376
4.3.29	CDMG STA	378
4.3.30	CMMG STA	378
4.3.31	General link (GLK)	379
4.3.31.1	General	379
4.3.31.2	Selective reception of group addressed frames	380
4.3.31.3	GLK Service Sets	381
4.3.32	EtherType protocol discrimination (EPD)	385
4.3.33	EDMG STA	386
4.3.34	Light communication (LC) STA	386
4.4	Logical service interfaces	387
4.4.1	General	387
4.4.2	Station service	387
4.4.3	PBSS control point service (PCPS)	388
4.4.4	DSS	388
4.5	Overview of the services	389
4.5.1	General	389
4.5.2	Distribution of MSDUs within a DS	390
4.5.2.1	Distribution	390
4.5.2.2	Integration	391
4.5.2.3	QoS traffic scheduling	391
4.5.3	Connectivity-related services	391
4.5.3.1	General	391
4.5.3.2	Mobility types	392
4.5.3.3	Association	392
4.5.3.4	Reassociation	393
4.5.3.5	Disassociation	394
4.5.4	Access control and data confidentiality services	394
4.5.4.1	General	394
4.5.4.2	Authentication	394
4.5.4.3	Deauthentication	396
4.5.4.4	Data confidentiality	396
4.5.4.5	Key management	397
4.5.4.6	Data origin authenticity	397
4.5.4.7	Replay detection	397
4.5.4.8	Fast BSS transition	397
4.5.4.9	Management frame protection	397
4.5.4.10	MAC privacy enhancements	398
4.5.5	Spectrum management services	398
4.5.5.1	General	398
4.5.5.2	TPC	398
4.5.5.3	DFS	399
4.5.6	Traffic differentiation and QoS support	399
4.5.6.1	General	399
4.5.6.2	Quality-of-service management frame support	399
4.5.7	Support for higher layer timer synchronization	400

4.5.8	Radio measurement service	400
4.5.9	Interworking with external networks	400
4.5.9.1	General	400
4.5.9.2	Preassociation discovery (PAD)	401
4.5.10	Generic advertisement service (GAS)	403
4.5.11	Wake-up radio (WUR) services	403
4.5.12	Enhanced broadcast services	403
4.5.12.1	General	403
4.5.12.2	EBCS DL service	404
4.5.12.3	EBCS relaying service	405
4.6	Multiple logical address spaces	408
4.7	Differences among ESS, PBSS, and IBSS LANs	409
4.8	Differences between ESS and MBSS LANs	410
4.9	Reference model	411
4.9.1	General	411
4.9.2	Interworking reference model	411
4.9.3	Reference model for supporting multiple MAC sublayers	412
4.9.4	Reference model for multi-band operation	414
4.9.5	Reference model for co-channel coordinated management operation	416
4.10	IEEE Std 802.11 and IEEE Std 802.1X-2020	417
4.10.1	General	417
4.10.2	IEEE 802.11 usage of IEEE Std 802.1X-2020	417
4.10.3	Infrastructure functional model overview	417
4.10.3.1	General	417
4.10.3.2	AKM operations with AS	417
4.10.3.3	AKM operations with a password or PSK	419
4.10.3.4	Alternate operations with PSK	419
4.10.3.5	Disassociation	420
4.10.3.6	AKM operations using FILS authentication	420
4.10.3.7	Opportunistic Wireless Encryption	421
4.10.4	IBSS functional model description	421
4.10.4.1	General	421
4.10.4.2	Key usage	421
4.10.4.3	Sample IBSS 4-way handshakes	421
4.10.4.4	IBSS IEEE 802.1X example	423
4.10.5	PBSS functional model description	424
4.10.6	Authenticator-to-AS protocol	425
4.10.7	PMKSA caching	425
4.10.8	Protection of group addressed robust Management frames	425
5.	MAC service definition	426
5.1	Overview of MAC services	426
5.1.1	Data service	426
5.1.1.1	General	426
5.1.1.2	Determination of UP	426
5.1.1.3	Interpretation of priority parameter in MAC service primitives	426
5.1.1.4	Interpretation of service class parameter in MAC service primitives in a STA	427
5.1.2	Security services	428
5.1.3	MSDU ordering	428
5.1.4	MSDU format	429
5.1.5	MAC data service architecture	429
5.1.5.1	General	429

5.1.5.2	Non-GLK non-AP STA role	433
5.1.5.3	Non-GLK AP role	433
5.1.5.4	Non-GLK mesh STA role	434
5.1.5.5	Mesh gate role	434
5.1.5.6	SIG relay	434
5.1.5.7	GLK STA role	436
5.1.5.8	GLK AP role	436
5.1.5.9	GLK mesh STA role	436
5.2	MAC data service specification	438
5.2.1	General	438
5.2.2	GLK MAC data service specification	438
5.2.3	NGV MAC data service specification	438
5.2.4	MA-UNITDATA.request	438
5.2.4.1	Function	438
5.2.4.2	Semantics of the service primitive	438
5.2.4.3	When generated	441
5.2.4.4	Effect of receipt	441
5.2.5	MA-UNITDATA.indication	443
5.2.5.1	Function	443
5.2.5.2	Semantics of the service primitive	443
5.2.5.3	When generated	445
5.2.5.4	Effect of receipt	445
5.2.6	MA-UNITDATA-STATUS.indication	447
5.2.6.1	Function	447
5.2.6.2	Semantics of the service primitive	447
5.2.6.3	When generated	448
5.2.6.4	Effect of receipt	448
6.	Layer management	449
6.1	Overview of management model	449
6.2	Generic management primitives	450
6.3	MLME SAP interface	450
6.3.1	Introduction	450
6.3.2	Type 1	451
6.3.3	Type 2	451
6.3.4	Type 3	452
6.3.5	Type 4	452
6.3.6	Type 5	453
6.3.7	Type 6	453
6.3.8	Type 7	454
6.4	Table of MLME SAP interfaces	454
6.5	MLME SAP primitives	454
6.5.1	Introduction	454
6.5.2	Power management	461
6.5.2.1	Introduction	461
6.5.2.2	MLME-POWERMGT.request	462
6.5.2.3	MLME-POWERMGT.confirm	462
6.5.3	Scan	463
6.5.3.1	Introduction	463
6.5.3.2	MLME-SCAN.request	463
6.5.3.3	MLME-SCAN.confirm	468
6.5.3.4	MLME-SCAN-STOP.request	486
6.5.4	Synchronization	486

	6.5.4.1	Introduction	486
	6.5.4.2	MLME-JOIN.request	486
	6.5.4.3	MLME-JOIN.confirm	490
6.5.5	Authenticate		490
	6.5.5.1	Introduction	490
	6.5.5.2	MLME-AUTHENTICATE.request	490
	6.5.5.3	MLME-AUTHENTICATE.confirm	492
	6.5.5.4	MLME-AUTHENTICATE.indication	494
	6.5.5.5	MLME-AUTHENTICATE.response	495
6.5.6	Deauthenticate		497
	6.5.6.1	Introduction	497
	6.5.6.2	MLME-DEAUTHENTICATE.request	497
	6.5.6.3	MLME-DEAUTHENTICATE.confirm	497
	6.5.6.4	MLME-DEAUTHENTICATE.indication	498
6.5.7	Associate		498
	6.5.7.1	Introduction	498
	6.5.7.2	MLME-ASSOCIATE.request	499
	6.5.7.3	MLME-ASSOCIATE.confirm	503
	6.5.7.4	MLME-ASSOCIATE.indication	511
	6.5.7.5	MLME-ASSOCIATE.response	517
6.5.8	Reassociate		524
	6.5.8.1	Introduction	524
	6.5.8.2	MLME-REASSOCIATE.request	524
	6.5.8.3	MLME-REASSOCIATE.confirm	529
	6.5.8.4	MLME-REASSOCIATE.indication	537
	6.5.8.5	MLME-REASSOCIATE.response	544
6.5.9	Disassociate		551
	6.5.9.1	MLME-DISASSOCIATE.request	551
	6.5.9.2	MLME-DISASSOCIATE.confirm	552
	6.5.9.3	MLME-DISASSOCIATE.indication	552
6.5.10	Reset		553
	6.5.10.1	Introduction	553
	6.5.10.2	MLME-RESET.request	553
6.5.11	Start		554
	6.5.11.1	Introduction	554
	6.5.11.2	MLME-START.request	554
	6.5.11.3	MLME-START.confirm	562
6.5.12	Stop		562
	6.5.12.1	General	562
	6.5.12.2	MLME-STOP.request	562
6.5.13	Protocol layer model for spectrum management and radio measurement		563
6.5.14	SetKeys		564
	6.5.14.1	MLME-SETKEYS.request	564
6.5.15	DeleteKeys		568
	6.5.15.1	MLME-DELETEKEYS.request	568
6.5.16	SetProtection		569
	6.5.16.1	MLME-SETPROTECTION.request	569
6.5.17	PN event report		570
	6.5.17.1	General	570
	6.5.17.2	MLME-PN-EXHAUSTION.indication	570
	6.5.17.3	MLME-PN-WARNING.indication	571
6.5.18	Event request		571
	6.5.18.1	General	571
	6.5.18.2	MLME-EVLREQUEST.request	572

	6.5.18.3	MLME-EVLREQUEST.indication.....	573
6.5.19		Event report.....	574
	6.5.19.1	General	574
	6.5.19.2	MLME-EVLREPORT.request.....	574
	6.5.19.3	MLME-EVLREPORT.indication	574
6.5.20		Event	575
	6.5.20.1	General	575
	6.5.20.2	MLME-EVLOG.request	575
	6.5.20.3	MLME-EVLOG.confirm	576
6.5.21		On-channel Tunneling operation	576
	6.5.21.1	General	576
	6.5.21.2	MLME-OTunnel.request.....	577
	6.5.21.3	MLME-OTunnel.indication	578
	6.5.21.4	MLME-OTunnel.confirm.....	579
6.5.22		DMG beamforming.....	579
	6.5.22.1	SISO beamforming	579
	6.5.22.2	SU-MIMO beamforming	582
	6.5.22.3	MU-MIMO beamforming	584
	6.5.22.4	SU-MIMO hybrid beamforming.....	587
	6.5.22.5	MU-MIMO hybrid beamforming.....	590
6.5.23		Estimated Throughput.....	592
	6.5.23.1	General	592
	6.5.23.2	MLME-ESTIMATED-THROUGHPUT.request.....	593
	6.5.23.3	MLME-ESTIMATED-THROUGHPUT.confirm.....	594
6.5.24		Update.....	595
	6.5.24.1	Introduction	595
	6.5.24.2	MLME-UPDATE.request	595
	6.5.24.3	MLME-UPDATE.confirm	596
6.5.25		WUR Discovery	596
	6.5.25.1	General	596
	6.5.25.2	MLME-WURDISCOVERY.request.....	596
	6.5.25.3	MLME-WURDISCOVERY.confirm	598
	6.5.25.4	Effect of receipt.....	599
6.5.26		Cancel transmissions of MSDUs	599
	6.5.26.1	Introduction	599
	6.5.26.2	MLME-CANCELTX.request	599
	6.5.26.3	MLME-CANCELTX.confirm	599
6.5.27		NGV radio environment measurement	600
	6.5.27.1	General	600
	6.5.27.2	MLME-RADIOENVIRONMENT.request.....	600
	6.5.27.3	MLME-RADIOENVIRONMENT.indication	601
6.5.28		MLME-EBCSINFO procedures	601
	6.5.28.1	General	601
	6.5.28.2	MLME-EBCSINFO.request	601
	6.5.28.3	MLME-EBCSINFO.indication	602
6.5.29		EBCS UL relaying	603
	6.5.29.1	General	603
	6.5.29.2	MLME-EBCSUL.request	603
	6.5.29.3	MLME-EBCSUL.indication	604
6.6		MAC state generic convergence function (MSGCF)	605
	6.6.1	Overview of the convergence function.....	605
	6.6.2	Overview of convergence function state machine.....	605
	6.6.3	Convergence function state list.....	605
	6.6.3.1	ESS_CONNECTED.....	605

	6.6.3.2	ESS_DISCONNECTED	605
	6.6.3.3	ESS_DISENGAGING	606
	6.6.3.4	STANDBY	606
6.6.4		Convergence function state transitions	606
	6.6.4.1	Transitions to ESS_CONNECTED	606
	6.6.4.2	Transitions to ESS_DISCONNECTED	607
	6.6.4.3	Transitions to ESS_DISENGAGING	607
	6.6.4.4	Transitions to STANDBY	607
6.6.5		Convergence function informational events	607
6.6.6		MAC state generic convergence SAP	608
6.6.7		ESS status reporting	608
	6.6.7.1	MSGCF-ESS-LINK-UP.indication	608
	6.6.7.2	MSGCF-ESS-LINK-DOWN.indication	609
	6.6.7.3	MSGCF-ESS-LINK-GOING-DOWN.indication	610
	6.6.7.4	MSGCF-ESS-LINK-EVENT-ROLLBACK.indication	611
	6.6.7.5	MSGCF-ESS-LINK-DETECTED.indication	612
	6.6.7.6	MSGCF-ESS-LINK-SCAN.request	613
	6.6.7.7	MSGCF-ESS-LINK-SCAN.confirm	614
6.6.8		Network configuration	614
	6.6.8.1	MSGCF-ESS-LINK-CAPABILITY.request	614
	6.6.8.2	MSGCF-ESS-LINK-CAPABILITY.confirm	615
	6.6.8.3	MSGCF-ESS-LINK-PARAMETERS.request	616
	6.6.8.4	MSGCF-ESS-LINK-PARAMETERS.confirm	618
	6.6.8.5	MSGCF-GET-ESS-LINK-PARAMETERS.request	618
	6.6.8.6	MSGCF-GET-ESS-LINK-PARAMETERS.confirm	619
6.6.9		Network events	619
	6.6.9.1	MSGCF-ESS-LINK-THRESHOLD-REPORT.indication	619
6.6.10		Network command interface	620
	6.6.10.1	MSGCF-ESS-LINK-COMMAND.request	620
6.6.11		MAC state SME SAP—mobility management	621
	6.6.11.1	MSSME-ESS-LINK-GOING-DOWN.indication	621
6.7		PLME SAP interface	622
	6.7.1	General	622
	6.7.2	PLME-RESET.request	622
	6.7.2.1	Function	622
	6.7.2.2	Semantics of the service primitive	622
	6.7.2.3	When generated	622
	6.7.2.4	Effect of receipt	622
6.7.3		PLME-CHARACTERISTICS.request	623
	6.7.3.1	Function	623
	6.7.3.2	Semantics of the service primitive	623
	6.7.3.3	When generated	623
	6.7.3.4	Effect of receipt	623
6.7.4		PLME-CHARACTERISTICS.confirm	623
	6.7.4.1	Function	623
	6.7.4.2	Semantics of the service primitive	623
	6.7.4.3	When generated	626
	6.7.4.4	Effect of receipt	626
6.7.5		PLME-TXTIME.request	626
	6.7.5.1	Function	626
	6.7.5.2	Semantics of the service primitive	626
	6.7.5.3	When generated	626
	6.7.5.4	Effect of receipt	626
6.7.6		PLME-TXTIME.confirm	626

	6.7.6.1	Function	626
	6.7.6.2	Semantics of the service primitive	627
	6.7.6.3	When generated.....	627
	6.7.6.4	Effect of receipt.....	627
6.7.7		PLME-MINPAYLOADSTAT.request	627
	6.7.7.1	Function	627
	6.7.7.2	Semantics of the service primitive	627
	6.7.7.3	When generated.....	628
	6.7.7.4	Effect on receipt	628
6.7.8		PLME-MINPAYLOADSTAT.confirm	628
	6.7.8.1	Function	628
	6.7.8.2	Semantics of the service primitive	628
	6.7.8.3	When generated.....	628
	6.7.8.4	Effect on receipt	628
6.7.9		PLME- MINPAYLOADSTATRESET.request	628
	6.7.9.1	Function	628
	6.7.9.2	Semantics of the service primitive	628
	6.7.9.3	When generated.....	628
	6.7.9.4	Effect on receipt	629
6.7.10		PLME- MINPAYLOADSTATSTOP.request	629
	6.7.10.1	Function	629
	6.7.10.2	Semantics of the service primitive	629
	6.7.10.3	When generated.....	629
	6.7.10.4	Effect on receipt	629
7.		DS SAP specification.....	630
7.1		Introduction.....	630
7.2		SAP primitives.....	630
	7.2.1	General.....	630
	7.2.2	MSDU transfer.....	631
		7.2.2.1 General	631
		7.2.2.2 DS-UNITDATA.request	631
		7.2.2.3 DS-UNITDATA.indication.....	631
	7.2.3	Mapping updates.....	632
		7.2.3.1 General	632
		7.2.3.2 DS-STA-NOTIFY.request	632
8.		PHY service specification.....	634
8.1		Scope of PHY services	634
8.2		PHY functions.....	634
8.3		Detailed PHY service specifications.....	634
	8.3.1	Scope and field of application	634
	8.3.2	Overview of the service	634
	8.3.3	Overview of interactions.....	634
	8.3.4	Basic service and options.....	634
		8.3.4.1 PHY SAP peer-to-peer service primitives	634
		8.3.4.2 PHY SAP inter-(sub)layer service primitives.....	635
		8.3.4.3 PHY SAP service primitives parameters	635
		8.3.4.4 Vector descriptions	636
	8.3.5	PHY SAP detailed service specification.....	637
		8.3.5.1 Introduction	637
		8.3.5.2 PHY-DATA.request.....	637

8.3.5.3	PHY-DATA.indication	638
8.3.5.4	PHY-DATA.confirm.....	638
8.3.5.5	PHY-TXSTART.request.....	639
8.3.5.6	PHY-TXSTART.confirm.....	639
8.3.5.7	PHY-TXEND.request	640
8.3.5.8	PHY-TXEND.confirm	641
8.3.5.9	PHY-TXHEADEREND.indication.....	641
8.3.5.10	PHY-CCARESET.request	642
8.3.5.11	PHY-CCARESET.confirm	642
8.3.5.12	PHY-CCA.indication	643
8.3.5.13	PHY-RXEARLYSIG.indication	650
8.3.5.14	PHY-RXSTART.indication	651
8.3.5.15	PHY-RXEND.indication.....	652
8.3.5.16	PHY-CONFIG.request	653
8.3.5.17	PHY-TRIGGER.request	653
8.3.5.17	PHY-ABORT.request	654
8.3.5.18	PHY-RXLTFFSEQUENCE.request	654
8.3.5.19	PHY-RXTRNSEQUENCE.request	655
8.4	PHY management	655
9.	Frame formats	656
9.1	General requirements	656
9.2	MAC frame formats	656
9.2.1	Basic components	656
9.2.2	Conventions	656
9.2.3	General frame format.....	658
9.2.4	Frame fields	659
9.2.4.1	Frame Control field.....	659
9.2.4.2	Duration/ID field.....	668
9.2.4.3	Address fields.....	670
9.2.4.4	Sequence Control field.....	671
9.2.4.5	QoS Control field.....	673
9.2.4.6	HT Control field.....	680
9.2.4.7	Control subfield variants of an A-Control subfield	692
9.2.4.8	Frame Body field	701
9.2.4.9	FCS field	708
9.2.5	Duration/ID field (QoS STA)	708
9.2.5.1	General	708
9.2.5.2	Setting for single and multiple protection under enhanced distributed channel access (EDCA)	709
9.2.5.3	Setting for QoS CF-Poll frames	711
9.2.5.4	Setting for frames sent by a TXOP holder under HCCA.....	712
9.2.5.5	Settings within a dual CTS sequence	712
9.2.5.6	Setting for control response frames	712
9.2.5.7	Setting for other response frames.....	713
9.3	Format of individual frame types.....	714
9.3.1	Control frames	714
9.3.1.1	Format of Control frames.....	714
9.3.1.2	RTS frame format	715
9.3.1.3	CTS frame format	715
9.3.1.4	Ack frame format.....	716
9.3.1.5	PS-Poll frame format	716
9.3.1.6	CF-End frame format	717

	9.3.1.7	BlockAckReq frame format.....	717
	9.3.1.8	BlockAck frame format	721
	9.3.1.9	Control Wrapper frame format	731
	9.3.1.10	Poll frame format	732
	9.3.1.11	SPR frame format.....	732
	9.3.1.12	Grant frame format.....	733
	9.3.1.13	DMG CTS frame format	733
	9.3.1.14	DMG DTS frame format.....	734
	9.3.1.15	SSW frame format	734
	9.3.1.16	SSW-Feedback frame format.....	735
	9.3.1.17	SSW-Ack frame format	735
	9.3.1.18	Grant Ack frame format.....	736
	9.3.1.19	VHT/HE/Ranging NDP Announcement frame format.....	736
	9.3.1.20	Beamforming Report Poll frame format	744
	9.3.1.21	TACK frame format.....	744
	9.3.1.22	Trigger frame format.....	745
	9.3.1.23	Subvariants of Ranging Trigger variant.....	759
	9.3.1.24	Sector Ack frame format.....	761
	9.3.1.25	Block Ack Schedule frame format.....	761
	9.3.1.26	TDD Beamforming frame format	762
9.3.2		Data frames	769
	9.3.2.1	Format of Data frames	769
	9.3.2.2	Aggregate MSDU (A-MSDU) format	773
9.3.3		(PV0) Management frames	776
	9.3.3.1	Format of (PV0) Management frames	776
	9.3.3.2	Beacon frame format.....	778
	9.3.3.3	ATIM frame format	785
	9.3.3.4	Disassociation frame format	785
	9.3.3.5	Association Request frame format.....	786
	9.3.3.6	Association Response frame format	790
	9.3.3.7	Reassociation Request frame format.....	794
	9.3.3.8	Reassociation Response frame format	798
	9.3.3.9	Probe Request frame format	804
	9.3.3.10	Probe Response frame format.....	806
	9.3.3.11	Authentication frame format.....	814
	9.3.3.12	Deauthentication	820
	9.3.3.13	Action frame format.....	820
	9.3.3.14	Action No Ack frame format	820
	9.3.3.15	Timing Advertisement frame format	821
9.3.4		Extension frames.....	822
	9.3.4.1	Format of Extension frames.....	822
	9.3.4.2	DMG Beacon	822
	9.3.4.3	SIG Beacon frame format.....	828
9.3.5		Frame addressing in an MBSS.....	831
9.4		Management and Extension frame body components	833
	9.4.1	Fields that are not elements	833
	9.4.1.1	Authentication Algorithm Number field.....	833
	9.4.1.2	Authentication Transaction Sequence Number field	833
	9.4.1.3	Beacon Interval field.....	834
	9.4.1.4	Capability Information field.....	834
	9.4.1.5	Current AP Address field.....	836
	9.4.1.6	Listen Interval field	836
	9.4.1.7	Reason Code field	837
	9.4.1.8	AID field	840

9.4.1.9	Status Code field	841
9.4.1.10	Timestamp field	847
9.4.1.11	Action field	847
9.4.1.12	Dialog Token field	849
9.4.1.13	Block Ack Parameter Set field.....	849
9.4.1.14	Block Ack Timeout Value field	850
9.4.1.15	Originator Preferred MCS field	850
9.4.1.16	DELBA Parameter Set field.....	850
9.4.1.17	QoS Info field.....	851
9.4.1.18	Measurement Pilot Interval field.....	852
9.4.1.19	Max Transmit Power field	852
9.4.1.20	Transmit Power Used field	853
9.4.1.21	Channel Width field.....	853
9.4.1.22	Operating Class And Channel field	854
9.4.1.23	SM Power Control field	854
9.4.1.24	MIMO Control field.....	854
9.4.1.25	CSI Report field	856
9.4.1.26	Noncompressed Beamforming Report field	858
9.4.1.27	Compressed Beamforming Report field	860
9.4.1.28	Antenna Selection Indices field	863
9.4.1.29	Organization Identifier field.....	863
9.4.1.30	Rate Identification field	864
9.4.1.31	GAS Query Fragment ID field.....	865
9.4.1.32	Venue Info field	866
9.4.1.33	Target Channel field.....	869
9.4.1.34	Operating Class field.....	869
9.4.1.35	Send-Confirm field	869
9.4.1.36	Anti-Clogging Token field.....	870
9.4.1.37	Scalar field	870
9.4.1.38	FFE field	870
9.4.1.39	Confirm field.....	870
9.4.1.40	Finite Cyclic Group field	870
9.4.1.41	TXOP Reservation field.....	871
9.4.1.42	Relay Capable STA Info field.....	871
9.4.1.43	Band ID field.....	872
9.4.1.44	DMG Parameters field	872
9.4.1.45	CMMG Parameters field.....	873
9.4.1.46	VHT MIMO Control field.....	874
9.4.1.47	VHT Compressed Beamforming Report field	875
9.4.1.48	TVHT Compressed Beamforming Report field.....	886
9.4.1.49	MU Exclusive Beamforming Report field.....	887
9.4.1.50	TVHT MU Exclusive Beamforming Report field	891
9.4.1.51	Operating Mode field	891
9.4.1.52	Membership Status Array field.....	895
9.4.1.53	User Position Array field	896
9.4.1.54	Device Location Information Body field.....	896
9.4.1.55	WSM Type field and WSM Information field.....	897
9.4.1.56	Sync Control field	897
9.4.1.57	Suspend Duration field.....	898
9.4.1.58	TWT Information field.....	898
9.4.1.59	CMMG MIMO Control field	899
9.4.1.60	CMMG Compressed Beamforming Report field.....	899
9.4.1.61	CMMG Operating Mode field	904
9.4.1.62	HE MIMO Control field	905

9.4.1.63	HE Compressed Beamforming Report field	907
9.4.1.64	HE MU Exclusive Beamforming Report field.....	914
9.4.1.65	HE CQI Report field	916
9.4.1.66	HE Compressed Beamforming/CQI Report field	917
9.4.1.67	HE Sounding Feedback Segment field	918
9.4.1.68	EBCS Content Request field.....	918
9.4.1.69	EBCS Content Response field	919
9.4.1.70	EBCS Info Frame Tx Countdown field	921
9.4.1.71	Short SSID field	921
9.4.2	Elements.....	922
9.4.2.1	General	922
9.4.2.2	SSID element	934
9.4.2.3	Supported Rates and BSS Membership Selectors element.....	935
9.4.2.4	DSSS Parameter Set element	935
9.4.2.5	TIM element.....	936
9.4.2.6	IBSS Parameter Set element	944
9.4.2.7	Country element.....	945
9.4.2.8	Request element	948
9.4.2.9	Extended Request element.....	949
9.4.2.10	ERP element.....	949
9.4.2.11	Extended Supported Rates and BSS Membership Selectors element.....	950
9.4.2.12	Power Constraint element	950
9.4.2.13	Power Capability element	951
9.4.2.14	TPC Request element.....	951
9.4.2.15	TPC Report element.....	952
9.4.2.16	Supported Channels element.....	952
9.4.2.17	Channel Switch Announcement element	952
9.4.2.18	Secondary Channel Offset element.....	953
9.4.2.19	Measurement Request element	954
9.4.2.20	Measurement Report element	989
9.4.2.21	Quiet element	1044
9.4.2.22	IBSS DFS element	1044
9.4.2.23	RSNE	1045
9.4.2.24	Vendor Specific element.....	1057
9.4.2.25	Extended Capabilities element.....	1057
9.4.2.26	BSS Load element.....	1065
9.4.2.27	EDCA Parameter Set element.....	1066
9.4.2.28	TSPEC element.....	1069
9.4.2.29	TCLAS element	1076
9.4.2.30	TS Delay element.....	1090
9.4.2.31	TCLAS Processing element.....	1090
9.4.2.32	Schedule element	1091
9.4.2.33	QoS Capability element	1092
9.4.2.34	AP Channel Report element.....	1092
9.4.2.35	Neighbor Report element.....	1093
9.4.2.36	RCPI element	1101
9.4.2.37	BSS Average Access Delay element	1101
9.4.2.38	Antenna element	1102
9.4.2.39	RSNI element.....	1103
9.4.2.40	Measurement Pilot Transmission element.....	1103
9.4.2.41	BSS Available Admission Capacity element.....	1104
9.4.2.42	BSS AC Access Delay element	1105
9.4.2.43	RM Enabled Capabilities element.....	1107
9.4.2.44	Multiple BSSID element.....	1109

9.4.2.45	MDE.....	1112
9.4.2.46	FTE.....	1112
9.4.2.47	TIE	1116
9.4.2.48	RDE.....	1116
9.4.2.49	RIC Descriptor element	1117
9.4.2.50	DSE Registered Location element	1118
9.4.2.51	Extended Channel Switch Announcement element	1119
9.4.2.52	Supported Operating Classes element.....	1120
9.4.2.53	MME	1121
9.4.2.54	HT Capabilities element.....	1122
9.4.2.55	HT Operation element.....	1131
9.4.2.56	20/40 BSS Intolerant Channel Report element.....	1134
9.4.2.57	Overlapping BSS Scan Parameters element	1135
9.4.2.58	20/40 BSS Coexistence element	1135
9.4.2.59	Time Advertisement element	1136
9.4.2.60	Link Identifier element.....	1138
9.4.2.61	Wakeup Schedule element.....	1138
9.4.2.62	Channel Switch Timing element.....	1139
9.4.2.63	PTI Control element.....	1139
9.4.2.64	TPU Buffer Status element	1140
9.4.2.65	Event Request element.....	1141
9.4.2.66	Event Report element.....	1148
9.4.2.67	Diagnostic Request element.....	1153
9.4.2.68	Diagnostic Report element.....	1164
9.4.2.69	Location Parameters element	1166
9.4.2.70	Nontransmitted BSSID Capability element	1174
9.4.2.71	SSID List element	1175
9.4.2.72	Multiple BSSID-Index element	1175
9.4.2.73	FMS Descriptor element	1176
9.4.2.74	FMS Request element	1177
9.4.2.75	FMS Response element.....	1178
9.4.2.76	QoS Traffic Capability element	1181
9.4.2.77	BSS Max Idle Period element.....	1182
9.4.2.78	TFS Request element	1183
9.4.2.79	TFS Response element.....	1185
9.4.2.80	WNM Sleep Mode element.....	1186
9.4.2.81	TIM Broadcast Request element.....	1188
9.4.2.82	TIM Broadcast Response element	1188
9.4.2.83	Colocated Interference Report element.....	1189
9.4.2.84	Channel Usage element.....	1191
9.4.2.85	Time Zone element	1192
9.4.2.86	DMS Request element	1192
9.4.2.87	DMS Response element	1195
9.4.2.88	Destination URI element.....	1198
9.4.2.89	U-APSD Coexistence element	1198
9.4.2.90	Interworking element	1199
9.4.2.91	Advertisement Protocol element.....	1201
9.4.2.92	Expedited Bandwidth Request element	1203
9.4.2.93	QoS Map element.....	1203
9.4.2.94	Roaming Consortium element	1204
9.4.2.95	Emergency Alert Identifier element.....	1205
9.4.2.96	Mesh Configuration element.....	1206
9.4.2.97	Mesh ID element.....	1210
9.4.2.98	Mesh Link Metric Report element.....	1210

9.4.2.99	Congestion Notification element	1211
9.4.2.100	Mesh Peering Management element	1211
9.4.2.101	Mesh Channel Switch Parameters element	1213
9.4.2.102	Mesh Awake Window element	1214
9.4.2.103	Beacon Timing element	1214
9.4.2.104	MCCAOP Setup Request element	1215
9.4.2.105	MCCAOP Setup Reply element	1216
9.4.2.106	MCCAOP Advertisement Overview element.....	1217
9.4.2.107	MCCAOP Advertisement element.....	1218
9.4.2.108	MCCAOP Teardown element.....	1220
9.4.2.109	GANN element	1221
9.4.2.110	RANN element.....	1221
9.4.2.111	PREQ element.....	1222
9.4.2.112	PREP element	1224
9.4.2.113	PERR element.....	1226
9.4.2.114	PXU element	1227
9.4.2.115	PXUC element	1228
9.4.2.116	Authenticated Mesh Peering Exchange element.....	1229
9.4.2.117	MIC element	1230
9.4.2.118	Quality-of-Service Management Frame Policy element.....	1230
9.4.2.119	Intra-Access Category Priority element.....	1231
9.4.2.120	SCS Descriptor element	1232
9.4.2.121	QLoad Report element	1233
9.4.2.122	HCCA TXOP Update Count element	1235
9.4.2.123	Higher Layer Stream ID element	1236
9.4.2.124	GCR Group Address element	1237
9.4.2.125	DMG BSS Parameter Change element	1237
9.4.2.126	DMG Capabilities element.....	1238
9.4.2.127	DMG Operation element.....	1248
9.4.2.128	DMG Beam Refinement element.....	1249
9.4.2.129	DMG Wakeup Schedule element.....	1253
9.4.2.130	Extended Schedule element	1254
9.4.2.131	STA Availability element	1258
9.4.2.132	DMG TSPEC element.....	1258
9.4.2.133	CMMG TSPEC element	1262
9.4.2.134	Next DMG ATI element	1263
9.4.2.135	Channel Measurement Feedback element.....	1263
9.4.2.136	Awake Window element	1267
9.4.2.137	Multi-band element	1267
9.4.2.138	ADDBA Extension element.....	1270
9.4.2.139	Next PCP List element.....	1271
9.4.2.140	PCP Handover element	1271
9.4.2.141	DMG Link Margin element	1272
9.4.2.142	DMG Link Adaptation Acknowledgment element.....	1277
9.4.2.143	Switching Stream element	1278
9.4.2.144	Session Transition element	1279
9.4.2.145	Cluster Report element.....	1281
9.4.2.146	Relay Capabilities element.....	1283
9.4.2.147	Relay Transfer Parameter Set element.....	1284
9.4.2.148	Quiet Period Request element.....	1285
9.4.2.149	Quiet Period Response element	1286
9.4.2.150	BeamLink Maintenance element	1286
9.4.2.151	MMS element.....	1286
9.4.2.152	U-PID element	1288

9.4.2.153	ECAPC Policy element.....	1289
9.4.2.154	Cluster Time Offset element.....	1290
9.4.2.155	Antenna Sector ID Pattern element.....	1291
9.4.2.156	VHT Capabilities element.....	1292
9.4.2.157	VHT Operation element.....	1300
9.4.2.158	Extended BSS Load element.....	1302
9.4.2.159	Wide Bandwidth Channel Switch element	1304
9.4.2.160	Transmit Power Envelope element	1304
9.4.2.161	Channel Switch Wrapper element.....	1308
9.4.2.162	AID element.....	1309
9.4.2.163	Quiet Channel element.....	1309
9.4.2.164	Operating Mode Notification element	1310
9.4.2.165	UPSIM element.....	1310
9.4.2.166	FTM Parameters element	1311
9.4.2.167	Device Location element	1319
9.4.2.168	White Space Map element	1319
9.4.2.169	Reduced Neighbor Report element	1320
9.4.2.170	TVHT Operation element	1324
9.4.2.171	FTM Synchronization Information element	1325
9.4.2.172	Estimated Service Parameters Inbound element.....	1326
9.4.2.173	Future Channel Guidance element.....	1328
9.4.2.174	Association Delay Info element.....	1328
9.4.2.175	CAG Number element	1329
9.4.2.176	FILS Request Parameters element.....	1329
9.4.2.177	FILS Key Confirmation element.....	1332
9.4.2.178	FILS Session element.....	1333
9.4.2.179	FILS Public Key element.....	1333
9.4.2.180	AP Configuration Sequence Number (AP-CSN) element	1333
9.4.2.181	FILS Indication element.....	1334
9.4.2.182	FILS HLP Container element	1335
9.4.2.183	FILS IP Address Assignment element	1336
9.4.2.184	Key Delivery element	1340
9.4.2.185	DILS element	1340
9.4.2.186	Wrapped Data element.....	1342
9.4.2.187	Fragment element.....	1342
9.4.2.188	FILS Nonce element	1343
9.4.2.189	S1G Open-Loop Link Margin Index element.....	1343
9.4.2.190	RPS element.....	1344
9.4.2.191	Page Slice element	1349
9.4.2.192	AID Request element.....	1351
9.4.2.193	AID Response element.....	1353
9.4.2.194	S1G Sector Operation element.....	1354
9.4.2.195	S1G Beacon Compatibility element.....	1356
9.4.2.196	Short Beacon Interval element.....	1357
9.4.2.197	Change Sequence element	1357
9.4.2.198	TWT element	1357
9.4.2.199	S1G Capabilities element.....	1368
9.4.2.200	SST element	1380
9.4.2.201	Authentication Control element	1382
9.4.2.202	TSF Timer Accuracy element.....	1384
9.4.2.203	S1G Relay element.....	1384
9.4.2.204	Reachable Address element	1385
9.4.2.205	S1G Relay Activation element.....	1386
9.4.2.206	S1G Relay Discovery element	1387

9.4.2.207	AID Announcement element	1389
9.4.2.208	PV1 Probe Response Option element	1389
9.4.2.209	EL Operation element	1394
9.4.2.210	Sectorized Group ID List element	1394
9.4.2.211	SIG Operation element	1395
9.4.2.212	Header Compression element	1396
9.4.2.213	SST Operation element	1398
9.4.2.214	MAD element	1399
9.4.2.215	Password Identifier element	1399
9.4.2.216	Max Channel Switch Time element	1399
9.4.2.217	Vendor Specific Request element	1400
9.4.2.218	CDMG Capabilities element	1400
9.4.2.219	Dynamic Bandwidth Control element	1403
9.4.2.220	CDMG Extended Schedule element	1404
9.4.2.221	SSW Report element	1406
9.4.2.222	Cluster Probe element	1407
9.4.2.223	Extended Cluster Report element	1408
9.4.2.224	Cluster Switch Announcement element	1408
9.4.2.225	Enhanced Beam Tracking element	1409
9.4.2.226	SPSH Report element	1411
9.4.2.227	Clustering Interference Assessment element	1412
9.4.2.228	CMMG Capabilities element	1412
9.4.2.229	CMMG Operation element	1421
9.4.2.230	CMMG Operating Mode Notification element	1422
9.4.2.231	CMMG Link Margin element	1422
9.4.2.232	CMMG Link Adaptation Acknowledgment element	1423
9.4.2.233	GLK-GCR Parameter Set element	1424
9.4.2.234	Estimated Service Parameters Outbound element	1426
9.4.2.235	OCI element	1427
9.4.2.236	Service Hint element	1428
9.4.2.237	Service Hash element	1429
9.4.2.238	GAS Extension element	1429
9.4.2.239	Non-Inheritance element	1431
9.4.2.240	RSNXX	1431
9.4.2.241	TCLAS Mask element	1433
9.4.2.242	MSCS Descriptor element	1434
9.4.2.243	Supplemental Class 2 Capabilities element	1435
9.4.2.244	OCT Source element	1436
9.4.2.245	Rejected Groups element	1436
9.4.2.246	Anti-Clogging Token Container element	1437
9.4.2.247	HE Capabilities element	1437
9.4.2.248	HE Operation element	1459
9.4.2.249	UORA Parameter Set element	1462
9.4.2.250	MU EDCA Parameter Set element	1463
9.4.2.251	Spatial Reuse Parameter Set element	1463
9.4.2.252	NDP Feedback Report Parameter Set element	1465
9.4.2.253	BSS Color Change Announcement element	1466
9.4.2.254	Quiet Time Period element	1466
9.4.2.255	ESS Report element	1469
9.4.2.256	OPS element	1470
9.4.2.257	TWT Constraint Parameters element	1471
9.4.2.258	HE BSS Load element	1471
9.4.2.259	Multiple BSSID Configuration element	1472
9.4.2.260	Known BSSID element	1473

9.4.2.261	Short SSID List element	1474
9.4.2.262	HE 6 GHz Band Capabilities element.....	1474
9.4.2.263	UL MU Power Capabilities element.....	1475
9.4.2.264	EDMG Capabilities element	1476
9.4.2.265	EDMG Operation element	1486
9.4.2.266	EDMG Extended Schedule element	1488
9.4.2.267	EDMG Channel Measurement Feedback element.....	1491
9.4.2.268	EDMG Group ID Set element.....	1496
9.4.2.269	EDMG BRP Request element.....	1497
9.4.2.270	EDMG Training Field Schedule element.....	1499
9.4.2.271	EDMG Partial Sector Level Sweep element.....	1500
9.4.2.272	MIMO Setup Control element	1501
9.4.2.273	MIMO Poll Control element	1502
9.4.2.274	MIMO Feedback Control element	1503
9.4.2.275	MIMO Selection Control element.....	1506
9.4.2.276	EDMG Flow Control Extension Configuration element	1510
9.4.2.277	QoS-TU element	1513
9.4.2.278	Unsolicited Block Ack Extension element	1514
9.4.2.279	SAR Configuration element.....	1515
9.4.2.280	TDD Slot Structure element.....	1516
9.4.2.281	TDD Slot Schedule element.....	1517
9.4.2.282	TDD Route element	1518
9.4.2.283	Digital BF Feedback element.....	1522
9.4.2.284	TDD Bandwidth Request element	1533
9.4.2.285	TDD Synchronization element.....	1534
9.4.2.286	EDMG Wide Bandwidth Channel Switch element.....	1535
9.4.2.287	DMG Discovery Assistance element	1535
9.4.2.288	Extended Link Measurement element.....	1536
9.4.2.289	DMG STA Directional Transmit Activity Report element.....	1540
9.4.2.290	WUR Capabilities element.....	1544
9.4.2.291	WUR Operation element.....	1546
9.4.2.292	WUR Mode element	1547
9.4.2.293	WUR Discovery element	1552
9.4.2.294	WUR PN Update element	1553
9.4.2.295	AKM Suite Selector element	1554
9.4.2.296	Originator Preferred MCS element	1554
9.4.2.297	Known STA Identification element	1555
9.4.2.298	ISTA Availability Window element	1555
9.4.2.299	RSTA Availability Window element.....	1556
9.4.2.300	Ranging Parameters element.....	1558
9.4.2.301	Secure HE-LTF Parameters element.....	1565
9.4.2.302	Direction Measurement Results element	1566
9.4.2.303	Multiple Best AWP ID element	1567
9.4.2.304	Multiple AOD Feedback element	1568
9.4.2.305	PASN Parameters element.....	1569
9.4.2.306	ISTA Passive TB Ranging Measurement Report element.....	1570
9.4.2.307	RSTA Passive TB Ranging Measurement Report element	1572
9.4.2.308	Passive TB Ranging LCI Table element.....	1573
9.4.2.309	LOS Likelihood element.....	1574
9.4.2.310	DMG OCB element	1574
9.4.2.311	Non-AP STA Regulatory Connectivity element.....	1575
9.4.2.312	Diffie-Hellman Parameter element	1577
9.4.2.313	EBCS Parameters element	1577
9.4.2.314	EBCS TIM element.....	1578

	9.4.2.315	Tunneled PASN element.....	1579
9.4.3		Subelements	1579
9.4.4		TLV encodings	1580
	9.4.4.1	General	1580
	9.4.4.2	Common TLVs	1580
9.4.5		Access network query protocol (ANQP)-elements	1585
	9.4.5.1	General	1585
	9.4.5.2	Query List ANQP-element.....	1586
	9.4.5.3	Capability List ANQP-element.....	1587
	9.4.5.4	Venue Name ANQP-element.....	1587
	9.4.5.5	Emergency Call Number ANQP-element.....	1588
	9.4.5.6	Network Authentication Type ANQP-element.....	1589
	9.4.5.7	Roaming Consortium ANQP-element	1590
	9.4.5.8	Vendor Specific ANQP-element.....	1591
	9.4.5.9	IP Address Type Availability ANQP-element.....	1591
	9.4.5.10	NAI Realm ANQP-element	1592
	9.4.5.11	3GPP Cellular Network ANQP-element.....	1596
	9.4.5.12	AP Geospatial Location ANQP-element	1596
	9.4.5.13	AP Civic Location ANQP-element.....	1597
	9.4.5.14	AP Location Public Identifier URI/FQDN ANQP-element	1597
	9.4.5.15	Domain Name ANQP-element	1597
	9.4.5.16	Emergency Alert URI ANQP-element	1598
	9.4.5.17	Emergency NAI ANQP-element	1598
	9.4.5.18	TDLs Capability ANQP-element	1599
	9.4.5.19	Neighbor Report ANQP-element.....	1599
	9.4.5.20	Venue URL ANQP-element	1599
	9.4.5.21	Advice of Charge ANQP-element	1600
	9.4.5.22	Local Content ANQP-element	1601
	9.4.5.23	Network Authentication Type with Timestamp ANQP-element.....	1602
	9.4.5.24	Query AP List ANQP-element	1603
	9.4.5.25	AP List Response ANQP-element	1604
	9.4.5.26	CAG ANQP-element	1604
	9.4.5.27	Service Information Request ANQP-element.....	1605
	9.4.5.28	Service Information Response ANQP-element	1605
	9.4.5.29	Local MAC Address Policy ANQP-element	1606
	9.4.5.30	EBCS ANQP-element.....	1608
	9.4.5.31	EBCS Content Request ANQP-element	1617
	9.4.5.32	EBCS Content Response ANQP-element.....	1617
	9.4.5.33	Credential Types ANQP-element	1618
	9.4.5.34	Service Level Agreement ANQP-element.....	1619
	9.4.5.35	Excluded NAI Realm ANQP-Element	1620
9.4.6		Registered location query protocol (RLQP) elements	1621
	9.4.6.1	General	1621
	9.4.6.2	Channel Availability Query RLQP-element	1622
	9.4.6.3	Channel Schedule Management RLQP-element.....	1624
	9.4.6.4	Network Channel Control RLQP-element.....	1624
	9.4.6.5	Vendor Specific RLQP-element	1625
9.5		Fields used in Management and Extension frame bodies and Control frames	1626
	9.5.1	SSW field.....	1626
	9.5.2	Dynamic Allocation Info field	1627
	9.5.3	SSW Feedback field.....	1628
	9.5.4	BRP Request field.....	1630
	9.5.5	Beamforming Control field.....	1631
	9.5.6	Beamformed Link Maintenance field.....	1633

9.5.7	EDMG BRP field.....	1634
9.5.8	Short BRP Feedback field.....	1635
9.5.9	Sector Feedback field.....	1636
9.6	Action frame format details	1636
9.6.1	General.....	1636
9.6.2	Spectrum Management Action frame details.....	1636
9.6.2.1	Spectrum Management Action field	1636
9.6.2.2	Spectrum Measurement Request frame format.....	1636
9.6.2.3	Spectrum Measurement Report frame format.....	1637
9.6.2.4	TPC Request frame format	1638
9.6.2.5	TPC Report frame format	1638
9.6.2.6	Channel Switch Announcement frame format.....	1638
9.6.3	QoS Action frame details.....	1640
9.6.3.1	QoS Action field	1640
9.6.3.2	Basic and DMG ADDTS Request frame format	1641
9.6.3.3	Basic and DMG ADDTS Response frame format.....	1643
9.6.3.4	DELTS frame format	1645
9.6.3.5	Schedule frame format	1646
9.6.3.6	QoS Map Configure frame format.....	1646
9.6.3.7	ADDTS Reserve Request frame format.....	1647
9.6.3.8	ADDTS Reserve Response frame format	1647
9.6.4	Block Ack Action frame details.....	1648
9.6.4.1	Block Ack Action field	1648
9.6.4.2	ADDBA Request frame format.....	1649
9.6.4.3	ADDBA Response frame format	1650
9.6.4.4	DELBA frame format	1651
9.6.4.5	PBAC WinStart Update frame format	1652
9.6.5	Vendor Specific Action frame and Vendor Specific Protected Action frame details	1652
9.6.6	Radio Measurement Action frame details	1653
9.6.6.1	Radio Measurement Action field	1653
9.6.6.2	Radio Measurement Request frame format	1653
9.6.6.3	Radio Measurement Report frame format	1654
9.6.6.4	Link Measurement Request frame format	1654
9.6.6.5	Link Measurement Report frame format	1655
9.6.6.6	Neighbor Report Request frame format.....	1656
9.6.6.7	Neighbor Report Response frame format	1657
9.6.7	Public Action frame details.....	1657
9.6.7.1	Public Action field	1657
9.6.7.2	20/40 BSS Coexistence Management frame format	1657
9.6.7.3	Measurement Pilot frame format	1660
9.6.7.4	DSE Enablement frame format.....	1661
9.6.7.5	DSE Deenablement frame format	1662
9.6.7.6	DSE Registered Location Announcement frame format	1663
9.6.7.7	Extended Channel Switch Announcement frame format.....	1663
9.6.7.8	DSE Measurement Request frame format	1664
9.6.7.9	DSE Measurement Report frame format	1665
9.6.7.10	DSE Power Constraint frame format	1666
9.6.7.11	Vendor Specific Public Action frame format	1667
9.6.7.12	GAS Initial Request frame format	1667
9.6.7.13	GAS Initial Response frame format.....	1669
9.6.7.14	GAS Comeback Request frame format.....	1670
9.6.7.15	GAS Comeback Request Fragment frame format	1671
9.6.7.16	GAS Comeback Response frame format	1672

9.6.7.17	TDL S Discovery Response frame format.....	1673
9.6.7.18	Location Track Notification frame format.....	1674
9.6.7.19	QMF Policy frame format.....	1675
9.6.7.20	QMF Policy Change frame format.....	1676
9.6.7.20	QLoad Request frame format.....	1676
9.6.7.21	QLoad Report frame format.....	1677
9.6.7.22	HCCA TXOP Advertisement frame	1677
9.6.7.23	HCCA TXOP Response frame	1678
9.6.7.24	Public Key frame	1679
9.6.7.25	Channel Availability Query frame format	1680
9.6.7.26	Channel Schedule Management frame format.....	1680
9.6.7.27	Contact Verification Signal frame format.....	1682
9.6.7.28	GDD Enablement Request frame format.....	1682
9.6.7.29	GDD Enablement Response frame format.....	1682
9.6.7.30	Network Channel Control frame format	1683
9.6.7.31	White Space Map Announcement frame format.....	1684
9.6.7.32	FTM Request frame format.....	1684
9.6.7.33	FTM frame format	1686
9.6.7.34	QAB Request frame format	1689
9.6.7.35	QAB Response frame format	1689
9.6.7.36	FIL S Discovery frame format	1691
9.6.7.37	DCS Measurement Request frame format	1698
9.6.7.38	DCS Measurement Response frame format.....	1699
9.6.7.39	DCS Request frame format	1701
9.6.7.40	DCS Response frame format.....	1702
9.6.7.41	Extended Notification Period Request frame format.....	1702
9.6.7.42	Extended Notification Period Response frame format	1703
9.6.7.43	Extended Channel Splitting Request frame format.....	1703
9.6.7.44	Extended Channel Splitting Response frame format	1704
9.6.7.45	Group Addressed GAS Request frame format.....	1705
9.6.7.46	Group Addressed GAS Response frame format	1705
9.6.7.47	On-channel Tunnel Request frame format.....	1706
9.6.7.48	DMG STA Directional Transmit Activity Report frame format	1707
9.6.7.49	LMR frame format.....	1707
9.6.7.50	ISTA Passive TB Ranging Measurement Report frame format	1709
9.6.7.51	Primary RSTA Broadcast Passive TB Ranging Measurement Report frame format.....	1710
9.6.7.52	Secondary RSTA Broadcast Passive TB Ranging Measurement Report frame format.....	1711
9.6.7.53	EBCS UL frame format	1711
9.6.7.54	EBCS Info frame format	1713
9.6.7.55	EBCS Termination Notice frame format	1718
9.6.8	FT Action frame details	1721
9.6.8.1	FT Action field.....	1721
9.6.8.2	FT Request frame.....	1722
9.6.8.3	FT Response frame	1722
9.6.8.4	FT Confirm frame	1723
9.6.8.5	FT Ack frame	1723
9.6.9	SA Query Action frame details.....	1725
9.6.9.1	SA Query Action field	1725
9.6.9.2	SA Query Request frame	1725
9.6.9.3	SA Query Response frame.....	1725
9.6.10	Protected Dual of Public Action frame details	1726
9.6.11	HT Action frame details	1727

9.6.11.1	HT Action field	1727
9.6.11.2	Notify Channel Width frame format.....	1727
9.6.11.3	SM Power Save frame format.....	1728
9.6.11.4	CSI frame format	1728
9.6.11.5	Noncompressed Beamforming frame format.....	1729
9.6.11.6	Compressed Beamforming frame format.....	1730
9.6.11.7	Antenna Selection Indices Feedback frame format	1730
9.6.12	TDLS Action field formats	1730
9.6.12.1	TDLS Action field	1730
9.6.12.2	TDLS Setup Request Action field format.....	1731
9.6.12.3	TDLS Setup Response Action field format	1731
9.6.12.4	TDLS Setup Confirm Action field format.....	1731
9.6.12.5	TDLS Teardown Action field format.....	1737
9.6.12.6	TDLS Peer Traffic Indication Action field format	1737
9.6.12.7	TDLS Channel Switch Request Action field format	1738
9.6.12.8	TDLS Channel Switch Response Action field format	1738
9.6.12.9	TDLS Peer PSM Request Action field format.....	1739
9.6.12.10	TDLS Peer PSM Response Action field format	1739
9.6.12.11	TDLS Peer Traffic Response Action field format	1739
9.6.12.12	TDLS Discovery Request Action field format	1740
9.6.13	WNM Action frame details.....	1741
9.6.13.1	WNM Action field	1741
9.6.13.2	Event Request frame format	1742
9.6.13.3	Event Report frame format	1743
9.6.13.4	Diagnostic Request frame format	1743
9.6.13.5	Diagnostic Report frame format	1744
9.6.13.6	Location Configuration Request frame format.....	1744
9.6.13.7	Location Configuration Response frame format.....	1745
9.6.13.8	BSS Transition Management Query frame format	1745
9.6.13.9	BSS Transition Management Request frame format	1746
9.6.13.10	BSS Transition Management Response frame format.....	1749
9.6.13.11	FMS Request frame format.....	1750
9.6.13.12	FMS Response frame format	1750
9.6.13.13	Colocated Interference Request frame format	1751
9.6.13.14	Colocated Interference Report frame format	1752
9.6.13.15	TFS Request frame format.....	1752
9.6.13.16	TFS Response frame format	1752
9.6.13.17	TFS Notify frame format	1753
9.6.13.18	TFS Notify Response frame format.....	1753
9.6.13.19	WNM Sleep Mode Request frame format	1754
9.6.13.20	WNM Sleep Mode Response frame format.....	1754
9.6.13.21	TIM Broadcast Request frame format	1757
9.6.13.22	TIM Broadcast Response frame format	1757
9.6.13.23	QoS Traffic Capability Update frame format	1757
9.6.13.24	Channel Usage Request frame format	1758
9.6.13.25	Channel Usage Response frame format.....	1759
9.6.13.26	DMS Request frame format	1760
9.6.13.27	DMS Response frame format.....	1761
9.6.13.28	Timing Measurement Request frame format	1761
9.6.13.29	WNM Notification Request frame format	1762
9.6.13.30	WNM Notification Response frame format.....	1763
9.6.14	Unprotected WNM Action frame details.....	1763
9.6.14.1	Unprotected WNM Action field	1763
9.6.14.2	TIM frame format	1764

	9.6.14.3	Timing Measurement frame format	1764
9.6.15		Self-protected Action frame details	1765
	9.6.15.1	Self-protected Action field.....	1765
	9.6.15.2	Mesh Peering Open frame format	1766
	9.6.15.3	Mesh Peering Confirm frame format	1766
	9.6.15.4	Mesh Peering Close frame format	1768
	9.6.15.5	Mesh Group Key Inform frame format.....	1770
	9.6.15.6	Mesh Group Key Acknowledge frame format.....	1770
9.6.16		Mesh Action frame details.....	1770
	9.6.16.1	Mesh Action field.....	1770
	9.6.16.2	Mesh Link Metric Report frame format.....	1771
	9.6.16.3	HWMP Mesh Path Selection frame format	1772
	9.6.16.4	Gate Announcement frame format.....	1772
	9.6.16.5	Congestion Control Notification frame format.....	1773
	9.6.16.6	MCCA Setup Request frame format.....	1773
	9.6.16.7	MCCA Setup Reply frame format	1774
	9.6.16.8	MCCA Advertisement Request frame format	1774
	9.6.16.9	MCCA Advertisement frame format	1775
	9.6.16.10	MCCA Teardown frame format.....	1775
	9.6.16.11	TBTT Adjustment Request frame format	1776
	9.6.16.12	TBTT Adjustment Response frame format.....	1776
9.6.17		Multihop Action frame details.....	1777
	9.6.17.1	Multihop Action field.....	1777
	9.6.17.2	Proxy Update frame format.....	1777
	9.6.17.3	Proxy Update Confirmation frame format.....	1778
9.6.18		Robust AV Streaming Action frame details	1778
	9.6.18.1	Robust AV Streaming Action field.....	1778
	9.6.18.2	SCS Request frame format.....	1779
	9.6.18.3	SCS Response frame format	1779
	9.6.18.4	Group Membership Request frame format	1780
	9.6.18.5	Group Membership Response frame format.....	1780
	9.6.18.6	MSCS Request frame format	1781
	9.6.18.7	MSCS Response frame format.....	1781
9.6.19		DMG Action frame details	1782
	9.6.19.1	DMG Action field	1782
	9.6.19.2	Power Save Configuration Request frame format	1783
	9.6.19.3	Power Save Configuration Response frame format.....	1783
	9.6.19.4	Information Request frame format.....	1784
	9.6.19.5	Information Response frame format	1785
	9.6.19.6	Handover Request frame format	1786
	9.6.19.7	Handover Response frame format.....	1786
	9.6.19.8	Relay Search Request frame format.....	1787
	9.6.19.9	Relay Search Response frame format.....	1787
	9.6.19.10	Multi-relay Channel Measurement Request frame format	1788
	9.6.19.11	Multi-relay Channel Measurement Report frame format	1788
	9.6.19.12	RLS Request frame format	1790
	9.6.19.13	RLS Response frame format.....	1791
	9.6.19.14	RLS Announcement frame format.....	1791
	9.6.19.15	RLS Teardown frame format	1792
	9.6.19.16	Relay Ack Request frame format.....	1792
	9.6.19.17	Relay Ack Response frame format	1793
	9.6.19.18	TPA Request frame format	1793
	9.6.19.19	TPA Response frame format.....	1794
	9.6.19.20	TPA Report frame format	1795

	9.6.19.21	ROC Request frame format.....	1795
	9.6.19.22	ROC Response frame format	1796
	9.6.19.23	Protected Announce frame format	1796
9.6.20		FST Action frame details	1797
	9.6.20.1	FST Action field.....	1797
	9.6.20.2	FST Setup Request frame format.....	1797
	9.6.20.3	FST Setup Response frame format	1798
	9.6.20.4	FST Teardown frame format.....	1799
	9.6.20.5	FST Ack Request frame format	1799
	9.6.20.6	FST Ack Response frame format.....	1800
	9.6.20.7	On-channel Tunnel Request frame format.....	1800
9.6.21		Unprotected DMG Action frame details.....	1801
	9.6.21.1	Unprotected DMG Action field	1801
	9.6.21.2	Announce frame format	1802
	9.6.21.3	BRP frame format	1802
	9.6.21.4	MIMO BF Setup frame format	1806
	9.6.21.5	MIMO BF Poll frame format	1807
	9.6.21.6	MIMO BF Feedback frame format	1807
	9.6.21.7	MIMO BF Selection frame format.....	1808
9.6.22		VHT Action frame details.....	1809
	9.6.22.1	VHT Action field	1809
	9.6.22.2	VHT Compressed Beamforming frame format	1809
	9.6.22.3	Group ID Management frame format	1810
	9.6.22.4	Operating Mode Notification frame format.....	1810
9.6.23		FILS Action frame details.....	1811
	9.6.23.1	FILS Action field	1811
	9.6.23.2	FILS Container frame	1811
9.6.24		Unprotected SIG Action frame details.....	1812
	9.6.24.1	Unprotected SIG Action field.....	1812
	9.6.24.2	AID Switch Request frame format.....	1812
	9.6.24.3	AID Switch Response frame format	1813
	9.6.24.4	Sync Control frame format	1813
	9.6.24.5	STA Information Announcement frame format.....	1814
	9.6.24.6	EDCA Parameter Set frame format	1814
	9.6.24.7	EL Operation frame format.....	1815
	9.6.24.8	TWT Setup frame format.....	1815
	9.6.24.9	TWT Teardown frame format.....	1816
	9.6.24.10	Sectorized Group ID List frame format	1817
	9.6.24.11	Sector ID Feedback frame format	1817
	9.6.24.12	TWT Information frame format.....	1818
9.6.25		SIG Action frame details.....	1819
	9.6.25.1	SIG Action field	1819
	9.6.25.2	Reachable Address Update frame format	1819
	9.6.25.3	Relay Activation Request frame format.....	1820
	9.6.25.4	Relay Activation Response frame format	1820
	9.6.25.5	Header Compression frame format	1821
	9.6.25.6	Protected TWT Setup frame format.....	1821
	9.6.25.7	Protected TWT Teardown frame format.....	1821
	9.6.25.8	Protected TWT Information frame format.....	1822
	9.6.25.9	Protected AID Switch Request frame format	1822
	9.6.25.10	Protected AID Switch Response frame format.....	1822
	9.6.25.11	Protected Sync Control frame format	1822
	9.6.25.12	Protected STA Information Announcement frame format	1822
	9.6.25.13	Protected EDCA Parameter Set frame format	1822

	9.6.25.14	Protected EL Operation frame format.....	1823
	9.6.25.15	Protected Sectorized Group ID List frame format.....	1823
	9.6.25.16	Protected Sector ID Feedback frame format.....	1823
9.6.26		Flow Control Action frame details	1823
	9.6.26.1	Flow Control Action field	1823
	9.6.26.2	Flow Suspension frame format	1824
	9.6.26.3	Flow Resumption frame format	1824
9.6.27		Control Response MCS Negotiation Action frame details.....	1824
	9.6.27.1	Control Response MCS Negotiation Action field.....	1824
	9.6.27.2	Control Response MCS Negotiation Request frame format.....	1825
	9.6.27.3	Control Response MCS Negotiation Response frame format	1825
9.6.28		CDMG Action frame details.....	1826
	9.6.28.1	CDMG Action field	1826
	9.6.28.2	Notification Period Request frame format.....	1826
	9.6.28.3	Notification Period Response frame format.....	1827
	9.6.28.4	Channel Splitting Request frame format.....	1827
	9.6.28.5	Channel Splitting Response frame format	1828
	9.6.28.6	CDMG Allocation Request frame format.....	1828
	9.6.28.7	CDMG Allocation Response frame format	1829
9.6.29		CMMG Action frame details	1829
	9.6.29.1	CMMG Action field.....	1829
	9.6.29.2	CMMG Compressed Beamforming frame format.....	1830
	9.6.29.3	CMMG Operating Mode Notification frame format	1830
9.6.30		GLK Action frame details.....	1831
	9.6.30.1	GLK Action field	1831
	9.6.30.2	GLK Groupcast Mode Change Notification	1831
9.6.31		HE Action frame details	1831
	9.6.31.1	HE Action field	1831
	9.6.31.2	HE Compressed Beamforming/CQI frame format	1832
	9.6.31.3	Quiet Time Period action frame format	1832
	9.6.31.4	OPS frame format	1833
9.6.32		Protected HE Action frame details	1833
	9.6.32.1	Protected HE Action field	1833
	9.6.32.2	HE BSS Color Change Announcement frame format	1833
	9.6.32.3	MU EDCA Reset frame format	1834
9.6.33		WUR Action frame details	1834
	9.6.33.1	WUR Action field	1834
	9.6.33.2	WUR Mode Setup frame format.....	1835
	9.6.33.3	WUR Mode Teardown frame format.....	1836
	9.6.33.4	WUR Wake-up Indication frame format	1836
9.6.34		Protected Fine Timing Action frame details.....	1837
	9.6.34.1	Protected Fine Timing Action field	1837
9.6.35		EBCS Action frame details.....	1837
	9.6.35.1	EBCS Action field	1837
	9.6.35.2	EBCS Content Request frame format.....	1837
	9.6.35.3	EBCS Content Response frame format.....	1838
9.7		Aggregate MPDU (A-MPDU).....	1839
	9.7.1	A-MPDU format	1839
	9.7.2	MPDU delimiter CRC field	1841
	9.7.3	A-MPDU contents	1842
9.8		MAC frame format for PV1 frames.....	1849
	9.8.1	Basic components	1849
	9.8.2	General PV1 frame format.....	1853
	9.8.3	PV1 frame fields	1853

	9.8.3.1	Frame Control field.....	1853
	9.8.3.2	Address fields.....	1855
	9.8.3.3	Sequence Control field.....	1856
	9.8.3.4	Frame Body field	1856
	9.8.3.5	Overhead for encryption	1856
	9.8.3.6	FCS field	1856
9.8.4		PV1 Control frames	1857
	9.8.4.1	General	1857
	9.8.4.2	STACK frame format.....	1857
	9.8.4.3	BAT frame format.....	1858
9.8.5		PV1 Management frames.....	1859
	9.8.5.1	Format of PV1 Management frames	1859
	9.8.5.2	Action and Action No Ack frames.....	1860
	9.8.5.3	PV1 Probe Response frame format	1861
	9.8.5.4	Resource Allocation frame format.....	1862
9.9		MAC frame format for WUR frames	1865
	9.9.1	Basic components	1865
	9.9.2	General WUR frame format	1865
	9.9.2.1	General	1865
	9.9.2.2	MAC header.....	1865
	9.9.2.3	Frame Body field	1867
	9.9.2.4	Frame Check Sequence (FCS) field.....	1867
	9.9.3	Format of individual WUR frame types	1868
	9.9.3.1	WUR Beacon frame format	1868
	9.9.3.2	WUR Wake-up frame format.....	1869
	9.9.3.3	WUR Discovery frame format.....	1870
	9.9.3.4	WUR Vendor Specific frame format	1871
	9.9.3.5	WUR Short Wake-up frame format.....	1871
10.		MAC sublayer functional description.....	1873
	10.1	Introduction.....	1873
	10.2	MAC architecture	1873
	10.2.1	General.....	1873
	10.2.2	DCF	1875
	10.2.3	Hybrid coordination function (HCF)	1875
	10.2.3.1	General	1875
	10.2.3.2	HCF contention based channel access (EDCA).....	1876
	10.2.3.3	HCF controlled channel access (HCCA)	1880
	10.2.4	Mesh coordination function (MCF).....	1880
	10.2.5	Triggered uplink access (TUA)	1880
	10.2.6	Combined use of DCF, HCF and TUA.....	1881
	10.2.7	Fragmentation/defragmentation overview	1881
	10.2.8	MAC data service	1882
	10.3	DCF.....	1883
	10.3.1	General.....	1883
	10.3.2	Procedures common to the DCF and EDCAF	1885
	10.3.2.1	CS mechanism.....	1885
	10.3.2.2	MAC-level acknowledgments.....	1886
	10.3.2.3	IFS	1886
	10.3.2.4	Setting and resetting the NAV	1892
	10.3.2.5	Setting and resetting the RID	1894
	10.3.2.6	RTS/CTS with fragmentation	1897
	10.3.2.7	VHT and SIG RTS procedure	1898

10.3.2.8	CMMG RTS procedure.....	1899
10.3.2.9	CTS and DMG CTS procedure.....	1899
10.3.2.10	Dual CTS protection	1902
10.3.2.11	Acknowledgment procedure	1905
10.3.2.12	Fragment BA procedure.....	1908
10.3.2.13	MU acknowledgment procedure.....	1909
10.3.2.14	Duplicate detection and recovery.....	1914
10.3.2.15	NAV distribution.....	1919
10.3.2.16	Operation of aSlotTime.....	1920
10.3.2.17	Response Indication procedure	1920
10.3.2.18	EDMG RTS procedure.....	1922
10.3.3	Random backoff procedure.....	1923
10.3.4	DCF access procedure	1924
10.3.4.1	Introduction	1924
10.3.4.2	Basic access.....	1924
10.3.4.3	Backoff procedure for DCF	1925
10.3.4.4	Recovery procedures and retransmit limits.....	1927
10.3.4.5	Control of the channel.....	1928
10.3.5	Individually addressed MPDU transfer procedure	1929
10.3.6	Group addressed MPDU transfer procedure.....	1929
10.3.7	DCF timing relations	1930
10.3.8	Signal extension.....	1933
10.3.9	Determination of PLME aCWmin characteristics	1933
10.4	MSDU, A-MSDU, and MMPDU fragmentation.....	1934
10.5	MSDU, A-MSDU, and MMPDU defragmentation	1935
10.6	Multirate support.....	1936
10.6.1	Overview.....	1936
10.6.2	Basic HT-MCS Set field	1937
10.6.3	Basic STBC MCS	1937
10.6.4	Basic rate set, basic HT-MCS set, and basic VHT-MCS and NSS set for mesh STA	1937
10.6.5	Rate selection for Data and Management frames	1938
10.6.5.1	Rate selection for non-STBC Beacon frames	1938
10.6.5.2	Rate selection for STBC group addressed Data and Management frames.....	1938
10.6.5.3	Rate selection for EBCS Info, EBCS UL, and EBCS Data frames ..	1938
10.6.5.4	Rate selection for other group addressed Data and Management frames.....	1938
10.6.5.5	Rate selection for polling frames	1939
10.6.5.6	Rate selection for +CF-Ack frames	1939
10.6.5.7	Rate selection for Data frames sent within an FMS stream.....	1939
10.6.5.8	Rate selection for other individually addressed Data and Management frames.....	1940
10.6.6	Rate selection for Control frames	1941
10.6.6.1	General rules for rate selection for Control frames.....	1941
10.6.6.2	Rate selection for Control frames that initiate a TXOP	1942
10.6.6.3	Rate selection for CF-End frames.....	1943
10.6.6.4	Rate selection for Control frames that are not control response frames.....	1943
10.6.6.5	Rate selection for control response frames	1944
10.6.6.6	Channel Width selection for Control frames	1950
10.6.6.7	Control frame TXVECTOR parameter restrictions	1952
10.6.7	Multirate support for DMG STAs	1952
10.6.7.1	Usage of DMG Control modulation class.....	1952

10.6.7.2	Rate selection rules for Control frames transmitted by DMG STAs	1952
10.6.7.3	Rate selection for group addressed Data and Management frames transmitted by DMG STAs	1953
10.6.7.4	Rate selection for individually addressed Data and Management frames transmitted by DMG STAs	1954
10.6.7.5	Rate selection for BRP PPDU	1955
10.6.7.6	Channel Width selection for Control frames transmitted by EDMG STAs.....	1955
10.6.7.7	Control frame TXVECTOR parameter restrictions	1956
10.6.7.8	Channel Width selection for individually addressed Data and Management frames transmitted by EDMG STAs	1956
10.6.8	Multirate support for CMMG STAs	1956
10.6.8.1	Usage of CMMG Control modulation class	1956
10.6.8.2	Rate selection rules for Control frames transmitted by CMMG STAs.....	1957
10.6.8.3	Rate selection for group addressed Data and Management frames transmitted by CMMG STAs	1957
10.6.8.4	Rate selection for individually addressed Data and Management frames transmitted by CMMG STAs	1958
10.6.8.5	Rate selection for BRP PPDU for CMMG STAs.....	1959
10.6.9	Multiple BSSID rate selection	1959
10.6.10	Modulation classes.....	1959
10.6.11	Non-HT basic rate calculation	1961
10.6.12	Channel Width in non-HT and non-HT duplicate PPDU	1962
10.6.13	Rate selection constraints for VHT STAs.....	1963
10.6.13.1	Rx Supported VHT-MCS and NSS Set	1963
10.6.13.2	Tx Supported VHT-MCS and NSS Set.....	1964
10.6.13.3	Additional rate selection constraints for VHT PPDU	1964
10.6.14	Rate selection constraints for S/G STAs.....	1965
10.6.14.1	RX Supported S/G-MCS and NSS Set.....	1965
10.6.14.2	TX Supported S/G-MCS and NSS Set.....	1966
10.6.14.3	Additional rate selection constraints for S/G PPDU	1966
10.6.15	Rate selection constraints for CMMG STAs	1966
10.6.15.1	Rx supported CMMG-MCS and NSS set	1966
10.6.15.2	Tx supported CMMG-MCS and NSS set	1967
10.7	MSDU transmission restrictions	1967
10.8	HT Control field operation	1968
10.9	Control Wrapper operation	1970
10.10	MSDU processing.....	1970
10.11	A-MSDU operation.....	1970
10.12	A-MPDU operation.....	1975
10.12.1	A-MPDU contents	1975
10.12.2	A-MPDU length limit rules	1975
10.12.3	Minimum MPDU start spacing rules	1976
10.12.4	A-MPDU aggregation of group addressed Data frames.....	1977
10.12.5	Transport of A-MPDU by the PHY data service	1978
10.12.6	A-MPDU padding for VHT, HE or S/G PPDU	1979
10.12.7	Setting the EOF/Tag field of the MPDU delimiter.....	1980
10.12.8	Transport of S-MPDU.....	1981
10.13	PPDU duration constraint	1981
10.14	DMG A-PPDU and EDMG A-PPDU operation.....	1982
10.15	Low-density parity check code (LDPC) operation	1982
10.16	STBC operation	1983
10.17	Short GI operation	1983

10.18	Greenfield operation	1986
10.19	Group ID and partial AID in VHT and CMMG PPDU's	1986
10.20	SIG dynamic AID assignment operation	1989
10.21	Group ID, partial AID, Uplink Indication, and COLOR in SIG PPDU's	1991
10.22	Operation across regulatory domains	1993
10.22.1	General	1993
10.22.2	Operation upon entering a regulatory domain	1994
10.22.3	Operation with operating classes	1994
10.22.4	Operation with the Transmit Power Envelope element	1995
10.22.5	Operation with coverage classes	1996
10.23	HCF	1997
10.23.1	General	1997
10.23.2	HCF contention based channel access (EDCA)	1997
10.23.2.1	Reference model	1997
10.23.2.2	EDCA backoff procedure	1998
10.23.2.3	EDCA TXOPs	2000
10.23.2.4	Obtaining an EDCA TXOP	2000
10.23.2.5	EDCA channel access in a VHT or TVHT BSS	2003
10.23.2.6	EDCA channel access in an SIG BSS	2005
10.23.2.7	Sharing an EDCA TXOP	2006
10.23.2.8	Multiple frame exchange sequences in an EDCA TXOP	2009
10.23.2.9	TXOP limits	2011
10.23.2.10	Truncation of TXOP	2013
10.23.2.11	Termination of TXOP	2014
10.23.2.12	Retransmit procedures	2015
10.23.2.13	EDCA channel access in a CMMG BSS	2017
10.23.2.14	EDCA channel access in an EDMG BSS	2018
10.23.3	HCF controlled channel access (HCCA)	2019
10.23.3.1	General	2019
10.23.3.2	HCCA procedure	2020
10.23.3.3	HCCA TXOP structure and timing	2022
10.23.3.4	NAV operation of a TXOP under HCCA	2023
10.23.3.5	HCCA transfer rules	2023
10.23.4	Admission control at the HC	2026
10.23.4.1	General	2026
10.23.4.2	Contention based admission control procedures	2026
10.23.4.3	Controlled-access admission control	2028
10.23.5	Restricted access window (RAW) operation	2030
10.23.5.1	General	2030
10.23.5.2	RAW structure and timing	2031
10.23.5.3	Slot assignment procedure in RAW	2032
10.23.5.4	Slotted channel access procedure in RAW	2033
10.23.5.5	EDCA backoff procedure in generic RAW or triggering frame RAW	2034
10.23.5.6	EDCA backoff procedure in RAWs other than generic or triggering frame RAW	2035
10.23.5.7	RAW Operation with Resource Allocation frame	2035
10.23.5.8	Periodic RAW (PRAW) operation	2036
10.24	Mesh coordination function (MCF)	2037
10.24.1	General	2037
10.24.2	MCF contention based channel access	2037
10.24.3	MCF controlled channel access (MCCA)	2037
10.24.3.1	General	2037
10.24.3.2	MCCA activation	2038

10.24.3.3	MCCAOP reservations	2038
10.24.3.4	Neighborhood MCCAOP periods at a mesh STA	2039
10.24.3.5	MCCA access fraction (MAF)	2040
10.24.3.6	MCCAOP setup procedure	2040
10.24.3.7	MCCAOP advertisement	2041
10.24.3.8	MCCAOP teardown	2046
10.24.3.9	Access during MCCAOPs	2047
10.24.3.10	Interaction with time synchronization	2048
10.25	Block acknowledgment (block ack)	2048
10.25.1	Introduction	2048
10.25.2	Setup and modification of the block ack parameters	2050
10.25.3	Data and acknowledgment transfer using immediate block ack policy	2055
10.25.4	Teardown of the block ack agreement	2055
10.25.5	Selection of BlockAck and BlockAckReq variants	2055
10.25.6	HT-immediate block ack extensions	2057
10.25.6.1	Introduction to HT-immediate block ack extensions	2057
10.25.6.2	HT-immediate block ack architecture	2058
10.25.6.3	Scoreboard context control during full-state operation	2059
10.25.6.4	Scoreboard context control during partial-state operation	2060
10.25.6.5	Generation and transmission of BlockAck frames by an HT STA, DMG STA, or SIG STA	2061
10.25.6.6	Receive reordering buffer control operation	2063
10.25.6.7	Originator's behavior	2067
10.25.6.8	Maintaining block ack state at the originator	2070
10.25.6.9	Originator's support of recipient's partial state	2072
10.25.7	Protected block ack agreement	2072
10.25.8	GCR and GLK-GCR block ack	2073
10.25.8.1	General	2073
10.25.8.2	Scoreboard context control during GCR block ack	2073
10.25.8.3	Scoreboard context control during GLK-GCR block ack	2074
10.25.8.4	GCR block ack BlockAckReq and BlockAck frame exchange sequences	2075
10.25.9	DMG block ack with flow control	2078
10.25.9.1	General	2078
10.25.9.2	DMG block ack architecture with flow control	2078
10.25.9.3	Scoreboard context control with flow control	2080
10.25.9.4	Receive Reordering Buffer with flow control operation	2080
10.25.9.5	Generation and transmission of BlockAck frame by a STA with flow control	2082
10.25.9.6	Originator's behavior with flow control support	2082
10.25.10	Unsolicited block ack extension	2082
10.25.10.1	Introduction	2082
10.25.10.2	Unsolicited block ack extension agreement architecture	2082
10.25.10.3	Scoreboard context control during full-state operation	2083
10.25.10.4	Generation and transmission of BlockAck frames	2083
10.25.10.5	Receive reordering buffer control operation	2083
10.25.10.6	Originator behavior and block ack state maintenance	2083
10.26	No Acknowledgment (No Ack)	2084
10.27	Protection mechanisms	2084
10.27.1	Introduction	2084
10.27.2	Protection mechanism for non-ERP receivers	2084
10.27.3	Protection mechanisms for transmissions of HT PPDU's	2086
10.27.3.1	General	2086
10.27.3.2	Protection rules for HT STA operating a direct link	2088

10.27.3.3	RIFS protection	2088
10.27.3.4	Use of OBSS Non-HT STAs Present field	2089
10.27.3.5	Protection rules for an HT mesh STA.....	2089
10.27.4	L_LENGTH and L_DATARATE parameter values for HT-mixed format PPDUs.....	2090
10.27.5	Protection rules for VHT STAs	2091
10.27.6	Protection rules for HE STAs	2091
10.27.7	Protection mechanisms for transmissions of EDMG PPDUs.....	2091
10.28	MAC frame processing	2092
10.28.1	Introduction.....	2092
10.28.2	Revision level field processing.....	2092
10.28.3	Duration/ID field processing	2092
10.28.4	Response to an invalid Action or Action No Ack frame	2092
10.28.5	Operation of the Dialog Token field.....	2092
10.28.6	Element parsing	2092
10.28.7	Vendor specific element parsing.....	2093
10.28.8	Extensible element parsing	2093
10.28.9	Extensible subelement parsing.....	2093
10.28.10	Extensible TLV parsing	2093
10.28.11	Element fragmentation.....	2093
10.28.12	Element defragmentation	2095
10.28.13	Element fragmentation within a subelement of a nonfragmentable element.....	2095
10.28.14	Element defragmentation within a subelement of a nonfragmentable element...	2095
10.29	Reverse direction protocol	2096
10.29.1	General.....	2096
10.29.2	Reverse direction (RD) frame exchange sequence	2096
10.29.3	Rules for RD initiator	2097
10.29.4	Rules for RD responder	2099
10.29.5	Reverse direction for EDMG DL MU-MIMO	2101
10.30	Sounding PPDUs	2103
10.31	Link adaptation	2104
10.31.1	Introduction.....	2104
10.31.2	Link adaptation using the HT variant HT Control field	2104
10.31.3	Link adaptation using the VHT variant HT Control field	2106
10.31.4	Link adaptation using the CMMG variant HT Control field	2109
10.32	CMMG beamforming	2112
10.33	Transmit beamforming	2112
10.33.1	HT steering matrix calculations.....	2112
10.33.2	HT transmit beamforming with implicit feedback	2113
10.33.2.1	General	2113
10.33.2.2	Unidirectional implicit transmit beamforming	2114
10.33.2.3	Bidirectional implicit transmit beamforming.....	2115
10.33.2.4	Calibration.....	2116
10.33.3	Explicit feedback beamforming.....	2121
10.33.4	VHT MU beamforming	2125
10.33.5	Explicit feedback beamforming for CMMG STAs	2125
10.34	Antenna selection (ASEL)	2128
10.34.1	Introduction.....	2128
10.34.2	ASEL frame exchange procedure	2129
10.35	Null data PPDU (NDP) sounding	2132
10.35.1	HT NDP sounding protocol	2132
10.35.2	Transmission of an HT NDP	2134
10.35.3	Determination of HT NDP destination	2134
10.35.4	Determination of HT NDP source	2134

10.35.5	VHT sounding protocol	2135
10.35.5.1	General	2135
10.35.5.2	Rules for VHT sounding protocol sequences	2135
10.35.5.3	Rules for fragmented feedback in VHT sounding protocol sequences	2139
10.35.6	Transmission of a VHT NDP.....	2140
10.35.7	Transmission of an SIG NDP.....	2141
10.36	Null data PPDU (NDP) sounding for CMMG STAs.....	2142
10.36.1	NDP rules.....	2142
10.36.2	Transmission of a CMMG NDP	2142
10.36.3	Determination of CMMG NDP destination.....	2143
10.36.4	Determination of CMMG NDP source.....	2143
10.37	Mesh forwarding framework	2143
10.37.1	General.....	2143
10.37.2	Forwarding information.....	2143
10.37.3	Addressing and forwarding of individually addressed mesh Data frames	2144
10.37.3.1	At source mesh STAs (individually addressed).....	2144
10.37.3.2	At intermediate and destination mesh STAs (individually addressed).....	2145
10.37.4	Addressing and forwarding of group addressed mesh Data frames	2146
10.37.4.1	At source mesh STAs (group addressed).....	2146
10.37.4.2	At recipient mesh STAs (group addressed)	2147
10.37.5	Addressing of Management frames and MMPDU forwarding	2147
10.37.5.1	General	2147
10.37.5.2	MMPDU forwarding using individually addressed Multihop Action frames.....	2148
10.37.5.3	MMPDU forwarding using group addressed Multihop Action frames.....	2148
10.37.6	Detection of duplicate MSDUs/MMPDUs	2149
10.37.7	Mesh STAs that do not forward.....	2149
10.37.8	MSDU forwarding and unknown destination.....	2149
10.38	DMG and CMMG channel access	2151
10.38.1	General.....	2151
10.38.2	Access periods within a beacon interval.....	2151
10.38.3	ATI transmission rules.....	2153
10.38.4	DTI transmission rules.....	2155
10.38.5	Contention based access period (CBAP) transmission rules	2155
10.38.6	Channel access in scheduled DTI	2157
10.38.6.1	General	2157
10.38.6.2	Service period (SP) allocation.....	2158
10.38.6.3	Contention based access period (CBAP) allocation	2163
10.38.6.4	Pseudo-static allocations	2165
10.38.6.5	Guard time.....	2166
10.38.6.6	DMG and CMMG protected period.....	2167
10.38.6.7	Service period recovery	2173
10.38.7	Dynamic allocation of service period	2174
10.38.7.1	General	2174
10.38.7.2	Polling period (PP).....	2175
10.38.7.3	Grant period (GP).....	2177
10.38.8	Dynamic truncation of service period.....	2178
10.38.8.1	DMG dynamic truncation of service period	2178
10.38.8.2	CDMG dynamic truncation of service period.....	2179
10.38.9	Dynamic extension of service period.....	2180
10.38.10	Updating multiple NAVs	2181

10.38.11	Opportunistic transmission in alternative channel for CDMG STAs	2185
10.38.12	EDMG channel access	2187
10.38.12.1	General	2187
10.38.12.2	Channel access over multiple channels.....	2187
10.38.12.3	Directional allocation.....	2188
10.38.12.4	MIMO channel access.....	2189
10.38.12.5	Control trailer.....	2196
10.38.12.6	“Near-Far” self classification.....	2197
10.39	DMG and CMMG AP or PCP clustering	2197
10.39.1	General.....	2197
10.39.2	Cluster formation	2199
10.39.2.1	Decentralized AP or PCP cluster formation	2199
10.39.2.2	Centralized AP or PCP cluster formation	2200
10.39.3	Cluster maintenance.....	2203
10.39.3.1	General cluster maintenance	2203
10.39.3.2	Decentralized AP or PCP cluster maintenance	2203
10.39.3.3	Centralized AP or PCP cluster maintenance.....	2204
10.39.3.4	Centralized AP or PCP cluster MAC requirements	2206
10.39.4	Cluster report and rescheduling	2207
10.39.5	Decentralized AP or PCP cluster request	2208
10.40	CDMG AP or PCP clustering	2209
10.40.1	General.....	2209
10.40.2	Cluster formation	2210
10.40.2.1	Decentralized CDMG AP or PCP cluster formation	2210
10.40.2.2	Centralized CDMG AP or PCP cluster formation	2214
10.40.3	Cluster maintenance.....	2215
10.40.3.1	General cluster maintenance	2215
10.40.3.2	Decentralized CDMG AP or PCP cluster maintenance	2215
10.40.3.3	Cluster coordination.....	2216
10.40.3.4	Centralized CDMG AP or PCP cluster maintenance.....	2217
10.40.3.5	Centralized CDMG AP or PCP cluster MAC requirements	2218
10.40.4	Cluster report and rescheduling	2218
10.40.5	Decentralized AP or PCP cluster request	2218
10.40.6	Spatial sharing in a CDMG AP or PCP cluster	2219
10.41	DMG beamforming.....	2220
10.41.1	General.....	2220
10.41.2	Sector-level sweep (SLS) phase	2223
10.41.2.1	General	2223
10.41.2.2	Initiator sector sweep (ISS).....	2226
10.41.2.3	Responder sector sweep (RSS)	2228
10.41.2.4	Sector sweep (SSW) feedback	2231
10.41.2.5	SSW ack.....	2232
10.41.3	Beam Refinement Protocol (BRP) phase.....	2233
10.41.3.1	General	2233
10.41.3.2	BRP setup subphase.....	2235
10.41.4	Beamforming in BTI.....	2237
10.41.5	Beamforming in A-BFT.....	2240
10.41.5.1	Allocation of A-BFT	2240
10.41.5.2	Operation during the A-BFT	2241
10.41.5.3	STA Beamforming after A-BFT	2247
10.41.5.4	Beamforming in A-BFT with multiple DMG antennas	2248
10.41.6	Beamforming in DTI	2248
10.41.6.1	General	2248
10.41.6.2	SLS phase execution	2249

10.41.6.3	Multiple sector ID capture (MIDC) subphase.....	2251
10.41.6.4	BRP phase execution	2259
10.41.7	Beam tracking	2265
10.41.8	State machines	2270
10.41.9	CDMG enhanced beam tracking.....	2271
10.41.10	EDMG beamforming	2274
10.41.10.1	General	2274
10.41.10.2	MIMO beamforming.....	2274
10.41.10.3	Beamforming for asymmetric links	2299
10.41.10.4	Group beamforming.....	2301
10.41.10.5	BRP transmit sector sweep (BRP TXSS)	2302
10.41.10.6	First path beamforming training	2316
10.41.10.7	Dual polarization TRN beamforming training.....	2317
10.41.11	TDD beamforming.....	2319
10.41.11.1	General	2319
10.41.11.2	Initiator operation for TDD individual beamforming	2321
10.41.11.3	Responder operation for TDD individual beamforming.....	2325
10.41.11.4	Initiator operation for TDD group beamforming	2327
10.41.11.5	Responder operation for TDD group beamforming.....	2331
10.41.11.6	Initiator operation for TDD beam measurement.....	2332
10.41.11.7	Responder operation for TDD beam measurement.....	2333
10.42	DMG link adaptation	2333
10.42.1	General.....	2333
10.42.2	DMG TPC.....	2335
10.42.3	Fast link adaptation	2335
10.42.4	EDMG spatial stream feedback	2337
10.42.5	TDD link maintenance.....	2337
10.42.6	Extended TPC	2338
10.43	Link adaptation using the CMMG link measurement	2339
10.43.1	General.....	2339
10.43.2	CMMG TPC	2340
10.43.3	CMMG fast link adaptation	2340
10.44	DMG relay operation.....	2341
10.44.1	General.....	2341
10.44.2	Link switching	2341
10.44.2.1	General	2341
10.44.2.2	SP request and allocation	2342
10.44.2.3	Usage of RDS.....	2342
10.44.2.4	Relay frame exchange rules	2342
10.44.2.5	Link monitoring	2345
10.44.3	Link cooperation	2346
10.44.3.1	TPA procedure	2346
10.44.3.2	Link cooperation data transmission procedure	2347
10.44.4	Relay link adaptation	2348
10.45	S1G BSS operation	2348
10.45.1	Basic S1G BSS functionality.....	2348
10.45.2	System information update procedure	2350
10.45.3	S1G BSS channel selection methods	2350
10.45.4	S1G BSS channel switching methods.....	2351
10.45.5	Scanning requirements for S1G STA	2351
10.45.6	NAV and RID assertion in an S1G BSS.....	2351
10.45.7	BSS Basic S1G-MCS and NSS set operation.....	2352
10.45.8	S1G coexistence with non-IEEE-802.11 systems.....	2352
10.46	Target wake time (TWT)	2353

10.46.1	TWT overview	2353
10.46.2	TWT acknowledgment procedure	2358
10.46.3	Explicit TWT operation	2359
10.46.4	Implicit TWT operation	2360
10.46.5	TWT grouping	2361
10.46.6	NDP paging setup	2361
10.46.7	TWT Sleep setup	2363
10.46.8	TWT teardown.....	2363
10.46.9	TWT parameter ranges	2363
10.47	Non-TIM operation.....	2364
10.47.1	Resource protection for S1G STAs in non-TIM mode.....	2364
10.47.1.1	General	2364
10.47.1.2	Resource protection for S1G STAs in non-TIM mode using periodic RAW (PRAW) operation	2366
10.47.2	Rescheduling of awake/doze cycle	2366
10.48	Sync frame operation.....	2368
10.49	Bidirectional TXOP	2370
10.49.1	Overview.....	2370
10.49.2	Rules for BDT.....	2370
10.50	Page slicing.....	2372
10.51	Subchannel selective transmission (SST).....	2375
10.51.1	SST overview.....	2375
10.51.2	Aperiodic SST operation	2376
10.51.3	Periodic SST operation	2379
10.52	Sectorized beam operation.....	2379
10.52.1	Introduction.....	2379
10.52.2	Sector Capabilities Exchange	2380
10.52.3	Group sectorization operation.....	2381
10.52.4	TXOP-based sectorization operation	2382
10.52.5	Sector training operation.....	2388
10.52.5.1	Introduction	2388
10.52.5.2	Procedure	2388
10.52.5.3	Sector ID feedback.....	2390
10.52.5.4	Fast Sector Discovery	2390
10.53	S1G relay operation	2390
10.53.1	General.....	2390
10.53.2	S1G relay operation	2391
10.53.3	Addressing and forwarding of individually addressed relay frames	2394
10.53.4	Addressing and forwarding of group addressed relay frames	2395
10.53.5	Procedures of TXOP sharing for S1G relay operation	2396
10.53.5.1	General	2396
10.53.5.2	Explicit Ack procedure	2397
10.53.5.3	Implicit Ack procedure	2397
10.53.5.4	Relay-shared TXOP protection mechanisms	2398
10.53.6	S1G relay discovery procedure.....	2399
10.54	Group AID	2400
10.55	Traveling pilot operation	2401
10.56	Bitmap protection for NDP BlockAck frames.....	2401
10.57	Generation of PV1 MPDUs and header compression procedure	2401
10.58	Transmission of an NDP CMAC PPDU.....	2403
10.59	S1G_Long operation.....	2404
10.60	S1G flow control.....	2404
10.61	Energy limited STAs operation	2405
10.62	S1G BSS type and STA type	2407