

American National Standard for Transformers— Pad-Mounted, Compartmental-Type, Self- Cooled Three-Phase Distribution Transformers With High-Voltage Bushings, 2500 kVA and Smaller: High Voltage, 34 500 Grd Y/19 920 Volts and Below; Low Voltage, 480 Volts and Below

Approved July 1993

American National Standards Institute, Inc.

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2003 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Printed in the United States of America.

Print: ISBN 0-7381-3626-3 SH95109
PDF: ISBN 0-7381-3627-1 SS95109

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations shall be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

National Electrical Manufacturers Association
1300 N. 17th Street, Rosslyn, Virginia 22209

Copyright © 1998 National Electrical Manufacturers Association
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

CONTENTS**Page**

	Foreword	iii
1	Scope	1
2	Referenced American National Standards.....	1
3	Ratings	2
	3.1 Kilovolt-ampere ratings.....	2
	3.2 Volt ratings and tap ratings.....	2
4	Basic lightning impulse insulation levels and dielectric test levels.....	2
5	Impedance voltage.....	2
	5.1 Percent impedance voltage	2
	5.2 Tolerance on impedance voltage	2
	5.3 Tolerance on impedance voltage on a tap	3
6	Tests	3
	6.1 General.....	3
	6.2 Dielectric tests	3
7	Construction	3
	7.1 General.....	3
	7.2 Bushings and terminals	4
	7.3 High-voltage and low-voltage compartments	4
	7.4 Instruction nameplate	4
	7.5 Oil preservation	5
	7.6 Tanks.....	5
8	Storage and installation.....	6
	8.1 Storage	6
	8.2 Installation.....	6
9	Other requirements that may be specified for some applications.....	6

Foreword (This Foreword is not part of American National Standard C57.12.22)

The Accredited Standards Committee on Transformers, Regulators, and Reactors, C57, has for many years been developing and correlating standards on transformers and regulators. The data used in this work have been gathered from many sources, including the standard of the Institute of Electrical and Electronics Engineers and the National Electrical Manufacturers Association, reports of committees of the Edison Electric Institute, and others.

This standard and the companion standard on single-phase transformers (ANSI C57.12.21) were prepared by the Subcommittee on Distribution Transformers, Overhead and Pad-mounted, C57.12.2.

Suggestions for improvement of this standard will be welcome. They should be sent to the American National Standards Institute, 1430 Broadway, New York, 10018.

This standard was processed and approved for submittal to ANSI by Accredited Standards Committee on Transformers, Regulators, and Reactors, C57. Committee approval of the standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, the C57 Committee had the following members.

P. Hopkinson, Chairman

J. Thompson, Vice Chairman

J. A. Gauthier, Secretary

Organization Represented

Name of Representative

Electric Light and Power

T. Diamantis
J. W. Howard
M. Mingoia (Alternate)
P. Orehek (Delegation Chairman)
S. Paiva
J. Sullivan
J. Thompson (Alternate)

Institute of Electrical and Electronic Engineers

J. Borst
J. Davis
J. H. Harlow
L. Savio (Delegation Chairman)
H. Smith (Alternate)
R. Veitch

National Electrical Manufacturers Association

P. Coulter
P. Dewever (Alternate)
J. Douglas (Alternate)
S. Endersbe
A. Ghafourian
P. Hopkinson (Delegation Chairman)
K. Linsley
R. Plaster (Alternate)
H. Robin (Alternate)
T. Reback

Underwriters Laboratories	W. O'Grady R. Seelbach (Alt.)
U.S. Department of the Navy	H. Stickley
U.S. Department of Energy	K. Wolohan
U.S. Department of the Interior	R. Chadwick
U.S. D.A. REA	J. Bohlk
American National Standards Institute	C. Zegers

Subcommittee C57.12.2, on Distribution Transformers, Overhead and Pad-Mounted which developed this standard, had the following members:

K. Hanus, Chairman

Members:

G. Andersen	J. Lazar
J. Antweiler	M. Mingoia
J. Bishop	N. Mohesky
J. Corkran	G. Paiva
T. Diamantis	C. Pearson
D. Galloway	T. Pekarek
A. Ghafourian	D. Rolling
G. Henry	E. Smith
R. Hollingsworth	R. Scheu
J. Hunt	R. Stahara
R. Jordan	A. Wilks