

INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY

Contamination Control Division Recommended Practice 016.2

IEST-RP-CC016.2

The Rate of Deposition of Nonvolatile Residue in Cleanrooms

INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY

1827 Walden Office Square, Suite 400 |
Schaumburg, IL 60173 USA
Phone: (847) 981-0100 • Fax: (847) 981-4130
E-mail: iest@iest.org • Web: www.iest.org



Documents
Document Sharing Hub

COPYING IS ILLEGAL

This Recommended Practice is published by the INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY to advance contamination control and the technical and engineering sciences. Its use is entirely voluntary, and determination of its applicability and suitability for any particular use is solely the responsibility of the user.

This Recommended Practice was prepared by and is under the jurisdiction of Working Group 016 of the IEST Contamination Control Division.

Copyright © 2002 by the INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY

Second printing, July 2017

ISBN 978-1-877862-87-8

PROPOSAL FOR IMPROVEMENT: The Working Groups of the INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY are continually working on improvements to their Recommended Practices and Reference Documents. Suggestions from those who use these documents are welcome. If you have a suggestion regarding this document, please use the online Proposal for Improvement form found on the IEST website at www.iest.org/proposal/form.html.

INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY

1827 Walden Office Square, Suite 400 | Schaumburg, IL 60173 USA

Phone: (847) 981-0100 • Fax: (847) 981-4130

E-mail: iest@iest.org • Web: www.iest.org

COPYING IS ILLEGAL

The Rate of Deposition of Nonvolatile Residue in Cleanrooms

IENT-RP-CC016.2

CONTENTS

SECTION

1	SCOPE AND LIMITATIONS	7
2	BACKGROUND AND PURPOSE	7
3	REFERENCES	8
4	TERMS, DEFINITIONS, AND SYMBOLS	8
5	RATE OF DEPOSITION OF NONVOLATILE RESIDUE.....	10
6	DEPOSITION RATE CALCULATIONS.....	10
7	NVR DEPOSITION RATE LEVEL CONVERSIONS	12
8	PHYSICS OF NVR DEPOSITION	12
9	TECHNIQUES FOR MEASURING THE DEPOSITION OF NVR	13
10	REPORTING AND ANALYSIS OF RESULTS	19
11	BIBLIOGRAPHY	19

TABLE

1	NVR RATE LEVELS.....	11
2	CONVERSION FACTORS (1)	13
3.	APPROXIMATE SENSITIVITIES OF VARIOUS AT-CUT QUARTZ CRYSTALS	17

FIGURE

1	LOCATIONS FOR SAMPLING IN A CLEANROOM OR CLEAN ZONE HAVING NONUNIDIRECTIONAL AIRFLOW AND HAVING AN AREA SMALLER THAN 15 M ² (150 FT ²).....	18
2	LOCATIONS FOR SAMPLING IN A CLEANROOM OR CLEAN ZONE HAVING NONUNIDIRECTIONAL AIRFLOW AND HAVING AN AREA BETWEEN 15 M ² (150 FT ²) AND 100 M ² (1000 FT ²).....	18
3.	EXAMPLE OF LOCATIONS FOR SAMPLING IN A CLEANROOM OR CLEAN ZONE HAVING HORIZONTAL UNIDIRECTIONAL AIRFLOW.	18
4.	EXAMPLE OF LOCATIONS FOR SAMPLING IN A CLEANROOM OR CLEAN ZONE HAVING VERTICAL UNIDIRECTIONAL AIRFLOW.	18

COPYING IS ILLEGAL