IGS-EL-001(0)

1372

31

شرکت ملی گاز ایران

National Iranian Gas Co.

مدیریت پژوهش وفنآوری

Research and Technology Management

امور تدوین استانداردها

Standardization Division

IGS

Iranian Gas Standards

Specification for :

مشخصات فنی :

Conduits & Conduit Boxes

لوله های غلاف برقی برای سیمهای برق

APPROVED

AVA Documents
Document Sharing Hub

Fax:(9821)-8487-8384 http://igs.nigc.ir nigcigs@nigc.org

Full document details: IGS M-EL-001 1373

FOREWORD

This standard is intended to be mainly used by **NIGC** and contractors and has been prepared on interpretation of recognized standards , technical documents , knowledge ,backgrounds and experiences in gas industries at national and international levels.

Iranian Gas Standards (**IGS**) are prepared , reviewed and ammended by technical standard committees within NIGC Standardization Div. and submitted to the **NIGC**'s "**STANDARDS COUNCIL**" for approval .

IGS Standards are subject to revision , amendment or withdrawal , if required , thus the latest edition of **IGS** shall be checked/inquired by **NIGC** users .

This standard must not be modified or altered by the end users within **NIGC** and her contractors. Any deviation from normative references and/or well known manufacturers specifications must be reported to Standardization div.

Any comments from concerned parties on **NIGC** distributed **IGS** are welcome to technical standards committees and will receive serious attention and consideration should a revision to standards is recommended .

GENERAL DEFINITIONS :

Throughout this standard the following definitions , where applicable , should be followed :

1- "**STANDARDIZATION DIV.**" has been organized to deal with all aspects of industrial standards in NIGC . Therefore , all queries for clarification or amendments are requested to be directed to the mentioned div.

2- "**COMPANY** " : refers to national iranian gas company .

3- "**SUPLIER**" : refers to a firm who will supply the service , equipment or material to igs specification whether as the prime producer or manufacturer or a trading firm .

4-"**SHALL**" : is used where a provision is mandatory.

5-"**SHOULD**" : is used where a provision is advised only.

6-"**MAY**" : is used where a provision is completely discretionary.

Website : http://igs.nigc.ir

E-mail : nigcigs@nigc.org

Documents
Document Sharing Hub

Full document details: IGS M-EL-001 1373

پیشگفتار

۱- این استاندارد/دستورالعمل بمنظور استفاده اختصاصی در شرکت ملّی گاز ایران و شرکتهای فرعی وابسته تهیه شده است.

۲- شرکت ملّی گاز ایران در مورد نیازهای عمومی از استانداردهای وزارت نفت (IPS)و در موردنیازهای اختصاصی از استانداردهای اختصاصی خود(IGS) استفاده می نماید.

۳- استانداردهای شرکت ملّی گازایران (IGS) توسط کمیته های تخصصی استاندارد متشکل از کارشناسان بخش های مختلف و یا مشاور تهیه می شود و توسط شورای استاندارد (منتخب هیئت مدیره شرکت ملی گازایران) به تصویب میرسند.

۴- در تنظیم متن استانداردهای(IGS) از کلیه منابع شناخته شده استانداردی، اطلاعات فنی- تخصصی مربوط به صنایع گاز دنیا،مشخصات فنی تولیدات سازندگان معتبرجهانی ونیزاز نتیجه تحقیقات و تجربیات کارشناسان ومتخصصان داخلی بر حسب مورد استفاده می شود. همچنین بمنظوراستفاده هرچه بیشترازتولیدات داخلی قابلیت های سازندگان داخلی نیزمورد توجه قرارمیگیرد.

۵- استانداردها از طریق پایگاه اینترنتی شرکت*ویالوح فشرده (CD) در اختیار واحدها و کاربران قرار می گیرد .

۶- استانداردها بطور متوسط هر ۵ سال یکبار و یادرصورت ضرورت زودتر،مورد بازنگری وبروزرسانی قرار میگیرند. بنابراین کاربران باید همیشه آخرین نگارش را مورد استفاده قرار دهند.

۷- هرگونه نظر و یا پیشنهاد اصلاح در مورد استانداردها مورداستقبال وبررسی قرار خواهد گرفت و در صورت تأئید، استانداردمربوطه نیزموردتجدیدنظرقرارخواهدگرفت .

تعاریف عمومی

درمتن استانداردهای (IGS)ازتعاریف واصطلاحات زیراستفاده مشود.

۱- "شرکت"(COMPANY): منظورازشرکت "شرکت ملی گازایران"ویاشرکتهای فرعی وابسته میباشد.

۲- "فروشنده"(SUPPLIER/VENDOR): به فردیاموسسه ای اطلاق میگرددکه تعهدی رانسبت به شرکت تقبل نموده است.

۳- "خریدار"(PURCHASER): منظورازخریدار"شرکت ملی گازایران"ویاشرکتهای فرعی وابسته میباشد.

۴- "SHALL" : درمواردی بکاربرده میشودکه انجام خواسته موردنظراجباری است

۵- "SHOULD" : درمواردی بکاربرده میشودکه انجام خواسته موردنظرترجیحی و درعین حال اختیاری است

۶- "MAY" : درمواردی بکاربرده میشودکه انجام کاربه شکل موردبحث نیز قابل قبول میباشد

---

*آدرس پایگاه اینترنتی(http://igs.nigc.ir) ، آدرس الکترونیکی(nigcigs@nigc.ir)

Documents
Document Sharing Hub

Full document details: IGS M-EL-001 1373

IGS-EL-001

CONDUIT BOXES AND ACCESSORIES

SEE ALSO : IPS-M-EL-290

1- CONDUIT BOXES , LOOPING – IN , CIRCULAR , TO B.S. 4568 : PART 2 , CLASS 4 GALVANIZED MALLEABLE CAST IRON , MEDIUM SIZE :

32mm DEEPX63.5 mm DIA , 50,8mm LUGS CENTRES X M4 THREAD , 20MM. HOLE(S) AT BACKSIDE

70 29 05	**170 1**	**1 HOLE**
	171 1	**2 HOLES**
	172 1	**3 HOLES**
	173 1	**4 HOLES**

2- CONDUIT BOX , LOOPING-IN , CIRCULAR , TO B.S.4568, PART 2, CLASS 4,GALVANIZED SHEET STEEL , MEDIUM SIZE : 32 mm DEEP X 63.5 mm .DIA. 50.8 mm LUGS CENTRES X M4 THREAD , 20mm. DIA.4 KNOCKOUTS

70 29 05	**174 1**	**1 TO 4 HOLES**

3- BOXES , FOR FLUSH TYPE SWITCH AND SOCKET-OUTLET OF B.S. 1363 ,SIZED TO B.S. 4662 , MADE OF PRECOATED GALVANIZED SHEET STEEL C/W EARTHING TERMINAL AND SCREW , APPR. SIDES LENGTH , DEPTH AND NO. OF KNOCKOUTS AS FOLLOWS:

70 29 05	**200 1**	**(68 X 68 X 25 DEPTH)MM 5 X16mm DIA AND 5X20 mm DIA. KNOCKOUTS.**
70 29 05	**204 1**	**(68 X 68 X 25 DEPTH)MM 12X20MM DIA KNOCKOUTS**
	206 1	**(68 X 68X35 DEPTH)MM 12 X 20MM DIA KNOCKOUTS**
	208 1	**(129 X 68X25 DEPTH)MM 16X20MM DIA**

AVA Documents
Document Sharing Hub

Full document details: IGS M-EL-001 1373