

AMERICAN NATIONAL STANDARD
ANSI/ISA-96.06.01-2014
Guidelines for the Specification
of Self Contained Electro-Hydraulic
Valve Actuators
Approved 10 September 2014

ANSI/ISA-96.06.01-2014
Guidelines for the Specification of Self Contained Electro-Hydraulic Valve Actuators

ISBN: 978-0-876640-99-9

Copyright © 2014 by ISA. All rights reserved. Not for resale. Printed in the United States of America.
No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or
by any means (electronic mechanical, photocopying, recording, or otherwise), without the prior written
permission of the Publisher.

ISA
67 Alexander Drive
P.O. Box 12277
Research Triangle Park, North Carolina 27709

Preface

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ANSI/ISA-96.06-01-2014.

This document has been prepared as part of the service of ISA towards a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. IEEE/ASTM SI 10, *American National Standard for Metric Practice*, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

CAUTION — ISA DOES NOT TAKE ANY POSITION WITH RESPECT TO THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS ASSERTED IN CONNECTION WITH THIS DOCUMENT, AND ISA DISCLAIMS LIABILITY FOR THE INFRINGEMENT OF ANY PATENT RESULTING FROM THE USE OF THIS DOCUMENT. USERS ARE ADVISED THAT DETERMINATION OF THE VALIDITY OF ANY PATENT RIGHTS, AND THE RISK OF INFRINGEMENT OF SUCH RIGHTS, IS ENTIRELY THEIR OWN RESPONSIBILITY.

PURSUANT TO ISA'S PATENT POLICY, ONE OR MORE PATENT HOLDERS OR PATENT APPLICANTS MAY HAVE DISCLOSED PATENTS THAT COULD BE INFRINGED BY USE OF THIS DOCUMENT AND EXECUTED A LETTER OF ASSURANCE COMMITTING TO THE GRANTING OF A LICENSE ON A WORLDWIDE, NON-DISCRIMINATORY BASIS, WITH A FAIR AND REASONABLE ROYALTY RATE AND FAIR AND REASONABLE TERMS AND CONDITIONS. FOR MORE INFORMATION ON SUCH DISCLOSURES AND LETTERS OF ASSURANCE, CONTACT ISA OR VISIT WWW.ISA.ORG/STANDARDSPATENTS.

OTHER PATENTS OR PATENT CLAIMS MAY EXIST FOR WHICH A DISCLOSURE OR LETTER OF ASSURANCE HAS NOT BEEN RECEIVED. ISA IS NOT RESPONSIBLE FOR IDENTIFYING PATENTS OR PATENT APPLICATIONS FOR WHICH A LICENSE MAY BE REQUIRED, FOR CONDUCTING INQUIRIES INTO THE LEGAL VALIDITY OR SCOPE OF PATENTS, OR DETERMINING WHETHER ANY LICENSING TERMS OR CONDITIONS PROVIDED IN CONNECTION WITH SUBMISSION OF A LETTER OF ASSURANCE, IF ANY, OR IN ANY LICENSING AGREEMENTS ARE REASONABLE OR NON-DISCRIMINATORY.

ISA REQUESTS THAT ANYONE REVIEWING THIS DOCUMENT WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE DOCUMENT NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.

ADDITIONALLY, THE USE OF THIS DOCUMENT MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE DOCUMENT CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS DOCUMENT MUST EXERCISE SOUND PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS DOCUMENT.

THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.

The following people served as members of ISA96.06.

NAME	COMPANY
K. Enos, Chair	Rexa, Inc.
W. Weidman, Managing Director	WCW Consulting
V. Mezzano	Fluor Corp.
A. Michelson	Sunbelt Supply
S. Samy	CCI
J. Rosa*	Rotork Controls
F. Washburn*	Rotork Controls
W. Stinson	Stinson Valve-Actuation LLC
J. Young	The Dow Chemical Company

* One vote per company.

The following people served as members of ISA96.

NAME	COMPANY
V. Mezzano, Chair	Fluor Corp.
W. Weidman, Managing Director	WCW Consulting
M. Bober	Copes-Vulcan
S. Boyle	Metso Automation USA Inc.
K. Enos	Rexa, Inc.
E. Holtgraver	QTRCO Inc.
D. Leese	Automation Technology Inc. (ATI)
G. Liu	Consultant
S. Meunier	Velan
A. Michelson	Sunbelt Supply
D. Payne	Tyco Flow Control
S. Richardson	Kinetrol USA Inc.
S. Samy	CCI
F. Washburn	Rotork Controls
L. Winkel	Flowserve
J. Young	The Dow Chemical Company

This document was approved for publication by the ISA Standards and Practices Board on 2.

NAME	AFFILIATION
E. Cosman, Vice President	The Dow Chemical Company
D. Bartusiak	ExxonMobil Chemical Co.
P. Brett	Honeywell Inc.
J. Campbell	Consultant
B. Dumortier	Schneider Electric
D. Dunn	Consultant
J. Federlein	Federlein & Assoc. Inc.
J. Gilsinn	Kenexis Consulting
E. Icyan	Atkins
J. Jamison	Spectra Energy Ltd.
K. P. Lindner	Endress + Hauser Process Solutions AG
V. Maggioli	Feltronics Corp.
T. McAviney	Instrumentation and Control Engineering, LLC
V. Mezzano	Fluor Corporation
C. Monchinski	Automated Control Concepts Inc.
R. Reimer	Rockwell Automation
N. Sands	DuPont
H. Sasajima	Azbil Corp.
T. Schnaare	Rosemount Inc.
J. Tatera	Tatera & Associates Inc.
I. Verhappen	Industrial Automation Networks Inc.
W. Weidman	WCW Consulting
J. Weiss	Applied Control Solutions LLC
M. Wilkins	Yokogawa IA Global Marketing (USMK)
D. Zetterberg	Chevron Energy Technology Co.

This page intentionally left blank.

11/08/2014 22:20:54 MST

Contents

1	Scope	- 11 -
2	Purpose	- 11 -
3	Quality system.....	- 11 -
4	Design types.....	- 11 -
4.1	Fluid power	- 11 -
4.2	Types of motion.....	- 13 -
5	User defined requirements.....	- 13 -
5.1	Ambient conditions	- 13 -
5.1.1	Temperature	- 13 -
5.1.2	Hazardous area classification	- 13 -
5.1.3	Ingress protection - Electrical.....	- 14 -
5.1.4	Ingress protection - Reservoir	- 14 -
5.2	Performance requirements.....	- 14 -
5.2.1	Output.....	- 14 -
5.2.2	Travel	- 15 -
5.2.3	Operating time	- 15 -
5.3	Valve details	- 15 -
5.4	Fail-safe.....	- 15 -
5.4.1	Fail-safe positions	- 15 -
5.4.2	Fail-safe conditions	- 16 -
5.5	Controls.....	- 16 -
5.5.1	Local control capabilities	- 16 -
5.5.2	Remote/Network control.....	- 16 -
5.5.3	Analog control	- 16 -
5.5.4	Digital communication	- 16 -
5.5.5	Pulse control.....	- 17 -
5.5.6	Discrete control	- 17 -
5.5.7	Partial stroke testing (PST)	- 17 -
5.6	Documentation	- 17 -
5.7	Electrical.....	- 17 -
5.8	Diagnostics.....	- 18 -
5.9	Manual Override.....	- 18 -
5.9.1	Handwheel / Drill drive	- 18 -
5.9.2	Manual operated valve	- 18 -

5.9.3	Manual handpump.....	- 18 -
5.9	Accessories	- 19 -
5.9.1	Position switches.....	- 19 -
5.10	Corrosion protection	- 19 -
5.11	Accumulators.....	- 19 -
	User may specify, as needed:.....	- 19 -
6	Design requirements	- 19 -
6.1	Wiring entry	- 19 -
6.2	Electrical enclosure sealing.....	- 19 -
6.3	Electrical power requirements.....	- 19 -
6.4	Corrosion protection	- 19 -
6.5	Motor selection	- 20 -
6.6	Accumulators.....	- 20 -
6.6.1	Accumulator sizing	- 20 -
6.6.2	Accumulator recharge	- 20 -
6.6.3	Accumulator diagnostics	- 21 -
6.7	Fail-safe springs.....	- 21 -
6.8	Hydraulic reservoir	- 21 -
6.8.1	Sizing.....	- 21 -
6.8.2	Reservoir system designs	- 21 -
6.9	Solenoid valves	- 22 -
6.9.1	Control.....	- 22 -
6.9.2	Protection	- 22 -
6.9.2	Manual override.....	- 22 -
6.10	Pressure switches / transducers	- 23 -
6.11	Pressure relief valves	- 23 -
6.12	Manual override	- 23 -
6.13	Pressure gauges	- 23 -
6.14	Hydraulic fluids	- 23 -
6.15	Filtration.....	- 24 -
6.16	Position indication	- 24 -
6.16.1	Visual indication	- 24 -
6.16.2	Position transmitter.....	- 24 -
6.17	Tubing and fittings	- 24 -
6.18	Port specifications	- 25 -

6.19	Linear hydraulic cylinders.....	- 25 -
6.20	Diagnostics.....	- 25 -
7	Marking / Tagging	- 25 -
7.1	Identification marking	- 25 -
7.2	Additional labeling	- 26 -
8	Testing.....	- 26 -
9	Documentation	- 27 -
9.1	Actuator installation, commissioning and operation instructions	- 27 -
9.2	Electric wiring diagram	- 27 -
9.3	Dimensional (outline) drawings	- 28 -
9.4	Hydraulic schematic	- 28 -
9.5	Trouble shooting and repair (TS&R) manual	- 28 -
9.6	Final configuration and settings	- 28 -
9.7	Test documentation.....	- 28 -

.....