
**Traditional Chinese medicine —
Coding system for Chinese
medicines —**

**Part 2:
Codes for decoction pieces**

*Médecine traditionnelle chinoise — Système de codage des médecines
chinoises —*

Partie 2: Codes pour les pièces de décoction





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Coding principles	1
4.1 Uniqueness	1
4.2 Scientificity	1
4.3 Scalability	1
4.4 Compatibility	2
4.5 Stability	2
5 Coding structure	2
6 Codes for decoction pieces	2
Bibliography	75

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 249, *Traditional Chinese medicine*.

A list of all parts in the ISO 18668 series can be found on the ISO website.

Introduction

As the pharmaceutical materials extracted from natural and botanical products have become increasingly attractive, significant progress has been achieved in identifying new sources of natural products for traditional and alternative medicine. In particular, Chinese traditional medicine has been the focus of tremendous research, development and applications worldwide. Accordingly, Chinese medicinal materials are increasingly being used in countries around the world. Currently, there are more than 70 countries that have established administrative systems to regulate Chinese medicine. At present, the annual sale of Chinese medicines has reached more than USD 16 billion and is increasing at a rate of 10 % to 20 % per year with great future potential. At the same time, concerns of harm to the body associated with the long-term use of synthetic drugs have been recognized. Therefore, many countries are developing vigorous controls and regulations on using antibiotics and other synthetic drugs, while recognizing the importance of traditional and alternative medicines. Thus, this brings more opportunities for the development of the market of Chinese medicines.

Today, bar codes are widely used for managing almost all ordinary products that are put up for sale. For example, an eraser or a pencil has its individually identifiable bar code. Yet, so far, a bar coding system for products used in Chinese medicine has not been given sufficient attention, making it difficult to categorize individual items for international trade and research development. This brings challenges and concerns in government supervision and proper use by patients. As products for medicinal use, Chinese medicines could have bar codes that can be integrated into the current bar code system that is used for other commercial products. In this way, bar codes can be used to track sources and monitor the quality of the products. Therefore, there is an urgent need to develop a bar code system for Chinese medicine products that will enable to identify each specific Chinese medicine product.

The coding system for Chinese medicines is developed based on science and research rooted in plant taxonomy, Chinese medicine, Chinese medicinal processing, and other established regulatory handbooks and guidelines of GS1 General standard, central product classification (CPC) and ISO/IEC 15420, etc. The codes help to translate complicated names of a wide variety of decoction pieces, Chinese Materia Medica (raw materials), and granule forms of individual medicinals for prescriptions into transparent digits. In this way, each Chinese medicine corresponds to a unique code as its identification.

The Coding System for Chinese Medicines aims to promote standardization and digitalization for Chinese medicine, to ensure authenticity, equality, fairness and transparency in international markets and trade and to facilitate government supervision and regulation of Chinese medicine. It is hoped that it will help pharmaceutical enterprises to manage workflow and increase economic returns. It will help healthcare delivery organizations, such as hospitals and dispensaries, improve information management systems that can ensure the accuracy of dispensing, ensuring the safe and effective use of prescribed medicine.

Chinese medicines are substances or combinations of substances used under the guidance of traditional Chinese medicine (TCM) theory for medical care and the prevention and treatment of disease, including Chinese Materia Medica, decoction pieces, granule forms of individual medicinals for prescriptions (GFIMP), and Chinese patent medicines (CPM). As it has been previously acknowledged, Chinese decoction pieces are processed products of Chinese Materia Medica, which are also known as raw materials. Thus, when designing the coding system for Chinese medicines, it is feasible that one set of rules could incorporate all the features of each category of Chinese medicines, as they share the same medicinal source and medical part. To be specific, their divergence and commodity attributes can be clearly described in one of the layers (layer 8) in this set of coding rules. Granule forms of individual medicinals for prescriptions are innovative products made from decoction pieces. Based on the same considerations of feasibility and cost-control, the granular forms can be included within the same set of rules for decoction pieces.

However, although Chinese patent medicines (CPM) are made from decoction pieces, their coding rules are more complicated and differ from decoction pieces. Therefore, this coding system is not fit for CPM, and coding rules for CPM need to be formulated separately.

Traditional Chinese medicine — Coding system for Chinese medicines —

Part 2: Codes for decoction pieces

1 Scope

This document encodes 828 kinds of decoction pieces, according to the rules in ISO 18668-1.

This document is suitable for coding of decoction pieces, as well as decoction pieces in the fields of clinical medication, scientific research, teaching, statistics, and management.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 18668-1, *Traditional Chinese medicine — Coding system for Chinese medicines — Part 1: Coding rules for Chinese medicines*

3 Terms and definitions

For the purposes of this document, the following terms and definitions given in ISO 18668-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Coding principles

4.1 Uniqueness

Each variety and processed form corresponds to a unique code.

4.2 Scientificity

By applying scientific research to decide the classification methods and principles, the most stable properties, attributes, and characteristics of each Chinese medicines are used as basis for classification and coding. Thus, the structure of 17 digits with 10 layers as coding rules for Chinese medicines covers information of medicinal source, medicinal part, specification, and processing method, which respectively represent the basic characteristics, commercial attributes, and professional attributes of Chinese medicines.

4.3 Scalability

The coding rules allow sufficient space for expansion.

4.4 Compatibility

The coding rules are consistent with relevant existing International Standards.

4.5 Stability

The code for decoction pieces remains unchanged once assigned.

The code for each Chinese medicine remains unchanged once assigned, as long as the basic characteristic of the medicinal does not change. Even if some Chinese medicines are discontinued for production and use, their codes should still be kept.

5 Coding structure

Coding rules are represented by 10 layers with 17-digit Arabic numerals in order. The structure is encoded according to the rules in ISO 18668-1 as shown in [Figure 1](#). See ISO 18668-1 for technical requirements.




Figure 1 — Coding structure of Chinese medicines

6 Codes for decoction pieces

Codes for decoction pieces are given in [Table 1](#).

Table 1 — Codes for decoction pieces (828 kinds)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20001	<i>Lycopodium Herba</i>	Common Clubmoss Herb	伸筋草	Shen jin cao	<i>Lycopodium japonicum</i> Thunb.	Whole plant/ herb	06130250100104005
20002	<i>Selaginellae Herba</i>	Spikemoss	卷柏	Juan bai	(1) <i>Selaginella tamariscina</i> (Beauv.) Spring; (2) <i>Selaginella pulvinata</i> (Hook. et Grev.) Maxim.	Whole plant/ herb	06130350100104002
20003	<i>Selaginellae Tamariscinae</i>	Carbonized Spikemoss	卷柏炭	Juan bai tan	(1) <i>Selaginella tamariscina</i> (Beauv.) Spring; (2) <i>Selaginella pulvinata</i> (Hook. et Grev.) Maxim.	Whole plant/ herb	06130350100104415
20004	<i>Equiseti Hiemalis Herba</i>	Common Scouring Rush Herb	木贼(贼)	Mu zei	<i>Equisetum hyemale</i> L.	Aerial part	06130550500104002
20005	<i>Osmundae Rhizoma</i>	Japanese Osmunda Rhizome	紫萁贯(贯)众(眾)	Zi qi guan zhong	<i>Osmunda japonica</i> Thunb.	Rhizome and frond bases	06131310500103004
20006	<i>Lygodii Spora</i>	Japanese Climbing Fern Spore	海金沙	Hai jin sha	<i>Lygodium japonicum</i> (Thunb.) Sw.	Ripe spores	06131790100100007
20007	<i>Cibotii Rhizoma</i>	Cibot Rhizome	狗脊	Gou ji	<i>Cibotium barometz</i> (L.) J. Sm.	Rhizome	06131910500103006
20008	<i>Cibotii Rhizoma Aquosus</i>	Scalded Cibot Rhizome	烫(燙)狗脊	Tang gou ji	<i>Cibotium barometz</i> (L.) J. Sm.	Rhizome	06131910500103228
20009	<i>Dryopteridis Crassirhizomatis Rhizoma</i>	Male Fern Rhizome	绵马(馬)贯(貫)众(眾)	Mian ma guan zhong	<i>Dryopteris crassirhizoma</i> Nakai	Rhizome and frond bases	06134510500103005
20010	<i>Dryopteridis Crassirhizomatis Rhizoma Carbonisatum</i>	Carbonized Male Fern Rhizome	绵马(馬)贯(貫)众(眾)炭	Mian ma guan zhong tan	<i>Dryopteris crassirhizoma</i> Nakai	Rhizome and frond bases	06134510500103418
20011	<i>Drynariae Rhizoma</i>	Fortune's Drynaria Rhizome	骨碎补(補)	Gu sui bu	<i>Drynaria fortunei</i> (Kunze) J.Sm.	Rhizome	06135610500103001
20012	<i>Drynariae Rhizoma Praeparatum</i>	Scalded Fortune's Drynaria Rhizome	烫(燙)骨碎补(補)	Tang gu sui bu	<i>Drynaria fortunei</i> (Kunze) J.Sm.	Rhizome	06135610500103223

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20013	<i>Pyrrosiae Folium</i>	Shearer's <i>Pyrrosia</i> Leaf	石韦 (韋)	Shi wei	(1) <i>Pyrrosia sheareri</i> (Bak.) Ching; (2) <i>Pyrrosia lingua</i> (Thunb.) Farwell; (3) <i>Pyrrosia petiolosa</i> (Christ) Ching	Leaf	06135620700104005
20014	<i>Ginkgo Folium</i>	Ginkgo Leaf	銀 (銀) 杏叶 (葉)	Yin xing ye	<i>Ginkgo biloba</i> L.	Leaf	06140220700100001
20015	<i>Ginkgo Semen</i>	Ginkgo Seed	白果仁	Bai guo ren	<i>Ginkgo biloba</i> L.	Ripe kernel	06140240500100001
20016	<i>Ginkgo Semen Tostus</i>	Stir-fried Ginkgo Seed	炒白果仁	Chao bai guo ren	<i>Ginkgo biloba</i> L.	Ripe kernel	06140240500100117
20017	<i>Pini Lignum Nodi</i>	Tabularformed Pine Node	油松节 (節)	You song jie	(1) <i>Pinus tabulae formis</i> Carr.; (2) <i>Pinus massoniana</i> Lamb.	Tuberculate or branched nodes	06140420400105003
20018	<i>Pseudolaricis Cortex</i>	Golden Larch Bark	土荆皮	Tu jing pi	<i>Pseudolarix amabilis</i> (Nelson) Rehd.	Root bark or stem bark	06140420600106008
20019	<i>Pini Pollen</i>	Pine Pollen	松花粉	Song hua fen	(1) <i>Pinus massoniana</i> Lamb.; (2) <i>Pinus tabulae formis</i> Carr.	Pollen	06140430500100006
20020	<i>Platycladi Cacumen</i>	Chinese Arborvitae Twig and Leaf	側柏叶 (葉)	Ce bai ye	<i>Platycladus orientalis</i> (L.) Franco	Twig and leaf	06140621200100001
20021	<i>Platycladi Cacumen Carbonisatum</i>	Carbonized Chinese Arborvitae Twig and Leaf	側柏炭	Ce bai tan	<i>Platycladus orientalis</i> (L.) Franco	Twig and leaf	06140621200100414
20022	<i>Platycladi Semen</i>	Chinese Arborvitae kernel	柏子仁	Bai zi ren	<i>Platycladus orientalis</i> (L.) Franco	Ripe kernel	06140640500100009
20023	<i>Platycladi Semen Pulveratum</i>	Crystallized Chinese Arborvitae kernel	柏子仁霜	Bai zi ren shuang	<i>Platycladus orientalis</i> (L.) Franco	Ripe kernel	06140640500100832
20024	<i>Torreya Semen</i>	Grand Torreya Seed	榧子	Fei zi	<i>Torreya grandis</i> Fort.	Ripe seed	06140940600100009
20025	<i>Ephedrae Radix et Rhizoma</i>	Ephedra Root	麻黄根	Ma huang gen	(1) <i>Ephedra sinica</i> Stapf; (2) <i>Ephedra intermedia</i> Schrenk et C. A. Mey.	Root and rhizome	06141010300103002

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20026	<i>Ephedrae Herba</i>	Ephedra	麻黄	Ma huang	(1) <i>Ephedra sinica</i> Stapf; (2) <i>Ephedra intermedia</i> Schrenk et C. A. Mey.; (3) <i>Ephedra equisetina</i> Bge.	Herbaceous stem	06141021000104008
20027	<i>Ephedrae Herba Mellitus</i>	Honey-processed Ephedra	蜜麻黄	Mi ma huang	(1) <i>Ephedra sinica</i> Stapf; (2) <i>Ephedra intermedia</i> Schrenk et C. A. Mey.; (3) <i>Ephedra equisetina</i> Bge.	Herbaceous stem	06141021000104350
20028	<i>Saururi Herba</i>	Chinese Lizardtail Herb	三白草	San bai cao	<i>Saururus chinensis</i> (Lour.) Baill.	Aerial part	06150250500104005
20029	<i>Houttuyniae Herba</i>	Heartleaf Houttuynia Herb	干(艸)鱼腥草	Gan yu xing cao	<i>Houttuynia cordata</i> Thunb.	Aerial part	06150250500204002
20030	<i>Houttuyniae Herba Recens</i>	Fresh Heartleaf Houttuynia Herb	鲜鱼腥草	Xian yu xing cao	<i>Houttuynia cordata</i> Thunb.	Aerial part	06150250500208000
20031	<i>Piperis Kadsurae Caulis</i>	Kadsura Pepper Stem	海风(風)藤	Hai feng teng	<i>Piper kadsura</i> (Choisy) Ohwi	Lianoid stem	06150320100103002
20032	<i>Piperis Fructus</i>	Pepper Fruit	胡椒	Hu jiao	<i>Piper nigrum</i> L.	Ripe or nearly ripe fruit	06150340200100008
20033	<i>Piperis Longui Fructus</i>	Long Pepper	荜茇(荜撥)	Bi bo	<i>Piper longum</i> L.	Nearly ripe or ripe fruit-spike	06150340200200005
20034	<i>Sarcandrae Herba</i>	Glabrous Sarcandra Herb	肿节(節)风(風)	Zhong jie feng	<i>Sarcandra glabra</i> (Thunb.) Nakai	Whole plant/herb	06150450100104003
20035	<i>Juglandis Semen</i>	English Walnut Seed	核桃仁	He tao ren	<i>Juglans regia</i> L.	Ripe seed	06150740600100002
20036	<i>Mori Ramulus</i>	Mulberry Twig	桑枝	Sang zhi	<i>Morus alba</i> L.	Young branch	06151220200103003
20037	<i>Mori Ramulus Tostus</i>	Stir-fried Mulberry Twig	炒桑枝	Chao sang zhi	<i>Morus alba</i> L.	Young branch	06151220200103119
20038	<i>Mori Cortex</i>	White Mulberry Root-bark	桑白皮	Sang bai pi	<i>Morus alba</i> L.	Root bark	06151220600106000
20039	<i>Mori Cortex Mellitus</i>	Honey-processed White Mulberry Root-bark	蜜桑白皮	Mi sang bai pi	<i>Morus alba</i> L.	Root bark	06151220600106352
20040	<i>Mori Folium</i>	Mulberry Leaf	桑叶(葉)	Sang ye	<i>Morus alba</i> L.	Leaf	06151220700107006

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20041	Mori Fructus	Mulberry Fruit	桑椹	Sang shen	<i>Morus alba</i> L.	Fruit-spike	06151240200100000
20042	Broussonetiae Fructus	Papermulberry Fruit	楮实(實)子	Chu shi zi	<i>Broussonetia papyrifera</i> (L.) Vent.	Ripe fruit	061512402002000007
20043	Cannabis Fructus	Hemp Seed	火麻仁	Huo ma ren	<i>Cannabis sativa</i> L.	Ripe fruit	061512402003000004
20044	Cannabis Semen Tostus	Stir-fried Hemp Seed	炒火麻仁	Chao huo ma ren	<i>Cannabis sativa</i> L.	Ripe fruit	061512402003000110
20045	Santali Albi Lignum	Sandalwood	檀香	Tan xiang	<i>Santalum album</i> L.	Heart wood of trunk	06151820400107001
20046	Taxilli Herba	Chinese Taxillus Herb	桑寄生	Sang ji sheng	<i>Taxillus chinensis</i> (DC.) Danser	Branch with leaf	061519212001030009
20047	Visci Herba	Coloured Mistletoe Herb	槲寄生	Hu ji sheng	<i>Viscum colouratum</i> (Komar.) Nakai	Stem and branch with leaf	061519212002030006
20048	Asari Radix et Rhizoma	Manchurian Wildginger Root	细(細)辛	Xi xin	(1) <i>Asarum heterotropoides</i> Fr. Schmidt var. <i>mandshuricum</i> (Maxim.) Kitag.; (2) <i>Asarum sieboldii</i> Miq. var. <i>seoulense</i> Nakai; (3) <i>Asarum sieboldii</i> Miq.	Root and rhizome	06152010300104005
20049	Aristolochiae Fructus	Dutohmanspipe Fruit	马(馬)兜鈴	Ma dou ling	(1) <i>Aristolochia contorta</i> Bge.; (2) <i>Aristolochia debilis</i> Sieb. et Zucc.	Ripe fruit	06152040200107004
20050	Aristolochiae Fructus Mellitus	Honey-processed Dutohmanspipe Fruit	蜜马(馬)兜鈴	Mi ma dou ling	(1) <i>Aristolochia contorta</i> Bge.; (2) <i>Aristolochia debilis</i> Sieb. et Zucc.	Ripe fruit	06152040200107356
20051	Aristolochiae Herba	Dutchmanspipe Vine	天仙藤	Tian xian teng	(1) <i>Aristolochia debilis</i> Sieb. et Zucc.; (2) <i>Aristolochia contorta</i> Bge.	Aerial part	06152050500104009

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20052	Rhei Radix et Rhizoma	Rhubarb	大黄	Da huang	(1) <i>Rheum palmatum</i> L.; (2) <i>Rheum tanguticum</i> Maxim. ex Balf.; (3) <i>Rheum officinale</i> Baill.	Root and rhizome	06152310300103009
20053	Rhei Radix et Rhizoma Vinatus	Wine-processed Rhubarb	酒大黄	Jiu da huang	(1) <i>Rheum palmatum</i> L.; (2) <i>Rheum tanguticum</i> Maxim. ex Balf.; (3) <i>Rheum officinale</i> Baill.	Root and rhizome	06152310300103313
20054	Rhei Radix et Rhizoma Carbonisata	Carbonized Rhubarb	大黄炭	Da huang tan	(1) <i>Rheum palmatum</i> L.; (2) <i>Rheum tanguticum</i> Maxim. ex Balf.; (3) <i>Rheum officinale</i> Baill.	Root and rhizome	06152310300103412
20055	Rhei Radix et Rhizoma Cocta Vinata	Prepared Rhubarb	熟大黄	Shu da huang	(1) <i>Rheum palmatum</i> L.; (2) <i>Rheum tanguticum</i> Maxim. ex Balf.; (3) <i>Rheum officinale</i> Baill.	Root and rhizome	06152310300103610
20056	Polygoni Cuspidati Rhizoma et Radix	Giant Knotweed Rhizome	虎杖	Hu zhang	<i>Polygonum cuspidatum</i> Sieb. et Zucc.	Root and rhizome	06152310300203006
20057	Polygoni Multiflori Radix	Fleeceflower Root	何首乌(烏)	He shou wu	<i>Polygonum multiflorum</i> Thunb.	Root tuber	06152310400103008
20058	Polygoni Multiflori Radix Praeparata	Processed Fleeceflower Root	制何首乌(烏)	Zhi he shou wu	<i>Polygonum multiflorum</i> Thunb.	Root tuber	06152310400103695
20059	Bistortae Rhizoma	Bistort Rhizome	拳参(參)	Quan shen	<i>Polygonum bistorta</i> L.	Rhizome	06152310500102000
20060	Fagopyri Dibotryis Rhizoma	Golden Buckwheat Rhizome	金荞麦(麥)	Jin qiao mai	<i>Fagopyrum dibotrys</i> (D. Don) Hara	Rhizome	06152310500203004
20061	Polygoni Multiflori Caulis	Tuber Fleeceflower Stem	首乌(烏)藤	Shou wu teng	<i>Polygonum multiflorum</i> Thunb.	Lianoid stem	06152320100104007
20062	Polygoni Tinctorii Folium	Indigoplant Leaf	蓼大青叶(葉)	Liao da qing ye	<i>Polygonum tinctorium</i> Ait.	Leaf	06152320700100003
20063	Polygoni Orientalis Fructus	Prince's-Feather Fruit	水红(紅)花子	Shui hong hua zi	<i>Polygonum orientale</i> L.	Ripe fruit	06152340200100006
20064	Polygoni Avicularis Herba	Common Knotgrass Herb	蒺藜	Bian xu	<i>Polygonum aviculare</i> L.	Aerial part	06152350500104000

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20065	Polygoni Perfoliati Herba	Polygonum Herb	杠板归(歸)	Kang ban gui	<i>Polygonum perfoliatum</i> L.	Aerial part	06152350500204007
20066	Kochiae Fructus	Belvedere Fruit	地肤(膚)子	Di fu zi	<i>Kochia scoparia</i> (L.) Schrad.	Ripe fruit	061524402001000003
20067	Cyathulae Radix	Medicinal Cyathula Root	川牛膝	Chuan niu xi	<i>Cyathula officinalis</i> Kuan	Root	061525101001020008
20068	Cyathulae Radix Vinatus	Wine-processed Medicinal Cyathula Root	酒川牛膝	Jiu chuan niu xi	<i>Cyathula officinalis</i> Kuan	Root	061525101001023312
20069	Achyranthis Bidentatae Radix	Twotoothed Achyranthes Root	牛膝	Niu xi	<i>Achyranthes bidentata</i> Bl.	Root	061525101002040009
20070	Achyranthis Bidentatae Radix Vinatus	Wine-processed Twotoothed Achyranthes Root	酒牛膝	Jiu niu xi	<i>Achyranthes bidentata</i> Bl.	Root	06152510100204313
20071	Achyranthes Asperae Radix et Rhizoma	Local Achyranthis Root	土牛膝	Tu niu xi	<i>Achyranthes aspera</i> L.	Root and rhizome	06152510300104000
20072	Celosiae Cristatae Flos	Cockcomb Flower	鸡(雞)冠花	Ji guan hua	<i>Celosia cristata</i> L.	Capitulum	06152530100104000
20073	Celosiae Cristatae Flos Carbonisata	Carbonized Cockcomb Flower	鸡(雞)冠花炭	Ji guan hua tan	<i>Celosia cristata</i> L.	Capitulum	06152530100104413
20074	Celosiae Semen	Feather Cockscomb Seed	青葙子	Qing xiang zi	<i>Celosia argentea</i> L.	Ripe seed	061525406001000006
20075	Phytolaccae Radix	Pokeberry Root	生商陆(陸)	Sheng shang lu	(1) <i>Phytolacca acinosa</i> Roxb; (2) <i>Phytolacca americana</i> L.	Root	061527101001030009
20076	Phytolaccae Radix Acetatus	Vinegar-processed Pokeberry Root	醋商陆(陸)	Cu shang lu	(1) <i>Phytolacca acinosa</i> Roxb; (2) <i>Phytolacca americana</i> L.	Root	06152710100103320
20077	Portulaccae Herba	Purslane Herb	马(馬)齿苋	Ma chi xian	<i>Portulacca oleracea</i> L.	Aerial part	061529505001040002
20078	Stellariae Radix	Starwort Root	银(銀)柴胡	Yin chai hu	<i>Stellaria dichotoma</i> L. var. <i>Lanceolata</i> Bge.	Root	061531101001030006

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20079	Psammosilenes Radix	Tunicilike Psammosilence Root	金鉄(鐵)鎖(鎖)	Jin tie suo	<i>Psammosilene tunicoides</i> W.C. Wu et C.Y. Wu	Root	06153110100200002
20080	Pseudostellariae Radix	Heterophylly Falsestarwort Root	太子參(參)	Tai zi shen	<i>Pseudostellaria heterophylla</i> (Miq.) Pax et Hoffm	Root tuber	06153110400100002
20081	Vaccariae Semen	Cowherb Seed	王不留行	Wang bu liu xing	<i>Vaccaria segetalis</i> (Neck.) Garcke	Ripe seed	06153140600100007
20082	Vaccariae Semen Tostus	Stir-fried Cowherb Seed	炒王不留行	Chao wang bu liu xing	<i>Vaccaria segetalis</i> (Neck.) Garcke	Ripe seed	06153140600100113
20083	Dianthi Herba	Lilac Pink Herb	瞿麥(麥)	Qu mai	(1) <i>Dianthus superbus</i> L.; (2) <i>Dianthus chinensis</i> L.	Aerial part	06153150500104005
20084	Nelumbinis Rhizomatis Nodus	Lotus Rhizome Node	藕節(節)	Ou jie	<i>Nelumbo nucifera</i> Gaertn.	Node	06153210500100008
20085	Nelumbinis Rhizomatis Nodus Carbonisatus	Carbonized Lotus Rhizome Node	藕節(節)炭	Ou jie tan	<i>Nelumbo nucifera</i> Gaertn.	Node	06153210500100411
20086	Nelumbinis Folium	Lotus Leaf	荷葉(葉)	He ye	<i>Nelumbo nucifera</i> Gaertn.	Leaf	06153220700106007
20087	Nelumbinis Folium Carbonisatum	Carbonized Lotus Leaf	荷葉(葉)炭	He ye tan	<i>Nelumbo nucifera</i> Gaertn.	Leaf	06153220700107424
20088	Nelumbinis Receptaculum	Lotus Receptacle	蓮(蓮)房	Lian fang	<i>Nelumbo nucifera</i> Gaertn.	Receptacle	06153230400107006
20089	Nelumbinis Receptaculum Carbonatus	Carbonized Lotus Receptacle	蓮(蓮)房炭	Lian fang tan	<i>Nelumbo nucifera</i> Gaertn.	Receptacle	06153230400107419
20090	Nelumbinis Stamen	Lotus Stamen	蓮(蓮)須	Lian xu	<i>Nelumbo nucifera</i> Gaertn.	Stamen	06153230500100006
20091	Euryales Semen	Gordon Euryale Seed	芡實(實)	Qian shi	<i>Euryale ferox</i> Salisb.	Kernel of ripe seed	06153240500100005
20092	Euryales Semen Furfuritus	Bran-fried Gordon Euryale Seed	麸(麸)炒芡實(實)	Fu chao qian shi	<i>Euryale ferox</i> Salisb.	Kernel of ripe seed	06153240500100210
20093	Nelumbinis Semen	Lotus Seed	蓮(蓮)子	Lian zi	<i>Nelumbo nucifera</i> Gaertn.	Ripe seed	06153240600200001

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20094	Nelumbinis Plumula	Lotus Plumule	蓮(蓮) 子心	Lian zi xin	<i>Nelumbo nucifera</i> Gaertn.	Young cotyledon and radicle of the ripe seed	061532409001000001
20095	Pulsatillae Radix	Chinese Pulsatilla Root	白头(頭) 翁	Bai tou weng	<i>Pulsatilla chinensis</i> (Bge.) Regel	Root	061537101001020001
20096	Paeoniae Radix Alba	White Peony Root	白芍	Bai shao	<i>Paeonia lactiflora</i> Pall.	Root	061537101002020008
20097	Paeoniae Radix Alba Tostus	Stir-fried White Peony Root	炒白芍	Chao bai shao	<i>Paeonia lactiflora</i> Pall.	Root	061537101002020114
20098	Paeoniae Radix Alba Vinatus	Wine-processed White Peony Root	酒白芍	Jiu bai shao	<i>Paeonia lactiflora</i> Pall.	Root	061537101002020312
20099	Paeoniae Radix Rubra	Red Peony Root	赤芍	Chi shao	(1) <i>Paeonia lactiflora</i> Pall.; (2) <i>Paeonia veitchii</i> Lynch	Root	061537101003030002
20100	Clematidis Radix et Rhizoma	Chinese Clematis Root	威灵仙	Wei ling xian	(1) <i>Clematis chinensis</i> Osbeck; (2) <i>Clematis hexapetala</i> Pall.; (3) <i>Clematis manshurica</i> Rupr.	Root and rhizome	061537103001040003
20101	Aconiti Radix	Common Monkshood Mother Root	生川乌(烏)	Sheng chuan wu	<i>Aconitum carmichaelii</i> Debx	Parent root tuber	061537104001000004
20102	Aconiti Radix Cocta	Processed Common Monkshood Mother Root	制川乌(烏)	Zhi chuan wu	<i>Aconitum carmichaelii</i> Debx	Parent root tuber	061537104001037008
20103	Semiaquilegiae Radix	Muskroot-like Semiaquilegia Root	天葵子	Tian kui zi	<i>Semiaquilegia adoxoides</i> (DC.) Makino	Root tuber	061537104002000001
20104	Aconiti Lateralis Radix Praeparata	Sliced Common Monkshood Daughter Root	附片	Fu pian	<i>Aconitum carmichaelii</i> Debx	Daughter root tuber	061537104003030009
20105	Aconiti Lateralis Radix Tostus	Processed Sliced Common Monkshood Daughter Root	炮附片	Pao fu pian	<i>Aconitum carmichaelii</i> Debx	Daughter root tuber	06153710400303221

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20106	Aconiti Lateralis Radix Praeparata	Desalted Sliced Common Monkshood Daughter Root	淡附片	Dan fu pian	<i>Aconitum carmichaelii</i> Debx	Daughter root tuber	06153710400303719
20107	Aconiti Kusnezoffii Radix	Kusnezoff Monkshood Root	生草乌(烏)	Sheng cao wu	<i>Aconitum kusnezoffii</i> Reichb.	Root tuber	061537104004000005
20108	Aconiti Kusnezoffii Radix Cocta	Processed Kusnezoff Monkshood Root	制草乌(烏)	Zhi cao wu	<i>Aconitum kusnezoffii</i> Reichb.	Root tuber	061537104004000700
20109	Ranunculi Ternati Radix	Catclaw Buttercup Root	猫爪草	Mao zhao cao	<i>Ranunculus ternatus</i> Thunb.	Root tuber	061537104006000009
20110	Cimicifugae Rhizoma	Large-trifolious Bugbane Rhizome	升麻	Sheng ma	<i>Cimicifuga heracleifolia</i> Kom.	Rhizome	06153710500103004
20111	Anemones Raddeanae Rhizoma	Radde Anemone Rhizome	两头(頭)尖	Liang tou jian	<i>Anemone raddeana</i> Regel	Rhizome	06153710500200000
20112	Coptidis Rhizoma	Golden Thread	黄连(連)片	Huang lian pian	(1) <i>Coptis chinensis</i> Franch.; (2) <i>Coptis deltoidea</i> C.Y. Cheng et Hsiao; (3) <i>Coptis teeta</i> Wall.	Rhizome	06153710500302001
20113	Coptidis Rhizoma Vinatus	Wine Golden Thread	酒黄连(連)	Jiu huang lian	(1) <i>Coptis chinensis</i> Franch.; (2) <i>Coptis deltoidea</i> C.Y. Cheng et Hsiao; (3) <i>Coptis teeta</i> Wall.	Rhizome	06153710500302315
20114	Coptidis Rhizoma Praeparatum Cum Succo Zingiberis	Ginger-processed Golden Thread	姜(薑)黄连(連)	Jiang huang lian	(1) <i>Coptis chinensis</i> Franch.; (2) <i>Coptis deltoidea</i> C.Y. Cheng et Hsiao; (3) <i>Coptis teeta</i> Wall.	Rhizome	06153710500302346
20115	Coptidis Rhizoma	Medical Evodia Fruit Juice-processed Golden Thread	莢黄连(連)	Yu huang lian	(1) <i>Coptis chinensis</i> Franch.; (2) <i>Coptis deltoidea</i> C.Y. Cheng et Hsiao; (3) <i>Coptis teeta</i> Wall.	Rhizome	06153710500302384

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20116	<i>Clematidis Armandii</i> Caulis	Armand Clematis Stem	川木通	Chuan mu tong	(1) <i>Clematis armandii</i> Franch.; (2) <i>Clematis montana</i> Buch.-Ham.	Lianoid stem	06153720100103007
20117	<i>Moutan</i> Cortex	Tree Peony Bark	牡丹皮	Mu dan pi	<i>Paeonia suffruticosa</i> Andr.	Root bark	06153720600102005
20118	<i>Aconiti Kusnezoffii</i> Folium	Kusnezoff Monkshood Leaf	草乌(烏)叶(葉)	Cao wu ye	<i>Aconitum kusnezoffii</i> Reichb.	Leaf	06153720700100000
20119	<i>Nigellae</i> Semen	Fennel Seed	黑种(種)草子	Hei zhong cao zi	<i>Nigella glandulifera</i> Freyn et Sint.	Ripe seed	06153740600100009
20120	<i>Sargentodoxae</i> Caulis	Sargentgloryvine Stem	大血藤	Da xue teng	<i>Sargentodoxa cuneata</i> (Oliv.) Rehd. et Wils.	Lianoid stem	06153820100103004
20121	<i>Akebiae</i> Caulis	Akebia Stem	木通	Mu tong	(1) <i>Akebia quinata</i> (Thunb.) Decne.; (2) <i>Akebia trifoliata</i> (Thunb.) Koidz.; (3) <i>Akebia trifoliata</i> (Thunb.) Koidz. var. <i>australis</i> (Diels) Rehd.	Lianoid stem	06153820100203001
20122	<i>Stauntoniae</i> Caulis et Folium	Wild Papaya	野木瓜	Ye mu gua	<i>Stauntonia chinensis</i> DC.	Young floriferous branch	06153821200100009
20123	<i>Akebiae</i> Fructus	Akebia Fruit	预(預)知子	Yu zhi zi	(1) <i>Akebia quinata</i> (Thunb.) Decne.; (2) <i>Akebia trifoliata</i> (Thunb.) Koidz.; (3) <i>Akebia trifoliata</i> (Thunb.) Koidz. var. <i>australis</i> (Diels) Rehd.	Nearly ripe fruit	06153840200100000

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pīn Yīn)	Medicinal source	Medicinal parts	Codes
20124	<i>Berberidis Radix</i>	Barberry Radix	三颗针 (針)	San ke zhen	(1) <i>Berberis soulieana</i> Schneid.; (2) <i>Berberis wilsonae</i> Hemsl.; (3) <i>Berberis poiretii</i> Schneid.; (4) <i>Berberis verna</i> Schneid.	Root	06153910100103002
20125	<i>Epimedii Folium</i>	Epimedium Leaf	淫羊藿	Yin yang huo	(1) <i>Epimedium brevicornum</i> Maxim.; (2) <i>Epimedium sagittatum</i> (Sieb. et Zucc.) Maxim.; (3) <i>Epimedium pubescens</i> Maxim.; (4) <i>Epimedium koreanum</i> Nakai	Leaf	06153920700206003
20126	<i>Epimedii Folium Praeparata</i>	Stir-fried Epimedium Leaf	炙淫羊藿	Zhi yin yang huo	(1) <i>Epimedium brevicornum</i> Maxim.; (2) <i>Epimedium sagittatum</i> (Sieb. et Zucc.) Maxim.; (3) <i>Epimedium pubescens</i> Maxim.; (4) <i>Epimedium koreanum</i> Nakai	Leaf	06153920700206362
20127	<i>Epimedii Wushanensis Folium</i>	Epimedium Wushanense Leaf	巫山淫羊藿	Wu shan yin yang huo	<i>Epimedium wushanense</i> T. S. Ying	Leaf	06153920700306000
20128	<i>Epimedii Wushanensis Folium Praeparata</i>	Stir-fried Epimedium Wushanense Leaf	炙巫山淫羊藿	Zhi wu shan yin yang huo	<i>Epimedium wushanense</i> T. S. Ying	Leaf	06153920700306369
20129	<i>Mahoniae Caulis</i>	Chinese Mahonia Stem	功劳木	Gong lao mu	(1) <i>Mahonia bealei</i> (Fort.) Carr.; (2) <i>Mahonia fortunei</i> (Lindl.) Fedde	Stem	06153920900105007

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20130	<i>Sinopodophylli Fructus</i>	Common Sinopodophyllum Fruit	小叶(葉)蓮(蓮)	Xiao ye lian	<i>Podophyllum hexandrum</i> (Royle) Ying	Ripe fruit	061539402001000007
20131	<i>Stephaniae Tetrandrae Radix</i>	Fourstamen Stephania Root	防己	Fang ji	<i>Stephania tetrandra</i> S. Moore	Root	061540101001030008
20132	<i>Tinosporae Radix</i>	Tinospora Root	金果榄(欖)	Jin guo lan	(1) <i>Tinospora sagittata</i> (Oliv.) Gagnep.; (2) <i>Tinospora capillipes</i> Gagnep.	Root tuber	061540104002030002
20133	<i>Menispermii Rhizoma</i>	Asiatic Moonseed Rhizome	北豆根	Bei dou gen	<i>Menispermum dauricum</i> DC.	Rhizome	061540105001030004
20134	<i>Sinomenii Caulis</i>	Orientvine Stem	青风(風)藤	Qing feng teng	(1) <i>Sinomenium acutum</i> (Thunb.) Rehd. et Wils.; (2) <i>Sinomenium acutum</i> (Thunb.) Rehd. et Wils. var. <i>cinereum</i> Rehd. et Wils.	Lianoid stem	061540201001030007
20135	<i>Fibraureae Caulis</i>	Common Fibraurea Stem	黃藤	Huang teng	<i>Fibraurea recisa</i> Pierre.	Lianoid stem	061540201002040001
20136	<i>Cissampelotis Herba</i>	Common Cissampelos Herb	亞乎奴(錫生藤)	Ya hu nu	<i>Cissampelos pareira</i> L. var. <i>hirsute</i> (Buch. ex DC.) Forman	Whole plant/herb	061540501001000003
20137	<i>Kadsurae Caulis</i>	Kadsura Stem	滇鸡(雞)血藤	Dian ji xue teng	<i>Kadsura interior</i> A. C. Smith	Lianoid stem	061541201002000000
20138	<i>Illicii Cortex</i>	Difengpi Bark	地枫(楓)皮	Di feng pi	<i>Illicium difengpi</i> K. I. B. et K. I. M.	Stem bark	061541205000107008
20139	<i>Magnoliae Officinalis Cortex</i>	Officinal Magnolia Bark	厚朴	Hou po	(1) <i>Magnolia officinalis</i> Rehd. et Wils.; (2) <i>Magnolia officinalis</i> Rehd. et Wils. var. <i>biloba</i> Rehd. et Wils.	Stem bark, root bark or branch bark	061541205000206008

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20140	Magnoliae Officinalis Cortex Zingibere	Ginger-processed Officinal Magnolia Bark	姜(薑)厚朴	Jiang huo po	(1) <i>Magnolia officinalis</i> Rehd. et Wils.; (2) <i>Magnolia officinalis</i> Rehd. et Wils. var. <i>biloba</i> Rehd. et Wils.	Stem bark, root bark or branch bark	06154120500206343
20141	Magnoliae Flos	Biond Magnolia Flower	辛夷	Xin yi	(1) <i>Magnolia biondii</i> Pamp.; (2) <i>Magnolia denudata</i> Desr.; (3) <i>Magnolia sprengeri</i> Pamp.	Flower bud	06154130300100000
20142	Magnoliae Officinalis Flos	Officinal Magnolia Flower	厚朴花	Hou po hua	(1) <i>Magnolia officinalis</i> Rehd. et Wils.; (2) <i>Magnolia officinalis</i> Rehd. et Wils. var. <i>biloba</i> Rehd. et Wils.	Flower bud	06154130300200007
20143	Anisi Stellati Fructus	Chinese Star Anise	八角茴香	Ba jiao hui xiang	<i>Illicium verum</i> Hook. f.	Ripe fruit	06154140200100000
20144	Schisandrae Chinensis Fructus	Chinese Magnoliavine Fruit	五味子	Wu wei zi	<i>Schisandra chinensis</i> (Turcz.) Barll.	Ripe fruit	06154140200200007
20145	Schisandrae Chinensis Fructus Praeparatus	Vinegar-processed Chinese Magnoliavine Fruit	醋五味子	Cu wu wei zi	<i>Schisandra chinensis</i> (Turcz.) Barll.	Ripe fruit	061541402002000625
20146	Schisandrae Sphenantherae Fructus	Southern Magnolia-vine Fruit	南五味子	Nan wu wei zi	<i>Schisandra sphenanthera</i> Rehd. et Wils.	Ripe fruit	06154140200300004
20147	Schisandrae Sphenantherae Fructus Acetatus	Vinegar Southern Magnoliavine Fruit	醋南五味子	Cu nan wu wei zi	<i>Schisandra sphenanthera</i> Rehd. et Wils.	Ripe fruit	06154140200300325
20148	Myristicae Semen	Nutmeg	肉豆蔻	Rou dou kou	<i>Myristica fragrans</i> Houtt.	Kernel	06154440500100008
20149	Myristicae Semen Torrefactus	Bran-roasted Nutmeg	麸(麸)煨肉豆蔻	Fu wei rou dou kou	<i>Myristica fragrans</i> Houtt.	Kernel	061544405001000800
20150	Linderae Radix	Combined Spicebush Root	乌药(烏藥)	Wu yao	<i>Lindera aggregata</i> (Sims) Kosterm.	Root tuber	06154510400102003

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20151	Cinnamomi Ramulus	Cassia Twig	桂枝	Gui zhi	<i>Cinnamomum cassia</i> Presl	Young branch	06154520200103001
20152	Cinnamomi Cortex	Cassia Bark	肉桂	Rou gui	<i>Cinnamomum cassia</i> Presl	Stem bark	06154520500100007
20153	Litsea Fructus	Mountain Spicy Fruit	草(藪)澄茄	Bi cheng qie	<i>Litsea cubeba</i> (Lour.) Pers.	Ripe fruit	06154540200100008
20154	Borneolum (d-Borneolum)	Natural Borneol	天然冰片	Tian ran bing pian	<i>Cinnamomum camphora</i> (L.) Presl	Crystal produced from the fresh branches and leaves	06154590800100007
20155	Corydalis Rhizoma	Yanhusuo	延胡索(元胡)	Yan hu suo	<i>Corydalis yanhusuo</i> W.T. Wang	Tuber	06154710600103002
20156	Corydalis Rhizoma Praeparatum	Vinegar-processed Yanhusuo	醋延胡索	Cu yan hu suo	<i>Corydalis yanhusuo</i> W.T. Wang	Tuber	06154710600103323
20157	Corydalis Decumbentis Rhizoma	Decumbent Corydalis Rhizome	夏天无(無)	Xia tian wu	<i>Coydalis decumbens</i> (Thunb.) Pers.	Tuber	06154710600200008
20158	Papaveris Pericarpium	Poppy Capsule	罂粟壳(殼)	Ying su qiao	<i>Papaver somniferum</i> L.	Pericarp of ripe fruit	06154740400106002
20159	Papaveris Pericarpium Praeparatus Cum Melle	Honey-processed Poppy Capsule	蜜罂粟壳(殼)	Mi ying su qiao	<i>Papaver somniferum</i> L.	Pericarp of ripe fruit	06154740400106354
20160	Corydalis Bungeanae Herba	Bunge Corydalis Herb	苦地丁	Ku di ding	<i>Corydalis bungeana</i> Turcz.	Whole plant/herb	06154750100104000
20161	Chelidonium Herba	Greater Celandine Herb	白屈菜	Bai qu cai	<i>Chelidonium majus</i> L.	Whole plant/herb	06154750100204007
20162	Isatidis Radix	Isatis Root	板蓝(藍)根	Ban lan gen	<i>Isatis indigotica</i> Fort.	Root	06154910100103001
20163	Pegaeophyti Radix et Rhizoma	Acaulescent Pegaeophyton Root and Rhizome	高山辣根菜	Gao shan la gen cai	<i>Pegaeophyton scapiflorum</i> Marq. et Shaw	Root and rhizome	06154910300100008
20164	Isatidis Folium	Dyers Woad Leaf	大青叶(葉)	Da qing ye	<i>Isatis indigotica</i> Fort.	Leaf	06154920700107002

Documents

Document Sharing Hub

© ISO 2017 - All rights reserved

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20165	<i>Sinapis Semen</i>	Mustard Seed	芥子	Jie zi	(1) <i>Sinapis alba</i> L.; (2) <i>Brassica juncea</i> (L.) Czern. et Coss.	Ripe seed	06154940600100002
20166	<i>Sinapis Semen Tostus</i>	Stir-fried Mustard Seed	炒芥子	Chao jie zi	(1) <i>Sinapis alba</i> L.; (2) <i>Brassica juncea</i> (L.) Czern. et Coss.	Ripe seed	06154940600100118
20167	<i>Raphani Semen</i>	Radish Seed	莱(莱)菔子	Lai fu zi	<i>Raphanus sativus</i> L.	Ripe seed	06154940600200009
20168	<i>Raphani Semen Praeparatum</i>	Stir-fried Radish Seed	炒莱(莱)菔子	Chao lai fu zi	<i>Raphanus sativus</i> L.	Ripe seed	06154940600200115
20169	<i>Descurainiae Semen/Lepidii Semen</i>	Pepperweed Seed/ Tansymustard Seed	葶苈子	Ting li zi	(1) <i>Descurainia Sophia</i> (L.) Webb. ex Prantl.; (2) <i>Lepidium apetalum</i> Willd.	Ripe seed	06154940600300006
20170	<i>Descurainiae Semen Praeparatum/Lepidii Semen Praeparatum</i>	Stir-fried Pepperweed Seed/ Tansymustard Seed	炒葶苈子	Chao ting li zi	(1) <i>Descurainia Sophia</i> (L.) Webb. ex Prantl.; (2) <i>Lepidium apetalum</i> Willd.	Ripe seed	06154940600300112
20171	<i>Thlaspi Herba</i>	Boor's Mustard Herb	蔊薹	Xi ming	<i>Thlaspi arvetse</i> L.	Aerial part	06154950500104000
20172	<i>Rhodiola Crenulatae Radix et Rhizoma</i>	Bigflower Rhodiola Root	红(红)景天	Hong jing tian	<i>Rhodiola crenulata</i> (Hook. f. et Thomas.) H. Ohba	Root and rhizome	06155510300103000
20173	<i>Sedi Herba</i>	Stringy Stonecrop Herb	垂盆草	Chui pen cao	<i>Sedum sarmentosum</i> Bunge	Whole plant/herb	06155550100104005
20174	<i>Orostachyis Fimbriati Herba</i>	Fimbriate Orostachys Herb	瓦松	Wa song	<i>Orostachys fimbriatus</i> (Turcz.) Berg.	Aerial part	06155550500104001
20175	<i>Dichroae Radix</i>	Antifeverile Dichroa Root	常山	Chang shan	<i>Dichroa febrifuga</i> Lour.	Root	06155610100102002
20176	<i>Dichroae Radix Tostus</i>	Stir-fried Antifeverile Dichroa Root	炒常山	Chao chang shan	<i>Dichroa febrifuga</i> Lour.	Root	06155610100102118
20177	<i>Bergeniae Rhizoma</i>	Purple Bergenia Herb	岩白菜	Yan bai cai	<i>Bergenia purpurascens</i> (Hook. f. et Thoms.) Engl.	Rhizome	06155610500100004

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20178	Liquidambaris Fructus	Beautiful Sweetgum Fruit	路路通	Lu lu tong	<i>Liquidambar formosana</i> Hance	Ripe infructescences	061558402001000008
20179	Styrax	Storax	苏(蘇)合香	Su he xiang	<i>Liquidambar orientalis</i> Mill.	Balsam	061558902001000003
20180	Liquidambaris Resina	Beautiful Sweetgum Resin	枫(楓)香脂	Feng xiang zhi	<i>Liquidambar formosana</i> Hance	Resin	061558902002000000
20181	Eucommiae Cortex	Eucommia Bark	杜仲	Du zhong	<i>Eucommia ulmoides</i> Oliv.	Stem bark	061559205001060006
20182	Eucommiae Cortex Praeparatus	Salt-processed Eucommia Bark	盐(鹽)杜仲	Yan du zhong	<i>Eucommia ulmoides</i> Oliv.	Stem bark	061559205001063334
20183	Eucommiae Folium	Eucommia Leaf	杜仲叶(葉)	Du zhong ye	<i>Eucommia ulmoides</i> Oliv.	Leaf	061559207001000002
20184	Sanguisorbae Radix	Garden Burnet Root	地榆	Di yu	(1) <i>Sanguisorba officinalis</i> L.; (2) <i>Sanguisorba officinalis</i> L. var. <i>longifolia</i> (Bert.) Yu et Li	Root	061561101001030003
20185	Sanguisorbae Radix Carbonisata	Carbonized Garden Burnet Root	地榆炭	Di yu tan	(1) <i>Sanguisorba officinalis</i> L.; (2) <i>Sanguisorba officinalis</i> L. var. <i>longifolia</i> (Bert.) Yu et Li	Root	06156110100103416
20186	Persicae Ramulus	Peach Twig	桃枝	Tao zhi	<i>Prtnus persica</i> (L.) Batsch	Twig	061561202001040008
20187	Crataegi Folium	Hawthorn Leaf	山楂叶(葉)	Shan zha ye	(1) <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N. E. Br.; (2) <i>Crataegus pinnatifida</i> Bge.	Leaf	061561207001000005
20188	Eriobotryae Folium	Loquat Leaf	枇杷叶(葉)	Pi pa ye	<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Leaf	061561207002060004
20189	Eriobotryae Folium Praeparatum	Honey-processed Loquat Leaf	蜜枇杷叶(葉)	Zhi pi pa ye	<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Leaf	06156120700206356
20190	Rosae Chinensis Flos	Chinese Rose Flower	月季花	Yue ji hua	<i>Rosa chinensis</i> Jacq.	Flower	061561302001000009

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20191	Rosae Rugosae Flos	Rose Flower	玫瑰花	Mei gui hua	<i>Rosa rugosa</i> Thunb.	Flower bud	061561303001000008
20192	Mume Flos	Plum Flower	梅花	Mei hua	<i>Prunus mume</i> (Sieb.) Sieb. et Zucc.	Flower bud	061561303002000005
20193	Crataegi Fructus	Hawthorn Fruit	淨(淨)山楂	Jing shan zha	(1) <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N. E. Br.; (2) <i>Crataegus pinnatifida</i> Bge.	Ripe fruit	061561402001000008
20194	Crataegi Fructus Tostus	Stir-fried Hawthorn Fruit	炒山楂	Chao shan zha	(1) <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N. E. Br.; (2) <i>Crataegus pinnatifida</i> Bge.	Ripe fruit	061561402001001114
20195	Crataegi Fructus Praeparatus	Charred Hawthorn Fruit	焦山楂	Jiao shan zha	(1) <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N. E. Br.; (2) <i>Crataegus pinnatifida</i> Bge.	Ripe fruit	06156140200100121
20196	Mume Fructus	Smoked Plum	乌(烏)梅	Wu mei	<i>Prunus mume</i> (Sieb.) Sieb. et Zucc.	Almost ripe fruit	061561402002000005
20197	Mume Fructus Carbonatus	Carbonized Smoked	乌(烏)梅炭	Wu mei tan	<i>Prunus mume</i> (Sieb.) Sieb. et Zucc.	Almost ripe fruit	061561402002000418
20198	Mume Fructus	Pulp of Smoked	乌(烏)梅肉	Wu mei rou	<i>Prunus mume</i> (Sieb.) Sieb. et Zucc.	Almost ripe fruit	061561402002000609
20199	Chaenomeles Fructus	Common Flowering Quince Fruit	木瓜	Mu gua	<i>Chaenomeles speciosa</i> (Sweet) Nakai	Nearly ripe fruit	061561402003020006
20200	Rosae Laevigatae Fructus	Cherokee Rose Fruit	金櫻子	Jin ying zi	<i>Rosa laevigata</i> Michx	Ripe fruit	061561402004000009
20201	Rosae Laevigatae Fructus	Pulp of Cherokee Rose Fruit	金櫻子肉	Jin ying zi rou	<i>Rosa laevigata</i> Michx	Ripe fruit	061561402005000006
20202	Prinsepiae Nux	Hedge Prinsepia Nut	蕤仁	Rui ren	(1) <i>Prinsepia uniflora</i> Batal.; (2) <i>Prinsepia uniflora</i> Batal. var. <i>serrata</i> Rehd.	Ripe kernel	061561405001000005

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
20203	Rubi Fructus	Palmleaf Raspberry Fruit	覆盆子	Fu pen zi	<i>Rubus chingii</i> Hu	Fruit	06156140200800007
20204	Armeniacae Semen Amarum	Bitter Apricot Seed	苦杏仁	Ku xing ren	(1) <i>Prunus armeniaca</i> L. var. <i>ansu</i> Maxim.; (2) <i>Prunus sibirica</i> L.; (3) <i>Prunus mandshurica</i> (Maxim.) Koehne	Ripe seed	06156140600100004
20205	Armeniacae Semen Amarum Praeparatum	Stir-fried Bitter Apricot Seed	炒苦杏仁	Chao ku xing ren	(1) <i>Prunus armeniaca</i> L. var. <i>ansu</i> Maxim.; (2) <i>Prunus sibirica</i> L.; (3) <i>Prunus mandshurica</i> (Maxim.) Koehne	Ripe seed	06156140600100110
20206	Armeniacae Semen Amarum Aquosus	Chan Bitter Apricot Seed	燂苦杏仁	Chan ku xing ren	(1) <i>Prunus armeniaca</i> L. var. <i>ansu</i> Maxim.; (2) <i>Prunus sibirica</i> L.; (3) <i>Prunus mandshurica</i> (Maxim.) Koehne	Ripe seed	06156140600100820
20207	Pruni Semen	Chinese Dwarf Cherry Seed	郁(鬱)李仁	Yu li ren	(1) <i>Prunus humilis</i> Bge.; (2) <i>Prunus japonica</i> Thunb.; (3) <i>Prunus pedunculata</i> Maxim.	Ripe seed	06156140600200001
20208	Persicae Semen	Peach Seed	桃仁	Tao ren	(1) <i>Prunus persica</i> (L.) Batsch; (2) <i>Prunus davidiana</i> (Carr.) Franch.	Ripe seed	06156140600300008
20209	Persicae Semen Praeparatum	Stir-fried Peach Seed	炒桃仁	Chao tao ren	(1) <i>Prunus persica</i> (L.) Batsch; (2) <i>Prunus davidiana</i> (Carr.) Franch.	Ripe seed	06156140600300114
20210	Persicae Semen Aquosus	Chan Peach Seed	燂桃仁	Chan tao ren	(1) <i>Prunus persica</i> (L.) Batsch; (2) <i>Prunus davidiana</i> (Carr.) Franch.	Ripe seed	06156140600300824

NOTE: "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.