INTERNATIONAL STANDARD

ISO 19206-1

First edition
2018-12

Road vehicles — Test devices for target vehicles, vulnerable road users and other objects, for assessment of active safety functions —

Part 1: Requirements for passenger vehicle rear-end targets

Véhicules routiers - Dispositifs d'essai pour véhicules cibles, usagers de la route vulnérables et autres objets, pour l'évaluation de fonctions de sécurité active —

Partie 1: Exigences pour cibles d'arrière de véhicules particuliers

Reference number
ISO 19206-1:2018(E)

Documents
Document Sharing Hub
© ISO 2018

Full document details: ISO 19206-1-2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub

Full document details: ISO 19206-1-2018

Contents

Page

Foreword ..... **v**

Introduction ..... **vi**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**

4 Symbols and abbreviated terms **2**

5 Vehicle target specifications **2**
5.1 Vehicle classes and target applicability 2
5.2 Reference dimensional measurements 3
5.3 Safety considerations 4
5.4 Repairability 4
5.5 Environmental conditions 4

6 Vehicle target response to sensing technologies **4**
6.1 General 4
6.2 Optical requirements 4
6.2.1 General 4
6.2.2 Reference measurements 4
6.2.3 Stability of dimensions for optical recognition 5
6.2.4 Viewing angles 5
6.2.5 Features related to optical requirements 5
6.3 Radar requirements 5
6.3.1 Reference measurements of radar properties 5
6.3.2 Reference measurements 5
6.3.3 Radar cross section, static measurements and requirements 5
6.3.4 Radar recognition features of vehicle target 5
6.3.5 Stability of dimensions for radar recognition 5
6.4 Thermal requirements for Far Infrared vision systems 6
6.4.1 General 6
6.4.2 Reference measurements 6
6.4.3 Thermal characteristics 6
6.5 Calibration 6

7 Motion and positioning during test for VT including target carrier system **6**
7.1 General requirements 6
7.2 Longitudinal positioning 7
7.2.1 Speed range for operation 7
7.2.2 Accelerations 7
7.3 Lateral positioning 7
7.3.1 General 7
7.3.2 Yaw angle 7
7.3.3 Lateral position 7
7.4 Vertical positioning 7
7.4.1 General 7
7.4.2 Pitch angle 7
7.4.3 Vertical motions 7

Annex A (informative) **Vehicle classes** **8**

Annex B (normative) **Sensor-specific recognition properties** **10**

Annex C (normative) **Vehicle target measurements and measurement equipment** **13**

Annex D (informative) **Field verification of vehicle target properties** **16**

Annex E (informative) **Examples of existing vehicle rear-end targets** **17**

Documents
Document Sharing Hub

© ISO 2018 – All rights reserved

Full document details: ISO 19206-1-2018

Bibliography **20**

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO 19206-1-2018

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 33, *Vehicle dynamics and chassis components*.

A list of all parts in the ISO 19206 series can be found on the ISO website.

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO 19206-1-2018

Introduction

ADAS (Advanced Driver Assistance Systems) and Active Safety systems are designed to support decision-making for the driver, extend the driver's awareness of the traffic situation with advanced warnings, improve the behaviour of the vehicle, and even take over vehicle control in an emergency situation. The goal is to completely avoid an accident or at least reduce the severity of an accident.

Testing of active safety systems requires documentation of test materials, test environment, testing procedures, and performance criteria. This document series addresses the specification of test target objects for traffic scenarios representing vehicles, vulnerable road users and other objects in the forward path of the subject vehicle.

This document addresses the specification of vehicle rear-end test targets (see Annex E for examples of existing vehicle rear-end targets). A future part of this document series is intended to address also other configurations (3D targets).

A surrogate vehicle target needs to represent a real vehicle in terms of detectability and movement. It should also provide safety for the subject vehicle and test operators in the event that contact is made between the subject vehicle and the target. Crashworthiness and durability requirements for the vehicle target require that the material and construction of the vehicle target are adapted to fit the purposes.

Test cases usually address both stationary and moving vehicle targets and, as such, the physical construction of the target accommodates a target carrier system capable of mimicking realistic motions. This document includes requirements on the target carrier system as applicable.

Targets described in this document series may be used for system development or applied in conjunction with existing standards, or standards under development, for assessment of ADAS and active safety functions of vehicles.

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO 19206-1-2018

Road vehicles — Test devices for target vehicles, vulnerable road users and other objects, for assessment of active safety functions —

Part 1: Requirements for passenger vehicle rear-end targets

1 Scope

This document specifies performance requirements for surrogate targets used to assess the system detection and activation performance of active safety systems.

This document specifies the properties of a vehicle target that will allow it to represent a passenger vehicle in terms of size, shape, reflection properties, etc. for testing purposes. The document addresses the detection requirements for a vehicle target in terms of sensing technologies commonly in use at the time of publication of this document, and where possible, anticipated future sensing technologies. It also addresses methodologies to verify the target response properties to these sensors, as well as performance requirements for the target carrier.

This document specifies the properties of the vehicle target for simulation of rear-end scenarios, with overlap greater than 50 %. The specifications of vehicle targets in this document are intended to address current and anticipated test protocols related to safety critical events in which the subject vehicle approaches a stopped, braking or slower moving (target) vehicle from behind and in the forward path of the subject vehicle.

This document does not address the test procedures in terms of speeds, positions, or timing of events. Performance criteria for the active safety system are also not addressed.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8855:2011, *Road vehicles — Vehicle dynamics and road-holding ability — Vocabulary*

ISO 8608, *Mechanical vibration — Road surface profiles — Reporting of measured data*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8855:2011 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at http://www.electropedia.org/

— ISO Online browsing platform: available at https://www.iso.org/obp

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO 19206-1-2018

3.1
subject vehicle
SV
vehicle with active safety system to be tested

3.2
vehicle target
VT
test device representing a vehicle in the forward path of the subject vehicle used to test active safety systems

Note 1 to entry: This document addresses test devices representing the rear-end of a vehicle.

3.3
target structure
physical structure used to activate sensor systems representing the body of a vehicle

3.4
target carrier
mechanical system used to move the target structure according to a test protocol

Note 1 to entry: It may be self-contained within, or supporting the target structure or external devices connected with cables, beams, or similar structures.

Note 2 to entry: Target structure fixation is included in the target carrier.

3.5
measurement equipment
equipment used to record the position and motions of the vehicle target relative to the subject vehicle to ensure that the test protocol is followed within prescribed tolerances and to record data documenting the function of the active safety system and allowing its performance to be assessed

4 Symbols and abbreviated terms

CCD	Charge-Coupled Device
FIR	Far Infrared
LIDAR	Light Detection and Ranging
NIR	Near Infrared
PMD	Photonic Mixer Device
RCS	Radar Cross Section

5 Vehicle target specifications

5.1 Vehicle classes and target applicability

The vehicle targets specified in this document refer to passenger cars and in particular the smaller and more common B and C class cars. See Annex A for more information.

The vehicle targets are intended for testing of systems designed to mitigate or avoid collisions in which the subject vehicle approaches a stopped, braking, or slower moving vehicle (target) from behind and in the forward path of the subject vehicle.

The vehicle target should withstand impacts for all rear collision overlap situations.

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: ISO 19206-1-2018


For system tests, the range of potential collision situations of interest includes those having 50 % up to 100 % vehicle target width overlap.

The rear-end target should not be used in offset scenarios where subject vehicle sensors will view the side of the vehicle target.

Figure 1 shows the ISO definition of overlap. It should be noted that the overlap is related to one of the vehicles involved.

NOTE Vehicle width overlap specifications are typically described in a test procedure.

EXAMPLE The Euro NCAP AEB test procedure specifies 100 % vehicle width overlap.



Key

A overlap

B offset

Figure 1 — Overlap and offset definition (approximately 60 % overlap frontal collision shown) (Source: ISO 6813)

5.2 Reference dimensional measurements

Reference measurements for the vehicle target should come from a representative sample of vehicles from the B/C class that were manufactured within five years prior to the publication date of this document.

General dimensions of the vehicle fleet are given in Annex A.

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: ISO 19206-1-2018